

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Papers from "UHON395 Carbonomics: Can
Bioenergy save the World?"

Undergraduate Research in Agricultural Economics

June 2008

Impact of Biofuels on Forestland in Central America

Ayako Ebata

University of Nebraska, n0516v@gmail.com

Follow this and additional works at: <http://digitalcommons.unl.edu/ageconundergrad>



Part of the [Agricultural and Resource Economics Commons](#)

Ebata, Ayako, "Impact of Biofuels on Forestland in Central America" (2008). *Papers from "UHON395 Carbonomics: Can Bioenergy save the World?"*. 7.

<http://digitalcommons.unl.edu/ageconundergrad/7>

This Article is brought to you for free and open access by the Undergraduate Research in Agricultural Economics at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Papers from "UHON395 Carbonomics: Can Bioenergy save the World?" by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

May 2008

Impact of Biofuels on Forestland in Central America¹

Ayako Ebata²

Abstract. Although biofuels are thought to be one of the solutions for reducing carbon dioxide in the atmosphere, the net effects might be ambiguous when indirect land use effects are incorporated. Along with the increasing price of biofuel crops, forest lands might be destroyed throughout the world. In this study, the net effect of the increases in U.S. production of corn due to ethanol demand is explored in terms of additional land impacts and deforestation in Central America. I present data from FAO and Searchinger et al, where it is suggested that the Central American region has been in the process of deforestation and conversion of forest lands for agricultural use. Consequence is contribution to higher concentration of carbon dioxide in the atmosphere due to deforestation.

¹ Paper prepared for seminar UHON395 “Carbonomics: Will Biofuels Save the World?” Spring 2008

Instructors: Lilyan E. Fulginiti (lfulginiti@unl.edu) and Richard K. Perrin (rperrin@unl.edu).

² Undergraduate student, Department of Agricultural Economics, University of Nebraska, Lincoln.
Contact author: n0516v@gmail.com

Executive Summary

One of the biggest concerns for us, humans, today is increasing amount of carbon in the atmosphere and global climate change, which is thought to be the consequence of higher level of carbon. At one point, it seemed that we have found the solution called biofuel. However, there are some arguments that claim that the actual impacts of biofuel production cause increase of carbon in the atmosphere. It is because there are some factors that promote conversion of forest areas in order to produce more crops.

This study specifically focuses on the Central American nations, which have ratified a free trade agreement, CAFTA, Central American Free Trade Agreement, with the U.S. Because of the climate, this region is blessed with rich ecosystem represented by tropical forests. Tropical forests play a significant role in terms of human and earth's ecosystem well-beings (Tropical Forests Mesoamerican/Caribbean). Therefore, the U.S. producing corn ethanol could have unpredictable impacts on the entire world.

The main purpose of this study is to examine net effect on carbon emission because of the change in land allocation in the U.S. caused from the U.S. ethanol production. By the U.S. allocating its corn production to ethanol, it becomes necessary for the rest of the world to produce their own food sources if they have been dependent on import from the U.S.

In order to do so, data on proportion of land within each Central American nation used for agricultural purposes and kept as forest or woodland are collected to measure how much land allocation has been changed in the last four decades. According to FAO, Food and Agriculture Organization of the United Nations, there has been a slight increase in agricultural area while forest and wood lands have shown a decrease over time. Although the

amount of information does not allow us to specify that the cause of decreasing area of forest is the change in land allocation from forest to agricultural use, this result suggest that the loss in forest area might be able to be explained by agricultural practices.

Then, an article written by Searchinger et al in the Science magazine is referred to see whether or not production of corn ethanol in the U.S. is a net contributor to carbon emission. Searchinger et al has suggested that the U.S. production of corn ethanol is a contributor to higher level of greenhouse gases emission. They argue that the use of gasoline emits less greenhouse gases than corn ethanol when the land conversion throughout the world is taken into account.

Biofuel is thought to be clean energy and one of the solutions for increasing greenhouse gases in the atmosphere. However, there are some necessary trends to consider such as land allocation in other parts of the world. Countries such as the U.S. have significant impacts on the rest of the world. In other words, even if the net effect of greenhouse gases emission within the U.S. shows decreasing amount of greenhouse gases, we still need to consider and predict what the implication of the change in the U.S. would be in terms of the other countries in the whole world.

By the study done by Searchinger et al, it is suggested that production of corn ethanol actually triggers higher level of greenhouse gases emitted than gasoline. It is true that this study includes vast amount of uncertainties and assumption, which might make one wonder if the suggestions are valid. However, there is an implication of net greenhouse gases emission and we should not forget the possibility. This complex relationship between nations needs to be

revisited in the future to examine the real impacts of the U.S. corn ethanol production on the environment.

I. Introduction

A. Global Climate Change and Biofuel Production

One of the hottest topics today is global climate change and its solution. The global climate is thought to have happened due to the human activity of burning fossil fuels (Greenhouse Gases, Climate Change, and Energy). The more important it becomes, the more biofuel production and its environmental impacts are discussed. Biofuels are expected to reduce the amount of greenhouse gases emitted due to the use of fossil fuels by producing fuels from crops such as corn and sugarcane (Biofuels: The Growing Solution to Energy Dependence and Global Warming). However, the benefit of biofuel production is ambiguous. Some argue that the production of biofuels creates more problems than we have now.

Among the arguments that criticize biofuel production, what is focused here is deforestation caused from converting forests into agricultural lands. As the price of the energy crops have gone up, forest lands have been converted to agricultural lands for the sake of farmers' profit. This practice makes the overall effect of biofuel production uncertain; net loss or net gain of carbon in the atmosphere. It has been reported that many of the countries where tropical forests are located have converted their tropical forests to crop land and been producing palm, sugarcane and so on for biofuels. Time's magazine has discussed deforestation in Brazil because of the increasing price of energy crops such as soybeans (Leahy, 2007). The energy

source of biofuel, which was thought to be environmentally friendly, might not be as clean as we think.

B. The Significance of Tropical Forests

Tropical forests are significant for not only the countries that own the forests areas but also any creature on earth since they are strongly connected to the earth's ecosystem and creatures in a various ways (Tropical Forests Mesoamerican/Caribbean).

Although all the other type of ecosystem is unique and important, tropical forests tend to be paid more attention than the others because they hold much richer biodiversity and therefore, the inter-relationship between different species is very complex. When this vulnerable balance of tropical ecosystem crumbles, it is very difficult to recover the original ones. For example, a loss of one species may result in destroying another species in the topical forest, whose well-being is entirely dependent on the creature lost (Hart, 2007).

Tropical forests are also thought to be beneficial for humans' health. One of the most common arguments made in favor of tropical forest conservation is that there are more plant and animal species that have not yet been discovered by humans. Thus, there is possibility of inventing new pharmaceuticals that might cure cancer and other type of disease by discovering new species (D. E. Bierer, T. J. Carlson, S. R. King).

Tropical forests conserve not only the diversity of species but also cultural diversity such as indigenous populations. As there are numerous tribes in the Brazilian Amazon, Central America is also one of the most important origins of indigenous cultures in the world. In

Costa Rica, for instance, there is an indigenous tribe called Bribri in the south and they have developed their genuine culture by utilizing the natural resources available in tropical forests (Maura, 2007).

C. The Role of Tropical Forests in terms of Carbon Emission

In terms of climate change, tropical forests also play an inevitable role. Here, three characteristics are discussed; tropical forests' role in carbon absorption, their usage as agricultural lands, and carbon sequestration.

Tropical forests are sometimes described as “earth’s air conditioner” (Institution, 2007). Plants conduct photosynthesis and in the process they capture carbon dioxide from the air and convert it to what we would be able to consume as food source. Oxygen is, in fact, just a byproduct of photosynthesis (Beder). Tropical forests generate significant amount of oxygen by converting carbon dioxide in the air. Global climate change is said to happen because of the high concentration of greenhouse gases such as carbon dioxide and forests are thought to be one of the most significant outlets of carbon dioxide. Tropical forests are particularly important because they absorb more carbon dioxide than other types of forests.

Although tropical forests are called “carbon sink” meaning that they store carbon in the ground, they are not suitable for agricultural practices. One may think the rich nutrient in their soils would help and enhance agricultural activities. However, a vast portion of the nutrients are stored at the surface of land, which makes it easier to exploit all the nutrients in the soil in a relatively short period of time. Because of the poor-nutrient soil, the production site needs to be migratory and consequently such an agricultural performance is likely to wipe out all the forest

areas quickly. What is more, one of the most common practice made in order to clear the forest is burning, whose impacts on the earth climate are also significant. In short, agriculture in tropical forest regions not only harms the rich biodiversity and effective carbon sink but also contributes to global climate change by being reduced and burnt (J. L. Mastrantonio, J. K. Francis, 1997)).

According to the Science magazine, net gain in greenhouse gases emission is caused because of the significant amount of carbon stored in the ground besides the actual action of converting forests into croplands (T. Searchinger). Forests, in general sequester carbon, which implies that the carbon stored thanks to forests would be released into the air when they are converted to produce biofuels. The Science magazine discussed how deforestation's contribution to higher level of carbon emission could be measured. In this study, the same procedure will be taken in order to calculate what the net effect of biofuel production would be. The methods of calculation applied are discussed later in Section II E.

For aforementioned reasons, tropical forests hold the key to carbon emission in the atmosphere. In this study, the Central American regions are focused. The regions are the house of numerous species since they possess vast area of tropical forests. Countries such as Costa Rica earn most of its income from tourism or ecotourism attracted to its rich natural resources including the tropical forests. Countries observed were Guatemala, Honduras, El Salvador, Dominican Republic, Nicaragua, and Costa Rica, which are all in CAFTA; Central American Free Trade Agreement. We hope to examine how the land use has been changed over the last four decades particularly from forest lands to crop lands.

D. Central American Free Trade Agreement; CAFTA

The history of CAFTA is relatively short. It is a free trade agreement between these Central American countries discussed and the United States, which eventually eliminates tariffs on exchanged goods between these two regions in the Americas. CAFTA had been ratified by all the countries in the agreement except Costa Rica until October 7th, 2007. The people in Costa Rica were given the opportunity to choose whether or not they would allow the implementation of CAFTA and their choice was in favor of the trade agreement (Delacour, 2007).

The average GDP per capita of the six CAFTA countries is \$6,1667 in 2006 with the highest being \$12,500 of Costa Rica and the lowest being \$3,100 of Honduras and Nicaragua (The World Factbook). The economies of most of the countries are highly dependent on their income from the agricultural sector. In Table 1 and Table 2, the data collected from CIA; the World Fact Book, are shown. Table 1 includes each country's population, GDP per capita in 2006, the percentage of workforce in agriculture, and the percentage of agricultural share in GDP, while Table 2 contains mean, maximum and minimum of each category.

II. Biofuel Production and Central America

A. Current Trends of Biofuel Production in Central America

In terms of biofuel production, are Central American countries discussed above making any significant decisions? One December 14th, 2006, Grist; Environmental News and Commentary has reported that Brazil has conducted a study and it showed that the Central American regions would have potential of producing ethanol. As the countries in Central America have developed economically, they consume more energy. Due to the rising price of

gasoline, Central American nations need to develop alternative energy sources that are cheaper. Therefore, it is not surprising that they have become interested in biofuel production as some other countries in the Americas (Barclay, 2006).

Among the countries in Central and South America, they have named a few that have a fairly tangible plan of adopting energy crops; Argentina, Costa Rica, Colombia, El Salvador, Jamaica, Mexico, Nicaragua, Paraguay, Peru and Venezuela. Besides these ten countries listed above, they discussed the potential of some CAFTA nations, which are Honduras, El Salvador, Guatemala, and Costa Rica.

The first to be discussed is Honduras. Its foreseen energy crops are sugar and African palm. The government of Honduras has promoted sugar production by claiming that biofuel production from sugarcane would decrease Honduras' energy dependency on foreign countries, create more jobs for the locals, and therefore stimulate its economic growth. Environmental News and Commentary stated that farmers in Honduras have already responded by converting additional 27,200 acres for two ethanol refineries and its agricultural ministry sees another 494,000 acres for African palm production by transforming abandoned farmland (Barclay, 2006).

Secondly, we would like to emphasize on El Salvador. According to RUTA, Regional Unit for Technical Assistance; a project of the Ministries of Agriculture of Central America, El Salvador built its first biodiesel plant in 2006, which is expected to produce 400 liters of biodiesel per day from physic nut. Physic nut are generally known as template and higuerrillo while their more scientific names are *Jatropha curcas* and *Ricinus comunis*. These

crops are native to the land of El Salvador, contain large amount of oil in their seeds, and can be produced under any severe environment such as salty and rocky lands (El Salvador).

The third country is Guatemala. IDB, Inter-American Development Bank, has published an article called “A Blueprint for Green Energy in the Americas”. According to this article, despite that its sugar production accounts for the large portion of its agricultural sector, Guatemala produces its biodiesel from crops such as jatropha, which was discussed in El Salvador as well, palm oil, and avocados. It added that Guatemala is one of the largest producers of palm kernel equivalents in the world (Constance).

Finally, Costa Rica is focused. One might consider Costa Rica has established the most stable access to the international market for ethanol. The IDB article discussed above says that Costa Rica both produces and exports about 40-42 million liters of ethanol per year between 2003 and 2006. Early in 2006, one Costa Rican national oil company called RECOPE has agreed on cooperating with a Brazilian counterpart, Petrobras, to conduct studies on blending ethanol with gasoline and its feasibility. Although 64 gas stations throughout Costa Rica have already been offering E5 and E10, biodiesel has not gained enough consumer confidence yet. The project signed by RECOPE and Petrobras is expected to alter the consumer beliefs (G.Rothkopf, 2007).

As discussed above, there seem to be some countries in CAFTA, where the movement toward promoting biofuel production is worth notifying. Even though the biofuel market in Central America has not been fully established, many see the potential of expanding. Now that we have discussed the trends, the questions to be addressed are the following three; Have Central American forest and wood lands been converted to agricultural

land use due to higher demand of biofuels? If they have been reallocated for agriculture, how fast is the change occurring? What the net effect in terms of carbon emission by decreasing forest lands?

B. Have the Central American Forest and Wood Lands been Converted?

In order to answer the first question, the data available at the Food and Agriculture Organization of the United Nations were collected so that the rate of change in land use can be measured if there is any (FAOSTAT). The data collected are on various types of land use; Agricultural Area, Forest and Woodland, Arable Land, Permanent Pasture, Permanent Crops Land, and Arable and Permanent Crops Land. The data on these different types of land are presented in Table 3-8 and Figure 1-6. Due to the data availability, forest and wood lands are examined only between 1961 and 1994.

For the sake of study simplification, we would focus mostly on Figure 1a and Figure 2a, which show the rate of forest and wood land disappearing and agricultural land increased. From Figure 2a, we could suggest that the overall trend is decrease in forest and wood land even though Guatemala has increased forest areas between late 80's and early 90's and countries such as Honduras, the Dominican Republic, and El Salvador have not had significant changes. Costa Rica and Nicaragua have shown a significant decrease.

These countries have increased the land areas for agricultural use. As in the data on forest and wood land, there are some outliers that conflict with the overall trend. Honduras has decreased its land area for agricultural use particularly in the last ten years. When the

developed graphs are compared with each other based on different types of agricultural land use, it becomes clearer which type of land use is likely to have caused an increase in overall agricultural land areas. It is examined more in details in the next section.

C. What is the Rate of Conversion?

Now that the change in land allocation in Central America is supported, the second question can be addressed; what the rate of the conversion would be. The data on FAO website were revisited and the trend over time was examined. The percentage change in a ten-year period was taken over Agricultural Land and Forest and Woodland and shown in Table9 and Table11. Table10 and Table12 show the mean, maximum and minimum number of each period. As seen in these tables, on average, deforestation has happened in each era observed more or less while agricultural area has been expanded. The highest deforestation rate is noted between 1971 and 1980 when the agricultural area has increased most significantly as well.

When individual countries are taken a closer look, the main causes of land conversion could be explained. With Arable and Permanent Crop use being relatively stable, Costa Rica's main cause for decreasing forests is likely to be the slight increase in Permanent Crops and larger increase in Permanent Pasture. Nicaragua might have deforested due to an increase in Arable and Permanent Crop and Permanent Pasture. Since the rate of increase of Permanent Crops is relatively smaller than Arable Land, Permanent Crop's contribution might be slightly less significant than Arable Land's. In order to specify when the biggest change has

happened in the land use, annual percentage change was calculated over Forest and Wood Land and Agricultural Land data and presented in Table 13, 14 and Figure 1b, 2b.

Since each country has quite different trend, it is hard to make a general comment on the overall change over time. However, Table 12 suggests some useful results for this study. According to Table 12, the biggest increase in Agricultural Area was seen in the 1970's. During the years, none of the countries showed a negative number, suggesting that every Central American country increased their agricultural land use during the time period. In terms of Forest and Wood Land, the biggest loss of forest areas also occurred in the 1970's, correlating with the increased agricultural areas discussed above. Although it is dangerous to conclude that forests in Central America were transformed to agricultural land since this set of data is not strong enough, the similar percentage changes, 12.9% increase in Agricultural Area and 13.2% decrease in Forest and Wood Land, suggest that these two consequences might have some correlation.

D. What the Environmental Impacts of this Change in Land Allocation?

This third question addressed in this study is the most important yet most complex question to answer. Carbon sequestered by the presence of forests could be calculated from the following three different points of view; direct loss of carbon stored in vegetation such as trees and grasses, the carbon opportunity cost (the same forest could have sequestered more carbon if it is left as a forest), and the international impacts (in order to secure the same amount of crops for food source, other parts of the world may convert their forests to cropland).

The Science article visited here focuses mainly on the third point, increased greenhouse gases due to the U.S. allocating its crop production for biofuel. For example, when

corn produced in the U.S. starts to be used for biofuel production, other countries might need to convert their original forest lands to cropland in order to supply the same amount of corn consumers need. In such cases, there would be some impacts on the total carbon emission throughout the world and we would like to estimate what the net effects on carbon emission would be.

This estimation made in the Science article by Searchinger explains the current situation in Central America as well. As discussed in Section II A, there are some Central American countries that have already started producing biofuels while others have not had major changes in terms of biodiesel production yet. As we have discussed earlier on page six, it is unlikely that all of the six CAFTA countries have made some adjustment in their agricultural sector by producing more biofuel crops. However, it is possible that the Central American nations have already responded to the change in the U.S. market and converted lands where there used to be no agricultural practice.

Methods Used

Searchinger conducted his research on different regions of the world during the period of 1990 and 1999. The analysis methods used by Searchinger involve three major steps.

- First of all, they have estimated what the changes in cropland in other countries throughout the world caused from increasing corn-based ethanol production in the U.S. They have estimated how each country and region would adjust to the new market outlook by the U.S. producing 55.92 billion liters of corn ethanol.

- Secondly, they calculated the average amount of CO₂ emitted in a hectare-area by each country increasing the proportion of croplands within the country. Different types of land in each major region are collected to estimate the different level of carbon emission since different ecosystem holds and releases different amount of carbon. Then carbon losses in vegetation were estimated depending upon each type of ecosystem.
- Finally, they converted the result from the previous parts into carbon emission in terms of ethanol.

In the Science article, Searchinger assumed that 25% of the top meters of soil have lost carbon as the land is converted to cropland. Since there should not be any increase in carbon emission by producing crops as food source, we ignore the carbon emission from applying fertilizer, pesticides, tractors and so on. In addition, we define carbon emission due to land use change as the change caused from converting forest and wood lands to agricultural land for any reason. In other words, we do not differentiate deforestation caused from producing biofuel crops and food sources.

Study Results

What is suggested in the research done by Searchinger is that substituting ethanol for gasoline contributes to net gain in carbon emission when land conversion is taken into account. Table 1A in the Science article suggests that production of ethanol for energy source would lead to greenhouse gas emission of 536g/km compared to 221g/km when gasoline is used. Without considering land conversion, use of ethanol would result in 20% reduction in total greenhouse gases emission.

Another suggestion by the result has to do with the future outlook. Most of the land conversion predicted here is likely to occur within the next few years and all is expected to occur in the next 30 years. When we consider the land conversion in 30-year long span, the amount of greenhouse gases that are additionally emitted would be reconciled in 167 years, according to Searchinger. In other words, production of ethanol will keep contributing to larger amount of greenhouse gases emitted for 167 years (T. Searchinger).

III. Conclusion

Some once thought that the production of biofuel would solve the problems we face today: energy independence, greenhouse gases emission, living standard of locals, hunger, poverty, and so on. The Central American nations focused here perhaps are not exceptions. By stimulating their agricultural sector, the people would expect the economy to create more wealth from more agricultural products, which can be not only consumed by the locals but also exported to outside of the countries. However, the outcome of deforestation in Central America impacts the entire world since the tropical forests areas are lost from the earth's ecosystem, which would generate more carbon emission into the atmosphere.

From the observations made in this study, one may question if production of biofuel is the answer to global climate change. This study has supported that the forest areas in Central America have gradually shrunk and the U.S. production of corn ethanol would have negative impacts on carbon emission when the rate of land conversion in other parts of the world is considered. However, the uncertainties and assumptions made are so significant that it is dangerous to conclude that the production of ethanol, in reality, causes more carbon emission.

Such questions that address on the effects of one country's policy or activity need to be investigated more in the future considering these studies might not reflect the actual circumstances well.

What we may learn from this study is that a change in countries such as the U.S. could have uncertain however significant impacts on the other countries in the world. Biofuel production might have reduced the U.S. carbon emission but increased the overall emission throughout the world. It is important for influential countries as well as small nations such as those in Central America to investigate possible outcomes that may be seen in the rest of the world and act responsively.

Tables

Table 1. Countries' General Information

| | Population | GDP per capita (2006) | % workforce in Agriculture | % Ag share in GDP |
|--------------------|-------------------|------------------------------|-----------------------------------|--------------------------|
| Costa Rica | 4,133,884 | 12,500 | 20 | 8.7 |
| DR | 9,365,818 | 8,400 | 17 | 11.6 |
| El Salvador | 6,948,073 | 4,900 | 17.1 | 10.1 |
| Guatemala | 12,728,111 | 5,000 | 50 | 22.2 |
| Honduras | 7,483,763 | 3,100 | 34 | 13.8 |
| Nicaragua | 5,675,356 | 3,100 | 29 | 17.2 |

Table 2. Mean, Maximum and Minimum of Table 1

| | Population | GDP per capita (2006) | % workforce in Agriculture | %Ag share in GDP |
|----------------|-------------------|------------------------------|-----------------------------------|-------------------------|
| Mean | 7,722,501 | 6,167 | 27.85 | 13.93333333 |
| Maximum | 12,728,111 | 12,500 | 50 | 22.2 |
| Minimum | 4,133,884 | 3,100 | 17 | 8.7 |

Table 3. Agricultural Area

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------|-------------------|-----------|--------------------|------------------|-----------------|------------------|
| 1961 | 1395 | 3082 | 1252 | 2646 | 2980 | 5080 |
| 1962 | 1410 | 3097 | 1252 | 2658 | 2990 | 5130 |
| 1963 | 1420 | 3112 | 1258 | 2670 | 2995 | 5188 |
| 1964 | 1485 | 3127 | 1258 | 2682 | 3000 | 5238 |
| 1965 | 1555 | 3142 | 1260 | 2694 | 3005 | 5288 |
| 1966 | 1635 | 3157 | 1250 | 2706 | 3015 | 5350 |
| 1967 | 1636 | 3172 | 1241 | 2728 | 3025 | 5400 |
| 1968 | 1716 | 3182 | 1239 | 2740 | 3030 | 5450 |
| 1969 | 1790 | 3222 | 1237 | 2742 | 3030 | 5505 |
| 1970 | 1856 | 3227 | 1235 | 2755 | 3040 | 5555 |
| 1971 | 1887 | 3236 | 1278 | 2767 | 3045 | 5605 |
| 1972 | 1887 | 3262 | 1281 | 2800 | 3080 | 5660 |
| 1973 | 2048 | 3297 | 1288 | 2843 | 3090 | 5720 |
| 1974 | 2048 | 3317 | 1298 | 2875 | 3096 | 5780 |
| 1975 | 2122 | 3347 | 1308 | 2888 | 3135 | 5830 |
| 1976 | 2205 | 3402 | 1300 | 2930 | 3170 | 5880 |
| 1977 | 2287 | 3432 | 1309 | 2993 | 3245 | 5930 |
| 1978 | 2360 | 3457 | 1350 | 3005 | 3257 | 5985 |
| 1979 | 2443 | 3482 | 1400 | 3016 | 3257 | 6055 |
| 1980 | 2516 | 3512 | 1410 | 3050 | 3257 | 6060 |
| 1981 | 2599 | 3517 | 1370 | 3067 | 3264 | 6142 |
| 1982 | 2679 | 3522 | 1341 | 3104 | 3269 | 6144 |
| 1983 | 2682 | 3522 | 1337 | 3119 | 3270 | 6145 |
| 1984 | 2748 | 3522 | 1347 | 3785 | 3277 | 6198 |
| 1985 | 2803 | 3522 | 1377 | 3785 | 3278 | 6220 |
| 1986 | 2826 | 3529 | 1397 | 3785 | 3285 | 6222 |
| 1987 | 2826 | 3529 | 1397 | 3785 | 3285 | 6254 |
| 1988 | 2833 | 3529 | 1417 | 4285 | 3285 | 6285 |
| 1989 | 2830 | 3542 | 1437 | 4285 | 3371 | 6308 |
| 1990 | 2840 | 3590 | 1450 | 4285 | 3320 | 6310 |
| 1991 | 2845 | 3610 | 1468 | 4285 | 3342 | 6315 |
| 1992 | 2850 | 3640 | 1501 | 4285 | 3355 | 6340 |
| 1993 | 2840 | 3640 | 1531 | 4482 | 3548 | 6375 |
| 1994 | 2860 | 3640 | 1564 | 4512 | 3520 | 6380 |
| 1995 | 2855 | 3609 | 1605 | 4512 | 3480 | 6685 |
| 1996 | 2850 | 3589 | 1610 | 4512 | 3480 | 6694 |

| | | | | | | |
|------|------|------|------|------|------|------|
| 1997 | 2845 | 3589 | 1610 | 4522 | 3395 | 6795 |
| 1998 | 2845 | 3639 | 1644 | 4532 | 3395 | 6846 |
| 1999 | 2865 | 3671 | 1675 | 4542 | 3337 | 6897 |
| 2000 | 2865 | 3696 | 1684 | 4567 | 2935 | 6966 |
| 2001 | 2865 | 3696 | 1704 | 4597 | 2936 | 6970 |
| 2002 | 2865 | 3696 | 1704 | 4627 | 2936 | 6976 |
| 2003 | 2865 | 3696 | 1704 | 4652 | 2936 | 6976 |

Table 4. Forest and Woodland

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------|-------------------|-----------|--------------------|------------------|-----------------|------------------|
| 1961 | 3240 | 673 | 208 | 5370 | 6000 | 6650 |
| 1962 | 3165 | 671 | 206 | 5340 | 6000 | 6535 |
| 1963 | 3090 | 669 | 204 | 5310 | 6000 | 6420 |
| 1964 | 3015 | 667 | 202 | 5280 | 6000 | 6305 |
| 1965 | 2940 | 665 | 200 | 5250 | 6000 | 6190 |
| 1966 | 2865 | 663 | 188 | 5220 | 6000 | 6070 |
| 1967 | 2790 | 661 | 186 | 5190 | 6000 | 5960 |
| 1968 | 2720 | 659 | 184 | 5160 | 6000 | 5850 |
| 1969 | 2640 | 657 | 182 | 5130 | 6000 | 5730 |
| 1970 | 2570 | 655 | 180 | 5100 | 6000 | 5620 |
| 1971 | 2490 | 653 | 178 | 5070 | 6000 | 5510 |
| 1972 | 2420 | 651 | 176 | 5040 | 6000 | 5390 |
| 1973 | 2350 | 649 | 174 | 5010 | 6000 | 5280 |
| 1974 | 2270 | 647 | 172 | 4980 | 6000 | 5160 |
| 1975 | 2200 | 645 | 170 | 4950 | 6000 | 5050 |
| 1976 | 2130 | 643 | 164 | 4870 | 6000 | 4940 |
| 1977 | 2050 | 641 | 158 | 4790 | 6000 | 4820 |
| 1978 | 1980 | 639 | 152 | 4710 | 6000 | 4710 |
| 1979 | 1900 | 637 | 146 | 4630 | 6000 | 4590 |
| 1980 | 1830 | 635 | 140 | 4550 | 6000 | 4508 |
| 1981 | 1730 | 633 | 134 | 4470 | 6000 | 4370 |
| 1982 | 1638 | 631 | 128 | 4500 | 6000 | 4260 |
| 1983 | 1598 | 629 | 122 | 4500 | 6000 | 4150 |
| 1984 | 1638 | 627 | 116 | 4500 | 6000 | 4040 |
| 1985 | 1550 | 625 | 110 | 4500 | 6000 | 3930 |
| 1986 | 1550 | 623 | 105 | 4500 | 6000 | 3820 |
| 1987 | 1550 | 621 | 105 | 4500 | 6000 | 3710 |
| 1988 | 1550 | 619 | 105 | 5000 | 6000 | 3600 |
| 1989 | 1550 | 617 | 105 | 5000 | 6000 | 3490 |
| 1990 | 1569 | 615 | 105 | 5212 | 6054 | 3380 |
| 1991 | 1570 | 613 | 105 | 5212 | 6000 | 3270 |
| 1992 | 1570 | 610 | 105 | 5212 | 6000 | 3200 |
| 1993 | 1570 | 600 | 105 | 5212 | 6000 | 3200 |
| 1994 | 1570 | 600 | 105 | 5212 | 6000 | 3200 |

Table 5. Arable Land

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------|-------------------|-----------|--------------------|------------------|-----------------|------------------|
| 1961 | 285 | 720 | 488 | 1100 | 1295 | 1030 |
| 1962 | 285 | 730 | 488 | 1100 | 1305 | 1030 |
| 1963 | 285 | 740 | 488 | 1100 | 1310 | 1030 |
| 1964 | 285 | 750 | 485 | 1100 | 1313 | 1030 |
| 1965 | 285 | 760 | 480 | 1100 | 1318 | 1030 |
| 1966 | 285 | 770 | 470 | 1100 | 1324 | 1040 |
| 1967 | 285 | 780 | 460 | 1110 | 1330 | 1040 |
| 1968 | 285 | 780 | 458 | 1110 | 1332 | 1040 |
| 1969 | 285 | 815 | 455 | 1100 | 1328 | 1040 |
| 1970 | 285 | 820 | 450 | 1100 | 1330 | 1040 |
| 1971 | 285 | 826 | 488 | 1100 | 1333 | 1040 |
| 1972 | 285 | 850 | 488 | 1120 | 1368 | 1040 |
| 1973 | 283 | 865 | 488 | 1150 | 1378 | 1050 |
| 1974 | 283 | 885 | 488 | 1170 | 1384 | 1060 |
| 1975 | 283 | 915 | 488 | 1170 | 1413 | 1060 |
| 1976 | 283 | 960 | 475 | 1200 | 1438 | 1060 |
| 1977 | 283 | 990 | 475 | 1250 | 1503 | 1060 |
| 1978 | 283 | 1015 | 515 | 1250 | 1504 | 1065 |
| 1979 | 283 | 1040 | 560 | 1249 | 1494 | 1069 |
| 1980 | 283 | 1070 | 558 | 1270 | 1484 | 1070 |
| 1981 | 283 | 1075 | 516 | 1275 | 1481 | 1150 |
| 1982 | 283 | 1075 | 479 | 1300 | 1476 | 1150 |
| 1983 | 283 | 1075 | 470 | 1300 | 1467 | 1150 |
| 1984 | 283 | 1075 | 480 | 1300 | 1464 | 1200 |
| 1985 | 285 | 1075 | 500 | 1300 | 1455 | 1220 |
| 1986 | 285 | 1075 | 520 | 1300 | 1451 | 1220 |
| 1987 | 285 | 991 | 520 | 1300 | 1441 | 1250 |
| 1988 | 280 | 991 | 540 | 1300 | 1431 | 1280 |
| 1989 | 260 | 1004 | 540 | 1300 | 1446 | 1300 |
| 1990 | 260 | 1050 | 550 | 1300 | 1462 | 1300 |
| 1991 | 260 | 1050 | 565 | 1300 | 1492 | 1300 |
| 1992 | 250 | 1050 | 588 | 1300 | 1515 | 1320 |
| 1993 | 230 | 1050 | 586 | 1324 | 1683 | 1350 |
| 1994 | 230 | 1050 | 584 | 1354 | 1650 | 1350 |
| 1995 | 225 | 1020 | 582 | 1355 | 1600 | 1650 |
| 1996 | 225 | 1020 | 565 | 1361 | 1600 | 1650 |
| 1997 | 225 | 1020 | 565 | 1370 | 1520 | 1750 |
| 1998 | 225 | 1070 | 600 | 1380 | 1520 | 1800 |
| 1999 | 225 | 1071 | 631 | 1390 | 1468 | 1850 |
| 2000 | 225 | 1096 | 640 | 1395 | 1068 | 1917 |

| | | | | | | |
|------|-----|------|-----|------|------|------|
| 2001 | 225 | 1096 | 660 | 1405 | 1068 | 1920 |
| 2002 | 225 | 1096 | 660 | 1425 | 1068 | 1925 |
| 2003 | 225 | 1096 | 660 | 1440 | 1068 | 1925 |

Table 6. Permanent Pasture

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------|-------------------|-----------|--------------------|------------------|-----------------|------------------|
| 1961 | 915 | 2092 | 604 | 1110 | 1500 | 3900 |
| 1962 | 925 | 2092 | 604 | 1120 | 1500 | 3950 |
| 1963 | 935 | 2092 | 605 | 1130 | 1500 | 4000 |
| 1964 | 1000 | 2092 | 605 | 1140 | 1500 | 4050 |
| 1965 | 1070 | 2092 | 610 | 1150 | 1500 | 4100 |
| 1966 | 1150 | 2092 | 610 | 1160 | 1500 | 4150 |
| 1967 | 1150 | 2092 | 610 | 1170 | 1500 | 4200 |
| 1968 | 1230 | 2092 | 610 | 1180 | 1500 | 4250 |
| 1969 | 1300 | 2092 | 610 | 1190 | 1500 | 4300 |
| 1970 | 1363 | 2092 | 610 | 1200 | 1500 | 4350 |
| 1971 | 1390 | 2092 | 610 | 1210 | 1500 | 4400 |
| 1972 | 1390 | 2092 | 610 | 1220 | 1500 | 4450 |
| 1973 | 1558 | 2092 | 610 | 1230 | 1500 | 4500 |
| 1974 | 1558 | 2092 | 610 | 1240 | 1500 | 4550 |
| 1975 | 1630 | 2092 | 610 | 1250 | 1500 | 4600 |
| 1976 | 1710 | 2092 | 610 | 1260 | 1500 | 4650 |
| 1977 | 1790 | 2092 | 610 | 1270 | 1500 | 4700 |
| 1978 | 1860 | 2092 | 610 | 1280 | 1500 | 4750 |
| 1979 | 1940 | 2092 | 610 | 1290 | 1500 | 4815 |
| 1980 | 2010 | 2092 | 610 | 1300 | 1500 | 4815 |
| 1981 | 2090 | 2092 | 610 | 1310 | 1500 | 4815 |
| 1982 | 2167 | 2092 | 610 | 1320 | 1500 | 4815 |
| 1983 | 2167 | 2092 | 610 | 1334 | 1500 | 4815 |
| 1984 | 2230 | 2092 | 610 | 2000 | 1500 | 4815 |
| 1985 | 2280 | 2092 | 620 | 2000 | 1500 | 4815 |
| 1986 | 2300 | 2092 | 620 | 2000 | 1500 | 4815 |
| 1987 | 2300 | 2092 | 620 | 2000 | 1500 | 4815 |
| 1988 | 2310 | 2092 | 620 | 2500 | 1500 | 4815 |
| 1989 | 2320 | 2092 | 640 | 2500 | 1561 | 4815 |
| 1990 | 2330 | 2090 | 640 | 2500 | 1500 | 4815 |
| 1991 | 2330 | 2090 | 640 | 2500 | 1500 | 4815 |
| 1992 | 2340 | 2090 | 650 | 2500 | 1500 | 4815 |
| 1993 | 2340 | 2090 | 680 | 2602 | 1533 | 4815 |
| 1994 | 2340 | 2090 | 710 | 2602 | 1530 | 4815 |
| 1995 | 2340 | 2089 | 750 | 2602 | 1530 | 4815 |
| 1996 | 2340 | 2089 | 794 | 2602 | 1530 | 4815 |
| 1997 | 2340 | 2089 | 794 | 2602 | 1520 | 4815 |
| 1998 | 2340 | 2089 | 794 | 2602 | 1520 | 4815 |
| 1999 | 2340 | 2100 | 794 | 2602 | 1510 | 4815 |
| 2000 | 2340 | 2100 | 794 | 2602 | 1508 | 4815 |

| | | | | | | |
|------|------|------|-----|------|------|------|
| 2001 | 2340 | 2100 | 794 | 2602 | 1508 | 4815 |
| 2002 | 2340 | 2100 | 794 | 2602 | 1508 | 4815 |
| 2003 | 2340 | 2100 | 794 | 2602 | 1508 | 4815 |

Table 7. Permanent Crops

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------|-------------------|-----------|--------------------|------------------|-----------------|------------------|
| 1961 | 195 | 270 | 160 | 436 | 185 | 150 |
| 1962 | 200 | 275 | 160 | 438 | 185 | 150 |
| 1963 | 200 | 280 | 165 | 440 | 185 | 158 |
| 1964 | 200 | 285 | 168 | 442 | 187 | 158 |
| 1965 | 200 | 290 | 170 | 444 | 187 | 158 |
| 1966 | 200 | 295 | 170 | 446 | 191 | 160 |
| 1967 | 201 | 300 | 171 | 448 | 195 | 160 |
| 1968 | 201 | 310 | 171 | 450 | 198 | 160 |
| 1969 | 205 | 315 | 172 | 452 | 202 | 165 |
| 1970 | 208 | 315 | 175 | 455 | 210 | 165 |
| 1971 | 212 | 318 | 180 | 457 | 212 | 165 |
| 1972 | 212 | 320 | 183 | 460 | 212 | 170 |
| 1973 | 207 | 340 | 190 | 463 | 212 | 170 |
| 1974 | 207 | 340 | 200 | 465 | 212 | 170 |
| 1975 | 209 | 340 | 210 | 468 | 222 | 170 |
| 1976 | 212 | 350 | 215 | 470 | 232 | 170 |
| 1977 | 214 | 350 | 224 | 473 | 242 | 170 |
| 1978 | 217 | 350 | 225 | 475 | 253 | 170 |
| 1979 | 220 | 350 | 230 | 477 | 263 | 171 |
| 1980 | 223 | 350 | 242 | 480 | 273 | 175 |
| 1981 | 226 | 350 | 244 | 482 | 283 | 177 |
| 1982 | 229 | 355 | 252 | 484 | 293 | 179 |
| 1983 | 232 | 355 | 257 | 485 | 303 | 180 |
| 1984 | 235 | 355 | 257 | 485 | 313 | 183 |
| 1985 | 238 | 355 | 257 | 485 | 323 | 185 |
| 1986 | 241 | 362 | 257 | 485 | 334 | 187 |
| 1987 | 241 | 446 | 257 | 485 | 344 | 189 |
| 1988 | 243 | 446 | 257 | 485 | 354 | 190 |
| 1989 | 250 | 446 | 257 | 485 | 364 | 193 |
| 1990 | 250 | 450 | 260 | 485 | 358 | 195 |
| 1991 | 255 | 470 | 263 | 485 | 350 | 200 |
| 1992 | 260 | 500 | 263 | 485 | 340 | 205 |
| 1993 | 270 | 500 | 265 | 556 | 332 | 210 |
| 1994 | 290 | 500 | 270 | 556 | 340 | 215 |
| 1995 | 290 | 500 | 273 | 555 | 350 | 220 |
| 1996 | 285 | 480 | 251 | 549 | 350 | 229 |
| 1997 | 280 | 480 | 251 | 550 | 355 | 230 |
| 1998 | 280 | 480 | 250 | 550 | 355 | 231 |
| 1999 | 300 | 500 | 250 | 550 | 359 | 232 |
| 2000 | 300 | 500 | 250 | 570 | 359 | 234 |

| | | | | | | |
|------|-----|-----|-----|-----|-----|-----|
| 2001 | 300 | 500 | 250 | 590 | 360 | 235 |
| 2002 | 300 | 500 | 250 | 600 | 360 | 236 |
| 2003 | 300 | 500 | 250 | 610 | 360 | 236 |

Table 8. Arable and Permanent Crops

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------|------------|------|-------------|-----------|----------|-----------|
| 1961 | 480 | 990 | 648 | 1536 | 1480 | 1180 |
| 1962 | 485 | 1005 | 648 | 1538 | 1490 | 1180 |
| 1963 | 485 | 1020 | 653 | 1540 | 1495 | 1188 |
| 1964 | 485 | 1035 | 653 | 1542 | 1500 | 1188 |
| 1965 | 485 | 1050 | 650 | 1544 | 1505 | 1188 |
| 1966 | 485 | 1065 | 640 | 1546 | 1515 | 1200 |
| 1967 | 486 | 1080 | 631 | 1558 | 1525 | 1200 |
| 1968 | 486 | 1090 | 629 | 1560 | 1530 | 1200 |
| 1969 | 490 | 1130 | 627 | 1552 | 1530 | 1205 |
| 1970 | 493 | 1135 | 625 | 1555 | 1540 | 1205 |
| 1971 | 497 | 1144 | 668 | 1557 | 1545 | 1205 |
| 1972 | 497 | 1170 | 671 | 1580 | 1580 | 1210 |
| 1973 | 490 | 1205 | 678 | 1613 | 1590 | 1220 |
| 1974 | 490 | 1225 | 688 | 1635 | 1596 | 1230 |
| 1975 | 492 | 1255 | 698 | 1638 | 1635 | 1230 |
| 1976 | 495 | 1310 | 690 | 1670 | 1670 | 1230 |
| 1977 | 497 | 1340 | 699 | 1723 | 1745 | 1230 |
| 1978 | 500 | 1365 | 740 | 1725 | 1757 | 1235 |
| 1979 | 503 | 1390 | 790 | 1726 | 1757 | 1240 |
| 1980 | 506 | 1420 | 800 | 1750 | 1757 | 1245 |
| 1981 | 509 | 1425 | 760 | 1757 | 1764 | 1327 |
| 1982 | 512 | 1430 | 731 | 1784 | 1769 | 1329 |
| 1983 | 515 | 1430 | 727 | 1785 | 1770 | 1330 |
| 1984 | 518 | 1430 | 737 | 1785 | 1777 | 1383 |
| 1985 | 523 | 1430 | 757 | 1785 | 1778 | 1405 |
| 1986 | 526 | 1437 | 777 | 1785 | 1785 | 1407 |
| 1987 | 526 | 1437 | 777 | 1785 | 1785 | 1439 |
| 1988 | 523 | 1437 | 797 | 1785 | 1785 | 1470 |
| 1989 | 510 | 1450 | 797 | 1785 | 1810 | 1493 |
| 1990 | 510 | 1500 | 810 | 1785 | 1820 | 1495 |
| 1991 | 515 | 1520 | 828 | 1785 | 1842 | 1500 |
| 1992 | 510 | 1550 | 851 | 1785 | 1855 | 1525 |
| 1993 | 500 | 1550 | 851 | 1880 | 2015 | 1560 |
| 1994 | 520 | 1550 | 854 | 1910 | 1990 | 1565 |
| 1995 | 515 | 1520 | 855 | 1910 | 1950 | 1870 |
| 1996 | 510 | 1500 | 816 | 1910 | 1950 | 1879 |
| 1997 | 505 | 1500 | 816 | 1920 | 1875 | 1980 |
| 1998 | 505 | 1550 | 850 | 1930 | 1875 | 2031 |
| 1999 | 525 | 1571 | 881 | 1940 | 1827 | 2082 |
| 2000 | 525 | 1596 | 890 | 1965 | 1427 | 2151 |

| | | | | | | |
|------|-----|------|-----|------|------|------|
| 2001 | 525 | 1596 | 910 | 1995 | 1428 | 2155 |
| 2002 | 525 | 1596 | 910 | 2025 | 1428 | 2161 |
| 2003 | 525 | 1596 | 910 | 2050 | 1428 | 2161 |

Table 9. % Change in Agricultural Area

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------------------|------------|-----|-------------|-----------|----------|-----------|
| 1961-1970 | 33.0 | 4.7 | -1.4 | 4.1 | 2.0 | 9.4 |
| 1971-1980 | 33.3 | 8.5 | 10.3 | 10.2 | 7.0 | 8.1 |
| 1981-1990 | 9.3 | 2.1 | 5.8 | 39.7 | 1.7 | 2.7 |
| 1991-2000 | 0.7 | 2.4 | 14.7 | 6.6 | -12.2 | 10.3 |

Table 10. Mean, Maximum, and Minimum of Table 9

| | Mean | Max | Min |
|--------------|------|------|-------|
| 61-70 | 8.6 | 33.0 | -1.4 |
| 71-80 | 12.9 | 33.3 | 7.0 |
| 81-90 | 10.2 | 39.7 | 1.7 |
| 91-00 | 3.8 | 14.7 | -12.2 |

Table 11. % Change in Forest and Woodland

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|------------------|------------|------|-------------|-----------|----------|-----------|
| 1961-1970 | -20.7 | -2.7 | -13.5 | -5.0 | 0.0 | -15.5 |
| 1971-1980 | -26.5 | -2.8 | -21.3 | -10.3 | 0.0 | -18.2 |
| 1981-1990 | -9.3 | -2.8 | -21.6 | 16.6 | 0.9 | -22.7 |

Table 12. Mean, Maximum, and Minimum of Table 11

| | Mean | Max | Min |
|--------------|-------|------|-------|
| 61-70 | -9.6 | 0.0 | -20.7 |
| 71-80 | -13.2 | 0.0 | -26.5 |
| 81-90 | -6.5 | 16.6 | -22.7 |

Table 13. Annual Percentage Change in Agricultural Area

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|-----------|------------|-------|-------------|-----------|----------|-----------|
| 1961-1962 | 1.08 | 0.49 | 0.00 | 0.45 | 0.34 | 0.98 |
| 1962-1963 | 0.71 | 0.48 | 0.48 | 0.45 | 0.17 | 1.13 |
| 1963-1964 | 4.58 | 0.48 | 0.00 | 0.45 | 0.17 | 0.96 |
| 1964-1965 | 4.71 | 0.48 | 0.16 | 0.45 | 0.17 | 0.95 |
| 1965-1966 | 5.14 | 0.48 | -0.79 | 0.45 | 0.33 | 1.17 |
| 1966-1967 | 0.06 | 0.48 | -0.72 | 0.81 | 0.33 | 0.93 |
| 1967-1968 | 4.89 | 0.32 | -0.16 | 0.44 | 0.17 | 0.93 |
| 1968-1969 | 4.31 | 1.26 | -0.16 | 0.07 | 0.00 | 1.01 |
| 1969-1970 | 3.69 | 0.16 | -0.16 | 0.47 | 0.33 | 0.91 |
| 1970-1971 | 1.67 | 0.28 | 3.48 | 0.44 | 0.16 | 0.90 |
| 1971-1972 | 0.00 | 0.80 | 0.23 | 1.19 | 1.15 | 0.98 |
| 1972-1973 | 8.53 | 1.07 | 0.55 | 1.54 | 0.32 | 1.06 |
| 1973-1974 | 0.00 | 0.61 | 0.78 | 1.13 | 0.19 | 1.05 |
| 1974-1975 | 3.61 | 0.90 | 0.77 | 0.45 | 1.26 | 0.87 |
| 1975-1976 | 3.91 | 1.64 | -0.61 | 1.45 | 1.12 | 0.86 |
| 1976-1977 | 3.72 | 0.88 | 0.69 | 2.15 | 2.37 | 0.85 |
| 1977-1978 | 3.19 | 0.73 | 3.13 | 0.40 | 0.37 | 0.93 |
| 1978-1979 | 3.52 | 0.72 | 3.70 | 0.37 | 0.00 | 1.17 |
| 1979-1980 | 2.99 | 0.86 | 0.71 | 1.13 | 0.00 | 0.08 |
| 1980-1981 | 3.30 | 0.14 | -2.84 | 0.56 | 0.21 | 1.35 |
| 1981-1982 | 3.08 | 0.14 | -2.12 | 1.21 | 0.15 | 0.03 |
| 1982-1983 | 0.11 | 0.00 | -0.30 | 0.48 | 0.03 | 0.02 |
| 1983-1984 | 2.46 | 0.00 | 0.75 | 21.35 | 0.21 | 0.86 |
| 1984-1985 | 2.00 | 0.00 | 2.23 | 0.00 | 0.03 | 0.35 |
| 1985-1986 | 0.82 | 0.20 | 1.45 | 0.00 | 0.21 | 0.03 |
| 1986-1987 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.51 |
| 1987-1988 | 0.25 | 0.00 | 1.43 | 13.21 | 0.00 | 0.50 |
| 1988-1989 | -0.11 | 0.37 | 1.41 | 0.00 | 2.62 | 0.37 |
| 1989-1990 | 0.35 | 1.36 | 0.90 | 0.00 | -1.51 | 0.03 |
| 1990-1991 | 0.18 | 0.56 | 1.24 | 0.00 | 0.66 | 0.08 |
| 1991-1992 | 0.18 | 0.83 | 2.25 | 0.00 | 0.39 | 0.40 |
| 1992-1993 | -0.35 | 0.00 | 2.00 | 4.60 | 5.75 | 0.55 |
| 1993-1994 | 0.70 | 0.00 | 2.16 | 0.67 | -0.79 | 0.08 |
| 1994-1995 | -0.17 | -0.85 | 2.62 | 0.00 | -1.14 | 4.78 |

| | | | | | | |
|-----------|-------|-------|------|------|--------|------|
| 1995-1996 | -0.18 | -0.55 | 0.31 | 0.00 | 0.00 | 0.13 |
| 1996-1997 | -0.18 | 0.00 | 0.00 | 0.22 | -2.44 | 1.51 |
| 1997-1998 | 0.00 | 1.39 | 2.11 | 0.22 | 0.00 | 0.75 |
| 1998-1999 | 0.70 | 0.88 | 1.89 | 0.22 | -1.71 | 0.74 |
| 1999-2000 | 0.00 | 0.68 | 0.54 | 0.55 | -12.05 | 1.00 |
| 2000-2001 | 0.00 | 0.00 | 1.19 | 0.66 | 0.03 | 0.06 |
| 2001-2002 | 0.00 | 0.00 | 0.00 | 0.65 | 0.00 | 0.09 |
| 2002-2003 | 0.00 | 0.00 | 0.00 | 0.54 | 0.00 | 0.00 |

Table 14. Annual Percentage Change in Forest and Woodland

| | Costa Rica | DR | El Salvador | Guatemala | Honduras | Nicaragua |
|-----------|-------------------|-----------|--------------------|------------------|-----------------|------------------|
| 1961-1962 | -2.31 | -0.30 | -0.96 | -0.56 | 0.00 | -1.73 |
| 1962-1963 | -2.37 | -0.30 | -0.97 | -0.56 | 0.00 | -1.76 |
| 1963-1964 | -2.43 | -0.30 | -0.98 | -0.56 | 0.00 | -1.79 |
| 1964-1965 | -2.49 | -0.30 | -0.99 | -0.57 | 0.00 | -1.82 |
| 1965-1966 | -2.55 | -0.30 | -6.00 | -0.57 | 0.00 | -1.94 |
| 1966-1967 | -2.62 | -0.30 | -1.06 | -0.57 | 0.00 | -1.81 |
| 1967-1968 | -2.51 | -0.30 | -1.08 | -0.58 | 0.00 | -1.85 |
| 1968-1969 | -2.94 | -0.30 | -1.09 | -0.58 | 0.00 | -2.05 |
| 1969-1970 | -2.65 | -0.30 | -1.10 | -0.58 | 0.00 | -1.92 |
| 1970-1971 | -3.11 | -0.31 | -1.11 | -0.59 | 0.00 | -1.96 |
| 1971-1972 | -2.81 | -0.31 | -1.12 | -0.59 | 0.00 | -2.18 |
| 1972-1973 | -2.89 | -0.31 | -1.14 | -0.60 | 0.00 | -2.04 |
| 1973-1974 | -3.40 | -0.31 | -1.15 | -0.60 | 0.00 | -2.27 |
| 1974-1975 | -3.08 | -0.31 | -1.16 | -0.60 | 0.00 | -2.13 |
| 1975-1976 | -3.18 | -0.31 | -3.53 | -1.62 | 0.00 | -2.18 |
| 1976-1977 | -3.76 | -0.31 | -3.66 | -1.64 | 0.00 | -2.43 |
| 1977-1978 | -3.41 | -0.31 | -3.80 | -1.67 | 0.00 | -2.28 |
| 1978-1979 | -4.04 | -0.31 | -3.95 | -1.70 | 0.00 | -2.55 |
| 1979-1980 | -3.68 | -0.31 | -4.11 | -1.73 | 0.00 | -1.79 |
| 1980-1981 | -5.46 | -0.31 | -4.29 | -1.76 | 0.00 | -3.06 |
| 1981-1982 | -5.32 | -0.32 | -4.48 | 0.67 | 0.00 | -2.52 |
| 1982-1983 | -2.44 | -0.32 | -4.69 | 0.00 | 0.00 | -2.58 |
| 1983-1984 | 2.50 | -0.32 | -4.92 | 0.00 | 0.00 | -2.65 |
| 1984-1985 | -5.37 | -0.32 | -5.17 | 0.00 | 0.00 | -2.72 |
| 1985-1986 | 0.00 | -0.32 | -4.55 | 0.00 | 0.00 | -2.80 |
| 1986-1987 | 0.00 | -0.32 | 0.00 | 0.00 | 0.00 | -2.88 |
| 1987-1988 | 0.00 | -0.32 | 0.00 | 11.11 | 0.00 | -2.96 |
| 1988-1989 | 0.00 | -0.32 | 0.00 | 0.00 | 0.00 | -3.06 |
| 1989-1990 | 1.23 | -0.32 | 0.00 | 4.24 | 0.90 | -3.15 |
| 1990-1991 | 0.06 | -0.33 | 0.00 | 0.00 | -0.89 | -3.25 |
| 1991-1992 | 0.00 | -0.49 | 0.00 | 0.00 | 0.00 | -2.14 |
| 1992-1993 | 0.00 | -1.64 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1993-1994 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Figures

Figure 1a. Agricultural Area




Figure 1b. Annual Percent Change in Agricultural Area




Figure 2a. Forest and Woodland




Figure 2b. Annual Percent Change in Forest and Woodland




Figure 3. Arable Land




Figure 4. Permanent Pasture




Figure 5. Permanent Crops





Figure 6. Arable and Permanent Crop



Bibliography

Barclay, E. (2006, December 14). *Stuck in the Middle with Fuel*. Retrieved April 20, 2008, from Grist: Environmental News & Commentary:

<http://www.grist.org/news/maindish/2006/12/14/barclay/>

Beder, S. (n.d.). *The Basic Mechanism of Photosynthesis*. Retrieved March 24, 2008, from Plants and Algae Growth: <http://homepage.mac.com/herinst/sbeder/HoleStory/chapter6/ch6b.html>

Biofuels: The Growing Solution to Energy Dependence and Global Warming. (n.d.). Retrieved April 3, 2008, from Natural Resources Defense Council:

<http://www.nrdc.org/air/transportation/biofuels/contents.asp>

Constance, P. (n.d.). *The age of ethanol?* Retrieved April 20, 2008, from IDB America:

<http://www.iadb.org/idbamerica/index.cfm?thisid=4257>

D. E. Bierer, T. J. Carlson, S. R. King. (n.d.). *Shaman Pharmaceuticals*. Retrieved March 24, 2008, from Network Science: <http://www.netsci.org/Science/Special/feature11.html>

Delacour, J. (2007, October 7). *Threats, Dirty Tricks, Fake Polls: Costa Rica Votes Under Duress on "Free Trade"*. Retrieved April 3, 2008, from Latin America News Review:

http://lanr.blogspot.com/2007_10_07_archive.html

El Salvador. (n.d.). Retrieved April 20, 2008, from In touch WITH RUTA:
<http://www.ruta.org/boletin5/en/sv1.html>

FAOSTAT. (n.d.). Retrieved April 12, 2008, from Food and Agriculture Organization of the United Nations: http://www.fao.org/waicent/portal/statistics_en.asp

G.Rothkopf. (2007). *A Blueprint for Green Energy in the Americas*. Retrieved April 19, 2008, from Inter-American Development Bank:
<http://idbdocs.iadb.org/wsdocs/getdocument.aspx?docnum=947972>

Greenhouse Gases, Climate Change, and Energy. (n.d.). Retrieved April 3, 2008, from Environmental Information Administration:
<http://www.eia.doe.gov/oiaf/1605/ggccebro/chapter1.html>

Hart, S. (2007, December 17). (A. Ebata, Interviewer)

Institution, C. (2007, April 13). *Tropical Forests -- Earth's Air Conditioner*. Retrieved March 24, 2008, from ScienceDaily: <http://www.sciencedaily.com/releases/2007/04/070409181831.htm>

J. L. Mastrantonio, J. K. Francis. (1997, October). *A Student Guide To Tropical Forest Conservation*. Retrieved March 30, 2008, from
<http://www.fs.fed.us/global/lzone/student/tropical.htm>

Leahy, S. (2007, March 21). *Environment: Biofuels Boom Spurring Deforestation*. Retrieved March 28, 2008, from Inter Press Service News Agency:
<http://ipsnews.net/news.asp?idnews=37035>

Maura. (2007, October 4). Kekoldi reservation leader. (A. Ebata, Interviewer)

T. Searchinger. (n.d.). *Use of U.S. Croplands for Biofuels Increases Greenhouse Gases Through Emissions from Land Use Change*. Retrieved March 17, 2008, from Science:
www.sciencemag.org/cgi/content/full/1151861/DC1

The World Factbook. (n.d.). Retrieved March 2, 2008, from Central Intelligence Agency:
<https://www.cia.gov/library/publications/the-world-factbook/geos/cs.html>

Tropical Forests Mesoamerican/Caribbean. (n.d.). Retrieved April 23, 2008, from The Nature Conservancy: <http://thenatureconservancy.net/wherewework/centralamerica/tropicalforests/>