## University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN

Bird Strike Committee Proceedings

8-8-2000

## CURRENT STATUS OF THE USAF BIRD AVOIDANCE MODEL (BAM)

Russell P. DeFusco United States Air Force Academy

Follow this and additional works at: http://digitalcommons.unl.edu/birdstrike2000



Part of the Environmental Health and Protection Commons

DeFusco, Russell P., "CURRENT STATUS OF THE USAF BIRD AVOIDANCE MODEL (BAM)" (2000). 2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN. Paper 11. http://digitalcommons.unl.edu/birdstrike2000/11

This Article is brought to you for free and open access by the Bird Strike Committee Proceedings at DigitalCommons@University of Nebraska -Lincoln. It has been accepted for inclusion in 2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Proceedings of 2<sup>nd</sup> Bird Strike Committee-USA/Canada Meeting, Minneapolis, MN 8-10 Aug 2000 (www.birdstrike.org)

## CURRENT STATUS OF THE USAF BIRD AVOIDANCE MODEL (BAM)

Russell P. DeFusco, USAF, Associate Professor of Biology, United States Air Force Academy, 2355 Faculty Drive, Suite 28389, USAF Academy, CO 80840 USA (719-333-6030; fax 719-333-2420; russell.defusco@usafa.af.mil)

The United States Air Force (USAF) Bird Aircraft Strike Hazard (BASH) Team has been developing versions of a Bird Avoidance Model (BAM) since the early 1980's. In the developmental phases of the first models, it was recognized that avoiding birds on low-level routes and ranges was the only solution to the significant problem of bird strikes to these military operations nationwide. The early versions of BAM were limited in coverage, biological data, and resolution. With the advent of sophisticated Geographic Information System (GIS) technology and advances in computational capability, modern versions of the USAF BAM have become increasingly robust and user friendly. The current version of BAM, released to the USAF in 1999, incorporates data layers from many sources to display risk surfaces at 1km resolution for the entire continental United States for each two-week period of the year and four daily time periods. Data on over 60 bird species considered most hazardous to flight operations. hundreds of environmental variables, infrastructure, and aeronautical charts are incorporated into the model. The user interface is a menu-driven package that allows pilots and schedulers to assess hazards on chosen routes with minimal effort in minutes. More sophisticated analyses are possible for other user groups. Preliminary reports from the user community have indicated savings of several million dollars in USAF aircraft assets in the first year of operation. Demand from the military community outside the continental US and the civil aviation community indicates a necessity for expansion of the BAM to other areas of the world and for continued refinement of data layers. International cooperation in the development of models will be necessary to ensure more global coverage and compatibility of systems between cooperating nations. The USAF has demonstrated its willingness to share its technology and experience to ensure such interoperability between cooperating agencies and nations.