

August 2006

USING BIRD STRIKE DATA TO MONITOR BIRD-HAZARD CONTROL

Thomas C. Kelly

National University of Ireland Cork, Ireland

Ray Bolger

Dublin Airport Authority, Dublin, Ireland

Gavin Fennessy

National University of Ireland, Cork, Ireland

Michael J. A. O'Callaghan

National University of Ireland, Cork, Ireland

Sorcha Sheehy

National University of Ireland, Cork, Ireland

See next page for additional authors

Follow this and additional works at: <http://digitalcommons.unl.edu/birdstrike2006>

 Part of the [Environmental Health and Protection Commons](#)

Kelly, Thomas C.; Bolger, Ray; Fennessy, Gavin; O'Callaghan, Michael J. A. ; Sheehy, Sorcha; and Bourke, Patrick D., "USING BIRD STRIKE DATA TO MONITOR BIRD-HAZARD CONTROL" (2006). *2006 Bird Strike Committee USA/Canada, 8th Annual Meeting, St. Louis, MO*. 23.

<http://digitalcommons.unl.edu/birdstrike2006/23>

This Article is brought to you for free and open access by the Bird Strike Committee Proceedings at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in 2006 Bird Strike Committee USA/Canada, 8th Annual Meeting, St. Louis, MO by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Thomas C. Kelly, Ray Bolger, Gavin Fennessy, Michael J. A. O'Callaghan, Sorcha Sheehy, and Patrick D. Bourke

(22) USING BIRD STRIKE DATA TO MONITOR BIRD-HAZARD CONTROL

Thomas C. Kelly¹, Ray Bolger², Gavin Fennessy¹, Michael J. A. O'Callaghan³, Sorcha Sheehy¹, and Patrick D. Bourke⁴, ¹*Department of Zoology, Ecology and Plant Science, National University of Ireland Cork, Ireland;* ²*Dublin Airport Authority, Dublin Airport, Dublin, Ireland;* ³*Department of Applied Mathematics, National University of Ireland, Cork, Ireland;* ⁴*Department of Statistics, National University of Ireland, Cork, Ireland.*

An effective definition of a bird strike is the basis for quantifying the scale of bird hazard problems. Here we present a working definition of a bird strike, which in turn forms the basis of an analysis of 32 years' data collected at Dublin Airport, Ireland. A variety of datasets are analysed including the number of bird strikes per ten thousand aircraft movements, the mass of the bird species being struck, the time of year at which bird strikes occur and the dimensions of the aircraft utilising the airfield. In addition, we have analysed the mean number of strikes per year and the mean number of birds struck per bird strike. Following a very serious incident involving a Boeing 737-200 which struck a flock of gulls in the mid -1980's, a new regime of control measures was put in place. Therefore our study permits us to evaluate the effectiveness of this management programme. The results suggest that the most significant impact of control measures is to reduce the number of birds being struck per bird strike.