

2-13-2008

## EDITORIAL: Focus on Attosecond Physics

André D. Bandrauk

*Université de Sherbrooke, Québec*

Ferenc Krausz

*Ludwig-Maximilians-Universität and Max-Planck-Institut für Quantenoptik, Garching, Germany*

Anthony F. Starace

*University of Nebraska-Lincoln, [astarace1@unl.edu](mailto:astarace1@unl.edu)*

Follow this and additional works at: <http://digitalcommons.unl.edu/physicsstarace>



Part of the [Physics Commons](#)

---

Bandrauk, André D.; Krausz, Ferenc; and Starace, Anthony F., "EDITORIAL: Focus on Attosecond Physics" (2008). *Anthony F. Starace Publications*. Paper 114.

<http://digitalcommons.unl.edu/physicsstarace/114>

This Article is brought to you for free and open access by the Research Papers in Physics and Astronomy at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Anthony F. Starace Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.



Focus Issue, February 2008

EDITORIAL

## Focus on Attosecond Physics

André D Bandrauk *et al* 2008 *New J. Phys.* **10** 025004 doi:10.1088/1367-2630/10/2/025004

[André D Bandrauk](#)<sup>1</sup>, [Ferenc Krausz](#)<sup>2</sup> and [Anthony F Starace](#)<sup>3</sup>

<sup>1</sup> Université de Sherbrooke, Sherbrooke, Québec, Canada

<sup>2</sup> Ludwig-Maximilians-Universität and Max-Planck-Institut für Quantenoptik, Garching, Germany

<sup>3</sup> The University of Nebraska–Lincoln, Lincoln, NE, USA

Investigations of light–matter interactions and motion in the microcosm have entered a new temporal regime, the regime of *attosecond* physics. It is a main 'spin-off' of strong field (i.e., intense laser) physics, in which nonperturbative effects are fundamental. Attosecond pulses open up new avenues for time-domain studies of multi-electron dynamics in atoms, molecules, plasmas, and solids on their natural, quantum mechanical time scale and at dimensions shorter than molecular and even atomic scales. These capabilities promise a revolution in our microscopic knowledge and understanding of matter.

The recent development of intense, phase-stabilized femtosecond ( $10^{-15}$  s) lasers has allowed unparalleled temporal control of electrons from ionizing atoms, permitting for the first time the generation *and* measurement of isolated light pulses as well as trains of pulses on the attosecond (1 as =  $10^{-18}$  s) time scale, the natural time scale of the electron itself (e.g., the orbital period of an electron in the ground state of the H atom is 152 as). This development is facilitating (and even catalyzing) a new class of ultrashort time domain studies in photobiology, photochemistry, and photophysics.

These new coherent, sub-fs pulses carried at frequencies in the extreme ultraviolet and soft-x-ray spectral regions, along with their intense, synchronized near-infrared driver waveforms and novel metrology based on sub-fs control of electron–light interactions, are spawning the new science of attosecond physics, whose aims are to monitor, to visualize, and, ultimately, to control electrons on their own time and spatial scales, i.e., the attosecond time scale and the sub-nanometre (Ångstrom) spatial scale typical of

atoms and molecules. Additional goals for experiment are to advance the enabling technologies for producing attosecond pulses at higher intensities and shorter durations. According to theoretical predictions, novel methods for intense attosecond pulse generation may in future involve using overdense plasmas.

Electronic processes on sub-atomic spatio-temporal scales are the basis of chemical physics, atomic, molecular, and optical physics, materials science, and even some life science processes. Research in these areas using the new attosecond tools will advance together with the ability to control electrons themselves. Indeed, we expect that developments will advance in a way that is similar to advances that have occurred on the femtosecond time scale, in which much previous experimental and theoretical work on the interaction of coherent light sources has led to the development of means for 'coherent control' of nuclear motion in molecules.

This focus issue of *New Journal of Physics* is centered on experimental and theoretical advances in the development of new methodologies and tools for electron control on the attosecond time scale. Topics such as the efficient generation of harmonics; the generation of attosecond pulses, including those having only a few cycles and those produced from overdense plasmas; the description of various nonlinear, nonperturbative laser–matter interactions, including many-electron effects and few-cycle pulse effects; the analysis of ultrashort propagation effects in atomic and molecular media; and the development of inversion methods for electron tomography, as well as many other topics, are addressed in the current focus issue dedicated to the new field of 'Attosecond Physics'.

### ***Focus on Attosecond Physics Contents***

[Observing the attosecond dynamics of nuclear wavepackets in molecules by using high harmonic generation in mixed gases](#)

*Tsuneto Kanai, Eiji J Takahashi, Yasuo Nabekawa and Katsumi Midorikawa*

[Core-polarization effects in molecular high harmonic generation](#)

*G Jordan and A Scrinzi*

[Interferometric autocorrelation of an attosecond pulse train calculated using feasible formulae](#)

*Y Nabekawa and K Midorikawa*

[Attosecond pulse generation from aligned molecules—dynamics and propagation in H<sub>2</sub><sup>+</sup>](#)

*E Lorin, S Chelkowski and A D Bandrauk*

[Broadband generation in a Raman crystal driven by a pair of time-delayed linearly chirped pulses](#)

*Miaochan Zhi and Alexei V Sokolov*

[Ultrafast nanoplasmonics under coherent control](#)

*Mark I Stockman*

[Attosecond pulse carrier-envelope phase effects on ionized electron momentum and energy distributions: roles of frequency, intensity and an additional IR pulse](#)

*Liang-You Peng, Evgeny A Pronin and Anthony F Starace*

[Angular encoding in attosecond recollision](#)

*Markus Kitzler, Xinhua Xie, Stefan Roither, Armin Scrinzi and Andrius Baltuska*

[Polarization-resolved pump-probe spectroscopy with high harmonics](#) Y Mairesse, S Haessler, B Fabre, J Higuete, W Boutu, P Breger, E Constant, D Descamps, E Mével, S Petit and P Salières

[Macroscopic effects in attosecond pulse generation](#)

*T Ruchon, C P Hauri, K Varjú, E Mansten, M Swoboda, R López-Martens and A L'Huillier*

[Monitoring long-term evolution of molecular vibrational wave packet using high-order harmonic generation](#)

*M Yu Emelin, M Yu Ryabikin and A M Sergeev*

[Intense single attosecond pulses from surface harmonics using the polarization gating technique](#)

*S G Rykovanov, M Geissler, J Meyer-ter-Vehn and G D Tsakiris*

[Imaging of carrier-envelope phase effects in above-threshold ionization with intense few-cycle laser fields](#)

*M F Kling, J Rauschenberger, A J Verhoef, E Hasović, T Uphues, D B Milošević, H G Muller and M J J Vrakking*

[Self-compression of optical laser pulses by filamentation](#)

*A Mysyrowicz, A Couairon and U Keller*

[Towards efficient generation of attosecond pulses from overdense plasma targets](#)

*N M Naumova, C P Hauri, J A Nees, I V Sokolov, R Lopez-Martens and G A Mourou*

[Quantum-path control in high-order harmonic generation at high photon energies](#)

*Xiaoshi Zhang, Amy L Lytle, Oren Cohen, Margaret M Murnane and Henry C Kapteyn*

[Time-resolved mapping of correlated electron emission from helium atom in an intense laser pulse](#)

*C Ruiz and A Becker*

[Pump and probe ultrafast electron dynamics in LiH: a computational study](#)

*M Nest, F Remacle and R D Levine*

[Exploring intense attosecond pulses](#)

*D Charalambidis, P Tzallas, E P Benis, E Skantzakis, G Maravelias, L A A Nikolopoulos, A Peralta Conde and G D Tsakiris*

[Attosecond timescale analysis of the dynamics of two-photon double ionization of helium](#)

*Emmanuel Fomouo, Philippe Antoine, Henri Bachau and Bernard Piraux*

[Generation of tunable isolated attosecond pulses in multi-jet systems](#)

*V Tosa, V S Yakovlev and F Krausz*

[Electron wavepacket control with elliptically polarized laser light in high harmonic generation from aligned molecules](#)

*Y Mairesse, N Dudovich, J Levesque, M Yu Ivanov, P B Corkum and D M Villeneuve*

[Tracing non-equilibrium plasma dynamics on the attosecond timescale in small clusters](#)

*Ulf Saalmann, Ionut Georgescu and Jan M Rost*

[Ionization in attosecond pulses: creating atoms without nuclei?](#)

*John S Briggs and Darko Dimitrovski*

[Angular distributions in double ionization of helium under XUV sub-femtosecond radiation](#)

*P Lambropoulos and L A A Nikolopoulos*

[Potential for ultrafast dynamic chemical imaging with few-cycle infrared lasers](#)

*Toru Morishita, Anh-Thu Le, Zhangjin Chen and C D Lin*

[Attosecond electron thermalization in laser-induced nonsequential multiple ionization: hard versus glancing collisions](#)

*X Liu, C Figueira de Morisson Faria and W Becker*

[Ion-charge-state chronoscopy of cascaded atomic Auger decay](#)

*Th Uphues, M Schultze, M F Kling, M Uiberacker, S Hendel, U Heinzmann, N M Kabachnik and M Drescher*

[Measurement of electronic structure from high harmonic generation in non-adiabatically aligned polyatomic molecules](#)

*N Kajumba, R Torres, Jonathan G Underwood, J S Robinson, S Baker, J W G Tisch, R de Nalda, W A Bryan, R Velotta, C Altucci, I Procino, I C E Turcu and J P Marangos*

[Wavelength dependence of sub-laser-cycle few-electron dynamics in strong-field multiple ionization](#)

*O Herrwerth, A Rudenko, M Kremer, V L B de Jesus, B Fischer, G Gademann, K Simeonidis, A Achtelik, Th Ergler, B Feuerstein, C D Schröter, R Moshhammer and J Ullrich*

[Attosecond metrology in the few-optical-cycle regime](#)

*G Sansone, E Benedetti, C Vozzi, S Stagira and M Nisoli*

[Attosecond x-ray pulses produced by ultra short transverse slicing via laser electron beam interaction](#)

*A A Zholents and M S Zolotarev*