University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Nebraska Beef Cattle Reports

Animal Science Department

January 2001

June Versus March Calving for the Nebraska Sandhills: Economic Risk Analysis

Gordon Carriker University of Nebraska - Lincoln

Dick Clark University of Nebraska - Lincoln

Don C. Adams University of Nebraska - Lincoln, dadams1@unl.edu

Russ Sandberg University of Nebraska - Lincoln

Follow this and additional works at: http://digitalcommons.unl.edu/animalscinbcr Part of the <u>Animal Sciences Commons</u>

Carriker, Gordon; Clark, Dick; Adams, Don C.; and Sandberg, Russ, "June Versus March Calving for the Nebraska Sandhills: Economic Risk Analysis" (2001). *Nebraska Beef Cattle Reports*. Paper 286. http://digitalcommons.unl.edu/animalscinbcr/286

This Article is brought to you for free and open access by the Animal Science Department at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Beef Cattle Reports by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

returns, a negative value for a phase of production indicates that phase would not stand alone as an enterprise without being subsidized by earlier or later phases. The phase does not generate a profit. Similarly, a negative financial net return, though not experienced, would indicate that growing a steer calf to a production phase would not generate a positive cash flow. Selling a June-born weaned calf in January from either the range- or meadow-bred treatments provided \$65 to \$75 more net returns, on average, than a March-born weaned calf sold in September/October. This difference is due to two effects. First, it cost less to produce a June-born calf. Second, the price received for June born

calves sold in January averaged nearly \$10/cwt higher (real prices) compared to the price received for the March-born calf sold in September/October. The price differential is a real effect of changing systems and must be considered if changes such as this are contemplated by any producer. It comes from a typically higher seasonal price in January compared to September/October and the fact that the June-born calves are lighter so the price slide also gives these calves a price advantage. The net effect is that the gross sale value received for a June-born calf sold in January is about the same as a March-born calf sold in the September/October time frame. The post-wean economic net returns indicate the June

system is only profitable if the weaned calf is finished as a yearling and the March system is profitable if the weaned calf is finished in the feedlot. From the financial (cash flow) standpoint, the June system always generated higher net returns than the March system. The greatest financial net returns were for the June-born yearling prior to being put on grass.

¹Gordon Carriker, former research analyst; Dick Clark, professor, Agricultural Economics; Don Adams, professor, Animal Science; Russ Sandburg, research technologist; West Central Research and Extension Center, North Platte.

June Versus March Calving for the Nebraska Sandhills: Economic Risk Analysis

Gordon Carriker Dick Clark Don Adams Russ Sandberg¹

A June calving system can be more profitable than a March calving system without increasing economic risk.

Summary

Price risk analysis of economic and financial net returns from June and March calving systems was used to rank and identify preferred production/sale strategies according to risk preferences of producers. Analysis of economic net returns identified selling a June-born steer at weaning from the breeding on meadow (meadow-bred) treatment as preferred strategy regardless of risk preferences. Post-weaning, selling a June-born finished yearling steer from the meadow-bred treatment was ranked highest. Analysis of financial net returns identified selling a June-born yearling steer from the meadow-bred treatment prior to summer grazing as preferred for all but those strongly risk averse; selling a June-born steer from the meadow-bred treatment at weaning ranked second.

Introduction

Production agriculture is subject to several sources of economic risk: output price, yield, and input and cost. A simple comparison of average net returns from alternative production strategies overlooks risk. Comparison of the Juneborn calving system to the traditional March-born calving system also should include an evaluation of the economic risks involved. The objectives of this research were to: 1) identify the risk efficient (preferred) set of production strategies in the two calving systems based on the economic and financial net returns; and 2) rank the production stages in order of risk preference based on the economic and financial net returns distributions. We hypothesized that the

production stages in the June system would be preferred over the same stages in the March system.

Procedure

Economic and financial net returns distributions were generated for each production stage for both the March and June calving systems using average input levels and animal weights, 1998 input costs and real (inflation adjusted) prices received from 1992 through 1998. Thus, the variation in net returns reported here is due strictly to variation in cattle prices. Economic net returns indicate the ability of an individual stage of production to generate an economic profit, i.e., the ability to stand alone as a separate enterprise without being subsidized by an earlier or later production stage. Financial net returns indicate whether producing to a stage of production will generate a positive cash flow. The 15 numbered sales strategies (Table 1) correspond with the stages of production and the alternative systems. For example, number 7 refers to selling a

Table 1. Number identifiers for production/sell strategies for March and June calving systems.

			June			
Production stage/	March	Calf f	Calf feds		Yearlings	
Sell at:	Calf feds	Range	Meadow	Range	Meadow	
Weaning	1	4	7	_	_	
Yearling calf onto grass	_	_	_	10	13	
Into feedlot	2	5	8	11	14	
Slaughter	3	6	9	12	15	

weanling calf born in June and bred on the meadow. Risk analysis considers not only the level of net returns from all strategies, but also the variation in those returns. Ranking strategies according to risk is not an easy task unless some strategies totally dominate all others. A dominating strategy would have higher net returns under all price situations. Generalized stochastic dominance (GSD) analysis of the economic and financial net returns distributions is a tool that can identify the preferred sales strategies and can rank all strategies according to the risk characteristics of the producers. GSD is the tool we chose to rank the financial and economic net returns.

GSD analysis does not make *a priori* assumptions regarding the net returns distributions or the risk attitude of decision makers.. The analysis allows for the ranking of alternative strategies over selected risk attitudes of the decision maker. GSD has been frequently used to rank crop rotations, crop varieties, pest and fertilizer management alternatives and other agricultural risk management strategies.

First- and second-degree stochastic

 Table 2. Stochastic dominance analysis rankings of *economic* net returns from March and June calving systems.

	Preference Rankings ^a	
Criteria	More preferred \rightarrow Less preferred	
FSD SSD SDRF	7,4,1,15,12,3,5,10,13,6,9,2,8,11,14 7,4,1,15,3,12,5,10,2,8,13,11,6,9,14	
Approximate Risk Attitude Strongly Risk Preferring Moderately Risk Preferring Slightly Risk Preferring Risk Neutral Slightly Risk Averse Moderately Risk Averse Strongly Risk Averse	7,4,1,15,6,12,3,9,13,10,5,11,8,14,2 7,4,1,15,3,12,6,5,10,9,13,8,11,2,14 7,4,1,15,3,12,5,10,13,6,8,2,9,11,14 7,4,1,15,3,12,5,10,8,13,6,2,9,11,14 7,4,1,15,3,12,5,10,8,13,2,6,11,9,14 7,4,1,15,3,12,5,2,8,10,11,13,6,14,9 7,4,1,15,3,12,5,2,8,10,11,13,6,14,9	

^aRefer to Table 1 for strategy codes. Bolded, italicized strategies are in the most preferred set.

Table 3.Stochastic dominance analysis rankings of *financial* net returns from March and June calving systems.

	Preference Rankings ^a	
Criteria	More preferred \rightarrow Less preferred	
FSD SSD SDRF	<i>15,6,7,8,13,5</i> ,10,4,9,12,14,11,3,1,2 <i>6,8,15,7,13,5</i> ,12,9,4,14,11,10,3,1,2	
Approximate Risk Attitude		
Strongly Risk Preferring	<i>13</i> ,5,7,8,10,4,15,12,6,9,11,3,14,1,2	
Moderately Risk Preferring	<i>13</i> ,7,5,8,10,4,15,12,6,9,11,3,14,1,2	
Slightly Risk Preferring	<i>13</i> ,7,5,8,10,4,15,12,6,9,11,14,3,1,2	
Risk Neutral	<i>13</i> ,7,10,5,8,4,15,12,6,9,11,14,3,1,2	
Slightly Risk Averse	<i>13</i> ,7,8,5,10,4,15,12,6,9,11,14,3,1,2	
Moderately Risk Averse	<i>13,7,8,15,6</i> ,5,12,9,4,10,11,14,3,1,2	
Strongly Risk Averse	6 ,9,15,12,7,8,4,5,13,14,11,3,10,1,2	

^aRefer to Table 1 for strategy codes. Bolded, italicized strategies are in the most preferred set.

dominance are special cases of GSD. First-degree stochastic dominance (FSD) assumes only that the decision maker prefers more to less, with no assumption about the decision maker's risk attitude. Second-degree stochastic dominance (SSD) assumes the decision maker prefers more to less and is risk averse. FSD and SSD are limited in their ability to discriminate between risky alternatives due to the nature of the underlying distributions being compared. FSD can only choose between two alternatives when the net returns for all situations for one alternative either are equal to or greater than net returns for the other alternative. SSD can rank two alternatives when the net returns over all situations exceed those of the other at all points in the cumulative probability distribution. This criterion cannot rank two alternatives where cumulative probability of alternative b's net returns exceed alternative a's at low levels of probability and then the cumulative probability of alternative a's net returns exceed b's at higher levels of probability. The cumulative probability of a level of net returns is the probability that net returns are equal to or less than a certain level. Since FSD and SSD alone are limited, we have used stochastic dominance with respect to a function (SDRF), which gives more power for ranking alternatives, with the rankings depending on the risk attitude of the decision maker. SDRF is the most generalized decision criterion associated with GSD analysis.

Results

The results of the GSD analysis of economic and financial net returns are presented in Tables 2 and 3, respectively. FSD, SSD, and SDRF analyses of the economic net returns (Table 2) identify sale at weaning of June-born calf feds from the meadow breeding treatment (strategy 7) as economically preferred. All that is necessary to assume about the decision maker is that he/she prefers more to less since strategy 7 was the dominant strategy with FSD. If our goal is to only find the dominant strategy for economic returns, then FSD was adequate. Notice

(Continued on next page)

that specifying the risk attitude made no difference in the preferred set. Sale at weaning of a June-born calf fed from the range breeding treatment (strategy 4) was ranked second followed by sale at weaning of a March-born calf fed (strategy 1). However, if we are interested in the ranking of all alternatives, then the risk preference of the decision maker becomes important which can be seen by comparing the rankings after the top four strategies as the risk attitude changes.

When the analysis turns to the financial net returns, FSD and SSD cannot rank single alternatives. FSD and SSD analysis of the financial net returns identified six strategies as all in the risk efficient set (equally preferred; Table 3). The numbers in bold italics note the six equally preferred strategies. However, the more discriminating SDRF analysis identifies sale of a yearling calf from the meadow breeding treatment prior to summer grazing (strategy 13) as the risk efficient (preferred) strategy for strongly risk preferring to slightly risk averse producers. Moderately risk averse producers would be indifferent between five alternatives, all in the June calving system. The preferred strategy for strongly risk averse producers is the sale at slaughter of a June-born calf fed from the range breeding treatment (strategy 6). With some knowledge of a decision maker's risk attitudes, SDRF was able to rank the 15 strategies in most cases. Regardless of the risk attitude, SDRF analysis of the financial net returns ranks the March calving system strategies low and often least preferred. Recall that this analysis considered only risk due to cattle prices. There may be other risks that have not occurred with our research that should be considered. If future research delineates possible other risks, they will be incorporated into the analysis.

Protein Supplements and Performance of Cows and Calves in June-Calving Production Systems

Amelia Hopkin Don Adams Terry Klopfenstein Todd Milton Dick Clark¹

June-born calves grazed through the winter on cows fed protein supplement. Winter gain and summer protein supplement affected gain of yearling steers on summer grass and in the feedlot.

Summary

Lactating, June-calving cows that received protein supplement January through March maintained a lower body condition than dry June cows. Dry, nonsupplemented cows lost more body condition compared to dry, supplemented cows over that same time period. Juneborn steers wintered at a low rate of gain (.4 lb/day) had higher daily gains on sub-irrigated meadow during May than June born steers wintered at a higher rate of gain (1.6 lb/day). Supplemental proteinfed during summer grazing on range increased daily gains for steers wintered at both high and low gains compared to non-supplemented steers.

Introduction

A primary factor in determining economic efficiency in the beef cattle industry is feed cost. A June calving system was developed at the University of Nebraska Gudmundsen Sandhills Laboratory (GSL) to match the nutrient requirements of the cow to the nutrients available in the forage and to reduce the amount of harvested or purchased feeds that are typically fed in February-March calving systems. The need for protein supplement for grazing winter range after weaning in January has not been determined in the June calving system. Although nutrient content of the forage is low, nutrient requirements of a dry cow in the middle third of pregnancy also are low; therefore, supplemental protein may not be needed. When yearlings are integrated into the June-calving system, harvested and/or purchased feed and labor associated with feeding the calf after weaning from January to grass in May might be decreased by extending the grazing season of the calf through the

¹Gordon Carriker, former research analyst; Dick Clark, professor, Agricultural Economics; Don Adams, professor, Animal Science; Russ Sandberg, research technologist, West Central Research and Extension Center, North Platte.