

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Insecta Mundi

Center for Systematic Entomology, Gainesville,
Florida

4-11-2008

An annotated checklist of the Coleoptera (Insecta) of the Bahamas

Robert H. Turnbow Jr.

Enterprise, AL

Michael C. Thomas

Florida State Collection of Arthropods, Michael.Thomas@freshfromflorida.com

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>



Part of the Entomology Commons

Turnbow, Robert H. Jr. and Thomas, Michael C., "An annotated checklist of the Coleoptera (Insecta) of the Bahamas" (2008). *Insecta Mundi*. 347.

<https://digitalcommons.unl.edu/insectamundi/347>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

INSECTA MUNDI

A Journal of World Insect Systematics

0034

An annotated checklist
of the Coleoptera (Insecta) of the Bahamas

Robert H. Turnbow, Jr.
59 Brookview Ct.
Enterprise, AL 36330

Michael C. Thomas
Florida State Collection of Arthropods
Florida Department of Agriculture and Consumer Services
P.O. Box 147100
Gainesville, FL 32614-7100

Date of Issue: April 11, 2008

Robert H. Turnbow, Jr. and Michael C. Thomas
An annotated checklist of the Coleoptera (Insecta) of the Bahamas
Insecta Mundi 0034: 1-64

Published in 2008 by

Center for Systematic Entomology, Inc.
P. O. Box 147100
Gainesville, FL 32614-7100 U. S. A.
<http://www.centerforsystemicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod taxon. Manuscripts considered for publication include, but are not limited to, systematic or taxonomic studies, revisions, nomenclatural changes, faunal studies, book reviews, phylogenetic analyses, biological or behavioral studies, etc. **Insecta Mundi** is widely distributed, and referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc.

As of 2007, **Insecta Mundi** is published irregularly throughout the year, not as a quarterly issues. As manuscripts are completed they are published and given an individual number. Manuscripts must be peer reviewed prior to submission, after which they are again reviewed by the editorial board to insure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Managing editor: Paul E. Skelley, e-mail: insectamundi@gmail.com
Production editor: Michael C. Thomas, e-mail: thomasm@doacs.state.fl.us
Editorial board: J. H. Frank, M. J. Paulsen

Printed copies deposited in libraries of:

CSIRO, Canberra, ACT, Australia
Museu de Zoologia, São Paulo, Brazil
Agriculture and Agrifood Canada, Ottawa, Ontario, Canada
The Natural History Museum, London, England
Muzeum i Instytut Zoologii Pan, Warsaw, Poland
National Taiwan University, Taipei, Taiwan
California Academy of Sciences, San Francisco, CA, USA
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA
Field Museum of Natural History, Chicago, IL, USA
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Electronic copies in PDF format:

Printed CD mailed to all members at end of year.
Florida Center for Library Automation: purl.fcla.edu/fcla/insectamundi

Author instructions available on the Insecta Mundi page at:

<http://www.centerforsystemicentomology.org/insectamundi/>

ISSN 0749-6737

An annotated checklist
of the Coleoptera (Insecta) of the Bahamas

Robert H. Turnbow, Jr.
59 Brookview Ct.
Enterprise, AL 36330

Michael C. Thomas
Florida State Collection of Arthropods
Florida Department of Agriculture and Consumer Services
P.O. Box 147100
Gainesville, FL 32614-7100

Abstract. A faunal list of 996 species of Coleoptera in 552 genera in 74 families is presented for the Commonwealth of the Bahamas. For most species, island and locality within island collecting information is provided.

Introduction

Historically, the beetle fauna of the Bahamas has been very poorly known. Leng and Mutchler (1914) in their list of the beetles of the West Indies, recorded only 31 species specifically from the Bahamas. Blackwelder (1944-1957) listed 98 species from the Bahamas (Vaurie 1952b). In neither case did the authors include the names of the individual island for the records. The present list of 996 species in 552 genera in 74 families grew directly out of our experiences on Andros Island, where a list of the Cerambycidae (Thomas and Turnbow 2007) of that island grew into a list of Andros Coleoptera and finally into a checklist of the Coleoptera of the Bahamas as a whole. It should be seen as a preliminary list, as the Bahamas are still relatively poorly collected and the fauna is still poorly known, especially considering how close they are to the United States. Many specimens collected during our trips to Andros Island and Great Inagua remain unidentified.

The publication of this checklist completes a set of checklists that also includes Florida (Peck and Thomas 1998) and Cuba (Peck 2005), which with the Bahamas comprise a natural biogeographic unit with much in common faunistically and floristically.

The list provided here is a combination of literature records (referenced), new information based on our collecting on Andros Island in 2001, 2004, and 2006 and Great Inagua in 2007, and specimen records in the Florida State Collection of Arthropods (FSCA). Literature records for "Bahamas" or "Bahama Islands" only (Blackwelder 1944-1957; Darlington 1953; Erwin and Sims 1984; Leng and Mutchler 1914; O'Brien and Wibmer 1982; Peck 2005; Triplehorn and Watrous 1982; Wibmer and O'Brien 1986; and Young 1954) have been omitted when more specific data have been located. Locality information is presented verbatim; corrections and emendations appear in brackets. The repositories of all specimens listed are supplied when known.

Because the great majority of the species listed are new for the Bahamas, no attempt has been made to identify those as such. Many families are here newly reported from the Bahamas. However, it seems justified to mention the first Bahamian records of *Heterobostrychus aequalis* (Waterhouse) (Bostrichidae), an Asian powderpost beetle, and *Aphanistichus cochinchinae seminulum* (Obenberger) (Buprestidae), an Asian sugarcane pest. Both also are established in Florida.

The family composition and arrangement of the list follows Arnett and Thomas (2001), with the following exceptions: Zopheridae include the old Monommatidae (Monommidae) and Colydiidae (see Ivie 2002) and Hybosoridae include Ceratocanthidae (Ocampo 2006), and Cybocephalidae (Smith 2007) and Bolboceratidae (Král et al. 2006) are recognized as distinct families. Families are listed alphabetically; genera are arranged alphabetically under family headings; species are arranged alphabetically within genera.

In many cases the increase in the number of Bahamian species has been considerable. For example, Darlington (1951) recorded 45 species of Carabidae (excluding Cicindelinae) for the Bahamas; we here

record 102 species, excluding Cicindelinae (106 species including the tiger beetles). Other families with large numbers of Bahamian species are: Curculionidae, 139; Cerambycidae, 84; Chrysomelidae, 70; and Tenebrionidae, 68. Specimen records reported here represent 27 islands, but well over half of the records, 534, are from Andros Island. Andros is the largest of the Bahamian islands and would be expected to have the largest fauna, but this number probably also reflects the relative amount of collecting effort expended there. Other islands with high numbers of records are Great Inagua, 169; South Bimini, 155; and Eleuthera, 130.

The Bahamas

The Commonwealth of the Bahamas is an 800 km long archipelago of 300 islands and 2000 cays lying roughly above the arc formed by Florida, Cuba, and Hispaniola. Only 30 islands are inhabited. Bimini is 80 km from Florida and Great Inagua is about 80 km from Cuba. Most of the islands are low; the highest point in the Bahamas is Mount Alvernia on Cat Island at 63 m. Combined area of the islands is 13,940 km².

Browne et al. (1993), Ratcliffe and Cave (2007), and Steiner (2005b) have all discussed at length the biogeography and faunal relationships of the Bahamas, with emphasis on the Cerambycidae, Scarabaeidae: Dynastinae, and Tenebrionidae respectively. The fauna of the Bahamas is of relatively recent origin since the Bahamas were completely inundated during the Pliocene. During glacial periods of the Pleistocene the northern Bahamas formed a continuous landmass called Paleoprovidence that was only narrowly separated from Cuba; the southern Bahamas (Crooked Island, Acklins, Mayaguana, San Salvador, Rum Cay, and Inagua) were separate islands during that period.

The Bahamian beetle fauna can be broken down into five groups: species shared with Florida and the southeastern United States, species shared with Cuba, species shared with Hispaniola, species widespread throughout the West Indies, and species precinctive ("endemic") to the Bahamas.

Collection codens: ABSC (Archbold Biological Station), AMNH (American Museum of Natural History), ANSP (Academy of Natural Sciences, Philadelphia), BCRC (Brett C. Ratcliffe Collection), BDVC (Barry D. Valentine Collection), BNIC (Bahamian National Insect Collection, Nassau), BYUC (Brigham Young University, Provo), CASC (California Academy of Science, San Francisco), CMNC (Canadian Museum of Nature, Ottawa), CNCI (Canadian National Collection of Insects, Ottawa), CMNH (Carnegie Museum of Natural History), CWOC (C. W. O'Brien Collection), ELS (Elbert L. Sleeper Collection), EMEC (Essig Museum, University of California, Berkeley), FSCA (Florida State Collection of Arthropods, Gainesville), GRCC (Gerace Research Center, San Salvador), HAHC (Henry and Anne Howden Collection), IRSN (Institut royal des Sciences naturelles de Belgique), JELC (James E. Lloyd Collection), MAIC (Michael A. Ivie Collection), MCZC (Museum of Comparative Zoology, Cambridge), MTEC (Montana State University, Bozeman), MZSP (Museu de Zoologia da Universidade de São Paulo), OSUC (Ohio State University, Columbus), PESC (Paul E. Skelley Collection); PKLC (Paul Lago Collection), RDCC (Ronald D. Cave Collection), RHTC (Robert H. Turnbow, Jr. Collection), SEMC (Snow Entomological Museum at the University of Kansas), TAMU (Texas A&M University), TMPC (Tim McCabe Collection), UCBC (The Essig Museum of Entomology, University of California, Berkeley), USNM (Smithsonian Institution, Washington, D.C.)

Acknowledgments

For help with identifications, we thank Tom Atkinson (Scolytinae), George Ball (Carabidae), William Barr (Cleridae), Robert Beiriger (Bostrichidae), Marc Branham (Lampyridae), Sônia A. Casari (Elateridae), Don Chandler (Anthicidae, Pselaphinae), Shawn Clark (Chrysomelidae), Andrew Cline (Corylophidae, Nitidulidae), Eric Cronin (Ciidae), Byrd Dozier (Buprestidae), Robert Gordon (Coccinellidae), John Jackman (Mordellidae), John Kingsolver (Bruchidae, Dermestidae), Nadine Kriska (Oedemeridae); Rich Leschen (Erotylidae), Steven Lingafelter (Cerambycidae), Nathan Lord (Latridiidae); Adriean Mayor (Melyridae); Charles O'Brien (Curculionidae), Sean O'Keefe (Scydmaenidae), Weston Opitz (Cleridae), Robert Otto (Eucnemidae), Stewart Peck (Leiodidae), T. Keith Philips (Anobiidae), Darren Pollock (Melandryidae, Mycteridae, Salpingidae, Scraptiidae), Jacques Rifkind (Cleridae), Floyd Shockley (Endomychidae); Rudolph



Map 1. Commonwealth of the Bahamas.

Schuh (Colydiinae), Paul Skelley (Erotylidae, Scarabaeidae), Warren Steiner (Phalacridae, Tenebrionidae), Alexey Tishechkin (Histeridae), Barry Valentine (Anthribidae), and Natalia Vandenberg (Coccinellidae).

For permits to collect on Andros Island and Great Inagua, we thank the Bahamian Department of Agriculture and the Bahamas National Trust; for invaluable advice and information on Great Inagua habitats and localities we thank Bahamas National Trust warden Henry Nixon; for partial financial support we thank the Division of Plant Industry, Florida Department of Agriculture and Consumer Services, and for making the Andros trips possible we thank International Field Studies, Inc., and especially the personnel at Forfar Field Station. For companionship on the collecting trips, we thank Byrd Dozier, G.B. Edwards, and Trevor Smith. For reading and criticizing the manuscript, we thank Stewart Peck and Gino Nearns.

This is Florida Department of Agriculture and Consumer Services, Division of Plant Industry, Bureau of Entomology, Nematology, and Plant Pathology, Entomology Contribution No. 1087.

LIST OF SPECIES

ADERIDAE

Aderus brunnipennis (LeConte)

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA; RHTC)

Cnopus sp. (?*impressus* (LeConte))

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: Matthew Town (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA; RHTC); 2-3 mi. N Salt Pond Hill (FSCA)

Ganascus ventricosus (LeConte)

ANDROS: Atala Coppice (RHTC); Behring Point (RHTC); Captain Bill's Blue Hole (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); 1-2 km. E London Creek (RHTC); Money Point (RHTC); Uncle Charlie's Blue Hole (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Zonantes sp.

ANDROS: Forfar Field Station (FSCA; RHTC); GREAT INAGUA: Salt Pond Hill (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

?*Zonantes* sp.

ANDROS: Atala Coppice (RHTC); Uncle Charlie's Blue Hole (RHTC)

ANOBIIDAE

Byrrhodes sp.

ANDROS: Pigeon Cay (Anderson 1996); NEW PROVIDENCE: Nassau (FSCA)

Calymmaderus sp. 1

ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (RHTC)

Calymmaderus sp. 2

ANDROS: Forfar Field Station (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: vic. Middle Point (FSCA; RHTC); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay beach (RHTC); South Bay road (FSCA; RHTC); 2-3mi. N Salt Pond Hill (FSCA); Union Creek Reserve entrance (RHTC)

Calymmaderus sp. 3

ELEUTHERA: Rainbow Bay (FSCA)

Catorama sp. or spp.

ELEUTHERA: Egg Island (Wickham 1895); Spanish Wells (Wickham 1895); GRAND BAHAMA: Water Cay (Wickham 1895)

Cryptorama densipunctatus Fisher or nr.

ANDROS: Behring Point (RHTC)

Cryptorama vorticale Fall

ANDROS: Behring Point (RHTC); Forfar Field Station (FSCA; RHTC); 1-2 km. E London Creek (RHTC); Pigeon Cay (Anderson 1996); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Cryptorama ?n. sp. 1

ANDROS: Forfar Field Station (FSCA)

Cryptorama ?n. sp. 2

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (FSCA)

Cryptorama sp. 1

ANDROS: Forfar Field Station (RHTC)

Cryptorama sp. 2

GRTEAT INAGUA: Northwest Point (RHTC); South Bay road (RHTC)

Cryptorama sp. 3

ANDROS: Atala Coppice (RHTC); ELEUTHERA: Rainbow Bay (FSCA)

- Cryptorama* sp. 4
GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (FSCA)
- Euvrilletta* sp. 1
ANDROS: Forfar Field Station (FSCA); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3mi. N Salt Pond Hill (FSCA)
- Euvrilletta* sp. 2
ANDROS: Forfar Field Station (FSCA; RHTC)
- Euvrilletta* sp. 3
ANDROS: Pigeon Cay (Anderson 1996)
- Gnostus floridanus* Blatchley
NEW PROVIDENCE: Clifton Point (Lawrence and Reichardt 1967)
- Lasioderma* sp.
GREAT INAGUA: Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA)
- Megorama* sp.
ANDROS: Forfar Field Station (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA)
- Microzogus insolens* Fall
ANDROS: Behring Point (RHTC); Forfar Cay (RHTC); GREAT INAGUA: strand S of Middle Point (RHTC)
- Petalium mediocarinatum* Ford
CONCEPTION ISLAND: Booby Cay (Ford 1973)
- Petalium yuccae* Fall
ELEUTHERA: no specific locality (Ford 1973)
- Petalium bahamense* Ford
ELEUTHERA: no specific locality (Ford 1973); SAN SALVADOR: South Victoria (Ford 1973)
- Petalium* sp. or spp.
ANDROS: Atala Coppice (FSCA; RHTC); Cargill Creek (RHTC); 0.5 mi. S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); ELEUTHERA: Egg Island (Wickham 1895); GREAT INAGUA: Matthew Town (RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA); Union Creek Reserve entrance (RHTC)
- Pitinus huesanus* Fisher
ANDROS: Pigeon Cay (Anderson 1996); GREAT INAGUA: vic. Middle Point (FSCA; RHTC)
- Protheca densa* White
ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: 2-3mi. N Salt Pond Hill (FSCA)
- Protheca sinuata* White
ANDROS: Forfar Field Station (FSCA)
- Ptinus constricticollis* Blatchley
ANDROS: Pigeon Cay (Anderson 1996)
- Ptinus strangulatus* Fall
ANDROS: Guardian Blue Hole (FSCA); GREAT INAGUA: Matthew Town (RHTC); Salt Pond Hill (RHTC); South Bay road (RHTC); Union Creek Reserve entrance (RHTC)
- Stagetus* sp.
ANDROS: Atala Coppice (RHTC)
- Trichodesma* sp. 1
ANDROS: Forfar Field Station (FSCA; RHTC); Cargill Creek (RHTC); Maidenhair Coppice (RHTC); Stafford Creek (RHTC); ELEUTHERA; Rainbow Bay (FSCA); EXUMA: Hummingbird Key W. of Georgetown (FSCA)
- Trichodesma* sp. 2
ANDROS: Forfar Field Station (FSCA); ELEUTHERA; Rainbow Bay (FSCA)
- Trichodesma* sp. 3
SOUTH BIMINI: no specific locality (FSCA)
- Tricorynus?similis* (LeConte)
ELEUTHERA: Egg Island (Wickham 1895)

Tricorynus sp. 1

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Tricorynus sp. 2

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA; RHTC); Union Creek Reserve entrance (RHTC)

Tricorynus sp. 3

ANDROS: Atala Coppice (RHTC); Behring Point (FSCA); Captain Bill's Blue Hole (RHTC); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Money Point (FSCA); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: vic. Middle Point (FSCA; RHTC); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA; RHTC); 2-3mi. N Salt Pond Hill (FSCA)

Tricorynus sp. 4

GREAT INAGUA: vic. Middle Point (RHTC); South Bay road (FSCA; RHTC)

Tricorynus sp. 5

GREAT INAGUA: Northwest Point (RHTC); Salt Pond Hill (RHTC); South Bay road (RHTC); Union Creek Reserve entrance (RHTC)

Tricorynus sp. 6

ANDROS: Forfar Field Station (FSCA)

Tricorynus sp. 7

ANDROS: Forfar Field Station (FSCA)

Tricorynus sp. 8

ANDROS: Money Point (FSCA; RHTC)

Tricorynus sp. 9

ELEUTHERA: Rainbow Bay (FSCA)

Tricorynus sp. 10

ANDROS: Behring Point (RHTC); Money Point (RHTC)

Tricorynus sp. 11

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Tricorynus?sp. 12

ELEUTHERA: Spanish Wells (Wickham 1895)

ANTHICIDAE*Anthicus antilleorum* Werner

GREAT INAGUA: Matthew Town (FSCA; RHTC)

Anthicus sp. *subtilis* species group

ANDROS: Maidenhair Coppice (FSCA)

Cyclodinus californicus (LaFerté-Sénectère)

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (FSCA)

Sapintus fulvipes (LaFerté-Sénectère)

ANDROS: Maidenhair Coppice (FSCA)

Stricticomus tobias (Marseul)

ANDROS: Maidenhair Coppice (FSCA)

ANTHRIBIDAE*Acaromimus americanus* (Motschulsky)

ANDROS: no specific locality (Valentine 2004); NEW PROVIDENCE: no specific locality (Valentine 2004)

Acaromimus n. sp. 3 (Valentine 2004)

NEW PROVIDENCE: no specific locality (Valentine 2004)

Ischnocerus infuscatus Fähraeus

ANDROS: Behring Point (FSCA); Bowen Sound (FSCA); Cargill Creek (RHTC); Forfar Field Station

(FSCA; RHTC); Jungle Pond (FSCA); Maidenhair Coppice (FSCA; RHTC); Morgan's Bluff (RHTC); 1-2 mi. W Stafford Creek (FSCA); Owens Town (FSCA); Stafford Creek (FSCA); Uncle Charlie's Blue Hole (FSCA); ELEUTHERA: no specific locality (Valentine 2004); GREAT ABACO: no specific locality (Valentine 2004)

Ormiscus sp.

ANDROS: Atala Coppice (RHTC); Behring Point (FSCA); Maidenhair Coppice (FSCA)

Ormiscus n. sp. 42 (Valentine 2004)

ANDROS: no specific locality (Valentine 2004); NEW PROVIDENCE: no specific locality (Valentine 2004)

Phaenotheriopsis vauriei Valentine

ANDROS: Cargill Creek (RHTC); Maidenhair Coppice (RHTC); Pigeon Cay (Anderson 1996); SOUTH BIMINI: no specific locality (AMNH; Valentine 1955); CAT ISLAND: Arthur's Town (MCZC; Valentine 1955); NEW PROVIDENCE: no specific locality (Valentine 2004)

Phoenicobiella chamaeropis (LeConte)

ANDROS: Forfar Field Station (FSCA; RHTC); CROOKED ISLAND: no specific locality (Valentine 2004); ELEUTHERA: no specific locality (Valentine 2004); SOUTH BIMINI: no specific locality (Valentine 1955 and 2004)

Piezocorynus suffriani Valentine

ANDROS: no specific locality (Valentine 2004)

Toxonotus fascicularis (Schoenherr)

ANDROS: Behring Point (FSCA); Bowen Sound (FSCA); Cargill Creek (RHTC); Jungle Pond (FSCA); Maidenhair Coppice (FSCA); Money Point (RHTC); 1-2 mi. W Stafford Creek (FSCA); Stafford Creek (RHTC); Uncle Charlie's Blue Hole (FSCA); BERRY ISLANDS: Frazier's Hog Cay (Valentine 2004); NEW PROVIDENCE: Blue Hill (USNM; Valentine 1955); Nassau (MCZC; Valentine 1955); NORTH BIMINI: no specific locality (Valentine 1955); SOUTH BIMINI: no specific locality (Valentine 1955)

Toxonotus mendax (Wolfrum) [= *Neanthribus mendax* Wolfrum]

ACKLINS: no specific locality (Valentine 2004); ANDROS: Behring Point (RHTC); Bowen Sound (RHTC); Cargill Creek (RHTC); 1-2 mi. W Stafford Creek (RHTC); Stafford Creek (RHTC); CAT ISLAND: no specific locality (Valentine 2004); CROOKED ISLAND: no specific locality (Valentine 2004); GREAT ABACO: no specific locality (Valentine 2004); GREAT INAGUA: no specific locality (Valentine 2004); SOUTH BIMINI: no specific locality (Valentine 1955 and 2004)

New genus "E" near *Gymnognathus* Schoenherr, new species 1 (Valentine 2004)

ANDROS: Cargill Creek (RHTC)

ATTELABIDAE

Auletobius cubanus Voss

NEW PROVIDENCE: no specific locality (CWOC)

Auletobius sp.

ANDROS: Forfar Field Station (FSCA)

Euscelus aureolus (Gyllenhal)

ANDROS: Mangrove Cay (AMNH; Hamilton 2007); 3-4 mi. S South Blanket Sound (CWOC); GUN CAY: no specific locality (AMNH; Hamilton 2007); NEW PROVIDENCE: Clifton (FSCA; CWOC; Hamilton 2007); SOUTH BIMINI: no specific locality (AMNH; Hamilton 2007)

BOLBOCERATIDAE

Neoathyreus androsensis Howden

ANDROS: 5 mi. S Gobi (Howden, 1996); Forfar Field Station (FSCA; RHTC; Howden 1996); Maidenhair Coppice (FSCA); GREAT ABACO: Marsh Harbour (FSCA)

BOSTRICHIDAE

Amphicerus cornutus (Pallas)

ANDROS: Bowen Sound (FSCA; RHTC); Cactus Coppice (RHTC); Mastic Point (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Northwest Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA; RHTC)

Heterobostrychus aequalis (Waterhouse)

ANDROS: Morgan's Bluff (FSCA); Stafford Creek (RHTC)

Melalgus jamaicensis Lesne

ANDROS: Cactus Coppice (RHTC); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Money Point (RHTC); 1-2 mi. S London Creek (FSCA); Stafford Creek (FSCA; RHTC); ELEUTHERA: Rainbow Bay

Sinoxylon sp.

ELEUTHERA: Spanish Wells (Wickham 1895)

Tetrapriocera longicornis Olivier

ANDROS: Bowen Sound (RHTC); Cargill Creek (RHTC); 0.5 mi. S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); Money Point (FSCA); Morgan's Bluff (FSCA); Nicholls Town (RHTC); Stafford Creek (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INACUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); SOUTH BIMINI: no specific locality (Vaurie 1952b)

Trogoxylon aequale (Wollaston)

GREAT INAGUA: Matthew Town (FSCA)

Xylomeira torquata Fabricius

ANDROS: Behring Point (RHTC); 0.5 mi. S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC); Mastic Point (RHTC); Maidenhair Coppice (RHTC); Nicholls Town (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); SOUTH BIMINI: no specific locality (Vaurie 1952b)

BOTHRIDERIDAE

Prolyctus sp. [=*Erotylathris* of Blackwelder (1944-1957)]

ANDROS: Bowen Sound (FSCA); Cargill Creek (RHTC); Maidenhair Coppice (FSCA); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay, Georgetown (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

BRENTIDAE

Apion cf. vestitum Gyllenhal

ANDROS: Forfar Field Station (FSCA)

Cylas formicarius (Fabricius)

ANDROS: Cargill Creek (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Money Point (RHTC); SAN SALVADOR: no specific locality (Elliott 1993)

Ixiias martinezi (Marshall)

GREAT INAGUA: Salt Pond Hill (FSCA)

Ixiias vestitus (Gyllenhal)

ANDROS: Forfar Field Station (FSCA; RHTC)

Paratrachelizus uncimanus (Boheman)

ANDROS: Maidenhair Coppice (FSCA)

Stenapion dozieri (Kissinger)

SAN SALVADOR: South Victoria (Kissinger 1974)

Stereodermus exilis Suffrian

ANDROS: Forfar Field Station (CMNC; Mantilleri and Sforz 2006; RHTC); Fresh Creek (CMNC; Mantilleri and Sforz 2006); Maidenhair Coppice (FSCA); GREAT INAGUA: strand S of Middle Point (RHTC); entrance Union Creek Reserve (RHTC)

Trichapion anomalum (Kissinger)

NEW PROVIDENCE: Nassau (Whitehead 1985)

BRUCHIDAE

Acanthoscelides flavescens (Fåhraeus)

ANDROS: Owens Town (RHTC); ELEUTHERA: nr. Gregory Town (FSCA)

Acanthoscelides lapsanae (Motschulsky)

ANDROS: Atala Coppice (FSCA)

Acanthoscelides macrophthalmus (Schaeffer)

ANDROS: Forfar Field Station (RHTC); Mastic Point (RHTC); Stafford Creek (FSCA); GREAT INAGUA: Matthew Town (RHTC); Northwest Point (FSCA); Salt Pond Hill (RHTC)

Acanthoscelides n. sp.

GREAT INAGUA: Matthew Town (FSCA); EXUMA: Hummingbird Cay, Georgetown (FSCA)

Amblycerus schwarzii Kingsolver

GREAT INAGUA: Northwest Point (FSCA); South Bay road (FSCA)

Caryobruchus gleditsiae (Linnaeus)

ANDROS: Forfar Field Station (FSCA); SOUTH BIMINI: no specific locality (Vaurie 1952b); GREAT INAGUA: Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA)

Megacerus cubiculus Casey

ANDROS: Maidenhair Coppice (FSCA)

Merobruchus lysilomae Kingsolver

GREAT INAGUA: Matthew Town (FSCA); MAYAGUANA: no specific locality (Kingsolver 1988); NEW PROVIDENCE: Nassau (Kingsolver 1988)

Stator bottimeri Kingsolver

ANDROS: Cactus Coppice (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); Owens Town (FSCA); Stafford Creek (FSCA; RHTC)

BUPRESTIDAE

Acmaeodera cubaecola Jacquelin du Val

ELEUTHERA: Spanish Wells (Wickham 1895)

Acmaeodera marginenotata Chevrolat

SOUTH BIMINI: no specific locality (Cazier 1951; Vaurie 1952b)

Acmaeodera wickhami Fisher

ELEUTHERA: no specific locality (Cazier 1951)

Actenodes auronotata brederi Cazier

ANDROS: Behring Point (FSCA; RHTC); Bowen Sound (FSCA); Forfar Field Station (RHTC); Morgan's Bluff (RHTC); Owens Town (FSCA); Stafford Creek (FSCA); CASTAWAY (GORDA) CAY: no specific locality (FSCA); SOUTH BIMINI: Gun Cay (AMNH; Cazier 1951); no specific locality (AMNH; Cazier 1951; Vaurie 1952b)

Aphanistichus cochinchiniae seminulum (Obenberger)

ANDROS: Small Hope (RHTC)

Chrysobothris chrysoela lernerii Cazier

ANDROS: Behring Point (FSCA; RHTC); Bowen Sound (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); Morgan's Bluff (RHTC); Stafford Creek (FSCA); CASTAWAY (GORDA) CAY: no specific locality (FSCA); SOUTH BIMINI: no specific locality (AMNH; Cazier 1951; Vaurie 1952b)

Chrysobothris lepida Castelnau and Gory

LONG ISLAND: no specific locality (Cazier 1951; Fisher 1925b)

Chrysobothris megacephalus Castelnau and Gory

GREAT INAGUA: strand S of Middle Point (RHTC); Salt Pond Hill (FSCA)

Chrysobothris sexfasciata Schaeffer

SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Cazier 1951; Vaurie 1952b)

Chrysobothris tranquebarica (Gmelin)

ANDROS: Behring Point (FSCA); Mangrove Cay (Cazier 1951); CASTAWAY (GORDA) CAY: no specific locality (FSCA); SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Cazier 1952)

Cinyra bahamica Cazier

SOUTH BIMINI: no specific locality (Cazier 1951); ELEUTHERA: Spanish Wells (Wickham 1895)

- Lampetis (Spinthoptera) bahamica* (Fisher) [= *Psiloptera bahamica* Fisher]
 ANDROS: Cargill Creek (RHTC); Forfar Field Station (RHTC); Guardian Blue Hole (FSCA; RHTC);
 ELEUTHERA: no specific locality (Cazier 1951); SOUTH BIMINI: no specific locality (Cazier 1951;
 Vaurie 1952b)
- Mastogenius castlei* Champlain and Knoll [= *Mastogenius antennatus* Cazier]
 SOUTH BIMINI: no specific locality (Cazier 1951)
- Mastogenius* sp.
 GREAT INAGUA: Matthew Town (RHTC); Salt Pond Hill (RHTC)
- Melanophila notata* (Castelnau and Gory)
 NEW PROVIDENCE: Nassau (Cazier 1951); NORTH BIMINI: no specific locality (Vaurie 1952b);
 SOUTH BIMINI: no specific locality (Cazier 1951)
- Paratyndaris (Knelliella) suturalis* Fall
 ANDROS: Behring Point (RHTC); Cactus Coppice (RHTC); Conch Sound (RHTC); Forfar Field Station
 (FSCA); NORTH BIMINI: no specific locality (Vaurie 1952b); SOUTH BIMINI: no specific locality
 (Cazier 1951; Vaurie 1952b)
- Polycesta abdita* Cazier
 SOUTH BIMINI: no specific locality (Cazier 1951; Vaurie 1952b)
- Polycesta angulosa* Jacquelain du Val
 ANDROS: Conch Sound (RHTC); Guardian Blue Hole (RHTC); SOUTH BIMINI: no specific locality
 (Cazier 1951; Vaurie 1952b)
- Polycesta goryi* Saunders
 GRAND BAHAMA: Water Cay (Cazier 1951)
- Polycesta manni* Fisher
 ANDROS: Cactus Coppice (RHTC); Mangrove Cay (Cazier 1951)
- Xenorhipis vauriei* Cazier
 SOUTH BIMINI: no specific locality (AMNH; Cazier 1952; Vaurie 1952b as *Xenorhipis* n. sp.)
- Xenorhipis* sp.
 GREAT INAGUA: Salt Pond Hill (RHTC)

CANTHARIDAE

- Chauliognathus marginatus* (Fabricius)
 GRAND BAHAMA: Brookwood Farm (FSCA); Wallace Farm (FSCA); GREAT ABACO: no specific
 locality (Leng and Mutchler 1922)
- Silis marginella* Jacquelain du Val
 ANDROS: Maidenhair Coppice (FSCA; RHTC)
- Tytthonyx bahamensis* Wittmer
 GREAT ABACO: Marsh Harbour (AMNH; Wittmer 1992)

CARABIDAE

- Acupalpus longulus* Dejean
 SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Aephnidius (Aephnidius) ciliatus* Mutchler
 "BAHAMAS": no other locality information (Peck 2005)
- Agonum coptoderoides* Darlington
 SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Agonum decorum* Say
 ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA)
- Agonum elongatum* (Dejean) [= *Agonum floridanum* (LeConte)]
 ANDROS: Forfar Field Station (RHTC); NORTH BIMINI: no specific locality (AMNH; Darlington
 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Anaulacus ciliatus* Mutchler
 GREAT INAGUA: Northwest Point (FSCA)
- Anatrichis minuta* Horn
 ANDROS: Cargill Creek (FSCA)

- Anatrichis oblonga* Horn
LONG ISLAND: Deadman's Cay (AMNH)
- Apenes coriacea* Chevrolat
“BAHAMAS”: no other locality information (Peck 2005)
- Apenes delicata laevior* Darlington
SOUTH BIMINI: no specific locality (AMNH; MCZC; Darlington 1953)
- Apenes lata* Darlington
ANDROS: Forfar Field Station (FSCA); Mangrove Cay (Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Apenes opacus* LeConte
ELEUTHERA: Spanish Wells (Wickham 1895)
- Apenes parallela inagua* Darlington
[GREAT?] INAGUA: no specific locality (MCZC; Darlington 1953)
- Apenes parallela parallela* (Dejean)
ANDROS: Forfar Field Station (FSCA); ELEUTHERA: no specific locality (Darlington 1953); Spanish Wells (Wickham 1895) [this latter record was recorded as *Apenes opacus* LeConte but was a misidentified example of the present species, see Darlington (1953: 13-14)]; NEW PROVIDENCE: no specific locality (Darlington 1953); SAN SALVADOR [WATLING ISLAND]: no specific locality (Darlington 1953)
- Apenes scobifera melaena* Ball and Shpeley
MAYAGUANA ISLAND: Atlantic Missile Range (FSCA)
- Apenes scobifera* Darlington, n. ssp.
GREAT INAGUA: vic. Middle Point (FSCA); north coast road, N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)
- Apenes sulcicollis* (Jacquelin du Val)
NEW PROVIDENCE: no specific locality (Darlington 1953; MCZC)
- Apenes* n. sp.
GREAT INAGUA: vic. Middle Point (FSCA); north coast road, N21.10813, W73.60196 (FSCA); Northwest Point (FSCA);
- Aspidoglossa mexicana* (Chaudoir) [= *Aspidoglossa vulnerata* Putzeys]
ANDROS: Forfar Field station (RHTC); CAT ISLAND: Arthurs Town (Darlington 1953; MCZC)
- Axinopalpus* n. sp.
GREAT INAGUA: Salt Pond Hill (FSCA)
- Badister flavipes* LeConte
SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Badister reflexus* LeConte [= *Badister seclusus* Blatchley]
ANDROS: Forfar Field Station (FSCA; RHTC); Owens Town (FSCA); CAT ISLAND: Arthurs Town (Darlington 1953; MCZC); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)
- Bembidion chevrolati* (Gemminger and Harold)
CAT ISLAND: Arthurs Town (Darlington 1953; MCZC)
- Bembidion fastidiosum* LaFerté-Sénectère
GREAT INAGUA: South Bay road (FSCA)
- Bembidion viridicolle* LaFerté-Sénectère
ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Mastic Point (RHTC); GREAT INAGUA: vic. Middle Point (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)
- Bembidion* sp. or spp.
ANDROS: Pigeon Cay (Anderson 1996); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Bradycellus tantillus* (Dejean)
SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Calleida bahamensis Darlington

NORTH BIMINI: no specific locality (AMNH; Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953; MCZC)

Calleida decora (Fabricius)

GRAND BAHAMA: Eight Mile Rock (Darlington 1953; MCZC)

Calosoma splendidum Dejean

ANDROS: Forfar Field Station (FSCA; RHTC)

Chlaenius floridanus Horn

[GREAT?] INAGUA: no specific locality (Darlington 1953; MCZC)

Chlaenius maxillosus Horn

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Cicindela boops Dejean

GREAT INAGUA: Matthew Town (RHTC); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); entrance Union Creek Reserve (RHTC)

Cicindela marginata Fabricius

ANDROS: Conch Sound (RHTC); Money Point (RHTC); Red Bays (RHTC); ELEUTHERA: Spanish Wells (Wickham 1895); GREAT INAGUA: Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); NORTH BIMINI: no specific locality (Vaurie 1952b); SOUTH BIMINI: no specific locality (Vaurie 1952b)

Cicindela trifasciata trifasciata Fabricius [=*Cicindela tortuosa* Dejean]

ANDROS: Calabash Bay (RHTC); Forfar Field Station (RHTC); Money Point (RHTC); Red Bays (RHTC); ELEUTHERA: Spanish Wells (Wickham 1895); GREAT INAGUA: Matthew Town (RHTC); Salt Pond Hill (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); South Bay road (FSCA); SAN SALVADOR: near French Bay (Elliott and Salbert 1978); between Storrs's Lake and Granny Lake (Elliott and Salbert 1978); near Watling's Castle (Elliott and Salbert 1978); "southeastern tip" (Elliott and Salbert 1978)

Clivina americana Dejean

"BAHAMAS": no other locality information (Nichols 1988)

Clivina biguttata Putzeys

GREAT INAGUA: Northwest Point (FSCA)

Clivina fasciata Putzeys [=*Dyschirius insularis* Jacquelin du Val]

"BAHAMAS": no other locality information (Nichols 1988)

Clivina morula LeConte

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Coptodera picea Dejean

ANDROS: Bowen Sound (RHTC); Maidenhair Coppice (FSCA; RHTC)

Discoderus beauvoisi (Dejean)

"BAHAMAS": no other locality information (Peck 2005)

Dyschiriodes larochelei Bousquet

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Owens Town (FSCA); GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA)

Dyschiriodes sublaevis Putzeys

GREAT INAGUA: vic. Middle Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

Dyschiriodes erythrocerus (LeConte)

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Elaphropus sp.

ANDROS: Pigeon Cay (Anderson 1996)

Euphorticus pubescens aeneolus Bates

ANDROS: Maidenhair Coppice (FSCA)

Euphorticus sp.

ANDROS: Forfar Field Station (RHTC)

Galerita lecontei Dejean

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

- Halocoryza arenaria* (Darlington)
“BAHAMAS”: no other locality information (Nichols 1988)
- Harpalus pensylvanicus* (DeGeer)
SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Lebia analis* Dejean
ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA)
- Lebia bitaeniata* Chevrolat
ANDROS: Forfar Field Station (FSCA; RHTC)
- Lebia cyanea* Dejean
SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Lebia esurialis* Casey
ANDROS: Forfar Field station (RHTC); Maidenhair Coppice (FSCA)
- Lebia* sp. near *melanoptera* Chaudoir
ANDROS: Forfar Field Station (FSCA)
- Lebia* sp.
GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (RHTC)
- Loxandrus celeris* (Dejean)
CAT ISLAND: Arthurs Town (Darlington 1953; MCZC); [GREAT?] INAGUA: no specific locality (Darlington 1953; MCZC)
- Loxandrus cubanus* Tschitschérine
GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA)
- Loxandrus floridanus* LeConte
SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Loxandrus rectangulus* LeConte
GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)
- Megacephala carolina* (Linnaeus)
SAN SALVADOR: Old Naval Base at Graham's Harbour (Elliott and Salbert 1978)
- Menidius amandus amandus* Newman
ANDROS: Cactus Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); S. of Fresh Creek (FSCA); Stafford Creek (RHTC)
- Menidius amandus discoideus* Schaupp
NORTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Menidius amandus* n. ssp.
GREAT INAGUA: strand S of Middle Point (RHTC); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); entrance Union Creek Reserve (RHTC)
- Micratopus insularis* Darlington
SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)
- Micratopus* sp.
GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA)
- Oodinus pseudopiceus* Bousquet
ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Pigeon Cay (as *Oodinus piceus* Motschulsky (Anderson 1996)); GREAT INAGUA: Salt Pond Hill (FSCA)
- Oxydrepanus rufus* (Putzeys)
GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)
- Paratachys* sp. 1
ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Owens Town (FSCA); GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); strand S of Middle Point (RHTC)

Paratachys sp. 2

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Owens Town (FSCA)

Paratachys sp. 3

GREAT INAGUA: Matthew Town (RHTC); Northwest Point (FSCA); Salt Pond Hill (FSCA)

Paratachys sp. 4

GREAT INAGUA: Salt Pond Hill (FSCA)

Pentagonica flavipes LeConte

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); no specific locality (Darlington 1953; USNM); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Pentagonica nigricornis Darlington

ANDROS: Maidenhair Coppice (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Perigona nigriceps (Dejean)

ANDROS: Forfar Field Station (FSCA; RHTC); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Platynus coptoderoides (Darlington)

ANDROS: Forfar Field Station (Liebherr 1987); EXUMA: Simon's Point (Liebherr 1987); NEW PROVIDENCE: Nassau, Blue Hills (Liebherr 1987); SOUTH BIMINI: no specific locality (Liebherr 1987)

Plochionus pallens (Fabricius) [= *Menidius pallens* (Fabricius)]

ELEUTHERA: Spanish Wells (Wickham 1895)

Pogonodaptus rostratus Darlington

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Scarites marinus Nichols

ELEUTHERA: no specific locality (Nichols 1986; USNM)

Scarites sp. probably *subterraneus* Fabricius

ELEUTHERA: Spanish Wells (Wickham 1895)

Selenophorus alternans Dejean

"BAHAMAS": no other locality information (Peck 2005)

Selenophorus chalybeus Dejean

ANDROS: no specific locality (Darlington 1953); CAT ISLAND: no specific locality (Darlington 1953); LONG ISLAND: no specific locality (Darlington 1953); NEW PROVIDENCE: no specific locality (Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Selenophorus cubanus *cubanus* Darlington

ANDROS: Forfar Field Station (FSCA)

Selenophorus discopunctatus Dejean

ANDROS: Forfar Field Station (FSCA; RHTC); CAT ISLAND: no specific locality (Darlington 1953; MCZC); GRAND BAHAMA: no specific locality (Darlington 1953; MCZC); GREAT INAGUA: Salt Pond Hill (FSCA); South Bay road (FSCA)

Selenophorus flavilabris Dejean

"BAHAMAS": no other locality information (Peck 2005)

Selenophorus integer Fabricius

ANDROS: Forfar Field Station (FSCA; RHTC)

Selenophorus palliatus (Fabricius)

NORTH BIMINI: no specific locality (AMNH; Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Selenophorus propinquus Putzeys

ANDROS: Forfar Field station (RHTC); Owens Town (FSCA)

Selenophorus pyritosus Dejean [= *Selenophorus alternans pyritosus* Dejean]

ANDROS: Forfar Field Station (FSCA); ELEUTHERA: no specific locality (Darlington 1953; MCZC; USNM); NEW PROVIDENCE: no specific locality (Darlington 1953; MCZC)

Selenophorus sinuatus Gyllenhal

ANDROS: Atala Coppice (FSCA); Cargill Creek (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Pigeon Cay (Anderson 1996); CAT ISLAND: no specific locality (Darlington 1953); GREAT INAGUA: Salt Pond Hill (FSCA); GREAT ABACO: Bahama Star Groves (FSCA); NORTH BIMINI: no specific locality (AMNH; Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Selenophorus striatopunctatus Putzeys

ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Owens Town (FSCA); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Semiardistomis viridis (Say)

"BAHAMAS": no other locality information (Nichols 1988)

Stenocrepis duodecimstriata (Chevrolat)

ANDROS: Atala Coppice (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); CAT ISLAND: no specific locality (Darlington 1953); GREAT INAGUA: Northwest Point (FSCA); Salt Pond Hill (FSCA); [GREAT?] INAGUA: no specific locality (Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Stenocrepis mexicanus Chevrolat

GREAT INAGUA: Northwest Point (FSCA)

Stenolophus infuscatus LeConte

GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA)

Stenolophus ochropezzus (Say)

ANDROS: no specific locality (Darlington 1953); [GREAT?] INAGUA: no specific locality (Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Tachys (Isotachys) occultator Casey [provisional determination after Darlington (1953)]

ANDROS: no specific locality (Darlington 1953); CAT ISLAND: no specific locality (Darlington 1953); INAGUA ISLANDS: no specific locality (Darlington 1953); SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Tachys (Mioptachys) xanthopus (Dejean)

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Tachys (Tachys) coruscus LeConte [provisional determination after Darlington (1953)]

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Tachys (Tachys) vorax LeConte [provisional determination after Darlington (1953)]

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Tachys sp. or spp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Pigeon Cay (Anderson 1996)

Tachys cf. vittiger LeConte

GREAT INAGUA: Matthew Town (RHTC); strand S of Middle Point (RHTC); vic. Middle Point (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

Tetragonoderus intersectus (Germar)

SOUTH BIMINI: no specific locality (AMNH; Darlington 1953)

Thalpius cubanus Chaudoir

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Owens Town (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Thalpius dorsalis Brullé

GREAT INAGUA: 2-3 mi. N Salt Pond Hill (FSCA)

CERAMBYCIDAE*Acanthocinus obsoletus* (Olivier)

GREAT ABACO: Marsh Harbour (FSCA)

Aegomorphus modestus (Gyllenhal) [= *Acanthoderes modesta* (Gyllenhal)]

"BAHAMA ISLANDS" (Browne et al. 1993; Cazier and Lacey 1952)

Alcidion umbraticum (Jacquelin du Val)

ANDROS: Forfar Field Station (FSCA; RHTC); Fresh Creek (Browne et al. 1993); Maidenhair Coppice (FSCA; RHTC); Uncle Charlie's Blue Hole (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA)

Anelaphus cinereus (Olivier) [= *Anoplium nanum* (Fabricius)]

ANDROS: Adderly's Place (Browne et al. 1993); BARC House Number 6 (Browne et al. 1993); Bowen Sound (FSCA; RHTC); CDC Farms (Browne et al. 1993); Forfar Field Station (Browne et al. 1993; FSCA, RHTC); Fresh Creek (Browne et al. 1993); Lewis Coppice (Browne et al. 1993); London Ridge (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952); Morgan's Bluff (RHTC); N Blanket Sound (Browne et al. 1993); Owens Town (FSCA; RHTC); Red Bays (Browne et al. 1993); Rocky's Bar (Browne et al. 1993); San Andros (Browne et al. 1993); Shotgun Coppice (Browne et al. 1993); S Blanket Sound (Browne et al. 1993); Stafford Creek (RHTC); 2.2 mi. S Forfar Field Station on Queen's Highway (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); GRAND BAHAMA: West End (Cazier and Lacey 1952); GREAT INAGUA: Northwest Point (FSCA); LONG: no specific locality (Browne et al. 1993); SAN SALVADOR [WATLING ISLAND]: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; MTEC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; MTEC; Vaurie 1952b)

Anelaphus fasciatum (Fisher) [= *Elaphidion fasciatum* Fisher]

ANDROS: Forfar Field Station (RHTC); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay W of Georgetown (FSCA); SOUTH BIMINI: no specific locality (Cazier and Lacey 1952; FSCA; Vaurie 1952b)

Anelaphus inermis (Newman)

ANDROS: CDC Farms (Browne et al. 1993); Forfar Field Station (Browne et al. 1993); Fresh Creek (Browne et al. 1993); Lewis Coppice (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952; Fisher 1932); N Blanket Sound (Browne et al. 1993); Red Bays (Browne et al. 1993); San Andros (Browne et al. 1993); Shotgun Coppice (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Anelaphus mutatum (Gahan) [= *Parelaphadion mutator* [sic] (Gahan)]

ELEUTHERA: Rainbow Bay (FSCA)

Anopliomorpha antillarum (Fisher) [= *Anopliomorpha xylebora* Cazier and Lacey 1952]

ANDROS: N Blanket Sound (Browne et al. 1993); Cactus Coppice (RHTC); Forfar Field Station (Browne et al. 1993; RHTC); Fresh Creek (Browne et al. 1993); Maidenhair Coppice (RHTC); Rocky's Bar (Browne et al. 1993); San Andros (Browne et al. 1993); ELEUTHERA: Egg Island (Cazier and Lacey 1952); Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Arhopalus rusticus nubilus (LeConte)

ANDROS: N Blanket Sound (Browne et al. 1993); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); San Andros (Brown et al. 1993); GRAND BAHAMA: no specific locality (Chemsak 1967); GREAT ABACO: Marsh Harbour (FSCA)

Ataxia spinicauda Schaeffer

ANDROS: Atala Coppice (RHTC); Behring Point (FSCA; RHTC); Cargill Creek (RHTC); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Maidenhair Coppice (FSCA); Mangrove Cay (Cazier and Lacey 1952); Menneneite's Farm (Browne et al. 1993); N Blanket Sound (Browne et al. 1993); 1-2 mi W Stafford Creek (FSCA; RHTC); Stafford Creek (Browne et al. 1993; FSCA; RHTC); ELEUTHERA: Egg Island (Cazier and Lacey 1952); Rainbow Bay (FSCA); GREAT ABACO: Man-o-War Cay (Browne et al. 1993); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); South Bay road (FSCA); NEW PROVIDENCE: Blue Hill, Nassau (Cazier and Lacey 1952); no specific locality (Browne et al. 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993)

Bebilis schwarzi (Fisher)

ANDROS: Maidenhair Coppice (FSCA; Thomas and Turnbow 2008)

Calocosmus venustus (Chevrolat)

SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Callipogon (Dendroblaptus) barbiflavum Chevrolat

ANDROS: Forfar Field Station (FSCA; Thomas and Turnbow 2008); GRAND BAHAMA: no specific locality (Browne et al. 1993; Chemsak 1967)

Caribbomerus attenuatus (Chevrolat) [=Merostenus attenuatus (Chevrolat)]

ANDROS: Forfar Field Station (Browne et al. 1993; RHTC); Fresh Creek (Browne et al. 1993); N Blanket Sound (Browne et al. 1993); Rocky's Bar (Browne et al. 1993); S Blanket Sound (Browne et al. 1993); Stafford Creek (RHTC); BOOBY CAY: no specific locality (Browne et al. 1993); CROOKED ISLAND: no specific locality (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); RUM CAY: no specific locality (Browne et al. 1993; MTEC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Curtomerus flavus (Fabricius) [=Cylindera flava (Fabricius)]

ANDROS: Bowen Sound (FSCA; RHTC); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993; Cazier and Lacey 1952); London Ridge (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952); N Blanket Sound (Browne et al. 1993); Stafford Creek (FSCA; RHTC); CAT ISLAND: Arthurs Town (Cazier and Lacey 1952); no specific locality (Browne et al. 1993); CROOKED ISLAND: no specific locality (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993); GREAT ABACO: Little Harbour (Brown et al. 1993); GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); north coast road (FSCA); Salt Pond Hill (FSCA); South Bay road (RHTC); 2-3 mi. N Salt Pond Hill (RHTC); NEW PROVIDENCE: Nassau (Cazier and Lacey 1952); no specific locality (Browne et al. 1993); SAN SALVADOR [WATLING ISLAND]: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Elliott 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Eburia bahamicae Fisher

ANDROS: Behring Point (RHTC); Emily Johnson's Place (Browne et al. 1993); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993; Cazier and Lacey 1952; Fisher 1932); London Ridge (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952; Fisher 1932); Mastic Point (RHTC); N Blanket Sound (Browne et al. 1993); Owens Town (FSCA; RHTC); Rocky's Bar (Browne et al. 1993); Stafford Creek (FSCA; RHTC); 2 mi S Forfar Field Station on Queen's Highway (Browne et al. 1993); Uncle Charlie's Blue Hole (FSCA); CAT ISLAND: Arthurs Town (Cazier and Lacey 1952); ELEUTHERA: Egg Island (Cazier and Lacey 1952); Rainbow Bay (FSCA); GREAT ABACO: Man-o-War Cay (Browne et al. 1993); LONG ISLAND: Simms (Cazier and Lacey 1952); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; FSCA; Vaurie 1952b)

Eburia distincta Haldeman

ANDROS: Blue Hole Coppice (Browne et al. 1993); 8.8 mi. S of Fresh Creek on Queen's Highway (Browne et al. 1993); Emily Johnson's Place (Browne et al. 1993); Fresh Creek (Browne et al. 1993); N Blanket Sound (Browne et al. 1993)

Eburia stigma (Olivier)

ELEUTHERA: Egg Island (Wickham 1895); Spanish Wells (Wickham 1895); GREAT INAGUA: Middle Point (RHTC); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Eburia tetrastalacta White

RAGGED ISLAND: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Ecyrus hirtipes Gahan [=Ecyrus insularis Fisher]

ANDROS: Behring Point (RHTC; Thomas and Turnbow 2008); Cargill Creek (RHTC; Thomas and Turnbow 2008); Forfar Field Station (FSCA; RHTC; Thomas and Turnbow 2008); Maidenhair Coppice (FSCA); Stafford Creek (RHTC; Thomas and Turnbow 2008); SOUTH BIMINI: no specific locality (AMNH; Browne et al. 1993; CASC; Cazier and Lacey 1952; EMEC; Ivie and Chemsak 1983; MAIC; OSUC; USNM)

Elaphidion androsensis Fisher

ANDROS: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Fisher 1942)

Elaphidion bahamicae Cazier and Lacey

ANDROS: N Blanket Sound (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); NORTH BIMINI: no specific locality (Browne et al. 1993;

Cazier and Lacey 1952; SOUTH BIMINI: no specific locality (Brown et al. 1993; Cazier and Lacey 1952)

Elaphidion conspersum Newman

CROOKED ISLAND: no specific locality (Browne et al. 1993; MTEC); EXUMA: no specific locality (Browne et al. 1993; MTEC); GREAT ABACO: Marsh Harbour (FSCA); NEW PROVIDENCE: no specific locality (Browne et al. 1993; MTEC)

Elaphidion cryptum Linsley

ANDROS: Forfar Field Station (RHTC; Thomas and Turnbow 2008); Maidenhair Coppice (FSCA; RHTC; Thomas and Turnbow 2008); Mastic Point (RHTC; Thomas and Turnbow 2008); Stafford Creek (RHTC); ELEUTHERA: Rainbow Bay (FSCA; Thomas and Turnbow 2008)

Elaphidion glabratum (Fabricius)

"BAHAMA ISLANDS" (Cazier and Lacey 1952)

Elaphidion irroratum (Linnaeus)

ANDROS: CDC Farms (Browne et al. 1993); Cargill Creek (RHTC); Forfar Field Station (Browne et al. 1993; RHTC); Fresh Creek (Browne et al. 1993); London Ridge (Browne et al. 1993); Maidenhair Coppice (RHTC); Mangrove Cay (Cazier and Lacey 1952); N Blanket Sound (Browne et al. 1993); Owens Town (RHTC); San Andros (Browne et al. 1993); Shotgun Coppice (Browne et al. 1993); Stafford Creek (Browne et al. 1993; RHTC); CAT ISLAND: Arthurs Town (Cazier and Lacey 1952); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Middle Point (RHTC); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); LONG ISLAND: Clarence Town (Cazier and Lacey 1952); Simm's (Cazier and Lacey 1952); NEW PROVIDENCE: Nassau (Cazier and Lacey 1952); NORTH BIMINI: no specific locality (Browne et al. 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Elaphidion lanatum Chevrolat

ANDROS: Forfar Field Station (FSCA; Thomas and Turnbow 2008)

Elaphidion manni Fisher [=*Elaphidion wickhami* Fisher]

ANDROS: CDC Farms (Browne et al. 1993); Emily Johnson's Place (Browne et al., 1993); Forfar Field Station (Browne et al. 1993; RHTC); Fresh Creek (Browne et al. 1993; Cazier and Lacey 1952; Fisher 1932); Maidenhair Coppice (RHTC); N Blanket Sound (Browne et al. 1993); Shotgun Coppice (Browne et al. 1993); 2 mi. S Forfar Field Station on Queen's Highway (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); GRAND BAHAMA: no specific locality (Browne et al. 1993; Chemsak 1967); GREAT ABACO: Man-o-War Cay (Browne et al. 1993); Marsh Harbour (FSCA); NORTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952); SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Elaphidion quadrituberculatum Chevrolat

GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC)

Elaphidion williamsi Chemsak

GRAND BAHAMA: Freeport (Browne et al. 1993; Chemsak 1967)

Elateropsis bahamicus Galileo and Martins

GRAND BAHAMA: Freeport (Galileo and Martins 1994; UCBC)

Elateropsis ebeninus (Chevrolat) [=*Derancistrus ebeninus* (Chevrolat)]

CROOKED ISLAND: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Elateropsis foliaceus Galileo and Martins

SOUTH BIMINI: no specific locality (AMNH; Galileo and Martins 1994; MZSP)

Elateropsis rugosus Gahan [=*Derancistrus rugosus* (Gahan)]

CAT ISLAND: Arthurs Town (AMNH; Galileo and Martins 1994); ELEUTHERA: Egg Island (Galileo and Martins 1994; IRSN); Spanish Wells (ANSP; CASC; Galileo and Martins 1994; USNM; Wickham 1895); EXUMA: Hummingbird Cay, W of Georgetown (AMNH; Galileo and Martins 1994); LONG ISLAND: Clarence Town (Cazier and Lacey 1952); NEW PROVIDENCE: Ft. Charlotte (nr. Nassau) (AMNH; Galileo and Martins 1994); Nassau (AMNH; Cazier and Lacey 1952; Galileo and Martins 1994); RAGGED ISLAND: Arthurs Town (Browne et al. 1993; Cazier and Lacey 1952)

Elateropsis scabrosus Gahan [=*Derancistrus scabrosus* (Gahan)]

ANDROS ISLAND: Andros Town Airport (Browne et al. 1993; FSCA); Atlantic Underwater Testing

and Evaluation Centre (Browne et al. 1993); Behring Point (RHTC); Cargill Creek (RHTC); Forfar Field Station (Browne et al. 1993; FSCA); Fresh Creek (Browne et al. 1993); Money Point (RHTC); N Blanket Sound (Browne et al. 1993); ELEUTHERA: no specific locality (Browne et al. 1993); GRAND BAHAMA: no specific locality (Browne et al. 1993; Chemsak 1967; FSCA); GREAT ABACO: Gun Cay (AMNH; Galileo and Martins 1994); Man-o-War Cay (Galileo and Martins 1994); SOUTH BIMINI: Gun Cay (Cazier and Lacey 1952); Nixons Harbour (Cazier and Lacey 1952)

Elateropsis trimarginatus (Cazier and Lacey 1952) [=Derancistrus trimarginatus Cazier and Lacey]
GREAT INAGUA: entrance Union Creek Reserve (RHTC); SAN SALVADOR: no specific locality (Elliott 1993)

Estoloides sp.

ANDROS: Atala Coppice (RHTC; Thomas and Turnbow 2008); Forfar Field Station (RHTC; Thomas and Turnbow 2008)

Eupogonius tomentosus (Haldeman)

ANDROS: Money Point (RHTC; Thomas and Turnbow 2008)

Eupogonius wickhami Fisher

ANDROS: Bowen Sound (FSCA); Forfar Field Station (Browne et al. 1993); Maidenhair Coppice (FSCA; RHTC); Mastic Point (RHTC); N Blanket Sound (Browne et al. 1993); 1-2 mi W Stafford Creek (FSCA; RHTC); Stafford Creek (FSCA; RHTC); ELEUTHERA: Egg Island (Fisher 1935); EXUMA: no specific locality (Browne et al. 1993; MTEC); GREAT ABACO: Man-o-War Cay (Browne et al. 1993); NEW PROVIDENCE: Blue Hill, Nassau (Cazier and Lacey 1952); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; FSCA; Vaurie 1952b)

Euryscelis suturalis (Olivier)

ANDROS: Behring Point (Browne et al. 1993); Cargill Creek (RHTC); Emily Johnson's Place (Browne et al. 1993); 5 mi. S Forfar Field Station on old logging road (Browne et al. 1993); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993); Gobi Lake (Browne et al. 1993); London Ridge (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952); Mastic Point (RHTC); Mennenite's Farm (Browne et al. 1993); N Blanket Sound (Browne et al. 1993); Nottage's Cottages (Browne et al. 1993); Stafford Creek (Browne et al. 1993; FSCA; RHTC); CAT ISLAND: Arthurs Town (Cazier and Lacey 1952); ELEUTHERA: Rainbow Bay (FSCA); GRAND BAHAMA: Eight Mile Rock (Cazier and Lacey 1952); EXUMA: no specific locality (Browne et al. 1993; MTEC); MAYAGUANA: no specific locality (Browne et al. 1993; FSCA); SAN SALVADOR: no specific locality (Browne et al. 1993; Elliott 1993; FSCA); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Fisherostylus bruneri (Fisher)

ANDROS: Bowen Sound (FSCA; RHTC); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993); Maidenhair Coppice (FSCA; RHTC); Morgan's Bluff (RHTC); Nicholls Town (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Salt Pond Hill (RHTC)

Heterachthes ebenus Newman

"BAHAMAS": no other locality information (Peck 2005)

Heterachthes sablensis Blatchley

ANDROS: Behring Point (RHTC; Thomas and Turnbow 2008)

Heterops dimidiatus (Chevrolat)

ANDROS: Forfar Field Station (RHTC; Thomas and Turnbow 2008); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Heterops robusta Cazier and Lacey

ANDROS: Cargill Creek (RHTC; Thomas and Turnbow 2008); Maidenhair Coppice (FSCA; Thomas and Turnbow 2008); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Heterops n. sp.

ELEUTHERA: Rainbow Bay (FSCA)

Knulliana cincta spinifera (Fabricius) [=Cerasphorus cinctum ochraceus (Bates); =*Knulliana cincta ochracea* (Bates)]

SOUTH BIMINI: no specific locality (Cazier and Lacey 1952)

Lagocheirus araneiformis stroheckeri Dillon

ANDROS: Mastic Point (FSCA; RHTC; Thomas and Turnbow 2008); ELEUTHERA: no specific locality (Browne et al. 1993; FSCA); EXUMA: no specific locality (Browne et al. 1993)

Leptostylopsis argentatus (Jacquelín du Val) [= *Leptostylus argentatus* (Duval)]

ANDROS: Bowen Sound (FSCA; RHTC); Forfar Field Station (Browne et al. 1993; RHTC); Fresh Creek (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952); Mastic Point (RHTC); N Blanket Sound (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); GRAND BAHAMA: no specific locality (Chemsak 1967); GREAT ABACO: Marsh Harbour (FSCA); NEW PROVIDENCE: Nassau (Cazier and Lacey 1952); SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Leptostylopsis incrassatus (Klug) [= *Leptostylus incrassatus* (Klug)]

ANDROS: Behring Point (FSCA; RHTC); Cactus Coppice (RHTC); Cargill Creek (RHTC); 0.5 mi S Stafford Creek (RHTC); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993; Cazier and Lacey 1952); Maidenhair Coppice (RHTC); Mangrove Cay (Cazier and Lacey 1952), Mastic Point (RHTC); Money Point (RHTC); Morgan's Bluff (RHTC); Nicholls Town (RHTC); Owens Town (FSCA); N Blanket Sound (Browne et al. 1993); 1-2 mi W Stafford Creek (FSCA; RHTC); Owens Town (RHTC); Stafford Creek (FSCA; RHTC); Uncle Charlie's Blue Hole (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC); HIGH RIDGE CAY: no specific locality (Browne et al. 1993); NEW PROVIDENCE: Nassau (Cazier and Lacey 1952); SOUTH BIMINI: no specific locality (Vaurie 1952b)

Leptostylopsis sp.

GREAT INAGUA: South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

Lepturges (*Lepturges*) *megalops* Hamilton and Leng

ANDROS: Forfar Field Station (FSCA; Thomas and Turnbow 2008)

Linsleyonides albomaculatus (Champlain and Knoll)

ANDROS: Forfar Field Station (Browne et al. 1993); N Blanket Sound (Browne et al. 1993)

Lypsimena fuscata Haldeman

ANDROS: Bowen Sound (FSCA); Maidenhair Coppice (RHTC); Morgan's Bluff (RHTC); 1-2 mi W Stafford Creek (FSCA; RHTC); Owens Town (FSCA); Stafford Creek (FSCA; RHTC); 3-4 mi S South Blanket Sound (FSCA; RHTC); GRAND BAHAMA: Freeport (Chemsak 1967); GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC); NEW PROVIDENCE: no specific locality (Browne et al. 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993)

Methia necydalea (Fabricius)

ANDROS: Adderly's Place (Browne et al. 1993); Blue Hole Coppice (Browne et al. 1993); 8.8 mi. S Fresh Creek on Queen's Highway (Browne et al. 1993); Emily Johnson's Place (Browne et al. 1993); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952); Red Bays (Browne et al. 1993); San Andros (Browne et al. 1993); Stafford Creek (Browne et al. 1993); CASTAWAY (GORDA) CAY: no specific locality (FSCA); CAT ISLAND: Arthurs Town (Browne et al. 1993; Cazier and Lacey 1952); ELEUTHERA: Rainbow Bay (FSCA); FORTUNE ISLAND: no specific locality (MAIC); GRAND BAHAMA: no specific locality (Chemsak 1967; TMPC); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA); South Bay road (5); 2-3 mi. N Salt Pond Hill (FSCA); Union Creek (FSCA); SOUTH BIMINI: no specific locality (CASC; Cazier and Lacey 1952; EMEC; Philips and Ivie 1998; USNM; Vaurie 1952b)

Monochamus titillator (Fabricius)

GRAND BAHAMA: Freeport (Browne et al. 1993; Chemsak 1967)

Monodesmus callidiooides Audinet-Serville

ANDROS: Atala Coppice (RHTC); Bahamas Agricultural Research Centre (Browne et al. 1993); Emily Johnson's Place (Browne et al. 1993); Forfar Field Station (Browne et al. 1993; FSCA; RHTC); Fresh Creek (Browne et al. 1993); Maidenhair Coppice (FSCA); N Blanket Sound (Browne et al. 1993); San Andros (Browne et al. 1993)

Neoclytus bahamicus Cazier and Lacey

ANDROS: Bowen Sound (FSCA; RHTC); Cargill Creek (FSCA; RHTC); Forfar Field Station (Browne et al. 1993; RHTC); Stafford Creek (RHTC); ELEUTHERA: Rainbow Bay (FSCA); NEW PROVIDENCE: Nassau (Cazier and Lacey 1952); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Neoclytus cordifer (Klug)

GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC)

Nesanoplium puberulum (Fleutiaux and Sallé) [= *Cylinderera puberula* (Fleutiaux and Sallé)]
“BAHAMA ISLANDS” (Browne et al. 1993; Cazier and Lacey 1952)*Nesophanes fulgidum* Chemsak

EXUMA: no specific locality (Browne et al. 1993); GREAT INAGUA: Matthew Town (RHTC); Salt Pond Hill (FSCA); South Bay road (FSCA); GRAND BAHAMA: Freeport (Chemsak 1967)

Oreoderda glauca glauca (Linnaeus)

ANDROS: Forfar Field Station (Browne et al. 1993); London Ridge (Browne et al. 1993); Mangrove Cay (Cazier and Lacey 1952); Stafford Creek (RHTC); ELEUTHERA: no specific locality (Browne et al. 1993); EXUMA: no specific locality (Browne et al. 1993)

Placosternus difficilis (Chevrolat)

ANDROS: Mastic Point (FSCA; RHTC; Thomas and Turnbow 2008); ELEUTHERA: Rainbow Bay (FSCA); GORDA CAY: Rockland Hammock (FSCA); GREAT ABACO: no specific locality (Browne et al. 1993); NEW PROVIDENCE: Nassau (Cazier and Lacey 1952); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; FSCA)

Plectrocerum spinicorne (Olivier)

GREAT INAGUA: Salt Pond Hill (FSCA)

Plectromerus dentipes (Olivier) [= *Plectromerus costatus* Cazier and Lacey, see Nearns and Branham 2008]

ANDROS: Bowen Sound (FSCA; RHTC; Thomas and Turnbow 2008); Cargill Creek (RHTC; Thomas and Turnbow 2008); London Ridge (Browne et al. 1993); Mastic Point (RHTC; Thomas and Turnbow 2008); Money Point (RHTC; Thomas and Turnbow 2008); Nicholls Town (FSCA; Thomas and Turnbow 2008); Owens Town (RHTC; Thomas and Turnbow 2008); Stafford Creek (FSCA; RHTC; Thomas and Turnbow 2008); Uncle Charlies Blue Hole (FSCA; RHTC; Thomas and Turnbow 2008); ELEUTHERA: Rainbow Bay (FSCA; RHTC); Spanish Wells (Wickham 1895); GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Plectromerus pumilus Cazier and Lacey

ANDROS: Behring Point (FSCA); Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay, w. of Georgetown (FSCA); NEW PROVIDENCE: no specific locality (Browne et al. 1993; MTEC); RAGGED ISLAND: no specific locality (Browne et al. 1993); SOUTH BIMINI: no specific locality (FSCA; Browne et al. 1993; Cazier and Lacey 1952)

Plinthocoelium virens (Drury) [= *Callichroma columbina* Guérin-Méneville]

NEW PROVIDENCE: Blue Hill, Nassau (Cazier and Lacey 1952); Nassau (Cazier and Lacey 1952)

Prosternodes cinnamipennis (Chevrolat) [= *Derancistrus cinnamipennis* (Chevrolat)]

ANDROS: no specific locality (Browne et al. 1993; Cazier and Lacey 1952); BERRY ISLANDS: Hoffmans Cay (FSCA); CAT ISLAND: Arthurs Town (Cazier and Lacey 1952); CROOKED ISLAND: no specific locality (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA); NURSE CAY: no specific locality (Browne et al. 1993); SOUTH BIMINI: no specific locality (Cazier and Lacey 1952; Vaurie 1952b)

Psyrassa jaumei (Fisher)

ANDROS: Forfar Field Station (FSCA; Thomas and Turnbow 2008)

Spalacopsis filum filum (Klug)

ANDROS: Cargill Creek (RHTC; Thomas and Turnbow 2008); Forfar Field Station (RHTC); Mastic Point (RHTC); Owens Town (FSCA); 3-4 mi S South Blanket Sound (FSCA; RHTC); ELEUTHERA: Harbour Island (Wickham 1895); Rainbow Bay (FSCA); Spanish Wells (Wickham 1895); GREAT ABACO: Man-o-War Cay (Browne et al. 1993); GREAT INAGUA: Salt Pond Hill (RHTC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Stenodontes chevrolati Gahan

ANDROS: Stafford Creek (FSCA; Thomas and Turnbow 2008); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Stizocera insulana (Gahan) [= *Stizocera punctiventris* Cazier and Lacey; = *Nesostizocera punctiventris* (Linsley)]

ANDROS: London Ridge (Browne et al. 1993); ELEUTHERA: Rainbow Bay (FSCA; RHTC); EXUMA: no specific locality (Browne et al. 1993; MTEC); GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Styloleptus biustus bahamicus (Fisher) [= *Leptostylus bahamicus* Fisher; = *Leiopus bahamicus* (Fisher)]

ANDROS: Behring Point (RHTC); Bowen Sound (FSCA); Cargill Creek (RHTC); Forfar Field Station (Browne et al. 1993; RHTC); Fresh Creek (Browne et al. 1993; Cazier and Lacey 1952; Fisher 1925a); London Ridge (Browne et al. 1993); Maidenhair Coppice (RHTC); Mangrove Cay (Cazier and Lacey 1952; Fisher 1925a); Mennenite's Farm (Browne et al. 1993); Money Point (RHTC); Morgan's Bluff (RHTC); 1-2 mi W Stafford Creek (FSCA; RHTC); Owens Town (RHTC); Stafford Creek (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: no specific locality (Browne et al. 1993; MTEC); GRAND BAHAMA: Eight Mile Rock (Cazier and Lacey 1952; Chemsak 1967); GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC); GREAT INAGUA: vic. Middle Point (FSCA); Northwest Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); Union Creek Reserve entrance (RHTC); NURSE CAY: no specific locality (Browne et al. 1993; MTEC); SOUTH BIMINI: no specific locality (Vaurie 1952b)

Styloleptus laticollis (Fisher) [= *Leiopus laticollis* Fisher]

ELEUTHERA: no specific locality (Browne et al. 1993; MTEC); EXUMA: no specific locality (Browne et al. 1993); NEW PROVIDENCE: no specific locality (Browne et al. 1993; MTEC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Styloleptus pilosellus (Fisher) [= *Leiopus pilosellus* Fisher]

CAT ISLAND: Arthurs Town (Browne et al. 1993; Cazier and Lacey 1952; Fisher 1942)

Styloleptus scurra (Chevrolat) [= *Leiopus scurra* (Chevrolat)]

CONCEPTION ISLAND: Booby Cay (Browne, et al. 1993; MTEC); CROOKED ISLAND: no specific locality (Browne et al. 1993; MTEC); GRAND BAHAMA: Freeport (Chemsak 1967); EXUMA: no specific locality (Browne et al. 1993; MTEC); GREAT ABACO: Man-o-War Cay (Browne et al. 1993; MTEC); NEW PROVIDENCE: Nassau (Browne et al. 1993; Cazier and Lacey 1952); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Trichophoroides signaticolle (Chevrolat) [= *Elaphidion signaticolle* Chevrolat]

ANDROS: Nicholls Town (FSCA); NORTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Trichrous dimidiatipennis (Chevrolat)

ANDROS: Stafford Creek (RHTC; Thomas and Turnbow 2008)

Trichrous pilipennis Chevrolat

ANDROS: Fresh Creek (Browne et al. 1993); Stafford Creek (RHTC; Thomas and Turnbow 2008); CROOKED ISLAND: no specific locality (Browne et al. 1993); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Trichrous prasinus Cazier and Lacey

ANDROS: Stafford Creek (FSCA; Thomas and Turnbow 2008); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952)

Urgleptes chamaeropsis (Fisher)

ANDROS: Forfar Field Station (RHTC; Thomas and Turnbow 2008); Money [Point] Beach (FSCA)

Urgleptes guadeloupensis (Fleutiaux and Sallé) [= *Lepturges guadeloupensis* Fleutiaux and Sallé]

ANDROS: Behring Point (RHTC); Bowen Sound (FSCA); Cactus Coppice (FSCA); Cargill Creek (RHTC); 0.5 mi S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC); Fresh Creek (Browne et al. 1993); Guardian Blue Hole (RHTC); Maidenhair Coppice (FSCA; RHTC); Mastic Point (RHTC); Money Point (RHTC); Nicholls Town (RHTC); 1-2 mi W Stafford Creek (FSCA; RHTC); Owens Town (RHTC); San Andros (Browne et al. 1993); Stafford Creek (FSCA; RHTC); 3-4 mi S South Blanket Sound (FSCA; RHTC); Uncle Charlie's Blue Hole (FSCA; RHTC); ELEUTHERA: Rainbow Bay (FSCA);

GREAT INAGUA: Matthew Town (RHTC); SOUTH BIMINI: no specific locality (Browne et al. 1993; Cazier and Lacey 1952; Vaurie 1952b)

Zaplous sp. probably *annulatus* Chevrolat

ANDROS: Atala Coppice (RHTC; Thomas and Turnbow 2008); Forfar Field Station (FSCA; RHTC; Thomas and Turnbow 2008); Maidenhair Coppice (FSCA; RHTC; Thomas and Turnbow 2008); Owens Town (RHTC; Thomas and Turnbow 2008)

CERYLONIDAE

Euxestus erithacus (Chevrolat)

NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

CHELONARIIDAE

Chelonarium sp.

ANDROS: Maidenhair Coppice (FSCA)

CHYSOMELIDAE

Aphthona? crucifera Blake

GREAT INAGUA: Salt Pond Hill (FSCA; RHTC)

Apraea eleutherensis Blake

ANDROS: Atala Coppice (FSCA); Behring Point (FSCA); Cactus Coppice (RHTC); Captain Bill's Blue Hole (FSCA); Forfar Field Station (BYUC; FSCA; RHTC); Fresh Creek (AMNH; Blake 1965); Maidenhair Coppice (FSCA); Stafford Creek (RHTC); Uncle Charlie's Blue Hole (FSCA); CROOKED ISLAND: Landrail Point (AMNH; Blake 1965); GRAND BAHAMA: West End (AMNH; Blake 1965); ELEUTHERA: Governors Harbour (AMNH; Blake 1965)

Apraea? pyritosa (Suffrian)

ANDROS: Cargill Creek (RHTC)

Argopistes n. sp.

ANDROS: Maidenhair Coppice (RHTC)

Capraita? n. sp.

ANDROS: Atala Coppice (RHTC); Cactus Coppice (RHTC); Maidenhair Coppice (FSCA; RHTC)

Chaetocnema brunnescens Horn

ANDROS: Behring Point (BYUC; FSCA; RHTC); Cactus Coppice (BYUC; RHTC); Cargill Creek (RHTC); Money Point (RHTC); S of Fresh Creek on road to U.S. Naval Station (FSCA); GREAT INAGUA: Matthew Town (RHTC); Middle Point (RHTC); strand S of Middle Point (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (BYUC; FSCA); Salt Pond Hill (BYUC; FSCA; RHTC); South Bay road (RHTC)

Chaetocnema obesula LeConte

ANDROS: Atala Coppice (RHTC); Small Hope (RHTC); Stafford Creek (BYUC; RHTC)

Chalcosicya androsensis Blake

ANDROS: Cargill Creek (FSCA); Fresh Creek (AMNH; Blake 1965); CAT ISLAND: Bennett's Harbour (USNM; Blake 1965)

Chalcosicya? n. sp.

GREAT INAGUA: strand s of Middle Point (RHTC); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA; RHTC); 2-3 mi. N Salt Pond Hill (FSCA); entrance Union Creek Preserve (FSCA)

Chalepus sanguinicollis (Linnaeus)

ANDROS: Forfar Field Station (FSCA)

?*Charidotella* sp.

ANDROS: Forfar Field Station (RHTC)

Chlamisus conifera (Lacordaire)

ANDROS: Jungle Pond (FSCA)

Cryptocephalus azureipennis Suffrian

SOUTH BIMINI: no specific locality (Vaurie 1952b)

Cryptocephalus marginicollis Suffrian

ELEUTHERA: Egg Island (Wickham 1895); NEW PROVIDENCE: Nassau (Watson 1944)

Cryptocephalus saucioides Suffrian (or near)

ANDROS: Bowen Sound (FSCA); Cactus Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); Nicholls Town (FSCA); Owens Town (FSCA; RHTC); Stafford Creek (BYUC; RHTC); 3-4 mi. S South Blanket Sound (RHTC)

Cryptocephalus viridipennis Suffrian

ANDROS: Behring Point (FSCA); Bowen South (RHTC); Captain Bill's Blue Hole (FSCA; RHTC); Cargill Creek (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Owens Town (FSCA); nr. San Andros (BYUC; FSCA; RHTC); Small Hope (RHTC); Stafford Creek (BYUC; RHTC); Uncle Charlie's Blue Hole (FSCA); GRAND BAHAMA: Brookwood Farm (FSCA); Wallace Farm (BYUC; FSCA)

Cryptocephalus n. sp. 1

ANDROS: Atala Coppice (FSCA; RHTC); Captain Bill's Blue Hole (FSCA; RHTC); Cargill Creek (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (FSCA; RHTC) Morgan's Bluff (RHTC); Stafford Creek (RHTC); Uncle Charlie's Blue Hole (FSCA)

Cryptocephalus n. sp. 2

ANDROS: Behring Point (FSCA; RHTC); Cactus Coppice (FSCA; RHTC); Captain Bill's Blue Hole (FSCA); Cargill Creek (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Money Point (FSCA); 1-2 mi. W Stafford Creek (RHTC); Small Hope (RHTC); S of Fresh Creek on road to U.S. Naval Station (FSCA); Stafford Creek (RHTC); 3-4 mi. S South Blanket Sound (RHTC)

Cryptocephalus n. sp. 3

ANDROS: Bowen Sound (FSCA); Forfar Field Station (FSCA; RHTC); 1-2 mi. W Stafford Creek (FSCA); Stafford Creek (RHTC); 3-4 mi. S South Blanket Sound (RHTC); Uncle Charlie's Blue Hole (RHTC)

Cryptocephalus n. sp. 4

GREAT INAGUA: Northwest Point (FSCA; RHTC); Salt Pond Hill (RHTC)

Diachus auratus (Fabricius)

ANDROS: Owens Town (RHTC); Stafford Creek (RHTC)

Diachus squalens (Suffrian)

"BAHAMAS": no other locality information (Peck 2005)

Disonycha discoidea (Fabricius)

ANDROS: Bowen Sound (FSCA)

Disonycha pensylvanica (Illiger)

ANDROS: Forfar Field Station (RHTC)

Disonycha spilotrachela Blake

GREAT INAGUA: South Bay road (BYUC; FSCA); Salt Pond Hill (BYUC; RHTC)

Epitrix fasciata Blatchley

"BAHAMAS": no other locality information (Peck 2005)

Epitrix sp. 1

ANDROS: Forfar Field Station (FSCA); Stafford Creek (RHTC)

Epitrix sp. 2

ANDROS: Captain Bill's Blue Hole (RHTC)

Euryopepla calochroma (Blake)

ANDROS: Driggs Hills, near South Bight (Blake 1965)

Euryopepla vitrea (Boheman)

"BAHAMAS": no other locality information (Peck 2005)

Exema?gibber (Fabricius)

ANDROS: Cactus Coppice (BYUC; FSCA; RHTC); Cargill Creek (RHTC); Owens Town (FSCA); Stafford Creek (RHTC)

Glyptina? n. sp.

ANDROS: Maidenhair Coppice (FSCA); GREAT INAGUA: Matthew Town (RHTC)

Hemilactica n. sp.

ANDROS: Forfar Field Station (FSCA); Jungle Pond (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: strand S of Middle Point (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (RHTC)

Hemisphaerota prob. n. sp.

ANDROS: Cargill Creek (FSCA)

Homoschema androsensis (Blake)

ANDROS: Atala Coppice (RHTC); Cactus Coppice (BYUC; FSCA); Captain Bill's Blue Hole (FSCA); Cargill Creek (FSCA); Jungle Pond (FSCA); Owens Town (RHTC); Small Hope (BYUC; RHTC)

Homoschema?*longense* Blake

ANDROS: Forfar Field Station (BYUC; FSCA; RHTC); LONG ISLAND: Deadman's Cay (AMNH; Blake 1965)

Kuschelina brachyscelus (Blake) [= *Oedionychus brachyscelus* Blake]

GRAND BAHAMA: West End (AMNH; Blake 1965)

Leucocera sp.

ANDROS: Behring Point (FSCA; RHTC); Jungle Pond (FSCA); S of Fresh Creek on road to U.S. Naval Station (FSCA)

Longitarsus?*providensis* Blake

ANDROS: Forfar Field Station (BYUC; FSCA; RHTC); ELEUTHERA: Governors Harbour (AMNH; Blake 1965); GREAT INAGUA: Matthew Town (AMNH; Blake 1965); NEW PROVIDENCE: 5 mi. W Nassau (AMNH; Blake 1965)

Longitarsus?*rosensis* Blake

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (BYUC; FSCA); GRAND BAHAMA: Pine Ridge (AMNH; Blake 1965; USNM)

Longitarsus?*testaceus* (Melsheimer)

ANDROS: Behring Point (FSCA)

Longitarsus?n. sp.

GREAT INAGUA: vic. Middle Point (FSCA)

Megistops bahamensis Blake

ANDROS: Captain Bill's Blue Hole (FSCA); ELEUTHERA: Harbour Island (Blake 1952)

Metachroma adustum Suffrian

GREAT INAGUA: strand s of Middle Point (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (BYUC; FSCA); Salt Pond Hill (BYUC; FSCA; RHTC); South Bay road (FSCA)

Metachroma felis Blake

ANDROS: Behring Point (RHTC); Cactus Coppice (RHTC); Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); 1-2 mi. E London Creek (RHTC); Owens Town (BYUC; RHTC); S of Fresh Creek on road to U.S. Naval Station (FSCA); Stafford Creek (RHTC); CAT ISLAND: Arthurs Town (Blake 1970; MCZC)

Metachroma?*felis* Horn

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); 1-2 mi. S London Creek (FSCA); Owens Town (FSCA; RHTC)

Metachroma nassauense Blake

NEW PROVIDENCE: Nassau (Blake 1970; USNM)

Metachroma testaceum Blatchley

ELEUTHERA: no specific locality (Blake 1970)

Metachroma?*testaceum* Blatchley

GREAT INAGUA: Middle Point (RHTC)

Metachroma testaceum elachistum Blake

ANDROS: Atala Coppice (FSCA); Cargill Creek (BYUC; FSCA; RHTC); Forfar Field Station (BYUC; FSCA; RHTC); Maidenhair Coppice (BYUC; FSCA; RHTC); Money Point (FSCA; RHTC); S of Fresh Creek on road to U.S. Naval Station (FSCA); Stafford Creek (RHTC)

Metachroma n. sp. 1

ANDROS: Forfar Field Station (FSCA); ELEUTHERA: Rainbow Bay (FSCA)

Metachroma ?n sp. 2

ANDROS: Atala Coppice (FSCA); Cactus Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Owens Town (FSCA; RHTC)

Metachroma ?n. sp. 3

ELEUTHERA: Rainbow Bay (FSCA)

Metachroma ?n. sp. 4

GREAT INAGUA: Middle Point (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Monomacra albina (Blake)

ANDROS: Pigeon Cay (Anderson 1996); ELEUTHERA: Egg Island (Blake 1946)

Monomacra androsensis (Blake)

ANDROS: Captain Bill's Blue Hole (FSCA); Cargill Creek (BYUC; FSCA); Forfar Field Station (BYUC; FSCA); Maidenhair Coppice (BYUC; FSCA); Owens Town (FSCA); Stafford Creek (RHTC); Uncle Charlie's Blue Hole (FSCA)

Monomacra eleutherae (Blake)

ELEUTHERA: no specific locality (Blake 1946)

Oomorphus floridanus Horn

ANDROS: Atala Coppice (BYUC; FSCA); Forfar Field Station (FSCA; RHTC); Money Point (FSCA); Owens Town (RHTC); nr. San Andros (FSCA); Stafford Creek (RHTC)

Pachybrachis sp. 1

ANDROS: Behring Point (FSCA); Forfar Field Station (FSCA; RHTC); Stafford Creek (RHTC)

Pachybrachis sp. 2

ANDROS: Forfar Field Station (FSCA); Stafford Creek (RHTC)

Pachybrachis sp. 3

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); 3-4 mi. S South Blanket Sound (FSCA; RHTC)

Pachybrachis sp. 4

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); 3-4 mi. S South Blanket Sound (FSCA; RHTC)

Pachybrachis sp. 5

ANDROS: Behring Point (FSCA; RHTC); Forfar Field Station (RHTC)

Pachybrachis sp. 6

GREAT INAGUA: Salt Pond Hill (FSCA)

Pachybrachis sp. or spp.

ANDROS: Pigeon Cay (Anderson 1996); ELEUTHERA: Egg Island (Wickham 1895)

Syphrea bahamensis (Blake) [=Hermaeophaga bahamensis Blake]

EXUMA: Bitter Guana Cay (Blake 1965; USNM); LONG ISLAND: Clarence Town (AMNH; Blake 1965)

*Syphrea?**bahamensis* (Blake)

GREAT INAGUA: Matthew Town (RHTC); north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA)

Triachus cerinus LeConte

ANDROS: Behring Point (RHTC); Captain Bill's Blue Hole (BYUC; FSCA; RHTC); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA; RHTC); GREAT INAGUA: Salt Pond Hill (BYUC; FSCA; RHTC)

Yingaresca n sp. 1

ANDROS: Captain Bill's Blue Hole (RHTC); Forfar Field Station (FSCA); Owens Town (FSCA; RHTC)

Yingaresca n. sp. 2

ANDROS: Forfar Field Station (RHTC); S of Fresh Creek on road to U.S. Naval Station (FSCA; RHTC)

Zepherina n. sp.

ANDROS: Atala Coppice (FSCA; RHTC); Captain Bill's Blue Hole (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Jungle Pond (FSCA); Maidenhair Coppice (FSCA; RHTC); Small Hope (RHTC); Uncle Charlie's Blue Hole (FSCA)

CIIDAE*Ceracis minutus* Dury

“BAHAMAS”: no other locality information (Peck 2005)

Ceracis nigropunctatus Lawrence

ANDROS: Forfar Field Station (FSCA; RHTC)

Cis creberrimus Mellie

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA)

Cis crinitus Lawrence

GREAT INAGUA: 2 mi E Conch Shell Hill (Lawrence 1971)

Cis hirsutus Casey

GREAT INAGUA: Matthew Town (Lawrence 1971)

Cis sp.

ANDROS: Maidenhair Coppice (FSCA)

Orthocis ?huesanus Kraus

ANDROS: Forfar Field Station (FSCA)

CLERIDAE*Callotillus bahamensis* Vaurie

ANDROS: Behring Point (FSCA); SOUTH BIMINI: no specific locality (Vaurie 1952a)

Madoniella n. sp.

ANDROS: Maidenhair Coppice (FSCA)

Neorthopleura nesiotes Barr

ANDROS: Cargill Creek (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); GREAT ABACO: Marsh Harbour (Barr 1976); SOUTH BIMINI: no specific locality (Barr 1976; Vaurie 1952a)

Pelonium n. sp.

GREAT INAGUA: Middle Point (RHTC)

Pelonium piciventre Chevrolat

ANDROS: Maidenhair Coppice (FSCA)

COCCINELLIDAE*Catana clauseni* Chapin

“?BAHAMA IS.” (Blackwelder 1945)

Chilocorus cacti (Linnaeus)

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: Matthew Town (RHTC); SOUTH BIMINI: no specific locality (Vaurie 1952b)

Cyclonedaa sanguinea limbifer CaseyANDROS: Behring Point (FSCA); Cactus Coppice (RHTC); Forfar Field Station (FSCA); Guardian Blue Hole (RHTC); Money Point (RHTC); Owens Town (RHTC); ELEUTHERA: Egg Island (Wickham 1895); Harbour Island (Wickham 1895) [reported as *Coccinella sanguinea* (Linnaeus)]*Decadiomus bahamicus* (Casey)

ELEUTHERA: Egg Island (Chapin 1933)

Decadiomus sp. 1

ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); Owens Town (RHTC)

Decadiomus sp. 2

ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Matthew Town (RHTC); South Bay road (RHTC)

Delphastus pallidus (LeConte)

GREAT INAGUA: Matthew Town (RHTC)

Diomus roseicollis Mulsant

ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Morgan’s Bluff (RHTC); Small Hope (RHTC), Stafford Creek (RHTC); GREAT INAGUA: Matthew Town (FSCA; RHTC); strand S of Middle Point (RHTC); Salt Pond Hill (FSCA)

Diomus sp. 1

ANDROS: Forfar Field Station (FSCA); Uncle Charlie's Blue Hole (FSCA)

Diomus sp. 2

GREAT INAGUA: Matthew Town (RHTC); Northwest Point (RHTC); South Bay road (RHTC)

Hyperaspis ornatella Gordon

NEW PROVIDENCE: Junkanoo Beach (RHTC)

Nelasa? sp.

ANDROS: Forfar Field Station (FSCA); Money Point (FSCA); Owens Town (FSCA); 3-4 mi. S South Blanket Sound (FSCA)

Nephadispis oculata (Blatchley)

ANDROS: Behring Point (FSCA); NEW PROVIDENCE: Junkanoo Beach (RHTC)

Olla v-nigrum (Mulsant)

ANDROS: Cargill Creek (FSCA); Stafford Creek (RHTC); ELEUTHERA: Rock Sound (FSCA)

Psylllobora nana Mulsant

ANDROS: Forfar Field State (RHTC); ELEUTHERA: Harbour Island (Wickham 1895)

Psylllobora schwarzi Chapin

ANDROS: Behring Point (RHTC); Guardian Blue Hole (RHTC); CAT ISLAND: no specific locality (Chapin 1957); ELEUTHERA: no specific locality (Chapin 1957); EXUMA: no specific locality (Chapin 1957); GREAT ABACO: no specific locality (Chapin 1957); GREAT ABACO: no specific locality (Chapin 1957); GREAT INAGUA: strand S of Middle Point (RHTC); Salt Pond Hill (FSCA); LONG ISLAND: no specific locality (Chapin 1957); NEW PROVIDENCE: no specific locality (Chapin 1957); RUM CAY: no specific locality (Chapin 1957); SOUTH BIMINI: no specific locality (Chapin 1957)

Rodolia cardinalis (Mulsant)

ANDROS: Owens Town (RHTC); Stafford Creek (RHTC)

Scymnillus sp.

GREAT INAGUA: Matthew Town (FSCA; RHTC); Salt Pond Hill (RHTC); South Bay road (RHTC)

Scymnus putus Casey

ELEUTHERA: Egg Island (Casey 1899)

Scymnus sacer LeConte

GREAT INAGUA: Matthew Town (RHTC)

Scymnus sp. or spp.

ELEUTHERA: Egg Island (Wickham 1895); ELEUTHERA: Harbour Island (Wickham 1895); GRAND BAHAMA: Water Cay (Wickham 1895)

Stethorus utilis (Horn)

GREAT INAGUA: Salt Pond Hill (RHTC); entrance Union Creek Reserve (RHTC)

Zilus eleutherae (Casey) [= *Scymnillus eleutherae* Casey]

ELEUTHERA: no specific locality (Gordon 1985)

Zilus lateralis (Casey) [= *Scymnillus lateralis* Casey]

ELEUTHERA: no specific locality (Casey 1899)

Zilus sp.

ANDROS: Cactus Coppice (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); Money Point (RHTC); 3-4 mi. S Blanket Sound (RHTC)

CORYLOPHIDAE*Clypastaera* nr. *instabile* Matthews

ANDROS: 0.5 mi. S Stafford Creek (RHTC); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Mastic Point (FSCA); Money Point (RHTC); Uncle Charlie's Blue Hole (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

Clypastaera sp.

ANDROS: Money Point (RHTC)

Hoplincnema sp.

GREAT INAGUA: entrance Union Creek Reserve (FSCA)

Orthoperus bahamicus Casey

ELEUTHERA: Harbour Island (Casey 1900)

Sericoderus sp.

ANDROS: Forfar Field Station (FSCA)

CURCULIONIDAE*Acalles apicalis* Boheman

SOUTH BIMINI: no specific locality (CWOC; Vaurie 1952b)

Acalles cf. clavatus (Say)

SAN SALVADOR: no specific locality (CWOC)

Acalles minimus Blatchley

EXUMA: Hummingbird Cay, W of Georgetown (FSCA)

Acalles subhispidus LeConte

ANDROS: Fresh Creek (FSCA)

Acalles n. sp. 1

GREAT INAGUA: Salt Pond Hill (RHTC); South Bay road (RHTC)

Acalles n. sp. 2

EXUMA: Hummingbird Cay, W of Georgetown (FSCA)

Acalles n. sp. 3

SOUTH BIMINI: no specific locality (FSCA)

Acalles n. sp. 4

SAN SALVADOR: no specific locality (CWOC)

Acalles n. sp. 5 (recorded as *Acalles* n. sp. 3 by Anderson 1993)

ANDROS: Pigeon Cay (Anderson 1996)

Acalles n. sp. 6 nr. *squamosus* Hustache

SAN SALVADOR: no specific locality (CWOC)

Acalles sp.

ANDROS: Forfar Field Station (FSCA); 1-2 mi. W Stafford Creek (FSCA; RHTC); NEW PROVIDENCE:

Blue Hills Estates (CWOC)

Acamptus n. sp.

GREAT INAGUA: Salt Pond Hill (RHTC)

Ambrosiodmus lecontei Hopkins

“BAHAMAS”: no other locality information (Peck 2005)

Anthonomus suillus (Fabricius)

NEW PROVIDENCE: no specific locality (CWOC); NORTH BIMINI: no specific locality (FSCA);

SAN SALVADOR: no specific locality (CWOC)

Anthonomus sp. 1

ANDROS: Pigeon Cay (Anderson 1996)

Anthonomus sp. 2

ANDROS: Pigeon Cay (Anderson 1996)

Anthonomus alboannulatus Boheman

ANDROS: Behring Point (CWOC; FSCA; RHTC); Cactus Coppice (RHTC); Cargill Creek (FSCA);

Forfar Field Station (RHTC); S. of Fresh Creek on road to U.S. Naval base (FSCA); ELEUTHERA: no specific locality (Clark 1991)

Anthonomus schwarzi Clark and Burke

ELEUTHERA: Rainbow Bay (FSCA)

Anthonomus varipes Jacquelin du Val

ANDROS: Morgan's Bluff Road, Coconut Grove (Clark and Burke 1996; HAHC)

Anthonomus sp. A

GREAT INAGUA: Middle Point (FSCA; RHTC); Northwest Point (RHTC); Salt Pond Hill (FSCA; RHTC); South Bay beach (RHTC); South Bay road (RHTC)

Anthonomus sp. B

GREAT INAGUA: Northwest Point (FSCA; RHTC); Salt Pond Hill (RHTC); South Bay beach (RHTC)

Anthonomus sp. C

ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Salt Pond Hill (RHTC)

- Anthonomus* sp. D
GREAT INAGUA: Middle Point (RHTC)
- Anthonomus* sp. E
ELEUTHERA: Rainbow Bay (FSCA)
- Anthonomus* spp.
ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); SAN SALVADOR: no specific locality (CWOC)
- Apodrosus argentatus* Wolcott
ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); Stafford Creek (FSCA; RHTC)
- Apodrosus* n. sp.
ANDROS: Captain Bill's Blue Hole (RHTC); Cargill Creek (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); Small Hope (RHTC)
- Apteromechus longus* (LeConte)
ANDROS: Maidenhair Coppice (RHTC); Owens Town (RHTC)
- Artipus floridanus* Horn
ANDROS: Behring Point (RHTC); Cactus Coppice (RHTC); Cargill Creek (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); Morgan's Bluff (RHTC); Pigeon Cay (Anderson 1996); GREAT ABACO: Bahama Palm Groves (FSCA); GREAT INAGUA: Matthew Town (FSCA; RHTC); Middle Point (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (RHTC); 2-3 mi. N Salt Pond Hill (FSCA); entrance Union Creek Reserve (FSCA)
- Artipus porosicollis* Chevrolat
ANDROS: Behring Point (FSCA; RHTC); Bowen Sound (CWOC); Cactus Coppice (CWOC; FSCA; RHTC); Forfar Field Station (CWOC; FSCA; RHTC); Maidenhair Coppice (CWOC; FSCA; RHTC); Owens Town (FSCA; RHTC); Stafford Creek (FSCA); ELEUTHERA: Rainbow Bay (FSCA); Rock Sound (FSCA); GREAT INAGUA: Northwest Point (RHTC); South Bay road (RHTC); NEW PROVIDENCE: Clifton (CWOC); Lyford (CWOC); nr. Nassau (FSCA); SOUTH BIMINI: no specific locality (CWOC)
- Artipus* n. sp. nr. *monae* Wolcott
SAN SALVADOR: no specific locality (CWOC)
- Asynonychus* sp. [=Pantomorus sp.]
SAN SALVADOR: no specific locality (Elliott 1993)
- Atractomerus punctipenne* (Gyllenhal)
ANDROS: Stafford Creek (RHTC)
- Baridinae* n. gen. n. sp.
ANDROS: Capt. Bill's Blue Hole (FSCA); LONG: Hard Bargain (FSCA)
- Brachyderinae* n. gen. n. sp.
ANDROS: Cargill Creek (RHTC); Money Point (RHTC)
- Caecossonus dentipes* Gilbert
ANDROS: Pigeon Cay (Anderson 1996)
- Caulophilus oryzae* (Gyllenhal)
GRAND BAHAMA: Kendall Groves (FSCA)
- Ceratopus* n. sp.
ANDROS: Forfar Field Station (RHTC)
- Ceratopus* sp.
ANDROS: Forfar Field Station (FSCA; RHTC)
- Chaetophloeus atlanticus* Bright
ANDROS: Andros Town (CMNC); Androsia (CMNC); Forfar Field Station (FSCA); Fresh Creek (CMNC); Money Point (FSCA); North Blanket Sound (CMNC); GREAT ABACO: Man-o-War Cay (Bright 1981; CNCI); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)
- Chalcodermus metallinus* (Fabricius)
ANDROS: Cargill Creek (RHTC)
- Chalcodermus* sp. A
ELEUTHERA: Rainbow Bay (FSCA); GREAT ABACO: Bahama Citrus Growers (FSCA)

- Cnemonyx ficus* (Schwarz)
GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Salt Pond Hill (FSCA)
- Conotrachelus maritimus* Blatchley
MAYAGUANA: no specific locality (FSCA)
- Conotrachelus serpentinus* (Klug)
ANDROS: Maidenhair Coppice (FSCA; RHTC)
- Conotrachelus* sp. 1
ANDROS: Forfar Field Station (FSCA)
- Conotrachelus* sp. 2
ANDROS: Forfar Field Station (FSCA)
- Conotrachelus* sp. 3
ELEUTHERA: Rainbow Bay (FSCA)
- Cophes oblongus* (LeConte)
ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); ELEUTHERA: Rainbow Bay (FSCA)
- Corthylus papulans* Eichhoff
ANDROS: Forfar Field Station (FSCA); London Ridge (CMNC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)
- Cossonus impressus* Boheman
ANDROS: Forfar Field Station (FSCA)
- Cossonus cf. impressus* Boheman
GREAT INAGUA: South Bay road (FSCA)
- Cryptocarenus seriatus* Eggers
ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA)
- Cryptorhynchina* n. gen. n. sp.
ANDROS: Pigeon Cay (Anderson 1996)
- Decuanellus bahamensis* Howden
SAN SALVADOR: Barn Cay (FSCA; Howden 1992)
- Dendrosinus bourreriae* Schwarz
EXUMA: no specific locality (FSCA)
- Dryotribus mimeticus* Horn
ANDROS: Forfar Field Station (RHTC); Money Point (RHTC); GREAT INAGUA: Matthew Town (FSCA; RHTC); NEW PROVIDENCE: no specific locality (CWOC); WATER KEY: no specific locality (Wickham 1895) [tentative identification]
- Eubulus* sp. probably new
ANDROS: Morgan's Bluff (RHTC)
- Eubulus* sp.
ANDROS: Maidenhair Coppice (FSCA); 1-2 mi. W Stafford Creek (FSCA; RHTC); Owens Town (RHTC)
- Euplatypus parallelus* (Fabricius)
ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); ELEUTHERA: Rainbow Bay (FSCA); MAYAGUANA: no specific locality (FSCA)
- Euscepes porcellus* Boheman
ANDROS: Forfar Field Station (RHTC); Mastic Point (RHTC)
- Euscepes postfasciatus* Fairmaire
ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay, W. of Georgetown (FSCA); GREAT INAGUA: Northwest Point (RHTC); NEW PROVIDENCE: Blue Hills Estates (CWOC)
- Gononotus angulicollis* (Suffrian)
ANDROS: Money Point (FSCA; RHTC); Pigeon Cay (Anderson 1996)
- Homeostethus* sp.
GREAT INAGUA: Matthew Town (FSCA); Northwest Point (FSCA; RHTC); South Bay beach (RHTC)
- Hylobius aliradicis* Warner
“BAHAMAS”: no specific locality (O'Brien and Wibmer 1982)
- Hypothenemus arrecae* (Hornung)
“BAHAMAS”: no other locality information (Peck 2005)

- Hypothenemus brunneus* (Hopkins)
ANDROS: Morgan's Bluff (FSCA)
- Hypothenemus columbi* Hopkins
“BAHAMAS”: no other locality information (Peck 2005)
- Hypothenemus erectus* LeConte
ANDROS: Forfar Field Station (FSCA); Morgan's Bluff (FSCA); GREAT INAGUA: South Bay road (FSCA); entrance Union Creek Reserve (FSCA)
- Hypothenemus eruditus* Westwood
ANDROS: Pigeon Cay (Anderson 1996); GREAT INAGUA: Matthew Town (FSCA; RHTC)
- Hypothenemus seriatus* (Eichhoff)
ANDROS: Morgan's Bluff (FSCA); GREAT INAGUA: Matthew Town (FSCA; RHTC)
- Hypothenemus* sp.
ANDROS: Pigeon Cay (Anderson 1996)
- Ips avulsus* (Eichhoff)
ANDROS: Forfar Field Station (FSCA); GREAT ABACO: no specific locality (BMNH; Bright 1982)
- Ips calligraphus* (Germar)
ANDROS: Stafford Creek (RHTC)
- Ips grandicollis* (Eichhoff)
ANDROS: Forfar Field Station (FSCA); Money Point (RHTC); Owens Town (FSCA)
- Ischionoplus* n. sp.
GREAT INAGUA: 2-3 mi. N Salt Pond Hill (FSCA)
- Isodrusus insulanus* Howden
ANDROS: Maidenhair Coppice (FSCA); ELEUTHERA: Rainbow Bay (FSCA); LONG ISLAND: no specific locality (Howden 1963; USNM)
- Lachnopus* sp. B
MAYAGUANA: no specific locality (FSCA)
- Lachnopus* sp. C
ELEUTHERA: Rainbow Bay (FSCA)
- Lachnopus* sp.
GRAND BAHAMA: no specific locality (CWOC)
- Lembodes solitarius* Boheman
ANDROS: Behring Point (FSCA; RHTC); Capt. Bill's Blue Hole (FSCA); Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); Mastic Point (RHTC); Money Point (RHTC); Pigeon Cay (Anderson 1996); Stafford Creek (RHTC); GREAT INAGUA: Northwest Point (RHTC); Salt Pond Hill (FSCA); NEW PROVIDENCE: Blue Hills Estates (CWOC)
- Macrancylus linearis* LeConte
NORTH BIMINI: no specific locality (FSCA)
- Macrancylus* sp.
ELEUTHERA: Spanish Wells (Wickham 1895)
- Micracisella nanula* (LeConte)
ANDROS: Forfar Field Station (FSCA); Money [Point] Beach (FSCA); GREAT INAGUA: South Bay road (FSCA)
- Macrocopturus floridanus* (Fall)
ANDROS: Stafford Creek (FSCA; RHTC); NEW PROVIDENCE: no specific locality (CWOC)
- Microlarinus lypriformis* (Wollaston)
NEW PROVIDENCE: Nassau (Baranowski 1981)
- Micromyrmex insularis* Sleeper
ANDROS: no specific locality (ELSC; Sleeper 1954)
- Neotylodes* sp. A
ELEUTHERA: Rainbow Bay (FSCA)
- Neotylodes* sp. B
EXUMA: Hummingbird Cay, W of Georgetown (FSCA)
- Neotylodes* sp. C
EXUMA: Hummingbird Cay, W of Georgetown (FSCA)

- Neotyloides* sp. D
EXUMA: Hummingbird Cay, W of Georgetown (FSCA)
- Neotyloides* n. sp.
ANDROS: Behring Point (RHTC)
- Neotyloides* sp.
SAN SALVADOR: no specific locality (CWOC)
- Neoulosomus laticaudis* (Suffrian)
ANDROS: Forfar Field Station (FSCA)
- Neoulosomus* sp.
ANDROS: Pigeon Cay (Anderson 1996)
- Notolomus basalis* Blatchley
ANDROS: Nicholls Town (FSCA)
- Notolomus variegatus* (Suffrian)
ANDROS: Forfar Field Station (RHTC); Money Point (RHTC); Nicholls Town (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)
- Pachnaeus* n. sp.
ANDROS: Cactus Coppice (FSCA; RHTC); Capt. Bill's Blue Hole (FSCA); Cargill Creek (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); 1-2 mi. W Stafford Creek (FSCA; RHTC); Stafford Creek (FSCA; RHTC); 3-4 mi. S South Blanket Sound (FSCA; RHTC); BERRY ISLANDS: Little Harbour Cay (FSCA); ELEUTHERA: nr. Rock Sound (FSCA); GRAND BAHAMA: Brookwood Grove (FSCA); Gina Farm (FSCA); NEW PROVIDENCE: no specific locality (FSCA)
- Paracamptus subtropicus* Casey
ANDROS: Behring Point (FSCA; RHTC); Pigeon Cay (Anderson 1996); SOUTH BIMINI: no specific locality (CWOC)
- Paradacrys ensiformis* Howden
ACKLINS: Castle Island, 5 mi. E lighthouse, S shore (Howden 1970); GREAT INAGUA: Middle Point (RHTC); Northwest Point (RHTC); Salt Pond Hill (RHTC); NEW PROVIDENCE: no specific locality (CWOC)
- Paradacrys spatulatum* Howden
GREAT ABACO: Green Cay (AMNH; BDVC; HAHC; Howden 1970); GREAT INAGUA: Northwest Point (RHTC); Salt Pond Hill (FSCA); South Bay road (FSCA, RHTC); entrance Union Creek Reserve (FSCA)
- Paralicus minyops* O'Brien
NEW PROVIDENCE: no specific locality (O'Brien 1984)
- Piazorhinus tuberculatus* Blatchley
ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (RHTC); Stafford Creek (FSCA; RHTC)
- Pityoborus comatus* (Zimmermann)
ANDROS: Forfar Field Station (FSCA); San Andros (CMNC)
- Pityophthorus annectens* LeConte
ANDROS: Stafford Creek (FSCA)
- Pityophthorus concavus* Blackman
GREAT INAGUA: north coast road (FSCA)
- Pityophthorus concentralis* Eichhoff
ANDROS: Stafford Creek (CMNC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)
- Plocamus hispidulus* LeConte
ANDROS: Bowen Sound (RHTC); Maidenhair Coppice (FSCA); 1-2 mi. E London Creek (CWOC; RHTC); Uncle Charlie's Blue Hole (CWOC; FSCA; RHTC)
- Plocetes bahamensis* (Casey) [= *Hamaba bahamensis* Casey]
ANDROS: Maidenhair Coppice (CWOC; FSCA); ELEUTHERA: Egg Island (Casey 1910; Harbour Island (Clark 1981); GRAND BAHAMA: Pine Ridge (Clark 1981); GREAT INAGUA: Salt Pond Hill (FSCA; RHTC)
- Plocetes dispersa* (Casey) [= *Hamaba dispersa* Casey]
ELEUTHERA: no specific locality (Casey 1910); GREAT INAGUA: Salt Pond Hill (FSCA); South Bay road (FSCA); RUM CAY: nr. Port Nelson (Clark 1981)

Plocetes hamifer Clark

ANDROS: Forfar Field Station (FSCA); GREAT ABACO: Man-o-War Cay (Clark 1982; HAHC)

Premnobiuss cavipennis Eichhoff

ANDROS: Maidenhair Coppice (FSCA); Pigeon Cay (Anderson 1996)

Pseudoacalles sp. 1

ANDROS: Pigeon Cay (Anderson 1996)

Pseudoacalles sp. 2

ANDROS: Pigeon Cay (Anderson 1996)

Pseudoacalles n. sp. 1

GREAT INAGUA: Middle Point (RHTC); entrance Union Creek Reserve (FSCA; RHTC)

Pseudomopsis cucubano Wolcott

ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (RHTC)

Pseudomopsis inflata (LeConte)

ANDROS: Behring Point (FSCA; RHTC); Cargill Creek (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Henry Morgan's Cave (RHTC); S. of Fresh Creek on road to U.S. Naval base (FSCA); Stafford Creek (RHTC); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay, W of Georgetown (FSCA); NEW PROVIDENCE: Blue Hills Estates (CWOC); Clifton (CWOC)

cf. Pseudomopsis sp.

GREAT INAGUA: Salt Pond Hill (RHTC); South Bay road (FSCA)

nr. Pseudopentarthrum n. sp.

GREAT INAGUA: Northwest Point (FSCA; RHTC); South Bay beach (RHTC); entrance Union Creek Preserve (RHTC)

Pseudothysanoes sp.

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Rhynchophorus cruentatus (Fabricius)

ANDROS: Cargill Creek (FSCA)

Rhyssomatus sp.

ELEUTHERA: Rainbow Bay (FSCA)

Scalaventer convexifrons Howden

GREAT INAGUA: Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA); South Bay road (RHTC);

RUM CAY: Port Nelson (AMNH; Howden 1970)

Scolytodes schwarzi (Hopkins)

ANDROS: Maidenhair Coppice (FSCA)

Sibinia furfurosa Clark

CONCEPTION ISLAND: Booby Cay (Clark 1978); CROOKED ISLAND: 5 mi. due NE Gun Point (Clark 1978); GREAT ABACO: Green Cay (Clark 1978); GREAT INAGUA: Middle Point (RHTC); Northwest Point (RHTC); Salt Pond Hill (FSCA); South Bay road (FSCA; RHTC)

Sicoderus tinamus LeConte [= *Sicoderus tinamus cazieri* Sleeper]

ANDROS: Maidenhair Coppice (CWOC; FSCA); Pigeon Cay (Anderson 1996); Uncle Charlie's Blue Hole (CWOC; FSCA); CASTAWAY (GORDA) CAY: no specific locality (FSCA); NORTH BIMINI: no specific locality (AMNH; Sleeper 1954); SOUTH BIMINI: no specific locality (AMNH; Sleeper 1954; Vaurie 1952b)

Smicronyx sp.

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Sphenophorus venatus vestitus (Chittenden) [= *Calendra venatus vestita* (Chittenden)]

NEW PROVIDENCE: no specific locality (Vaurie 1951); NORTH BIMINI: no specific locality (Vaurie 1951 and 1952b)

Stenancylus colomboi Casey

ANDROS: Pigeon Cay (Anderson 1996)

Stenotrupis sp.

ANDROS: Atala Coppice (FSCA)

Sternechus vicinus Fleutiaux and Sallé

MAYAGUANA: no specific locality (FSCA)

Thegilis baridioides Champion

ELEUTHERA: Rainbow Bay (FSCA)

Xyleborus affinis Eichhoff

ANDROS: Pigeon Cay (Anderson 1996)

Xyleborus ferrugineus (Fabricius)

ANDROS: Forfar Field Station (FSCA); Pigeon Cay (Anderson 1996)

Xyleborus pubescens Zimmermann

ANDROS: Pigeon Cay (Anderson 1996)

Xyleborus volvulus (Fabricius)

ANDROS: Forfar Field Station (FSCA); Pigeon Cay (Anderson 1996)

Xylosandrus zimmermanni (Hopkins)

ANDROS: Red Bays (CMNC)

CYBOCEPHALIDAE*Cybocephalus nipponicus* Endrödy-Younga

NEW PROVIDENCE: Junkanoo Beach (FSCA; RHTC)

DERMESTIDAE*Attagenus* sp.

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Cryptorhopalum sp. 1

ANDROS: Forfar Field Station (FSCA)

Cryptorhopalum sp. 2

GREAT INAGUA: Matthew Town (RHTC); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

Dermestes ater DeGeer

GREAT INAGUA: Matthew Town (FSCA)

DRYOPIDAE*Pelenomus obscurus gracilipes* Chevrolat

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); SOUTH BIMINI: no specific locality (Vaurie 1952b)

DYTISCIDAE*Bidessonotus?brownianus* J. Balfour-Browne

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA)

Bidessonotus cf. pulicarius (Aubé)

ANDROS: Forfar Field Station (RHTC)

Bidessonotus pulicarius (Aubé)

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Celina angustata Aubé

ANDROS: Forfar Field Station (FSCA)

Copelatus caelatipennis Aubé

ANDROS: Atala Coppice (FSCA); Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Copelatus chevrolati Aubé

ANDROS: Cargill Creek (FSCA); Forfar Field Station (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt

Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Cybister fimbriolatus (Say)

GREAT INAGUA: Northwest Point (FSCA)

Cybister occidentalis Aubé

ANDROS: Maidenhair Coppice (FSCA)

Derovatellus floridanus Fall

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); NEW PROVIDENCE: Nassau (FSCA)

Desmopachria aspera Young

"BAHAMAS": no other locality information (Peck 2005)

Desmopachria?grana (LeConte)

ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Eretes sticticus (Linnaeus)

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Hydaticus bimarginatus (Say)

ANDROS: Maidenhair Coppice (FSCA); Owens Town (FSCA); GREAT INAGUA: Northwest Point (FSCA); NORTH BIMINI: no specific locality (Young 1953); SOUTH BIMINI: no specific locality (Young 1953)

Hydaticus rimosus Aubé

ANDROS: Atala Coppice (FSCA); Maidenhair Coppice (FSCA)

Laccodytes pumilio Gistel

GREAT INAGUA: Northwest Point (FSCA)

Laccophilus americanus Aubé

"BAHAMAS": no other locality information (Peck 2005)

Laccophilus gentilis suavis Sharp

"BAHAMAS": no other locality information (Peck 2005)

Laccophilus proximus Say

ANDROS: Cargill Creek (FSCA); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Laccophilus vacaensis Young

ANDROS: Maidenhair Coppice (FSCA); GREAT INAGUA: Northwest Point (FSCA)

Liodesmus noviaffinis Miller

ANDROS: Atala Coppice (FSCA); Forfar Field Station (RHTC)

Megadytes fraternus Sharp

ANDROS: Cargill Creek (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); 2-3 mi N. Salt Pond Hill (FSCA)

Megadytes gigantea Laporte

"BAHAMAS": no other locality information (Peck 2005)

Neobidessus pullus (LeConte)

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Owens Town (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Pachydrus obniger (Chevrolat)

"BAHAMAS": no other locality information (Peck 2005)

Pachydrus?princeps (Blatchley)

ANDROS: Forfar Field Station (FSCA); GREAT INAGUA: South Bay road (FSCA)

Rhantus calidus Dejean

GREAT INAGUA: Salt Pond Hill (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Thermonectus basillaris (Harris)

ANDROS: Forfar Field Station (FSCA); CAT ISLAND: no specific locality (Young 1953); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); South Bay road (FSCA)

Thermonectus circumscriptus Latreille

ANDROS: Forfar Field (RHTC); ELEUTHERA: Rainbow Bay (FSCA)

Thermonectus marginatus Aubé

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA)

ELATERIDAE*Aeolus* sp. 1

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Aeolus sp. 2

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); South Bay road (FSCA); 2-3 mi N Salt Pond Hill (FSCA)

Agrypnus sp.

ANDROS: Forfar Field Station (FSCA)

Alaus patricius (Candèze)

ANDROS: Forfar Field Station (FSCA, RHTC)

Alaus sp.

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); 2-3 mi N Salt Pond Hill (FSCA)

Anchastomorphus sp. 1

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Anchastomorphus sp. 2

GREAT INAGUA: vic. Middle Point (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA)

Anchastus sp.

ANDROS: Forfar Field Station (FSCA)

Conoderus bifoveatus Palisot de Beauvois

ANDROS: Pigeon Cay (Anderson 1996)

Conoderus sp. 1

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); 2-3 mi N Salt Pond Hill (FSCA)

Conoderus sp. 2

ANDROS: Maidenhair Coppice (FSCA)

Conoderus sp. 3

ANDROS: Atala Coppice (FSCA); Behring Point (FSCA); Cactus Coppice (FSCA); Forfar Field Station (FSCA); S. Fresh Creek nr US Naval Base (FSCA)

Dicrepidius sp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA)

Dipropus sp.

ANDROS: Forfar Field Station (FSCA)

Drapetes azurea Jacquelin du Val

ANDROS: Atala Coppice (RHTC)

Drapetes sp. possibly *rubicollis* LeConte

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); vic. San Andros (FSCA)

Elaters sp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Esthesopus humilis Candèze

ANDROS: Pigeon Cay (Anderson 1996)

Heteroderes sp.

ANDROS: Forfar Field Station (FSCA)

Horistonotus sp. 1

GREAT INAGUA: South Bay road (FSCA)

Horistonotus sp. 2

GREAT INAGUA: 2-3 mi N Salt Pond Hill (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Horistonotus sp. 3

GREAT INAGUA: Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Ignelater havaniensis Laporte

ANDROS: Forfar Field Station (FSCA)

Ignelater n. sp.?

ANDROS: Forfar Field Station (FSCA); GREAT INAGUA: Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA)

Lacon subcostatus (Candèze)

ANDROS: Atala Coppice (RHTC); Forfar Field Station (RHTC); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay (FSCA); SOUTH BIMINI: no specific locality (FSCA)

Monocrepidius sp.

ELEUTHERA: Harbour Island (Wickham 1895)

Pherhimius fascicularis (Fabricius)

ANDROS: Forfar Field Station (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); South Bay road (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

Physorhinina n. gen? sp. 1

ANDROS: Behring Point (FSCA); Forfar Field Station (FSCA)

Physorhinina n. gen? sp. 2

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Physorhinina n. gen? sp. 3

GREAT INAGUA: 2-3 mi N Salt Pond Hill (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

ENDOMYCHIDAE*Micropsephodes* n. sp.

ANDROS: Forfar Field Station (RHTC)

EROTYLIDAE*Cryptophilus fluminalis* Casey

ANDROS: Forfar Field Station (FSCA; RHTC)

Loberus mutatus Grouvelle [= *Loberus insularis* Casey]

ELEUTHERA: Egg Island (Casey 1900)

Loberus sp. or spp.

ANDROS: Atala Coppice (RHTC); Behring Point (FSCA; RHTC); Bowen Sound (FSCA); Captain Bill's Blue Hole (RHTC); Cargill Creek (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); Money Point (FSCA; RHTC); Owens Town (FSCA); Uncle Charlie's Blue Hole (FSCA); ELEUTHERA: Gregory Town (FSCA); Rainbow Bay (FSCA); GREAT INAGUA: Matthew Town (FSCA; RHTC); Salt Pond Hill (RHTC); South Bay road (RHTC); 2-3 mi. N Salt Pond Hill (FSCA)

Ocyanus flavitarsis (Lacordaire)

NEW PROVIDENCE: 1 km S Love Beach, near Old Fort Bay (25°03'N, 73°31'W) (USNM);

ELEUTHERA: Rainbow Bay (FSCA); CAT ISLAND: Arthurs Town (AMNH)

Toramus sp. (*hirtellus* species group)

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

EUCNEMIDAE*Anelastes drurii* Kirby

ANDROS: Behring Point (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC)

Arrhipis lanieri (Guérin-Méneville)

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC)

Dromaeolus ischiodontoides Chevrolat

ANDROS: Forfar Field Station (FSCA)

Dromaeolus teres (Horn)

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Fornax bicolor Melsheimer

ANDROS: Forfar Field Station (FSCA)

Fornax poeyi Fisher

ANDROS: Maidenhair Coppice (FSCA)

Fornax repulsus Chevrolat

ANDROS: Maidenhair Coppice (FSCA)

Fornax sp.

GREAT INAGUA: vic. Middle Point (FSCA; RHTC); north coast road N21.10813 (FSCA); Northwest Point (FSCA); 2-3 mi N. Salt Pond Hill (FSCA)

Microrhagus albofasciatus (Fisher)

ANDROS: Maidenhair Coppice (FSCA)

Protofarsus caribicus Muona

ANDROS: Maidenhair Coppice (FSCA)

GYRINIDAE

Dineutus americanus Linnaeus

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); 2-3 mi N. Salt Pond Hill (FSCA)

Dineutus carolinus LeConte

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Dineutus (Cyclinus) carolinus mutchleri Ochs

NEW PROVIDENCE: Blue Hills (CMNH; Young 1953); Nassau (Young 1953)

Gyrinus pachysomus Fall

ANDROS: Maidenhair Coppice (FSCA)

HALIPLIDAE

Haliplus havaniensis Wehncke

ANDROS: Maidenhair Coppice (FSCA)

Haliplus?punctatus Aubé

ANDROS: Forfar Field Station (FSCA)

Haliplus tumidus LeConte

CAT ISLAND: no specific locality (Peck 2005)

HETEROUCERIDAE

Neoheterocerus angustatus (Chevrolat)

ANDROS: Atala Coppice (FSCA); Cargill Creek (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Mastic Point (RHTC); Stafford Creek (RHTC); EXUMA: Exuma Cays, Darby Island (Pacheco 1964); GRAND BAHAMA: West End (Pacheco 1964); GREAT INAGUA: 12 mi. N Matthew Town (Pacheco 1964); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); LONG ISLAND: Deadman's Cay (Pacheco 1964); MAYAGUANA: nr. Abraham Bay (Pacheco 1964); NEW PROVIDENCE: Nassau (Pacheco 1964); NORTH BIMINI: no specific locality (Pacheco 1964); RUM CAY: nr. Port Nelson (Pacheco 1964); SOUTH BIMINI: no specific locality (Pacheco 1964)

HISTERIDAE

Aelates sp.

ANDROS: Forfar Field Station (FSCA)

Hypococcus lustrans (Casey)

ANDROS: Money [Point] Beach (FSCA)

Saprinus sp.

GRAND BAHAMA: Water Cay (Wickham 1895)

Teretrius sp.

ANDROS: Maidenhair Coppice (FSCA)

HYBOSORIDAE

Ceratocanthus cf. semistriatus (German)

ANDROS: 0.5 mi S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC)

Hybosorus illigeri Reiche

ANDROS: Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); Mastic Point (RHTC); GREAT INAGUA: Matthew Town (FSCA; RHTC)

HYDRAENIDAE

Hydraena marginicollis Kiesenwetter

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA)

Ochthebius attritus LeConte

GREAT INAGUA: South Bay road (FSCA)

HYDROCHIDAE

Hydrochus simplex LeConte

ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

HYDROPHILIDAE

Berosus exiguus (Say)

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); NORTH BIMINI: no specific locality (Young 1953); SOUTH BIMINI: no specific locality (Young 1953)

Berosus infuscatus LeConte

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Mangrove Cay (Young 1953); Owens Town (FSCA); GREAT INAGUA: Northwest Point (FSCA); Salt Pond Hill (FSCA); SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Young 1953)

Berosus metalliceps Sharp

GREAT INAGUA: Salt Pond Hill (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Berosus interstitialis Knisch

ANDROS: Atala Coppice (FSCA); Cargill Creek (FSCA); Forfar Field Station (FSCA); Fresh Creek (Young 1953); Maidenhair Coppice (FSCA); Owens Town (FSCA); Stafford Creek (RHTC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Cercyon praetextatum Say

ANDROS: Forfar Field Station (RHTC)

Enochrus bartletti Short

GREAT INAGUA: Northwest Point (FSCA); Salt Pond Hill (FSCA)

Enochrus hamiltoni (Horn)

ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA; RHTC); SOUTH BIMINI: no specific locality (Young 1953)

Enochrus ochraceus (Melsheimer)

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA; RHTC); Fresh Creek (Young 1953); Owens Town (FSCA); GREAT INAGUA: Northwest Point (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Enochrus pygmaeus (Fabricius)

ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Mangrove Cay (Young 1953); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

Enochrus (Lumetus) reflexipennis (Zimmermann)

SOUTH BIMINI: no specific locality (Young 1953)

Enochrus sayi Gundersen

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA)

Enochrus sublongus (Fall)

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA; RHTC); Owens Town (FSCA); Stafford Creek (RHTC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Helobata larvalis (Horn)

GREAT INAGUA: vic. Middle Point (FSCA); Northwest Point (FSCA)

Helobata striata Brullé

"BAHAMAS": no other locality information (Peck 2005)

Helochares sp. 1

ANDROS: Atala Coppice (FSCA); Cargill Creek (FSCA); Forfar Field Station (RHTC)

Hydrobiomorpha casta Say

ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Owens Town (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Hydrophilus ensifer (Brullé)

ANDROS: Forfar Field Station (RHTC); NORTH BIMINI: no specific locality (Young 1953); SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Young 1953)

Hydrophilus insularis Laporte

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); 2-3 mi. N Salt Pond Hill (FSCA); SAN SALVADOR: no specific locality (Elliott 1993);

Hydrophilus ovatus? Gemminger and Harold

ANDROS: Maidenhair Coppice (FSCA)

Oosternum sp.?

ANDROS: Forfar Field Station (FSCA)

Paracymus confluens Wooldridge

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA; RHTC); Owens Town (FSCA); GREAT INAGUA: Northwest Point (FSCA); Salt Pond Hill (FSCA)

Paracymus confusus Wooldridge

ANDROS: Maidenhair Coppice (FSCA); GREAT INAGUA: Northwest Point (FSCA); Salt Pond Hill (FSCA)

Paracymus lodingi (Fall)

"BAHAMAS": no other locality information (Peck 2005)

Paracymus?subcupreus (Say)

SOUTH BIMINI: no specific locality (Young 1953)

Tropisternus lateralis Fabricius

ANDROS: Cargill Creek (FSCA); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); SOUTH BIMINI: no specific locality (Young 1953)

Tropisternus quadristriatus Horn

ANDROS: Forfar Field Station (FSCA); EAST BIMINI: no specific locality (Young 1953); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); 2-3 mi N. Salt Pond Hill (FSCA); NORTH BIMINI: no specific locality (Young 1953); SAN SALVADOR: no specific locality (Elliott 1993); SOUTH BIMINI: no specific locality (Young 1953)

LAEMOPHLOEIDAE

- Charaphloeus bituberculatus* (Reitter)
 ANDROS: Maidenhair Coppice (FSCA); Money Point (RHTC); EXUMA: no specific locality (Thomas 1993); GREAT INAGUA: 2-3 mi. N Salt Pond Hill (FSCA)
- Cryptolestes klapperichi* Lefkovich
 GREAT INAGUA: Matthew Town (FSCA; RHTC)
- Cryptolestes uncicornis* (Reitter)
 ANDROS: Morgan's Bluff (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)
- Dysmerus basalis* Casey
 ANDROS: Forfar Field Station (FSCA; Thomas 2002); GREAT ABACO: Marsh Harbour (FSCA)
- Laemophloeus lecontei* Grouvelle
 ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (FSCA)
- Lathropus pictus* Schwarz
 ANDROS: Uncle Charlie's Blue Hole (FSCA; Thomas 2002)
- Lathropus parvulus* Grouvelle or n. sp.
 ANDROS: Uncle Charlie's Blue Hole (FSCA); GREAT ABACO: Marsh Harbour (FSCA); GREAT INAGUA: strand S of Middle Point (RHTC)
- Lathropus* n. sp.
 ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Uncle Charlie's Blue Hole (FSCA); GREAT ABACO: Marsh Harbour (FSCA); GREAT INAGUA: Northwest Point (RHTC); 2-3 mi. N Salt Pond Hill (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)
- Metaxyphloeus vicinus* (Grouvelle)
 ANDROS: Forfar Field Station (FSCA; Thomas 2002)
- Parandrita permixtus* (Grouvelle)
 ANDROS: Forfar Field Station (FSCA; Thomas 2002); Uncle Charlie's Blue Hole (FSCA)
- Placonotus macrognathus* Thomas
 SAN SALVADOR: Gerace Research Center N 24°07' W74°26' (USNM)
- Placonotus modestus* (Say)
 ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); Morgan's Bluff (RHTC); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)
- Placonotus politissimus* (Wollaston)
 ANDROS: Forfar Field Station (FSCA); GREAT ABACO: Marsh Harbour (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)
- Rhabdophloeus* sp.
 ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT ABACO: Marsh Harbour (FSCA)
- Rhinophloeus* n. sp.
 ANDROS: Forfar Field Station (FSCA; Thomas 2002); Maidenhair Coppice (FSCA)

LAMPYRIDAE

- Photinus manni* Leng and Mutchler
 ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Mangrove Cay (Leng and Mutchler 1922); Owens Town (FSCA); ELEUTHERA: Rainbow Bay (JELC)
- Photuris* n. sp. (definitely not *Photuris pennsylvanica* (DeGeer))
 ANDROS: Atala Coppice (FSCA)
- Pyractomena* sp.
 ANDROS: Forfar Field Station (FSCA); Owens Town (FSCA)

LATRIDIIDAE

- Corticaria* sp., prob. *ferruginea* (Marsham)
 ANDROS: Maidenhair Coppice
- Corticaria* sp.
 ELEUTHERA: Egg Island (Wickham 1895)

Melanophthalma sp., prob. *picta* (LeConte)

ANDROS: Money Point (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA)

Melanophthalma n. sp.

ANDROS: Pigeon Cay (Anderson 1996)

Melanophthalma sp. 1

ANDROS: Forfar Field Station (FSCA)

Melanophthalma sp. 2

ANDROS: Atala Coppice Forfar Field Station (FSCA)

LEIODIDAE

Aglyptinus sp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Protomaphaginus sp.

ANDROS: Forfar Field Station (FSCA)

Zeadalopus sp.

ANDROS: Forfar Field Station (FSCA)

LIMNICHIDAE

Mexico morrisoni Skelley

EXUMA: no specific locality (EMEC; FSCA; MAIC; USNM; Skelley 2005)

Throscinus aethiops Darlington

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

LYCIDAE

Thonalmus bahamae Leng and Mutchler

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Fresh Creek (Leng and Mutchler 1922); Maidenhair Coppice (FSCA; RHTC); Mangrove Cay (Leng and Mutchler 1922); ELEUTHERA: nr. Rock Sound (FSCA); GRAND BAHAMA: Wallace Farm (FSCA); NEW PROVIDENCE: nr. Blue Hills (Leng and Mutchler 1922)

Plateros sp.

GREAT ABACO: Marsh Harbour (FSCA)

MELANDRYIDAE

Symphora sp.

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Money Point (FSCA)

MELOIDAE

Nemognatha (Pauronemognatha) punctulata LeConte

ANDROS: Behring Point (RHTC); Lisbon Creek near South Bight (AMNH; Selander and Bouseman 1969)

Pseudozonitis marginata (Fabricius)

ANDROS: Fresh Creek (AMNH; Selander and Bouseman 1969)

MELYRIDAE

Attalomimus viridis (Wittmer)

GREAT INAGUA: north coast road N21.10813/ W73.60196 (FSCA; RHTC); Northwest Point (FSCA); South Bay road (FSCA)

Ablechrus dentatus Wittmer

GREAT INAGUA: north coast road N21.10813/W73.60196 (FSCA)

MONOTOMATIDAE*Bactridium* sp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); SAN SALVADOR: Gerace Research Center N 24°07' W74°26' (USNM)

Europs sp.

ANDROS: Atala Coppice (FSCA)

Monotoma sp.

ANDROS: Maidenhair Coppice (FSCA)

MORDELLIDAE*Conalia helva* (LeConte)

ANDROS: Forfar Field Station (FSCA)

Glipostenoda sp. nr. *ambusta* (LeConte)

ANDROS: Atala Coppice (RHTC); Maidenhair Coppice (RHTC); Uncle Charlies Blue Hole (RHTC); GREAT INAGUA: north coast road N21°10813 W73°60196 (FSCA)

Mordellina ancilla (LeConte)

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC)

Mordellistena pallidoptera Khalaf

ANDROS: Forfar Field Station (FSCA)

Mordellistena splendens Smith

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA)

Mordellistena ?splendens Smith

ANDROS: Maidenhair Coppice (FSCA); Small Hope (RHTC)

Mordellistena testacea Blatchley

ANDROS: Atala Coppice (RHTC)

Mordellistena tosta LeConte

ANDROS: Atala Coppice (RHTC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Paramordellaria sp.

ANDROS: Forfar Field Station (FSCA; RHTC)

Pseudotolida arida (LeConte)

ANDROS: Forfar Field Station (RHTC); GREAT INAGUA: Salt Pond Hill (FSCA)

Pseudotolida lutea (Melsheimer)

ANDROS: Forfar Field Station (FSCA)

MYCETOPHAGIDAE*Berginus bahamicus* Casey

GREAT INAGUA: Matthew Town (RHTC); Middle Point (RHTC); strand S of Middle Point (FSCA; RHTC); Northwest Point (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay beach (RHTC); South Bay road (FSCA; RHTC); 2-3 mi. N Salt Pond Hill (FSCA); entrance Union Creek Preserve (RHTC)

Litargus balteatus LeConte

NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

Litargus sp.

ANDROS: Cactus Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); Morgan's Bluff (RHTC)

Typhaea stercorea (Linnaeus)

ANDROS: Mastic Point (RHTC)

MYCTERIDAE*Hemipeplus marginipennis* (LeConte)

ANDROS: Mangrove Cay (AMNH; Pollock 1999); 1-2 mi. W Stafford Creek (FSCA); ELEUTHERA: Rainbow Bay (FSCA; Pollock 1999); GRAND BAHAMA: Freeport (USNM; Pollock 1999); GREAT INAGUA: Northwest Point (FSCA); South Bay road (FSCA); entrance Union Creek Preserve (FSCA);

NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM); SOUTH BIMINI: no specific locality (AMNH; Pollock 1999; Vaurie 1952b)

Holopeplus gundlachi (Grouvelle)

ANDROS: Andros Town (MAIC; Pollock 1999)

Physcius sp.

ANDROS: Nicholls Town (FSCA; RHTC); GREAT INAGUA: Northwest Point (FSCA; RHTC); South Bay road (FSCA); entrance Union Creek Reserve (FSCA)

NITIDULIDAE

Amphicrossus sp. near *ciliatus* (Olivier)

ANDROS: Forfar Field Station (FSCA)

Carpophilus dimidiatus Fabricius

ANDROS: Forfar Field Station (FSCA)

Carpophilus pallipennis Say

"BAHAMAS" (Leng and Mutchler 1914)

Colopterus amputatus Erichson

"BAHAMAS": no other locality information (Peck 2005)

Colopterus sp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); 1-2 mi. W Stafford Creek (FSCA)

Conotelus fuscipennis Erichson

"BAHAMAS": no other locality information (Peck 2005)

Conotelus sp.

ANDROS: Forfar Field Station (FSCA)

Epuraea (Haptoncus) luteola Erichson

GREAT ABACO: Bahama Citrus Growers (FSCA)

Lobiopa insularis Laporte

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); SOUTH

BIMINI: no specific locality (Vaurie 1952b)

Lobiopa punctata Parsons

ANDROS: Maidenhair Coppice (FSCA)

Stelidota adsuffusa Ford

ANDROS: Fresh Creek (Ford 1996)

Stelidota coenosa Erichson

GRAND BAHAMA: Kendall Groves (FSCA)

Stelidota geminata (Say)

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Stelidota ruderata Erichson

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA)

Stelidota strigosa Gyllenhal

ANDROS: Pigeon Cay (Anderson 1996)

NOTERIDAE

Hydrocanthus oblongus Sharp

"BAHAMAS": no other locality information (Peck 2005)

Notomicrus sharpi Balfour-Browne

ANDROS: Cargill Creek (FSCA); Forfar Field Station (FSCA); GREAT INAGUA: north coast road N21.10813/W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Suphis inflatus (LeConte)

"BAHAMAS": no other locality information (Peck 2005)

OEDEMERIDAE

Hypasclera dorsalis (Melsheimer) [= *Oxacis dorsalis* Melsheimer]

“BAHAMAS” (Leng and Mutchler 1914)

Hypasclera floridana (Horn)

GREAT INAGUA: Salt Pond Hill (FSCA); NORTH BIMINI: no specific locality (Arnett 1953); SOUTH BIMINI: no specific locality (Arnett 1953)

Hypasclera nesiotes Arnett

ANDROS: Behring Point (FSCA); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); Money Point (FSCA; RHTC); ELEUTHERA: no specific locality (Arnett 1953); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay Road (FSCA); NORTH BIMINI: no specific locality (Arnett 1953); SOUTH BIMINI: no specific locality (Arnett 1953)

Nacerdes melanura (Linnaeus)

“BAHAMAS” (Leng and Mutchler 1914)

Oxacis taeniata (LeConte)

NORTH BIMINI: no specific locality (Arnett 1953); SOUTH BIMINI (Arnett 1953)

Oxacis sp.

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA)

Oxycopis falli Blatchley

GREAT INAGUA, vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); NORTH BIMINI: no specific locality (Arnett 1953); SOUTH BIMINI: no specific locality (Arnett 1953)

Oxycopis luteostriata Arnett

NORTH BIMINI: no specific locality (Arnett 1953)

Oxycopis poss. *luteostriata* Arnett

ANDROS: Behring Point (FSCA); Forfar Field Station (FSCA); Uncle Charlies Blue Hole (FSCA)

Oxycopis mcdonaldi (Arnett)

ANDROS: Behring Point (FSCA); Cactus Coppice (RHTC); Forfar Field Station (FSCA); Fresh Creek (FSCA); San Andros (FSCA); South Blanket Sound (FSCA); NORTH BIMINI: no specific locality (Arnett 1953); SOUTH BIMINI: no specific locality (Arnett 1953)

Oxycopis thonalmus (Darlington)

ANDROS: Forfar Field Station (FSCA; RHTC)

Oxycopis vittata (Fabricius)

SOUTH BIMINI: no specific locality (Arnett 1953)

Oxycopis sp.

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)

PASSANDRIDAE

Catogenus darlingtoni Slipinski

ANDROS: Forfar Field Station (FSCA; Thomas 2003)

Taphroscelidia linearis (LeConte) [= *Scalidia linearis* LeConte]

ANDROS: Forfar Field Station (FSCA; Thomas 1993); SOUTH BIMINI: no specific locality (Vaurie 1952b)

PHALACRIDAE

Acylosum calcaratus Casey

ANDROS: Bowen Sound (FSCA); Cactus Coppice (FSCA); Mastic Point (FSCA); Money Point (FSCA); 1-2 mi. W. Stafford Creek (FSCA); Owens Town (FSCA)

Ochrolitus tristriatus Casey

ANDROS: Cactus Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Money Point (FSCA); Morgan's Bluff (FSCA); 1-2 km S. London Cr. (FSCA); 1-2 mi. W. Stafford Creek

(FSCA); Owens Town (FSCA); Uncle Charlie's Blue Hole (FSCA); GREAT INAGUA: 2-3 mi. N Salt Pond Hill

Olibrus sp.

ELEUTHERA: Egg Island (Wickham 1895)

PTILIIDAE

Actidium spp.

SOUTH BIMINI: no specific locality (AMNH; Dybas 1966)

Acrotrichis sp.

SOUTH BIMINI: no specific locality (AMNH; Dybas 1966)

Bambara frosti (Dybas)

SOUTH BIMINI: no specific locality (AMNH; Dybas 1966)

Bambara intricata (Dybas)

SOUTH BIMINI: no specific locality (AMNH; FMNH; Dybas 1966)

Bambara lutea (Dybas)

SOUTH BIMINI: no specific locality (AMNH; Dybas 1966)

Micridium sp.

SOUTH BIMINI: no specific locality (AMNH; Dybas 1966)

PTILODACTYLIDAE

Lachnodactyla sp.

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Stafford Creek (RHTC)

Ptilodactyla sp. 1

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC)

Ptilodactyla sp. 2

ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Ptilodactyla sp. 3

ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Owens Town (RHTC)

Ptilodactyla sp. 4

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Ptilodactyla sp. 5

ANDROS: Forfar Field Station (FSCA)

RIPIPHORIDAE

Macrosiagon sp.

SOUTH BIMINI: no specific locality (Vaurie 1952b)

Ripiphorus sp.

ANDROS: Small Hope (RHTC)

SALPINGIDAE

Inopeplus sp. or spp.

ANDROS: Forfar Field Station (FSCA); Uncle Charlie's Blue Hole (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM); SAN SALVADOR: Gerace Research Center N 24°07' W74°26' (USNM)

Sosthenes sp.

ANDROS: Maidenhair Coppice (FSCA)

SCARABAEIDAE

Anomala sp.

ANDROS: Nicholls Town (FSCA); GREAT ABACO: Marsh Harbour (FSCA); ELEUTHERA: Rainbow Bay (FSCA)

- Ataenius brevicollis* (Wollaston)
ANDROS: Forfar Field Station (RHTC)
- Ataenius carinator* Harold
ANDROS: Forfar Field Station (PESC; RHTC); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)
- Ataenius elongatus* (Palisot de Beauvois)
GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)
- Ataenius gracilis* (Melsheimer)
NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)
- Ataenius heinekeni* (Wollaston)
ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (FSCA)
- Ataenius imbricatus* Melsheimer
SAN SALVADOR: Gerace Research Center N24°07' W74°26' (USNM)
- Ataenius platensis* (Blanchard)
ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA; RHTC)
- Ataenius scabrellus* Schmidt
ANDROS: BARC (PESC); Forfar Field Station (FSCA; RHTC); Mennonite Farm (PESC); NEW PROVIDENCE: Junkanoo Beach (RHTC); SAN SALVADOR: Gerace Research Center N24°07' W74°26' (USNM)
- Ataenius wenzelii* Horn
ANDROS: Forfar Field Station (RHTC); Maidenhair Coppice (RHTC); GREAT INAGUA: Matthew Town (RHTC); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA)
- Ataenius* (terminalis group) n. sp. 1
GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi N Salt Pond Hill (FSCA)
- Ataenius* (terminalis group) n. sp. 2
GREAT INAGUA: 2-3 mi N Salt Pond Hill (FSCA)
- Ataenius* (terminalis group) ? n. sp.
SAN SALVADOR: Gerace Research Center N24°07' W74°26' (USNM)
- Cyclocephala dolichotarsa* Ratcliffe and Cave
GREAT INAGUA: Matthew Town (FSCA; RHTC); Salt Pond Hill (FSCA); South Bay road (FSCA)
- Cyclocephala pasadenae* Casey
GRAND BAHAMA: Freeport (CMNC; Ratcliffe and Cave 2007)
- Dyscinetus morator* (Fabricius)
ANDROS: BARC (CMNC; Ratcliffe and Cave 2007); Behring Point (CMNC; Ratcliffe and Cave 2007); Forfar Field Station (CMNC; Ratcliffe and Cave 2007); CDC farm, Shotgun Coppice (CMNC; Ratcliffe and Cave 2007); Fresh Creek, Andros Town, Androsia (CMNC; Ratcliffe and Cave 2007); Queen's Highway, 8.8 miles south of Fresh Creek, Blue Hole Coppice (CMNC; Ratcliffe and Cave 2007); ELEUTHERA: Rainbow Bay (FSCA; Ratcliffe and Cave 2007); GREAT EXUMA: Hummingbird Cay, W of Georgetown (FSCA; CMNC; Ratcliffe and Cave 2007); SAN SALVADOR: Gerace Research Center (USNM; Ratcliffe and Cave 2007)
- Dyscinetus picipes* Burmeister [= *Dyscinetus obsoletus* LeConte]
GREAT INAGUA: Matthew Town (RHTC; Ratcliffe and Cave 2007); vic. Middle Point (FSCA; Ratcliffe and Cave 2007); north coast road N21.10813 W73.60196 (FSCA; Ratcliffe and Cave 2007); Northwest Point (FSCA; Ratcliffe and Cave 2007); Salt Pond Hill (RHTC; Ratcliffe and Cave 2007)
- Euoniticellus cubiensis* (Laporte)
ELEUTHERA: New Portsmouth (Rock Sound) (AMNH; Matthews 1966); NEW PROVIDENCE: Nassau (Matthews 1966; USNM)
- Euphoria sepulcralis* *sepulcralis* (Fabricius)
ANDROS: Bowen Sound (FSCA; Woodruff 2006); Cactus Coppice (RHTC; Woodruff 2006); ELEUTHERA: Governor's Harbour (FSCA; Woodruff; 2006); Rainbow Bay (FSCA; Woodruff 2006); NEW PROVIDENCE: Junkanoo Beach (RHTC); Nassau (Woodruff 2006)

Homophileurus cubanus Prell

ANDROS: Forfar Field Station (RHTC; Ratcliffe and Cave 2007 [established?])

Labarrus pseudolividus (Balthasar) [= *Aphodius pseudolividus* Balthasar]

ANDROS: Nicholls Town (FSCA); NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

Martineziana dutertrei (Chalumeau)

ANDROS: Forfar Field Station (RHTC)

Nialaphodius nigrita (Fabricius)

NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

Phileurus valgus antillarum Prell

NEW PROVIDENCE: Carmichael area (USNM; Ratcliffe and Cave 2007)

Phyllophaga youngi Cartwright [= *Phyllophaga bahama* Saylor]

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Owens Town (FSCA)

Phyllophaga n. sp. 1

ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Owens Town (FSCA)

Phyllophaga n. sp. 2

ANDROS: Maidenhair Coppice (FSCA; RHTC)

Phyllophaga n. sp. 3

GREAT INAGUA: vic. Middle Point (FSCA; RHTC); north coast road N21.10813 W73.60196 (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC)

Phyllophaga n. sp. 4

GREAT INAGUA: Matthew Town (RHTC); vic. Middle Point (FSCA; RHTC); north coast road N21.10813 W73.60196 (FSCA; RHTC); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA; RHTC)

Planophileurus planicollis (Chevrolat)

ANDROS: Forfar Field Station (BCRC; CMNC; FSCA; RHTC; Ratcliffe and Cave 2007)

Platytonus parvulus (Chevrolat)

NEW PROVIDENCE: Carmichael area N25°01' W77°25' (USNM)

Protaetia fusca (Herbst)

ELEUTHERA: Rainbow Bay (FSCA; Woodruff 2006); NEW PROVIDENCE: Nassau (Woodruff 2006)

Pseudocanthon perplexus (LeConte)

GRAND BAHAMA: Freeport (Ivie and Philips 2008; USNM; WIBF)

Rutela formosa Burmeister

ANDROS: Forfar Field Station (FSCA; RHTC); Fresh Creek (Jameson 1997); Maidenhair Coppice (RHTC); CAT ISLAND: Arthur's Town (Jameson 1997); CROOKED ISLAND: no specific locality (Jameson 1997); ELEUTHERA: Rainbow Bay (FSCA; Jameson 1997); GRAND BAHAMA: Freeport (FSCA); NEW PROVIDENCE: Nassau (Jameson 1997); SOUTH BIMINI: no specific locality (Jameson 1997; Vaurie 1952b)

Strategus ajax (Olivier)

ANDROS: Forfar Field Station (MTEC; Ratcliffe and Dave 2007); San Andros (Ratcliffe and Cave 2007; TAMU); San Andros Airport (FSCA; Ratcliffe and Cave 2007); Stafford Creek (OSUC; Ratcliffe and Cave 2007); SOUTH BIMINI: no specific locality (FSCA; Ratcliffe and Cave 2007); ELEUTHERA: Rainbow Bay (FSCA; Ratcliffe and Cave 2007); GREAT EXUMA: Simon's Point (Ratcliffe 1982); NEW PROVIDENCE: Coral Harbour (Ratcliffe and Cave 2007; USNM)

Strategus anchoreta Burmeister

ELEUTHERA: Rainbow Bay (FSCA; Ratcliffe and Cave 2007 [established?])

Strategus atlanticus Ratcliffe

SAN SALVADOR: no specific locality (MCZC; Ratcliffe and Cave 2007)

Strategus talpa (Fabricius)

GREAT EXUMA: Simons Point (Ratcliffe and Cave 2007; SEMC [established?]); LITTLE EXUMA: no specific locality (Ratcliffe and Cave 2007; SEMC [established?])

Tomarus cuniculus (Fabricius)

ANDROS: Forfar Research Station (CMNC; FSCA; MTEC; PKLC; RHTC; Ratcliffe and Cave 2007); Fresh Creek, Andros Town, Androsia (CMNC; Ratcliffe and Cave 2007); BERRY ISLANDS: Frazier Hog Cay (AMNH; Ratcliffe and Cave 2007); BIMINI: no specific locality (AMNH; Ratcliffe and Cave

2007); ELEUTHERA: Governors Harbour (AMNH; Ratcliffe and Cave 2007); NEW PROVIDENCE, Nassau (AMNH; Ratcliffe and Cave 2007)

Tomarus gibbosus (DeGeer)

GREAT ABACO: Man-o-War Cay (CMNC; Ratcliff and Cave 2007 [established?])

SCIERTIDAE

Cyphon sp. 1

ANDROS: Atala Coppice (FSCA; RHTC); Behring Point (FSCA); Cactus Coppice (RHTC); Cargill Creek (RHTC); Maidenhair Coppice (FSCA); Forfar Field Station (FSCA; RHTC); Owens Town (FSCA); S. Fresh Creek nr. U.S. Naval Base (FSCA); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA)

Cyphon sp. 2

ANDROS: Atala Coppice (RHTC); Cactus Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Ora sp. 1 (possibly *troberti* (Guérin-Méneville))

ANDROS: Cargill Point (RHTC); Forfar Field Station (FSCA; RHTC); GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Ora sp. 2

ANDROS: Forfar Field Station (FSCA; RHTC); Stafford Creek (RHTC); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay, Georgetown (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

Ora sp. 3

ANDROS: Forfar Field Station (FSCA; RHTC); Stafford Creek (RHTC); EXUMA: Hummingbird Cay, Georgetown (FSCA)

Scirtes sp. 1

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA); ELEUTHERA: Rainbow Bay (FSCA)

Scirtes sp. 2

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

Scirtes sp. 3

ANDROS: Behring Point (FSCA); GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); 2-3 mi. N Salt Pond Hill (FSCA)

SCRAPTIIDAE

?*Scaptia* sp.

ANDROS: Bowen Sound (FSCA); Cactus Coppice (FSCA); Cargill Creek (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); Money Point (FSCA); S. Fresh Creek, nr. U.S. Naval Base (FSCA); Uncle Charlies Blue Hole (FSCA); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA)

Naucles sp.

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813, W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); 2-3 mi. N. Salt Pond Hill (FSCA)

SCYDMAENIDAE

Microscydmus sp.

ANDROS: Atala Coppice (FSCA)

Euconnus (*Psomophus*)? sp.

ANDROS: Forfar Field Station (FSCA)

Euconnus (*Pycnophus*) sp. 1

GREAT INAGUA: South Bay road (FSCA)

Euconnus (*Pycnophus*) sp. 2

ANDROS: Forfar Field Station (FSCA)

- Euconnus (Scopophus)* sp. 1
ANDROS: Forfar Field Station (FSCA)
- Euconnus (Scopophus)* sp. 2?
ANDROS: Forfar Field Station (FSCA)
- Euconnus (Napochus)* sp. 1
ANDROS: Forfar Field Station (FSCA)
- Euconnus (Napochus)* sp. 2
ANDROS: Maidenhair Coppice (FSCA)
- Euconnus (Napochus)* sp. 3
ANDROS: Maidenhair Coppice (FSCA)
- Euconnus (Napochus)* sp. 4
ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)
- Euconnus (Napochus)* sp. 5
ANDROS: Forfar Field Station (FSCA)
- Euconnus (Napochus)* sp. 6
ANDROS: Forfar Field Station (FSCA)
- Euconnus (Napochus)* sp. 7
ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA)

SILVANIDAE

- Ahasverus rectus* (LeConte)
ANDROS: Atala Coppice (FSCA); Forfar Field Station (FSCA); GREAT INAGUA: Salt Pond Hill (FSCA); South Bay road (FSCA); entrance Union Creek Preserve (FSCA); NEW PROVIDENCE: Carmichael area (USNM)
- Ahasverus* sp.
SAN SALVADOR: Gerace Research Center N 24°07' W74°26' (USNM)
- Cathartosilvanus opaculus* (LeConte)
ANDROS: Morgan's Bluff (FSCA; RHTC); GREAT ABACO: Marsh Harbour (FSCA); NEW PROVIDENCE: Carmichael area (USNM)
- Cathartus quadricollis* (Guérin-Méneville)
ANDROS: Forfar Field Station (FSCA) [Thomas (1993) recorded this species from the Bahamas without a specific island record]
- Cryptamorpha desjardinsi* (Guérin-Méneville)
GREAT ABACO: Marsh Harbour (FSCA)
- Monanus concinnulus* (Walker)
ANDROS: Forfar Field Station (FSCA); NEW PROVIDENCE: Carmichael area (USNM)

SMICRIPIDAE

- Smicrips palmicola* (LeConte)
ANDROS: Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Mastic Point (FSCA); ELEUTHERA: Gregory Town (FSCA); GREAT ABACO: Marsh Harbour (FSCA); GREAT INAGUA: Matthew Town (RHTC); NEW PROVIDENCE: Nassau (FSCA)

SPHINDIDAE

- Carinisphindus skotios* McHugh and Lewis
ANDROS: CDC Farm, Shotgun Coppice (USNM; McHugh and Lewis 2000); Forfar Field Station (FSCA)

STAPHYLINIDAE

- Achenomorphus* sp.
ANDROS: Forfar Field Station (FSCA; RHTC)
- Aleochara* sp.
ANDROS: Forfar Field Station (FSCA)

- Allomelba antennata* Park
SOUTH BIMINI: no specific locality (Park 1954)
- Belonuchus gagates* Erichson
“BAHAMA IS.” (Blackwelder 1945)
- Bledius ceratus* Blackwelder
SOUTH BIMINI: no specific locality (Herman 1972)
- Bledius mandibularis* Erichson
GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA); South Bay road (FSCA); RUM CAY: nr. Port Nelson (Herman 1972); SOUTH BIMINI: no specific locality (Herman 1972);
- Bledius* sp.
ANDROS: Forfar Field Station (RHTC)
- Bythinogaster* sp.
ANDROS: Atala Coppice (RHTC)
- Bythinoplectus bahamicus* Park
SOUTH BIMINI: no specific locality (Park 1954)
- Cafius bistriatus* Erichson
ELEUTHERA: Egg Island (Wickham 1895); Harbour Island (Wickham 1895)
- Carpelimus aequalis* Jacquelin du Val
“BAHAMA IS.” (Blackwelder 1945)
- Carpelimus flavipes* (Erichson)
“BAHAMA IS.” (Blackwelder 1945)
- Carpelimus* sp. 1
ANDROS: Pigeon Cay (Anderson 1996)
- Carpelimus* sp. 2
ANDROS: Pigeon Cay (Anderson 1996)
- Coproporus* sp.
ANDROS: Atala Coppice (FSCA); Forfar Field Station (RHTC)
- Dalmomelba cazieri* Park
SOUTH BIMINI: no specific locality (Park 1954)
- Decarthron vauriei* Park
SOUTH BIMINI: no specific locality (Park 1954)
- Decarthron* sp.
ANDROS: Forfar Field Station (RHTC)
- Echiaster* sp.
ANDROS: Pigeon Cay (Anderson 1996)
- Eupsenius glaber* LeConte
SOUTH BIMINI: no specific locality (Park 1954)
- Gyrophaena* sp.
ANDROS: Forfar Field Station (RHTC); Morgan’s Bluff (RHTC)
- Holisus debilis* Erichson
“BAHAMA IS.” (Blackwelder 1945)
- Hoplandria* sp.
ANDROS: Pigeon Cay (Anderson 1996)
- Jubus* sp.
ANDROS: Forfar Field Station (RHTC)
- Melba (Melba) zonula* Park
ANDROS: Pigeon Cay (Anderson 1996); SOUTH BIMINI: no specific locality (Park 1954)
- Monista* sp.
ANDROS: Pigeon Cay (Anderson 1996)
- Oligota minuta* Cameron
ANDROS: Nicholls Town (Frank et al. 1992); San Andros (Frank et al. 1992); NEW PROVIDENCE: nr. Nassau (Frank et al. 1992)
- Oxytelus* sp.
ANDROS: Nicholls Town (FSCA)

Palaminus sp.

ANDROS: Nicholls Town (FSCA)

Phanerota sp.

ANDROS: Forfar Field Station (RHTC); Morgan's Bluff (RHTC)

Philonthus hepaticus Erichson

"BAHAMA IS." (Blackwelder 1945)

Philonthus neptunus Smetana

SOUTH BIMINI: no specific locality (Smetana 1995)

Philonthus rufulus Smetana

SOUTH BIMINI: no specific locality (Smetana 1995)

Philonthus sp. or spp.

ANDROS: Forfar Field Station (FSCA; RHTC); Pigeon Cay (Anderson 1996)

Pinophilus flavipes Erichson

"BAHAMA IS." (Blackwelder 1945)

Pinophilus sp.

GREAT INAGUA: 2-3 mi. N Salt Pond Hill (FSCA)

Saphoglossa sp.

ANDROS: Pigeon Cay (Anderson 1996)

Scopaeus sp.

ANDROS: Forfar Field Station (RHTC)

Sepedophilus sp.

ANDROS: Pigeon Cay (Anderson 1996)

Stamnoderus sp.

ANDROS: Pigeon Cay (Anderson 1996)

Stenus sp.

ANDROS: Atala Coppice (RHTC)

Trimiovillus bahamicus Park

SOUTH BIMINI: no specific locality (Park 1954)

TENEBRIONIDAE*Adelina bacardi* Steiner

GREAT INAGUA: Salt Pond Hill (FSCA); SAN SALVADOR: Gerace Research Ctr. 24°07'N 74°26'W (Steiner 2006); 2.2 km. W Gerace Research Ctr. 24°07'N 74°28'W (Steiner 2006)

Adelina bidens (Schaeffer)

ANDROS: Forfar Field Station (RHTC); Morgan's Bluff (RHTC); GREAT INAGUA: Salt Pond Hill (FSCA)

Adelina maryjoae Steiner

GRAND BAHAMA: Freeport (Steiner 2005a; USNM)

Adelina plana (Fabricius)

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GRAND BAHAMA: Eight Mile Rock (Steiner 2005a); Freeport (Steiner 2005a); 19 km. ENE Lucaya (Steiner 2005a)

Alaetrinus pullus (Sahlberg)

GRAND BAHAMA: Freeport (Steiner 2005a)

Alphitobius diaperinus Panzer

GRAND BAHAMA: Freeport (Steiner 2005a)

Blapstinus cubanus Marcuzzi

"BAHAMAS": no other locality information (Peck 2005)

Blapstinus fortis LeConte

ANDROS: Atala Coppice (RHTC); Forfar Field Station (RHTC); GRAND BAHAMA: Freeport (Steiner 2005a); Garden of the Groves, 8 km. E Lucaya (Steiner 2005a); NEW PROVIDENCE: Nassau (Marcuzzi 1962)

Blapstinus humilis Casey

EXUMA: no specific locality (Steiner 2006); SAN SALVADOR: no specific locality (Steiner 2006)

Blapstinus kalik Steiner

SAN SALVADOR: Gerace Research Ctr. 24°07'N 74°25'W (Steiner 2006); near lighthouse (Steiner 2006)

Blapstinus sp. ?*humilis* Casey

ANDROS: Cargill Creek (FSCA)

Blapstinus sp. nr. *haitensis* Marc.

GREAT INAGUA: vic. Middle Point (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA)

Blapstinus sp.

GREAT INAGUA: Matthew Town (FSCA)

Branchus geraeorum Steiner

SAN SALVADOR: near Altar Cave 23°59'N 74°32'W (Steiner 2006); East Beach 24°06'N 74°25'W (Steiner 2006); Hill Trail north of Osprey Pond (Steiner 2006); Long Bay (Columbus Landing) 24°02'N 74°31'W (Steiner 2006); North Point near Govt. Dock 24°07'N 74°26'W (Steiner 2006); 1 km. S Rocky Point 24°07'N 74°31'W (Steiner 2006); San Salvador Island dump (GRCC; Steiner 2006); Sandy Hook 23°58'N 74°28'W (Steiner 2006); Sandy Point (Steiner 2006); South Bahamian Field Station (ABSC; Steiner 2006); 2.3 mi. E Watling's Castle (FSCA; Steiner 2006)

Branchus saxatilis Steiner

GRAND BAHAMA: Eight Mile Rock (BNIC; Steiner 2005a; USNM); GREAT ABACO: Allans Cay (AMNH; Steiner 2005a)

Branchus woodi LeConte

ANDROS: Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC)

Calymmus cucullatus Pascoe

ANDROS: Cargill Creek (RHTC); Mastic Point (RHTC)

Corticeus glaber (LeConte)

ANDROS: Maidenhair Coppice (FSCA)

Corticeus thoracicus (Melsheimer)

GRAND BAHAMA: Freeport (Steiner 2005a)

Cymatothes tristis (Laporte)

GRAND BAHAMA: Freeport (Steiner 2005a); 19 km. ENE Lucaya (Steiner 2005a)

Diaperis maculata Olivier

ANDROS: Forfar Field Station (FSCA); Maidenhair Coppice (FSCA); GRAND BAHAMA: McLeans Town (Steiner 2005a); NEW PROVIDENCE: Nassau (Triplehorn 1965)

Diastolinus bahamae Marcuzzi

GRAND BAHAMA: Eight Mile Rock (Steiner 2005a); 5 km. NW Holmes Rock Village (Steiner 2005a); Gold Rock Beach (Steiner 2005a); Gold Rock Creek (Marcuzzi 1965); 19 km. ENE Lucaya (Steiner 2005a); Pelican Point (Steiner 2005a); Xanadu Beach (Steiner 2005a)

Diastolinus kulzeri Marcuzzi

MAYAGUANA: Abraham Town (Marcuzzi 1965)

Diastolinus that Steiner

SAN SALVADOR: near Altar Cave 23°59'N 74°32'W (Steiner 2006); Barkers Point 24°07'N 74°29'W (Steiner 2006); CCFL (=College Center of the Finger Lakes) (MAIC; Steiner 2006); "Crest Site" (GRCC; Steiner 2006); Dim Bay Beach near Fortune Hill 24E02'N 74E26'W (Steiner 2006); East Beach 24°06'N 74°25'W (Steiner 2006); Farquharson Plantation (GRCC; Steiner 2006); French Bay Beach 23°57'N 74°32'W (Steiner 2006); Gerace Research Ctr. 24°07'N 74°26'W (Steiner 2006); Green Cay 24°09'N 74°30'W (Steiner 2006); Grotto Beach 23°59'N 74°32'W (Steiner 2006); Long Bay (Columbus Landing) 24°02'N 74°31'W (Steiner 2006); North Point near Govt. Dock 24°07'N 74°26'W (Steiner 2006); 1 km. S Rocky Point 24°07'N 74°31'W (Steiner 2006); near Polaris (GRCC; Steiner 2006); Rice Bay 24°07'N 74°26'W (Steiner 2006); San Salvador Island dump (GRCC; Steiner 2006); Sandy Hook 23°58'N 74°28'W (Steiner 2006); Sandy Point 23°58'N 74°33'W (Steiner 2006); Watling's Castle (GRCC; Steiner 2006); White Cay 24°10'N 74°28W (Steiner 2006)

Diastolinus this Steiner

SAN SALVADOR: near BFS (=Bahamian Field Station) (GRCC; Steiner 2006); Barkers Point 24°07'N 74°29'W (Steiner 2006); CCFL (=College Center of the Finger Lakes) (MAIC; Steiner 2006); Dim Bay

(beach) near Fortune Hill 24°02'N 74°26'W (Steiner 2006); East Beach 74°06'N 74°25'W (Steiner 2006); French Bay Beach 23°57'N 74°32'W (Steiner 2006); Gerace Research Ctr. 24°07'N 74°26'W (Steiner 2006); Grotto Beach 23°59'N 74°32'W (Steiner 2006); Rice Bay 24°07'N 74°26'W (Steiner 2006); Sandy Hook 23°58'N 74°28'W (Steiner 2006); Sandy Point 23°58'N 74°33'W (Steiner 2006); Target Beach 24°0'N 74°32'W (Steiner 2006); "3 DOG Site" (Steiner 2006)

Diastolinus prob. n. sp.

GREAT INAGUA: Matthew Town (FSCA); vic. Middle Point (FSCA); Northwest Point (FSCA); South Bay beach (FSCA)

Epitragodes tomentosus (LeConte)

GRAND BAHAMA: 5 km. NW Holmes Rock Village (Steiner 2005a); SOUTH BIMINI: no specific locality (AMNH; Steiner 2005a)

Glyptotus cibratus LeConte

"BAHAMAS" (Leng and Mutchler 1914)

Gnatocerus sp. prob. *guatemalensis* (Champion)

GREAT INAGUA: Salt Pond Hill (FSCA)

Gnatocerus sp. prob. *curvicornis* (Champion)

GREAT INAGUA: north coast road N21.10813 W73.60196 (FSCA)

Gondwanocrypticus platensis (Fairmaire)

GRAND BAHAMA: Freeport (Steiner 2005a); Garden of the Groves, 8 km. E Lucaya (Steiner 2005a); "West End" (Steiner 2005a)

Hymenorus bahamensis Campbell

ANDROS: Forfar Field Station (FSCA); Fresh Creek (Campbell 1971); Mangrove Cay (Campbell 1971); BERRY ISLANDS: Fraziers Hog Cay (Campbell 1971); Little Harbour Cay (Campbell 1971); CAT ISLAND: The Bight (Campbell 1971); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Leaf Cay of Allans Cays (Campbell 1971); GRAND BAHAMA: Freeport (Steiner 2005a); "West End" (Steiner 2005a); GREAT ABACO: Great Sale Cay (Campbell 1971); Green Cay (Campbell 1971); Marsh Harbour (Campbell 1971); NEW PROVIDENCE: 5 mi E Clifton Pier (Campbell 1971); Nassau (Campbell 1971); RAGGED ISLAND: Nurse Cay (Campbell 1971); RUM CAY: Port Nelson, W side (Campbell 1971); nr Port Nelson (Campbell 1971); SOUTH BIMINI: no specific locality (Campbell 1971)

Hymenorus convexus (Casey)

ANDROS: Driggs Hill (nr. South Bight) (Campbell 1971); Forfar Field Station (FSCA); Fresh Creek (Campbell 1971); Little Golding Cay (Campbell 1971); Mangrove Cay (Campbell 1971); Pigeon Cay (Anderson 1996); CAT ISLAND: Arthurs Town (Campbell 1971); Bennetts Harbour (Campbell 1971); The Bight (Campbell 1971); CROOKED ISLAND: Landrail Point (Campbell 1971); Portland Harbour (Campbell 1971); ELEUTHERA: Egg Island (Campbell 1971); Rainbow Bay (FSCA); EXUMA: Darby Is. (Campbell 1971); Leaf Cay of Allans Cays (Campbell 1971); Staniard Cay (Campbell 1971); GRAND BAHAMA: Eight Mile Rock (Steiner 2005a); Freeport (Steiner 2005a); Xanadu Beach (Steiner 2005a); "West End" (Steiner 2005a); GREAT ABACO: Elbow Cay, Hopetown (Campbell 1971); Great Sale Cay (Campbell 1971); Green Cay (Campbell 1971); Green Turtle Cay, New Plymouth (Campbell 1971); Marsh Harbour (Campbell 1971); GREAT INAGUA: vic. Middle Point (FSCA); strand S of Middle Point (RHTC); Northwest Point (FSCA); Salt Pond Hill (FSCA; RHTC); South Bay road (FSCA); LONG CAY: nr. Albert Town (Campbell 1971); LONG ISLAND: Clarence Town (Campbell 1971); Deadman's Cay (Campbell 1971); Simm's (Campbell 1971); SW tip Long Island (Campbell 1971); MAYAGUANA ISLAND: nr. Abraham Bay (Campbell 1971); NEW PROVIDENCE: 5 mi. E. Clifton Pier (Campbell 1971); Nassau (Campbell 1971); NORTH BIMINI: no specific locality (Campbell 1971); PLANA CAYS: East Plana Cay (Campbell 1971); RUM CAY: Conception Is., Booby Cay (Campbell 1971); Port Nelson (Campbell 1971); RAGGED ISLAND: Buena Vista Cay (Campbell 1971); SAN SALVADOR: nr. Cockburn Town (Campbell 1971)

Hymenorus densus LeConte

ANDROS: Fresh Creek (Campbell 1971); Mangrove Cay (Campbell 1971); BERRY ISLANDS: Fraziers Hog Cay (Campbell 1971); Little Harbour Cay (Campbell 1971); CAT ISLAND: Arthurs Town (Campbell 1971); Bennetts Harbour (Campbell 1971); CROOKED ISLAND: 5 mi due NE Gun Point (Campbell 1971); Landrail Point (Campbell 1971); Portland Harbour (Campbell 1971); ELEUTHERA: Egg Island (Campbell 1971); Paradise Bay (FSCA); GRAND BAHAMA: Freeport (Steiner 2005a); Pine Ridge

(Steiner 2005a); GREAT ABACO: Allans Cays (Campbell 1971); Elbow Cay, Hope Town (Campbell 1971); LONG CAY: no specific locality (Campbell 1971); NORTH BIMINI: no specific locality (Campbell 1971); RUM CAY: W. side Port Nelson (Campbell 1971); SAN SALVADOR: New World Museum (Campbell 1971); SOUTH BIMINI: no specific locality (Campbell 1971)

Hymenorius insularis Campbell

CROOKED ISLAND: 5 mi due NE Gun Point (Campbell 1971); Landrail Point (Campbell 1971); Portland Harbour (Campbell 1971); LONG CAY: nr. Albert Town (Campbell 1971); Fish Cay (Campbell 1971)

Hymenorius farri Campbell

ANDROS: Fresh Creek (Steiner 2004); Stafford Creek (Steiner 2004); GRAND BAHAMA: Freeport (Steiner 2005a); SAN SALVADOR: Gerace Research Ctr. 24°07'N 74°25'W (Steiner 2004)

Hymenorius minutus Campbell

CROOKED ISLAND: 5 mi due NE Gun Point (Campbell 1971); Landrail Point (Campbell 1971)

Hymenorius transversus Campbell

ANDROS: Cactus Coppice (FSCA); Forfar Field Station (RHTC); Fresh Creek (Campbell 1971); Maidenhair Coppice (RHTC); BERRY ISLANDS: Fraziers Hog Cay (Campbell 1971); Little Harbour Cay (Campbell 1971); BIMINI ISLANDS (Campbell 1971; Steiner 2005a); ELEUTHERA: Rainbow Bay (FSCA); New Portsmouth (Campbell 1971); GRAND BAHAMA: Freeport (Steiner 2005a); SOUTH BIMINI: no specific locality (Campbell 1971)

Hymenorius sp. (pygmaea group)

GREAT INAGUA: vic. Middle Point (FSCA); north coast road N21.10813 W73.60196 (FSCA); Northwest Point (FSCA); Salt Pond Hill (FSCA); South Bay road (FSCA); entrance Union Creek Preserve (FSCA)

Leichenum canaliculatum variegatum (Klug)

GRAND BAHAMA: Freeport (Steiner 2005a)

Lobopoda androsi Campbell

ANDROS: Fresh Creek (AMNH; Campbell 1971); NEW PROVIDENCE: Nassau (USNM; Campbell 1971)

Lobopoda bahamensis Campbell

ANDROS: Atala Coppice (FSCA; RHTC); Forfar Field Station (FSCA); Fresh Creek (AMNH; Campbell 1971); Pigeon Cay (Anderson 1996); ELEUTHERA: Rainbow Bay (FSCA); SOUTH BIMINI: no specific locality (AMNH; Campbell 1971)

Lobopoda cordata Campbell

MAYAGUANA: nr. Abraham Bay (AMNH; Campbell 1971)

Lobopoda deyrupi Steiner

SAN SALVADOR: Bahamian Field Station (Steiner 2006); French Bay Beach 23°57'N 74°32'W (Steiner 2006); Gerace Research Ctr. 24°07'N 74°26'W (Steiner 2006); Hill Trail north of Osprey Pond (Steiner 2006)

Lobopoda nesiotica Campbell

ANDROS: Forfar Field Station (FSCA; RHTC); Fresh Creek (Campbell 1971); Mastic Point (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GRAND BAHAMA: Freeport (Campbell 1971; Steiner 2005a); GREAT ABACO: Crossing Bay (Campbell 1971); Marsh Harbour (Campbell 1971)

Lobopoda prob. n. sp.

GREAT INAGUA: Salt Pond Hill (FSCA)

Nautes azurescens (Jacquelín du Val)

ANDROS: Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); Money Point (RHTC); Stafford Creek (RHTC); GRAND BAHAMA: Freeport (Steiner 2005a)

Nautes guanahani Steiner

SAN SALVADOR: Gerace Research Ctr. 24°07'N 74°26'W (Steiner 2006); Sandy Hook 23°58'N 74°28'W (Steiner 2006)

Nautes prob. n. sp.

GREAT INAGUA: South Bay road (FSCA)

Nautes sp.

ANDROS: Bowen Sound (FSCA); Cargill Creek (RHTC); Forfar Field Station (RHTC); Maidenhair Coppice (FSCA); Money Point (RHTC); Stafford Creek (RHTC)

Neomida bicornis (Fabricius)

ANDROS: Maidenhair Coppice (FSCA); GRAND BAHAMA: Freeport (Steiner 2005a)

Phaleria picipes Say

ANDROS: Forfar Field Station (FSCA); Money Point (FSCA; RHTC); GRAND BAHAMA: Bootle Bay Village (Steiner 2005a); GREAT INAGUA: strand S. of Middle Point (FSCA); RUM CAY: Port Nelson (Triplehorn and Watrous 1979); SOUTH BIMINI: no specific locality (Triplehorn and Watrous 1979)

Phaleria punctipes LeConte

ANDROS: Pigeon Cay (Anderson 1996; Steiner 2005a); CROOKED ISLAND: no specific locality (Triplehorn and Watrous 1979); ELEUTHERA: Egg Island (Triplehorn and Watrous 1979); ELEUTHERA: Harbour Island (Triplehorn and Watrous 1979; Wickham 1895); GRAND BAHAMA: 5 km. NW Holmes Rock Village (Steiner 2005a); Freeport (Triplehorn and Watrous 1979); Lucaya Beach (Steiner 2005a); McLeans Town (Steiner 2005a); 19 km. ENE Lucaya (Steiner 2005a); Water Cay (Triplehorn and Watrous 1979); Xanadu Beach (Steiner 2005a); GREAT INAGUA: vic. Middle Point (FSCA); Northwest Point (FSCA); NEW PROVIDENCE: no specific locality (Triplehorn and Watrous 1979); SOUTH BIMINI: no specific locality (Triplehorn and Watrous 1979)

Phaleria testacea Say [= *Phaleria longula* LeConte]

ANDROS: Money Point (FSCA); Nicholls Town (FSCA); CONCEPTION ISLAND: no specific locality (Triplehorn and Watrous 1979); ELEUTHERA: Harbour Island (Triplehorn and Watrous 1979); GRAND BAHAMA: Bootle Bay Village (Steiner 2005a); GREAT INAGUA: Northwest Point (FSCA); NORTH BIMINI: no specific locality (Triplehorn and Watrous 1979); GRAND BAHAMA: Water Cay (Triplehorn and Watrous 1979)

Platydema antennatum Laporte and Brullé

ANDROS: Maidenhair Coppice (FSCA); Morgan's Bluff (RHTC)

Platydema erythrocerus Laporte and Brullé

ANDROS: Atala Coppice (FSCA)

Platydema excavatum (Say)

ANDROS: Atala Coppice (FSCA); Bowen Sound (FSCA); Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC); GRAND BAHAMA: Freeport (Steiner 2005a)

Platydema micans Zimmermann

GRAND BAHAMA: Freeport (Steiner 2005a)

Platydema ruficorne (Sturm)

GRAND BAHAMA: Freeport (Steiner 2005a)

Platydema nigratum (Motschulsky)

GRAND BAHAMA: Freeport (Steiner 2005a)

Strongylium?nigra Zayas

ANDROS: Forfar Field Station (FSCA)

Tharsus seditus LeConte

GRAND BAHAMA: Freeport (Steiner 2005a)

Trientoma jilae Steiner

SAN SALVADOR: Sandy Hook 23°58'N 74°28'W (Steiner 2006)

Trientoma voegeliorum Steiner

SAN SALVADOR: French Bay Beach 23°57'N 74°32'W (Steiner 2006); Sandy Hook 23°58'N 74°28'W (Steiner 2006)

Trientoma wickhami Casey

"BAHAMAS" (Leng and Mutchler 1914)

Trientoma n. sp. 1

GREAT INAGUA: Salt Pond Hill (FSCA)

Trientoma n. sp. 2

GREAT INAGUA: strand S. of Middle Point (FSCA)

Uliomoides oocularis (Casey)

ANDROS: Cargill Creek (RHTC); Forfar Field Station (RHTC); NEW PROVIDENCE: Nassau (Triplehorn 1965)

TETRATOMIDAE

Eustrophopsis sp. nr. *bicolor* (Fabricius)
ANDROS: Forfar Field Station (FSCA; RHTC)

THROSCIDAE

Aulonothroscus sp. 1
ANDROS: Forfar Field Station (FSCA)
Aulonothroscus sp. 2
ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Matthew Town (RHTC); 2-3 mi. N Salt Pond Hill (FSCA)

TROGIDAE

Trox sp.
SOUTH BIMINI: no specific locality (Vaurie 1952b)

TROGOSSITIDAE

Airora sp.
GREAT INAGUA: Salt Pond Hill (FSCA)
Temnochila hubbardi Leveille
ANDROS: Atala Coppice (FSCA; RHTC); Behring Point (RHTC); SOUTH BIMINI: no specific locality (Barron 1971)
Temnochila sp.
ANDROS: Bowen Sound (RHTC); Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA); Stafford Creek (RHTC)
Tenebroides corticalis (Melsheimer) [= *Ostoma limbalis* (Melsheimer)]
SOUTH BIMINI: no specific locality (Vaurie 1952b)
Tenebroides floridanus Schaeffer
ANDROS: Atala Coppice (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); Morgan's Bluff (FSCA); SOUTH BIMINI: no specific locality (Barron 1971)
Tenebroides soror (Jacquelin du Val)
ANDROS: Bowen Sound (FSCA); Forfar Field Station (FSCA; RHTC); Morgan's Bluff (FSCA; RHTC); Stafford Creek (RHTC); ELEUTHERA: Rainbow Bay (FSCA); SOUTH BIMINI: no specific locality (Barron 1971; Vaurie 1952b)
Tenebroides sp.
GREAT INAGUA: South Bay road (FSCA)

ZOPHERIDAE

Aspathines aeneus Thomson
ANDROS: Bowen Sound (FSCA; RHTC); Cactus Coppice (RHTC); Cargill Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (FSCA; RHTC); Mastic Point (RHTC); Nicholls Town (RHTC); 1-2 mi. S London Creek (FSCA; RHTC); 1-2 mi. W Stafford Creek (FSCA; RHTC); Owens Town (RHTC); Stafford Creek (RHTC); Uncle Charlie's Blue Hole (RHTC); ELEUTHERA: Rainbow Bay (FSCA); GREAT INAGUA: Salt Pond Hill (RHTC); South Bay road (RHTC)
Aulonium tuberculatum LeConte
ANDROS: Maidenhair Coppice (FSCA)
Bitoma discolor Sharp
ANDROS: Behring Point (FSCA); Forfar Field Station (FSCA; RHTC); NEW PROVIDENCE: Carmichael area (USNM)
Bitoma sp.
NEW PROVIDENCE: Carmichael area (USNM)
Colydium thomasi Stephan
ANDROS: Forfar Field Station (RHTC)

Endeitoma granulata (Say)

ANDROS: Atala Coppice (RHTC); Cargill Creek (RHTC); Forfar Field Station (FSCA); Maidenhair Coppice (FSCA; RHTC)

Endeitoma sp.

ANDROS: Cargill Creek (FSCA); Maidenhair Coppice (FSCA)

Hyporhagus marginatus (Fabricius)

GREAT INAGUA: 2-3 mi. N Salt Pond Hill (FSCA; RHTC)

Hyporhagus punctulatus Thomson

ANDROS: Atala Coppice (FSCA; RHTC); Bowen Sound (FSCA; RHTC); Cargill Creek (RHTC); 0.5 mi. S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC); Money Point (RHTC); Morgan's Bluff (RHTC); Nicholls Town (FSCA); Owens Town (RHTC); Stafford Creek (RHTC); 3-4 mi. S Stafford Creek (RHTC); CASTAWAY (GORDA) CAY: no specific locality (FSCA); ELEUTHERA: Rainbow Bay (FSCA); EXUMA: Hummingbird Cay (FSCA); SOUTH BIMINI: no specific locality (FSCA; Vaurie 1952b)

Lasconotus pusillus LeConte

ANDROS: Nicholls Town (RHTC)

Microscicus parvulus (Guérin-Méneville)

ANDROS: 0.5 mi S Stafford Creek (RHTC); Forfar Field Station (FSCA; RHTC); Maidenhair Coppice (RHTC)

Monoedus guttatus (Horn)

ANDROS: Pigeon Cay (Anderson 1996)

Monoedus sp. or spp.

ANDROS: Maidenhair Coppice (FSCA); ELEUTHERA: Egg Island (Wickham 1895)

Neotrichus insularis Grouvelle

ANDROS: Forfar Field Station (FSCA; RHTC)

Literature Cited

- Anderson, R. S. 1993.** The Curculionoidea of southern Florida: An annotated checklist (Coleoptera: Curculionoidea [excluding Curculionidae; Scolytinae, Platypodinae]). *Insecta Mundi* 6: 193-248.
- Anderson, R. S. 1996.** Beetles of Pigeon Cay, Andros Island, Bahama Islands (Insecta: Coleoptera). *Bahamas Journal of Science* 2: 12-16.
- Arnett, R. H., Jr. 1953.** The oedemerid beetles of the Bimini Island group, Bahama Islands, British West Indies. *American Museum Novitates* 1646: 1-13.
- Arnett, R. H., Jr., and M. C. Thomas (eds.). 2001.** American Beetles. Vol. 1. Archostemata, Myxophaga, Adephaga, Polyphaga: Staphyliniformia. CRC Press; Boca Raton. xv + 443 p.
- Baranowski, R. M. 1981.** Discovery of the puncture vine stem weevil, *Microlarinus lypriformis*, (Coleoptera: Curculionidae) in the Bahamas. *Florida Entomologist* 64: 197.
- Barron, J. R. 1971.** A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea). *Memoirs of the Entomological Society of Canada* No. 75. 143 p.
- Blake, D. H. 1946.** Species of the genus *Lactica* from the West Indies closely related to *L. tibialis* (Olivier). *Journal of the Washington Academy of Sciences*, Menasha 36: 267-269.
- Blake, D. H. 1952.** Six new species of *Megistops* with keys to the known species (Coleoptera). *Psyche* 59: 10-25.
- Blake, D. H. 1965.** Twelve new species of chrysomelid beetles from the West Indies (Coleoptera: Chrysomelidae). *American Museum Novitates* 2217: 1-13.
- Blake, D. H. 1970.** A review of the beetles of the genus *Metachroma* Chevrolat (Coleoptera: Chrysomelidae). *Smithsonian Contributions to Zoology* 57. 109 p.
- Blackwelder, R. E. 1944-1957.** Checklist of the Coleopterous insects of Mexico, Central America, the West Indies, and South America. Smithsonian Institution, United States National Museum Bulletin 185, Parts 1-6. 1492 p.
- Bright, D. E. 1981.** Studies on West Indian Scolytidae (Coleoptera) 1. New species, new distribution records and taxonomic notes. *Studies on Neotropical Fauna and Environment* 16: 151-164.

- Bright, D. E.** 1982. Studies on West Indian Scolytidae (Coleoptera). 2. New distribution records and descriptions of a new genus and species. *Studies on Neotropical Fauna and Environment* 17: 163-168.
- Browne, D. J., S. B. Peck, and M. A. Ivie.** 1993. The longhorn beetles (Coleoptera: Cerambycidae) of the Bahama Islands with an analysis of species-area relationships, distribution patterns, origin of the fauna and an annotated species list. *Tropical Zoology* 6: 27-53.
- Campbell, J. M.** 1971. A revision of the Alleculidae (Coleoptera) of the West Indies. *Memoirs of the Entomological Society of Canada* 81: 1-140.
- Casey, T. L.** 1899. A revision of the American Coccinellidae. *Journal of the New York Entomological Society* 7: 71-163.
- Casey, T. L.** 1900. Review of the American Corylophidae, Cryptophagidae, Tritomidae, and Dermestidae, with other studies. *Journal of the New York Entomological Society* 8: 512-172.
- Casey, T. L.** 1910. On some new species of Balanini, Tychiini and related tribes. *Canadian Entomologist* 42: 114-144.
- Cazier, M. A.** 1951. The Buprestidae of the Bahama Islands, British West Indies (Coleoptera, Buprestidae). *American Museum Novitates* 1517: 1-9.
- Cazier, M. A.** 1952. Additions to the buprestid fauna of the Bahama Islands, British West Indies (Coleoptera, Buprestidae). *American Museum Novitates* 1562: 1-10.
- Cazier, M. A., and L. Lacey.** 1952. The Cerambycidae of the Bahama Islands, British West Indies (Coleoptera). *American Museum Novitates* 1588: 1-55.
- Chapin, E. A.** 1933. A new genus of West Indian Coccinellidae (Coleoptera). *Proceedings of the Biological Society of Washington* 46: 95-100.
- Chapin, E. A.** 1957. Records of coccinellid beetles from the Cayman Islands, with descriptions of new species from the West Indies. *Entomologist's Monthly Magazine* 93: 89-91.
- Chemsak, J. A.** 1967. Notes on Cerambycidae of Grand Bahama Island (Coleoptera). *Pan-Pacific Entomologist* 43: 181-188.
- Clark, W. E.** 1978. The weevil genus *Sibinia* Germar: Natural history, taxonomy, phylogeny, and zoogeography, with revision of the New World species (Coleoptera: Curculionidae). *Quaestiones Entomologicae* 14: 91-387.
- Clark, W. E.** 1981. The weevil genus *Hamaba* Casey (Coleoptera: Curculionidae). *Florida Entomologist* 64: 217-222.
- Clark, W. E.** 1982. Classification of the weevil tribe Lignyodini (Coleoptera, Curculionidae, Tychiinae), with revision of the genus *Plocetes*. *Transactions of the American Entomological Society* 108: 11-151.
- Clark, W. E.** 1991. Revision of the *Anthonomus alboannulatus* and *Anthonomus triensis* species groups (Coleoptera: Curculionidae). *Coleopterists Bulletin* 45: 206-226.
- Clark, W. E., and H. R. Burke.** 1996. The species of *Anthonomus* Germar (Coleoptera: Curculionidae) associated with plants in the family Solanaceae. *Southwestern Entomologist Supplement No. 19.* 114 p.
- Darlington, P. J.** 1951. West Indian Carabidae (Coleoptera): the Bahama species. *American Museum Novitates* 1650: 1-16.
- Dybas, H. S.** 1966. Evidence for parthenogenesis in the feather-wing beetles, with a taxonomic review of a new genus and eight new species (Coleoptera: Ptiliidae). *Fieldiana Zool.* 51: 11-52.
- Elliott, N. B.** 1993. Field guide to the insects of San Salvador Island, Bahamas. 2nd edition. Bahamian Field Station. 39 p.
- Elliott, N., and P. Salbert.** 1978. Notes on tiger beetles of San Salvador Island, Bahamas. *Cicindela* 10: 21-22.
- Erwin, T. L., and L. L. Sims.** 1984. Carabid beetles of the West Indies (Insecta: Coleoptera): A synopsis of the genera and checklists of tribes of Caraboidea, and of the West Indies. *Quaestiones Entomologicae* 20: 351-466.
- Fisher, W. S.** 1925a. New West Indian Cerambycidae (Coleoptera). Subfamily Lamiinae. *American Museum Novitates* 171: 1-16.
- Fisher, W. S.** 1925b. A revision of the West Indian Coleoptera of the family Buprestidae. *Proceedings of the United States National Museum* 65(art. 9) (no. 2522): 1-207.

- Fisher, W. S. 1932.** New West Indian cerambycid beetles. Proceedings of the United States National Museum 80(2922): 1-93.
- Fisher, W. S. 1935.** New West Indian cerambycid beetles. Proceedings of the United States National Museum 83(2979): 189-210.
- Fisher, W. S. 1942.** New West Indian cerambycid beetles, III. *Torreia* No. 10. 43 p.
- Ford, E. J. 1973.** A revision of the genus *Petalium* LeConte in the United States, Greater Antilles, and the Bahamas (Coleoptera: Anobiidae). United States Department of Agriculture Technical Bulletin 1467: 1-40.
- Ford, E. J. 1996.** The genus *Stelidota* Erichson in North America: a new species from Florida, new synonymy and lectotype designations (Coleoptera: Nitidulidae). Coleopterists Bulletin 50: 149-153.
- Frank, J. H., F. D. Bennett, and H. L. Cromroy. 1992.** Distribution and prey records for *Oligota minuta* (Coleoptera: Staphylinidae), a predator of mites. Florida Entomologist 75: 376-380.
- Galileo, M. H. M., and U. R. Martins. 1994.** Revisão da tribo Solenopterini (Coleoptera, Cerambycidae, Prioninae). Parte IV. Gênero *Elateropsis* Chevrolat 1982 e distribuição geográfica da tribo. Revista Brasileira de Entomologia 38: 109-153.
- Gordon, R. D. 1985.** The Coccinellidae (Coleoptera) of America North of Mexico. Journal of the New York Entomological Society 93: 1-912.
- Hamilton, R. W. 2007.** *Euscelus* species of the West Indies (Coleoptera: Attelabidae). Zootaxa 1495: 1-34.
- Herman, L. H., Jr. 1972.** Revision of *Bledius* and related genera. Part I. The *aequatorialis*, *mandibularis*, and *semiferrugineus* groups and two new genera (Coleoptera, Staphylinidae, Oxytelinae). Bulletin of the American Museum of Natural History 149: 111-254.
- Howden, A. T. 1963.** A new species of *Isodrusus*, with notes on *Isodrusus debilis* Sharp. Coleopterists Bulletin 17: 43-46.
- Howden, A. T. 1970.** The Tanymecini of the West Indies (Coleoptera: Curculionidae). Contributions to the American Entomological Institute 5: 1-73.
- Howden, A. T. 1992.** Review of the New World eyeless weevils with uncinate tibiae (Coleoptera, Curculionidae: Molytinae, Cryptorhynchinae, Cossoninae). Memoirs of the Entomological Society of Canada 162: 1-76.
- Howden, H. F. 1996.** West Indian *Neoathyreus* and their over-water dispersal (Coleoptera: Scarabaeidae: Geotrupinae). Journal of Natural History 30: 1503-1515.
- Ivie, M. A. 2002.** Zopheridae Solier 1834. p. 457-462. In: R. H. Arnett, Jr., M. C. Thomas, P. E. Skelley, and J. H. Frank (eds.). American beetles. Vol. 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press; Boca Raton. 861 p.
- Ivie, M. A., and J. A. Chemsak. 1983.** Synonymy in West Indian *Ecyrus* LeConte (Cerambycidae: Lamiinae: Pogonocherini). Coleopterists Bulletin 37: 199-202.
- Ivie, M. A., and T. K. Philips. 2008.** Three new species of *Canthonella* Chapin from Hispaniola, with new records and nomenclatural changes for West Indian dung beetles (Coleoptera: Scarabaeidae: Scarabaeinae). Zootaxa 1701: 1-14.
- Jameson, M. L. 1997.** Phylogenetic analysis of the subtribe Rutelina and revision of the Rutela generic groups (Coleoptera: Scarabaeidae: Rutelinae: Rutelini). Bulletin of the University of Nebraska State Museum 14: 1-184.
- Kingsolver, J. M. 1988.** Biosystematics of the genus *Merobruchus* of continental North America and the West Indies (Coleoptera: Bruchidae). United State Department of Agriculture, Agricultural Research Service, Technical Bulletin Number 1744: 1-63.
- Kissinger, David G. 1974.** Apioninae occurring in the West Indies (Curculionidae, Coleoptera). D. G. Kissinger Taxonomic Publications; Riverside, CA. 57 p.
- Král, D., I. Löbl, and G. V. Nikolajev. 2006.** Bolboceratidae. p. 82-84. In: I. Löbl and A. Smetana (eds.). Catalogue of Palaearctic Coleoptera, Vol. 3. Scarabaeoidea – Scirtoidea – Dasciloidea – Buprestoidea – Byrrhoidea. Apollo Books; Senstrup. 690 p.
- Lawrence, J. F. 1971.** Revision of the North American Ciidae (Coleoptera). Bulletin of the Museum of Comparative Zoology 142(5): 419-522.
- Lawrence, J. F., and H. Reichardt. 1967.** Revision of the genera *Gnostus* and *Fabrasia* (Coleoptera: Ptinidae). Psyche 73: 30-45.

- Leng, C. W., and A. J. Mutchler.** 1914. A preliminary list of the Coleoptera of the West Indies as recorded to January 1, 1914. Bulletin of the American Museum of Natural History 33: 393-397.
- Leng, C. W., and A. J. Mutchler.** 1922. The Lycidae, Lampyridae and Cantharidae (Telephoridae) of the West Indies. Bulletin of the American Museum of Natural History 46: 413-499.
- Liebherr, J. K.** 1987. A taxonomic revision of the West Indian *Platynus* beetles (Coleoptera: Carabidae). Transactions of the American Entomological Society 112: 289-368.
- Mantilleri, A., and A. Sforzi.** 2006. Review of the Neotropical species of the genus *Stereodermus* Lacordaire 1866 (Coleoptera: Brentidae, Stereodermini). Zootaxa 1207: 1-64.
- Marcuzzi, G.** 1962. Tenebrionid beetles of the West Indies. Studies on the Fauna of Curaçao and other Caribbean Islands 57: 21-48.
- Marcuzzi, G.** 1965. Nuove forme di Coleotteri Tenebrionidi dale Bahamas. Entomologische Arbeiten Museum G. Frey 16: 125-130.
- Matthews, E. G.** 1966. A taxonomic and zoogeographic survey of the Scarabaeinae of the Antilles (Coleoptera: Scarabaeidae). Memoirs of the American Entomological Society 21: 1-133.
- McHugh, J. V., and C. N. Lewis.** 2000. Three new species of *Carinisphindus* McHugh (Coleoptera: Sphindidae) from Bahamas, Florida and Puerto Rico. Coleopterists Bulletin 54: 143-153.
- Nearns, E. H., and M.A. Branham.** 2008. Revision and phylogeny of the tribes Curiini LeConte and Plectromerini Nearns & Branham, new tribe (Coleoptera: Cerambycidae: Cerambycinae). Memoirs of the American Entomological Society 47: 1-117.
- Nichols, S. W.** 1986. Two new flightless species of *Scarites* s. str. inhabiting Florida and the West Indies (Coleoptera: Carabidae: Scaratini). Proceedings of the Entomological Society of Washington 88: 257-264.
- Nichols, S. W.** 1988. Kaleidoscopic biogeography of West Indian Scaritinae (Coleoptera: Carabidae). p. 71-115. In: J. K. Liebherr (ed.). Zoogeography of Caribbean insects. Cornell University Press; Ithaca, NY.
- O'Brien, Charles W.** 1984. *Paralicus minyops* O'Brien, new genus and new species of Cossoninae from Florida and the Bahama Islands (Curculionidae: Coleoptera). Southwestern Entomologist 9: 346-349.
- O'Brien, C. W., and G. J. Wibmer, G. J.** 1982. Annotated checklist of the weevils (*sensu lato*) of North America, Central America, and the West Indies (Coleoptera: Curculionidae). Memoirs of the American Entomological Institute 34: 382 p.
- Ocampo, F. C.** 2006. Phylogenetic analysis of the scarab family Hybosoridae and monographic revision of the New World family Anaidinae (Coleoptera: Scarabaeoidea). Bulletin of the University Nebraska State Museum 19: 1-210.
- Pacheco, F.** 1964. Sistemática, filogenia y distribución de los Heteroceridos de America (Coleoptera: Heteroceridae). Monografías del Colegio de Post-Graduados: No. 1, Chapino, México. 155 p.
- Park, O.** 1954. The Pselaphidae of South Bimini Island, Bahamas, British West Indies (Coleoptera). American Museum Novitates 1674: 1-25.
- Peck, S. B.** 2005. A checklist of the beetles of Cuba with data on distributions and bionomics (Insecta Coleoptera). Arthropods of Florida and Neighboring Land Areas 18: i-vi + 1-241.
- Peck, S. B., and M. C. Thomas.** 1998. A distributional checklist of the beetles (Coleoptera) of Florida. Arthropods of Florida and Neighboring Land Areas 16: i-viii + 1-180.
- Philips, T. K., and M. A. Ivie.** 1998. The Methiini of the West Indies (Coleoptera: Cerambycidae) with notes on the circum-Caribbean species. Entomologica Scandinavica 29: 57-87.
- Pollock, D. A.** 1999. Review of the New World Hemipeplinae (Coleoptera: Mycteridae) with descriptions of ten new species. Entomologica Scandinavica 30: 47-73.
- Ratcliffe, B. C.** 1982. American Oryctini: *Strategus verrilli* Ratcliffe rediscovered and described, and new records and comments for other *Strategus* and *Hispanioryctes* (Coleoptera: Scarabaeidae: Dynastinae). Coleopterists Bulletin 36: 352-357.
- Ratcliffe, B. C., and R. D. Cave.** 2007. The Dynastinae (Coleoptera: Scarabaeidae) of the Bahamas with a description of a new species of *Cyclocephala* from Great Inagua Island. Insecta Mundi 0024: 1-10.
- Selander, R. B., and J. K. Bouseman.** 1960. Meloid beetles (Coleoptera) of the West Indies. Proceedings of the United States National Museum 111(3428): 197-226.

- Skelley, P. E. 2005.** A new species of 'jumping shore beetle' in the genus *Mexico* Spilman from the Bahamas (Coleoptera: Limnichidae: Thaumastodinae). *Insecta Mundi* 19: 119-122.
- Sleeper, E. L. 1954.** New Myrmecinae (Coleoptera, Curculionidae) from the Antilles. *Ohio Journal of Science* 54: 349-351.
- Smetana, A. 1995.** Rove beetles of the subtribe Philonthina of America north of Mexico (Coleoptera: Staphylinidae). Classification, phylogeny and taxonomic revision. *Memoirs on Entomology, International* 3: x + 946 p.
- Smith, T. R. 2007.** The Cybocephalidae (Coleoptera) of America north of Mexico. *Annals of the Entomological Society of America* 99: 776-792.
- Steiner, W. E., Jr. 2004.** New distribution records and recent spread of *Hymenorus farri* Campbell (Coleoptera: Tenebrionidae: Alleculinae) to Florida and the Caribbean region. *Proceedings of the Entomological Society of Washington* 106: 739-746.
- Steiner, W. E., Jr. 2005a.** Studies on the darkling beetles (Coleoptera: Tenebrionidae) known from Grand Bahama Island, with descriptions of new species of *Branchus* and *Adelina*. *Proceedings of the Entomological Society of Washington* 107: 441-459.
- Steiner, W. E., Jr. 2005b.** Notes and proposed studies on the darkling beetles (Coleoptera: Tenebrionidae) of the Bahamian region. p. 121-137. In: S. D. Buckner and T. S. McGrath (eds.). *Proceedings of the 10th Symposium on the Natural History of the Bahamas*. Gerace Research Center; San Salvador, Bahamas.
- Steiner, W. E., Jr. 2006.** New species of darkling beetles (Coleoptera: Tenebrionidae) from San Salvador Island, Bahamas. *Zootaxa* 1158: 1-38.
- Steiner, W. E., Jr. 2007.** The darkling beetles (Coleoptera: Tenebrionidae) of San Salvador, Bahamas, with notes on biogeography. p. 99-116. In: B. J. Rathke and W. K. Hayes (eds.). *Proceedings of the Eleventh Symposium on the Natural History of the Bahamas*. Gerace Research Center; San Salvador, Bahamas.
- Thomas, M. C. 1993.** The flat bark beetles of Florida (Laemophloeidae, Passandridae, Silvanidae). *Arthropods of Florida and Neighboring Land Areas* 15: i-viii + 93 p.
- Thomas, M. C. 2002.** New Bahamian records for Laemophloeidae (Coleoptera: Cucujoidea). *Insecta Mundi* 16: 250.
- Thomas, M. C. 2003.** A passandrid new to the Bahamas (Coleoptera: Cucujoidea). *Insecta Mundi* 17: 218.
- Thomas, M. C., and R. H. Turnbow Jr. 2008.** Cerambycidae new to Andros Island, Bahamas (Coleoptera). *Coleopterists Bulletin* 61: 581-588. (2007).
- Triplehorn, C. A. 1965.** Revision of Diaperini of America north of Mexico with notes on extrazonal species (Coleoptera: Tenebrionidae). *Proceedings of the United States National Museum* 117(3515): 349-458.
- Triplehorn, C. A., and L. E. Watrous. 1979.** A synopsis of the genus *Phaleria* in the United States and Baja, California (Coleoptera: Tenebrionidae). *Coleopterists Bulletin* 33: 275-295.
- Triplehorn, C. A., and L. E. Watrous. 1982.** *Phaleria* of the West Indies and circum-Caribbean region (Coleoptera: Tenebrionidae). *Coleopterists Bulletin* 36: 12-21.
- Valentine, B. D. 1955.** The Anthribidae of the Bahama Islands, British West Indies (Coleoptera). *American Museum Novitates* 1741: 1-11.
- Valentine, B. D. 2004.** A catalogue of West Indies Anthribidae. *Insecta Mundi* 17: 49-67.
- Vaurie, P. 1951.** Revision of the genus *Calendra* (formerly *Sphenophorus*) in the United States and Mexico (Coleoptera, Curculionidae). *Bulletin of the American Museum of Natural History* 98(art 2): 31-186.
- Vaurie, P. 1952a.** The checkered beetles of the Bahama Islands, British West Indies (Coleoptera, Cleridae). *American Museum Novitates* 1547: 1-5.
- Vaurie, P. 1952b.** Insect collecting in the Bimini Island group, Bahama Island. *American Museum Novitates* 1565: 1-24.
- Watson, J. R. 1944.** A new Cuban pest of citrus. *Florida Entomologist* 27: 13, 18.
- Whitehead, D. R. 1979.** Recognition characters and distribution records for species of *Conotrachelus* (Coleoptera: Curculionidae) that damage avocado fruits in Mexico and Central America. *Proceedings of the Entomological Society of Washington* 81: 105-107.

- Whitehead, D. R.** 1985. Systematics of *Apion (Trichapion) johnschmitti*, a new species from Costa Rica (Coleoptera: Curculionoidea: Apionidae). Coleopterists Bulletin 39: 111-119.
- Wibmer, G. J., and C. W. O'Brien.** 1986. Additions and corrections to annotated checklists of the weevils of North America, Central America, and the West Indies, and of South America. Southwestern Entomologist Supplement No. 13. 49 p.
- Wickham, H. F.** 1895. Notes on a trip to the Bahama Islands. Canadian Entomologist 27: 291-296.
- Wittmer, W.** 1992. Zur Kenntnis der Gattung *Tytthonyx* LeConte 1951. Beitrag 2. (Coleoptera: Cantaridae [sic], Subfam. Silinae, Tribus Tytthonyxini). Entomologica Basiliensis 15: 333-378.
- Woodruff, R. E.** 2006. The Asian mango flower beetle, *Protaetia fusca* (Herbst), and *Euphoria sepulcralis* (Fabricius) in Florida and the West Indies (Scarabaeidae: Cetoniinae). Insecta Mundi 20: 227-231.
- Young, F. N.** 1953. The water beetles of the Bahama Islands, British West Indies (Coleoptera: Dytiscidae, Gyrinidae, Hydrochidae, Hydrophilidae). American Museum Novitates 1616: 1-20.
- Young, F. N.** 1954. The water beetles of Florida. University of Florida Press; Gainesville, 238 p.
- Young, F. N.** 1963a. The nearctic species of *Copelatus* Erichson (Coleoptera: Dytiscidae). Quarterly Journal of the Florida Academy of Sciences 26: 56-77.
- Young, F. N.** 1963b. A new species of *Laccophilus* from the Bahamas (Coleoptera, Dytiscidae). American Museum Novitates 2152: 1-5.
- Young, F. N.** 1985. A key to the American species of *Hydrocanthus* Say, with descriptions of new taxa (Coleoptera: Noteridae). Proceedings of the Academy of Natural Sciences of Philadelphia 137: 90-98.

Received March 17, 2008; accepted March 20, 2008