

January 1929

Test 161: Baker 43-67

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Applied Mechanics Commons](#)

"Test 161: Baker 43-67" (1929). *Nebraska Tractor Tests*. 486.
<https://digitalcommons.unl.edu/tractormuseumlit/486>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 161

BRIEF SPECIFICATIONS

MOTOR: Make Le Roi Serial No. 1176-3 Type 4 Cylinder, Vertical
Head "I" Mounting Lengthwise
Bore and stroke: 5-1/2 x 7 in. Rated R.P.M. 1100
Port Dia. Valves: Inlet 2-1/4" Exhaust 2-1/4"
Belt pulley: Diam. 15-1/2 in. Face 8-1/2 in. R.P.M. 774
Magneto: Eiseman Model "G4"
Carburetor: Stromberg Model "M4" Size 1-3/4"
Governor: Own make No. _____ Type Fly-ball
Air Cleaner: Pomona "Vortex" Type Oil filter
Lubrication: Pressure

CHASSIS: Type 4 Wheels Serial No. G29140 Drive enclosed gear
Clutch: Twin Disc Type Single plate operated by hand
Advertised speeds, miles per hour: Low 2 to 2.5
Intermediate none High 3 to 3.5 Reverse 2.5
Drive wheels: Diameter 61" Face 24"
Lugs: Type Spade No. per wheel 48 Size 4-3/4" High x 3.4" Wide
Extension rims: Width None Seat Pressed Steel
Total weight as tested (with operator) 10,575 pounds.

FUEL AND OIL

Fuel: Gasoline Weight per gallon 6.15
Oil: Mobiloil BB To fill crankcase 5 gallon
Additional amount used during test 2 gallon
Total number of hours of test 35

UNIVERSITY OF NEBRASKA AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 161

REPAIRS AND ADJUSTMENTS

It was necessary to lock the gears in mesh during the high gear maximum and rated load drawbar tests.

REMARKS

The tests herein reported were conducted with one carburetor setting which remained unchanged throughout the tests. This condition should be recognized when comparing this test with any Nebraska test conducted prior to 1928.

In the advertising literature submitted with the specifications and application for test of this tractor we find no claims and statements which, in our opinion, are unreasonable or excessive.

The results of this test indicate that the rating of this tractor does not exceed the provisions of the tractor rating code of the American Society of Agricultural Engineers and the Society of Automotive Engineers.

We, the undersigned, certify that above is a true and correct report of official tractor test No. 161.

Lew Wallace
Engineer-in-Charge

E. E. Brackett

C. W. Smith

E. B. Lewis
Board of Tractor Test Engineers