

2-29-2012

## Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae (Coleoptera) of Peru

Miguel A. Monné

*Universidade Federal do Rio de Janeiro*, monne@uol.com.br

Eugenio H. Nears

*University of New Mexico*, gnearns@unm.edu

Sarah C. Carbonel Carril

*Universidad Nacional Mayor de San Marcos, Peru*, sarah\_carbonel@yahoo.com

Ian P. Swift

*California State Collection of Arthropods*, ian@pleocom.com

Marcela L. Monné

*Universidade Federal do Rio de Janeiro*, mlmonne@uol.com.br

Follow this and additional works at: <http://digitalcommons.unl.edu/insectamundi>

 Part of the [Entomology Commons](#)

Monné, Miguel A.; Nears, Eugenio H.; Carbonel Carril, Sarah C.; Swift, Ian P.; and Monné, Marcela L., "Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae (Coleoptera) of Peru" (2012). *Insecta Mundi*. 717.

<http://digitalcommons.unl.edu/insectamundi/717>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# INSECTA MUNDI

A Journal of World Insect Systematics

---

**0213**

Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae  
(Coleoptera) of Peru

Miguel A. Monné

Museu Nacional  
Universidade Federal do Rio de Janeiro  
Quinta da Boa Vista  
São Cristóvão, 20940-040  
Rio de Janeiro, RJ, Brazil

Eugenio H. Nearn

Department of Biology  
Museum of Southwestern Biology  
University of New Mexico  
Albuquerque, NM 87131-0001, USA

Sarah C. Carbonel Carril

Departamento de Entomología  
Museo de Historia Natural  
Universidad Nacional Mayor de San Marcos  
Avenida Arenales 1256, Lima, Peru

Ian P. Swift

California State Collection of Arthropods  
3294 Meadowview Road  
Sacramento, CA 95832-1448, USA

Marcela L. Monné

Museu Nacional  
Universidade Federal do Rio de Janeiro  
Quinta da Boa Vista  
São Cristóvão, 20940-040  
Rio de Janeiro, RJ, Brazil

Date of Issue: February 29, 2012

Miguel A. Monné, Eugenio H. Nearn, Sarah C. Carbonel Carril, Ian P. Swift, and Marcela L. Monné  
Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae (Coleoptera) of Peru  
Insecta Mundi 0213: 1-48

**Published in 2012 by**

Center for Systematic Entomology, Inc.  
P. O. Box 141874  
Gainesville, FL 32614-1874 U. S. A.  
<http://www.centerforsystematicentomology.org/>

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

**Insecta Mundi** is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology. Manuscript preparation guidelines are available at the CSE website.

**Managing editor:** Paul E. Skelley, e-mail: [insectamundi@gmail.com](mailto:insectamundi@gmail.com)

**Production editor:** Michael C. Thomas, Brian Armitage, and Ian Stocks

**Editorial board:** J. H. Frank, M. J. Paulsen

**Subject editors:** G.B. Edwards, J. Eger, A. Rasmussen, F. Shockley, G. Steck, Ian Stocks, A. Van Pelt, J. Zaspel

**Spanish editors:** Julieta Brambila, Angélico Asenjo

**Printed copies (ISSN 0749-6737) deposited in libraries of:**

CSIRO, Canberra, ACT, Australia  
Museu de Zoologia, São Paulo, Brazil  
Agriculture and Agrifood Canada, Ottawa, ON, Canada  
The Natural History Museum, London, Great Britain  
Muzeum i Instytut Zoologiczny PAN, Warsaw, Poland  
National Taiwan University, Taipei, Taiwan  
California Academy of Sciences, San Francisco, CA, USA  
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA  
Field Museum of Natural History, Chicago, IL, USA  
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA  
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

**Electronic copies (On-Line ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:**

Printed CD mailed to all members at end of year.

Florida Center for Library Automation: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://edocs.ub.uni-frankfurt.de/volltexte/2010/14363/>

**Author instructions** available on the **Insecta Mundi** page at:

<http://www.centerforsystematicentomology.org/insectamundi/>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

---

---

Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae  
(Coleoptera) of Peru

Miguel A. Monné

Museu Nacional  
Universidade Federal do Rio de Janeiro  
Quinta da Boa Vista  
São Cristóvão, 20940-040  
Rio de Janeiro, RJ, Brazil  
monne@uol.com.br

Eugenio H. Nearn

Department of Biology  
Museum of Southwestern Biology  
University of New Mexico  
Albuquerque, NM 87131-0001, USA  
gnearns@unm.edu

Sarah C. Carbonel Carril

Departamento de Entomología  
Museo de Historia Natural  
Universidad Nacional Mayor de San Marcos  
Avenida Arenales 1256, Lima, Peru  
sarah\_carbonel@yahoo.com

Ian P. Swift

California State Collection of Arthropods  
3294 Meadowview Road  
Sacramento, CA 95832-1448, USA  
ian@pleocom.com

Marcela L. Monné

Museu Nacional  
Universidade Federal do Rio de Janeiro  
Quinta da Boa Vista  
São Cristóvão, 20940-040  
Rio de Janeiro, RJ, Brazil  
mlmonne@uol.com.br

**Abstract.** A preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae (Coleoptera) of Peru is presented. Within Cerambycidae, we record five subfamilies, 55 tribes, 345 genera and subgenera, and 714 species. Within Disteniidae, we record one tribe, six genera, and 11 species. We also record one subfamily, one tribe, one genus, and two species within Vesperidae. Four **new country records** are recorded: one species in the tribe Anacolini (Cerambycidae: Prioninae): *Cycloprionus flavus* Tippmann, 1953; and three species in the tribe Onciderini (Cerambycidae: Lamiinae): *Cacostola simplex* (Pascoe, 1859); *Marensis simplex* (Bates, 1865); *Trachysomus cavigibba* Martins, 1975. In addition, 161 species recorded are known only from Peru.

**Keywords.** South America; Coleoptera; faunal survey; Neotropical; new country records; taxonomy

**Resumen.** Se presenta una lista preliminar de los Cerambycidae, Disteniidae, y Vesperidae (Coleoptera) de Perú. Entre Cerambycidae, se reporta cinco subfamilias, 55 tribus, 345 generas y subgéneros, y 714 especies. Entre Disteniidae, se reporta una tribu, seis géneros, y 11 especies. También se reporta una subfamilia, una tribu, un género, y dos especies para Vesperidae. Cuatro **nuevos registros** para el país se reportan: una especie en la tribu Anacolini

(Cerambycidae: Prioninae): *Cycloprionus flavus* Tippmann, 1953; y tres especies en la tribu Onciderini (Cerambycidae: Lamiinae): *Cacostola simplex* (Pascoe, 1859); *Marensis simplex* (Bates, 1865); *Trachysomus cavigibba* Martins, 1975. Adicionalmente, 161 especies registradas se conocen sólo de Perú.

**Palabras claves.** Sudamérica; Coleoptera; estudio faunístico; neotropical; nuevos registros para el país, taxonomía

## Introduction

With approximately 1,285,200 km<sup>2</sup>, Peru is the third-largest country in South America. Peru is bordered by Ecuador and Colombia to the north, Brazil and Bolivia to the east, Chile to the south, and the Pacific Ocean to the west. The topography of Peru is highly complex, with 11 ecological regions and 84 life zones (Brack Egg and Vargas 2004). Peru may be divided into three major regions: Andean cordillera, Amazonian lowlands, and Pacific coast. The Andean cordillera runs north-south along the length of the country, with peaks exceeding 6,000 m in elevation. Over half of Peru's landmass is located within the Amazonian lowlands, east of the Andean cordillera. The dry, 3,000 km-long Pacific coast is characterized by desert and scrub habitat, bordering with Chile's Atacama Desert in the south.

Given its ecological diversity, it is perhaps not surprising that Peru is considered a mega diverse country (CONAM 1999). For example, there are 25,000 species of plants (Brack Egg and Vargas 2004), 1,800 species of birds (Schulenberg et al. 2007), and 1,010 species of freshwater fishes recorded (Ortega et al. 2011). Among insects, ~4,000 species butterflies (Lepidoptera: Papilionoidea, Hesperioidea) (G. Lamas, personal communication), ~600 species of tiger moths (Lepidoptera: Arctiidae) (J. Grados, personal communication), and 1,169 species of wasps (Hymenoptera: Aculeata) (Rasmussen and Asenjo 2009) are known from Peru. Aguilar et al. (1998) list 4,151 species of Coleoptera from Peru. Among these, 394 species of rove beetles (Staphylinidae) (Asenjo 2004) and ~500 species of dung beetles (Scarabaeinae) are recorded (L. Figueroa, personal communication).

Bouchard et al. (2011) list four cerambycid families within the superfamily Chrysomeloidea Latreille, 1802: Cerambycidae Latreille, 1802; Disteniidae Thomson, 1861; Oxypeltidae Lacordaire, 1868; and Vesperidae Mulsant, 1839. Over the last decade, several cerambycid faunal checklists have been produced for various Neotropical countries and regions (e.g., Hovore 2006 (Guatemala); Wappes et al. 2006 (Bolivia); Monné et al. 2009 (Parque Nacional do Itatiaia, Brazil); Swift et al. 2010 (Costa Rica)). This work represents the first effort to list the cerambycid diversity of Peru and serves as baseline knowledge for the study of these families in the region. In addition, we indicate those cerambycid species known only from Peru.

## Materials

Data used in this checklist are primarily derived from the Monné (2005a, 2005b, 2006) and Monné and Bezark (2011) and follows the classification of Bouchard et al. (2011). Four collections were also used: **JTPC**: Julien Touroult Private Collection, Soyaux, France; **MNHN**: Muséum National d'Histoire Naturelle, Paris, France; **MNRJ**: Museu Nacional, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil; **MUSM**: Museo de Historia Natural Universidad Nacional Mayor de San Marcos, Lima, Peru. Literature references and synonyms correspond to those in Monné and Bezark (2011) and are not presented in this checklist for brevity. No taxonomic or nomenclatural changes are proposed in this work. Any inconsistencies herein are solely errors, and should not be considered as explicit taxonomic statements.

## Discussion

The cerambycid beetles (families Cerambycidae, Disteniidae, Oxypeltidae, and Vesperidae) are a charismatic and economically important group of insects with an estimated 4,000 genera and 35,000 described species worldwide (Lawrence 1991). Cerambycoids are among the most serious wood boring

pest species in the world, affecting various agricultural crops, ornamental trees, and lumber products, causing millions of dollars in damage each year (Solomon 1995).

Three of four cerambycoid families (Cerambycidae, Disteniidae, and Vesperidae) are recorded from Peru. Five of nine subfamilies of Cerambycidae (Cerambycinae Latreille, 1802; Lamiinae Latreille, 1825; Lepturinae Latreille, 1802; Parandrinae Blanchard, 1845; Prioninae Latreille, 1802) and one of three subfamilies of Vesperidae (Anoplodermatinae Guérin-Ménéville, 1840) are recorded from Peru. Within Cerambycidae, we list 714 species in 345 genera and subgenera and 55 tribes. Within Disteniidae, we list 11 species in six genera and one tribe. We also list two species in one genus and one tribe of Vesperidae. Four new country records are recorded: one species in the tribe Anacolini (Cerambycidae: Prioninae): *Cycloprionus flavus* Tippmann, 1953; and three species in the tribe Onciderini (Cerambycidae: Lamiinae): *Cacostola simplex* (Pascoe, 1859); *Marensis simplex* (Bates, 1865); *Trachysomus cavigibba* Martins, 1975. In addition, 161 species recorded are known only from Peru.

### New Country Records

***Cycloprionus flavus* Tippmann, 1953** (Cerambycidae: Prioninae: Anacolini) is recorded from Peru, **new country record**. One male and one female specimen (MNRJ), Peru: Junin: Satipo, II.1944, A. Maller col. This species was previously recorded from Brazil and French Guiana (Monné 2006; Monné and Bezark 2011).

***Cacostola simplex* (Pascoe, 1859)** (Cerambycidae: Lamiinae: Onciderini) is recorded from Peru, **new country record**. One male specimen (MNHN), Peru: Amazonas, Cavallo-Cocho, Mai-Juillet 1884, M. de Mathan. This species was previously recorded from Brazil and French Guiana (Monné 2005b; Monné and Bezark 2011).

***Marensis simplex* (Bates, 1865)** (Cerambycidae: Lamiinae: Onciderini) is recorded from Peru, **new country record**. One male specimen (JTPC), Peru: Satipo, Junin, 2009, via P. Demez. This species was previously recorded from Brazil and Ecuador (Monné 2005b; Monné and Bezark 2011).

***Trachysomus cavigibba* Martins, 1975** (Cerambycidae: Lamiinae: Onciderini) is recorded from Peru, **new country record**. One male specimen (JTPC), Peru: Satipo, Junin, Rio Venado, 700 m, I-2011, via P. Demez. This species was previously recorded from Bolivia (Monné 2005b; Monné and Bezark 2011).

### Acknowledgments

The following individuals and institutions are gratefully acknowledged: Gerardo Lamas, Luis Figueroa, and Juan Grados (MUSM); Julien Touroult (JTPC); Thierry Deuve and Azadeh Taghavian (MNHN); Steven W. Lingafelter (Systematic Entomology Lab, National Museum of Natural History, Smithsonian Institution, Washington, DC, USA); Amy Berkov (Department of Biology, City College of New York, New York, NY, USA); Kelly B. Miller and Nathan P. Lord (Department of Biology, Museum of Southwestern Biology, University of New Mexico, Albuquerque, NM, USA). Antonio Santos-Silva (Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil), Maria Helena M. Galileo (Museu de Ciências Naturais, Porto Alegre, RS, Brazil), and Paul Skelley (Florida State Collection of Arthropods, Gainesville, FL, USA) provided helpful comments to a previous version of this manuscript.

### Literature Cited

**Aguilar, P. G., K. G. Raven, G. Lamas, and I. Redolfi. 1998.** Conocimiento actual de la diversidad de los insectos registrados para el Perú. p. 143-149. *In*: La Diversidad Biológica de Iberoamérica III.

- Halffter, G. Volumen Especial, Acta Zoológica Mexicana, nueva serie. Instituto de Ecología; Xalapa. 244 p.
- Asenjo, A. 2004.** Lista preliminar de las especies de Staphylinidae (Coleoptera) registradas para Perú. *Revista Peruana de Entomología* 44: 55-64.
- Bouchard, P., Y. Bousquet, A. E. Davies, M. A. Alonso-Zarazaga, J. F. Lawrence, C. H. C. Lyal, A. E. Newton, C. A. M. Reid, M. Schmitt, S. A. Slipinski, and A. B. T. Smith. 2011.** Family-group names in Coleoptera (Insecta). *ZooKeys* 88: 1-972.
- Brack Egg, A., and C. M. Vargas. 2004.** *Ecología del Perú*. Editorial Bruño; Lima. 495 p.
- CONAM (Consejo Nacional del Ambiente). 1999.** Perú Megadiverso. Prioridades en Uso y Conservación de la Biodiversidad para el Desarrollo Sostenible. CONAM; Peru. 52 p.
- Hovore, F. T. 2006.** The Cerambycidae (Coleoptera) of Guatemala. p. 363-378. *In: E. Cano (ed.). Biodiversidad de Guatemala de Guatemala*. Universidad del Valle de Guatemala; Guatemala. 895 p.
- Lawrence, J. F. 1991.** Order Coleoptera; p. 556-561. *In: F.W. Stehr. Immature Insects Volume 2*. Kendall/Hunt Publishing Company; Dubuque. 658 p.
- Monné, M. A. 2005a.** Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part I. Subfamily Cerambycinae. *Zootaxa* 946: 1-765.
- Monné, M. A. 2005b.** Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. *Zootaxa* 1023: 1-760.
- Monné, M. A. 2006.** Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part III. Subfamilies Parandrinae, Prioninae, Anoplodermatinae, Aseminae, Spondylidinae, Lepturinae, Oxypeltinae, and addenda to the Cerambycinae and Lamiinae. *Zootaxa* 1212: 1-244.
- Monné, M. A., and L. G. Bezark. 2011.** Checklist of the Cerambycidae and related families (Coleoptera) of the Western Hemisphere. Available from: <http://plant.cdfa.ca.gov/bycidb/> (Accessed on 12/4/2011).
- Monné, M. L., M. A. Monné, and J. R. Mermudes. 2009.** Inventario das especies de Cerambycinae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. *Biota Neotropica* 9(3): 1-30.
- Ortega, H., M. Hidalgo, E. Correa, J. Espino, L. Chocano, G. Trevejo, V. Meza, A. M. Cortijo and R. Quispe. 2011.** Lista anotada de los peces de aguas continentales del Perú: Estado actual del conocimiento, distribución, usos y aspectos de conservación. Ministerio del Ambiente, Dirección General de Diversidad Biológica, Museo de Historia Natural, UNMSM; Lima. 48 p.
- Rasmussen, C., and A. Asenjo. 2009.** A checklist to the wasps of Peru (Hymenoptera, Aculeata). *ZooKeys* 15: 1-78.
- Schulenberg, T. S., D. F. Stotz, D. F. Lane, J. P. O'Neill, and T. A. Parker III. 2007.** *Birds of Peru*. Princeton University Press; Princeton. 656 p.
- Solomon, J. D. 1995.** Guide to insect borers in North American broadleaf trees and shrubs. United States Department of Agriculture, Forest Service; Washington, D.C. 735 p.
- Swift, I. P., L. G. Bezark, E. H. Nearn, A. Solís, and F. T. Hovore. 2010.** Checklist of the Cerambycidae and Disteniidae (Coleoptera) of Costa Rica. *Insecta Mundi* 0131: 1-68.
- Wappes, J. E., R. F. Morris, E. H. Nearn, and M. C. Thomas. 2006.** Preliminary checklist of Bolivian Cerambycidae (Coleoptera). *Insecta Mundi* 20(1-2): 1-45.

Received December 26, 2011; Accepted February 1, 2012.

**Checklist of Cerambycidae, Disteniidae, and Vesperidae of Peru**

**Family Cerambycidae** Latreille, 1802: 211

**Subfamily Parandrinae** Blanchard, 1845: 134

**Tribe Parandrini** Blanchard, 1845: 134

*Birandra* Santos-Silva, 2002: 47

*B. punctata* (White, 1853: 2)

Panama, nSAmerica, Ecuador, Peru

*Parandra (Parandra)* Latreille, 1802: 160

*P. (P.) glabra* (DeGeer, 1774: 352)

Mexico-Argentina, West Indies

*Parandra (Tavandra)* Santos-Silva, 2003: 125

*P. (T.) longicollis* Thomson, 1861: 83

Mexico-Argentina

*P. (T.) polita* Say, 1835: 192

scUSA, Mexico-Bolivia

*P. (T.) villei* Lameere, 1885: 3

Honduras, Colombia, Venezuela, Ecuador, Peru

**Subfamily Prioninae** Latreille, 1802: 212

**Tribe Anacolini** Thomson, 1857: 10

*Biribellus* Galileo, 1987: 528

*B. martinsi* Galileo, 1987: 529

Peru

*Chariea* Audinet-Serville, 1832: 197

*C. cyanea* Audinet-Serville, 1832: 198

French Guiana, Peru, Bolivia, Brazil

*Cycloprionus* Tippmann, 1953: 200

*C. flavus* Tippmann, 1953: 202 **NEW RECORD**

French Guiana, Peru, Brazil

*Hovorelus* Galileo and Monné, 2003: 38

*H. splendidus* Galileo and Monné, 2003: 39

Peru

*Myzomorphus* Dejean, 1835: 319

*M. quadripunctatus* (Gray, 1831: pl. 70, fig. 1)

Colombia, Venezuela, French Guiana, Ecuador, Peru, Brazil

**Tribe Callipogonini** Thomson, 1861: 293, 323

*Callipogon (Callipogon)* Audinet-Serville, 1832: 140

*C. (C.) lemoinei* Reiche, 1840: 275

Honduras-Colombia, Venezuela, Ecuador, Peru



*Callipogon (Orthomegas)* Audinet-Serville, 1832: 149

*C. (O.) frischeiseni* Lackerbeck, 1998: 518

Peru

*C. (O.) pehlkei* Lameere, 1904: 60

Colombia, French Guiana, Peru, Brazil

**Tribe Calocomini** Galileo and Martins, 1993: 81

*Calocomus* Audinet-Serville, 1832: 194

*C. rodingeri* Tippmann, 1951: 304

Peru, Bolivia

**Tribe Macrodoniini** Thomson, 1861: 294, 324

*Macrodonia* Lacordaire 1830: 171

*M. cervicornis* (Linnaeus, 1758: 389)

Colombia, Guianas-Brazil, Trinidad and Tobago, Venezuela, Ecuador, Peru, Bolivia

*M. crenata* (Olivier, 1795: 27)

Colombia, French Guiana, Venezuela, Peru, Brazil, Bolivia

*M. itayensis* Simoëns, 2006: 1

Peru

*M. zischkai* Tippmann, 1960: 92

Peru, Brazil (Acre), Bolivia

**Tribe Macrotomini** Thomson 1861: 290, 312

*Allomalodon* Santos-Silva and Galileo, 2010: 66

*A. popelairei* (Lameere, 1902: 83)

Peru

*Chiasmetes* Pascoe, 1867: 411

*C. limae* (Guérin-Méneville, 1830: 128)

Ecuador, Peru, Chile

*Mallodon* Lacordaire 1830: 171

*M. baiulus* Erichson, 1847: 138

French Guiana, Colombia, Venezuela, Ecuador, Peru, Brazil, Bolivia

*M. linsleyi* Fragoso and Monné, 1995: 220

Peru

*M. molarius molarius* Bates, 1879: 9

Mexico-Colombia, Venezuela, Ecuador, Peru

*Physopleurus* Lacordaire, 1869: 120

*P. amazonicus* (Fragoso and Monné, 1995: 723)

French Guiana, Peru, Brazil, Bolivia

*P. longiscapus* Lameere, 1912: 127

Colombia, Ecuador, Peru, Brazil, Bolivia

*P. villardi* (Lameere, 1902: 87)

eEcuador, Peru, Guatemala?

*Strongylaspis* Thomson, 1861: 313

*S. christinae* Monné and Santos-Silva, 2003: 42

Peru, Brazil, Bolivia

**Tribe Mallaspini** Thomson, 1861: 286, 302*Charmallaspis* Galileo and Martins, 1992: 319*C. pulcherrima* (Perty, 1832: 86)

Colombia, Venezuela, Ecuador, Peru, Brazil, Bolivia

*Hileolaspis* Galileo and Martins, 1992: 395*H. auratus* (Linnaeus, 1758: 395)

Venezuela, Guianas, Peru, Brazil, Bolivia, Paraguay

*Mallaspis* Audinet-Serville, 1832: 188*M. scutellaris* (Olivier, 1795: (66)14)

Colombia, Ecuador, Venezuela, Guianas, Peru, Brazil, Bolivia

*Praemallaspis* Galileo and Martins, 1992: 306*P. inca* Galileo and Martins, 1992: 316

Peru

**Tribe Meroscelisini** Thomson, 1861: 285, 299*Andinotrichoderes* Tippmann, 1960: 97*A. pellitus* Tippmann, 1960: 98

Peru, Bolivia

*Sarifer* Kirsch, 1870: 373*S. flavirameus* Kirsch, 1870: 374

Colombia, Ecuador, Peru, Brazil, Bolivia, Argentina

**Tribe Prionini** Latreille, 1802: 212*Prionacalus* White, 1845: 109*P. atys* White, 1850: 11

Ecuador, Peru

*P. cacticus* (White, 1845: 110)

Ecuador, Peru

*P. uniformis* Waterhouse, 1900: 505

Peru

*P. woytkowskii* (Heyrovsky, 1960: 162)

Peru, Argentina

*Psalidognathus* Gray in Griffith, 1831: pl. 6*P. erythrocerus pubescens* Quentin and Villiers, 1983: 443

Peru

*P. erythrocerus reichei* Quentin and Villiers, 1983: 442

Ecuador, Peru

*P. superbus* Fries, 1833: 325

Costa Rica, Panama, Colombia, Venezuela, Ecuador, Peru, Brazil

*Titanus* Audinet-Serville, 1832: 133*T. giganteus* (Linnaeus, 1771: 531)

Guianas, Colombia, Ecuador, Peru, Brazil

**Subfamily Lepturinae** Latreille, 1802: 218**Tribe Lepturini** Latreille, 1802: 218*Strangalia* Audinet-Serville, 1835: 220*S. albicollis* (Pascoe, 1860: 63)

Ecuador, Peru, Brazil, Bolivia

*S. rubricollis* (Bates, 1870: 312)

French Guiana, Peru, Brazil, Bolivia

**Subfamily Cerambycinae** Latreille, 1802: 211**Tribe Achrysonini** Lacordaire, 1868: 231*Achryson* Audinet-Serville, 1833: 572*A. lineolatum* Erichson, 1847: 142

Ecuador, Colombia, Peru, Bolivia, Chile, Galapagos Is

*A. pictum* Bates, 1870: 248

Guianas, Colombia, Venezuela, eEcuador, Peru, Brazil, Bolivia

*A. surinamum* (Linnaeus, 1767: 632)

swUSA-Argentina, West Indies (widely distributed)

**Tribe Bothriospilini** Lane, 1950: 370*Chlorida* Audinet-Serville, 1834: 31*C. festiva* (Linnaeus, 1758: 389)

seUSA, CAmerica, SAmerica, West Indies (widely distributed)

**Tribe Callichromatini** Swainson, 1840: 293*Callichroma* Latreille, 1816: 24*C. auricomum* (Linnaeus, 1767: 629)

Colombia, Guiana, Ecuador, Peru, Brazil

*C. iris trilineatum* Bates, 1879: 403

Ecuador, Peru, Bolivia, Brazil, Paraguay, Argentina, Uruguay

*C. seiunctum* (Schmidt, 1924: 314)

Peru

*C. sericeum* (Fabricius, 1792: 253)

Costa Rica, Colombia, Peru, Brazil, Paraguay, Argentina, Uruguay, Bolivia

*C. velutinum* (Fabricius, 1775: 167)

Guianas, Venezuela, Peru, Brazil, West Indies

*Mionochroma* Schmidt, 1924: 299*M. aureotinctum* (Bates, 1870: 335)

Mexico, Panama, Guianas, Peru, Bolivia, Brazil

*M. ocreatum* (Bates, 1870: 335)

French Guiana, Colombia, eEcuador, Peru, Brazil

*M. spinosissimum* (Schmidt, 1924: 313)

Peru

*M. subaurosium* (Zajciw, 1966: 347)

Peru, Bolivia

*M. vittatum* (Fabricius, 1775: 166)

Mexico-Brazil, Peru

**Tribe Cerambycini** Latreille, 1802: 211**Subtribe Cerambycina** Latreille, 1802: 211***Jupoata*** Martins and Monné, 2002: 195***J. peruviana*** (Tippmann, 1960: 111)

French Guiana, Peru

***J. rufipennis*** (Gory, 1831: pl. 44, fig. 1)

Mexico-Panama, French Guiana, Suriname, Ecuador, Peru, Brazil, Bolivia, Argentina

***Peruanus*** Tippmann, 1960: 110***P. serricornis*** Tippmann, 1960: 111

Colombia, Ecuador, Peru

***Plocaederus*** Megerle in Dejean, 1835: 319***P. glabricollis*** (Bates, 1870: 251)

Ecuador, Peru, Brazil, Bolivia

**Subtribe Sphalotrichina** Martins and Monné, 2005: 2***Amphelictus*** Bates, 1884: 242***A. aibussu*** Martins and Monné, 2005: 57

Peru

***A. caliginosus*** Martins and Monné, 2005: 59

Peru

***A. parvipunctus*** Eya and Chemsak, 2003: 10

Peru

***Criodion*** Audinet-Serville, 1833: 571***C. cinereum*** (Olivier, 1795: (66)35)

Costa Rica, Puerto Rico?, Venezuela, Colombia, Guianas, Peru, Bolivia

***C. torticolle*** Bates, 1870: 252

Colombia, Venezuela, Brazil, French Guiana, Peru, Bolivia, Paraguay, Argentina

***Metacriodion*** Fragoso, 1970: 97***M. pictum*** (Waterhouse, 1880: 292)

Ecuador, Peru, Bolivia

***Poeciloxestia*** Lane, 1965: 269***P. hirsutiventris*** Fragoso, 1978: 133

Peru, Bolivia

***P. lateralis*** (Erichson, 1847: 140)

French Guiana, Peru, Bolivia

***P. melzeri*** Lane, 1965: 270

Peru, Brazil, Bolivia

***Sphallambyx*** Fragoso, 1982: 145***S. superbum*** (Aurivillius, 1910: 147)

Colombia, Ecuador, Peru, Brazil, Bolivia

***Sphalotrichus*** Fragoso, 1982: 145***S. puncticollis robustus*** (Bates, 1872: 172)

Nicaragua, Costa Rica, Panama, Colombia, Ecuador, Peru

**Tribe Clytini** Mulsant, 1839: 70***Amyipunga*** Martins and Galileo, 2011***A. barbarae*** Schmid, 2011

Peru

***Cotyclytus*** Martins and Galileo, 2011: 127***C. peruvianus*** (Schmid, 2009: 279)

Peru

***C. potiuna*** (Galileo and Martins, 2007: 350)

Peru

***Mecometopus*** Thomson, 1861: 222***M. wallacei*** (White, 1855: 259)

Guyana, Peru, Brazil, Bolivia

***Megacyllene*** Casey, 1912: 348***M. andesiana*** (Casey, 1912: 352)

Ecuador, Peru

***M. angulata*** (Fabricius, 1775: 192)

Mexico-Panama, Guianas, Venezuela, Peru, Brazil, Bolivia, Chile, West Indies (Dominica)

***M. melanaspis*** (Chevrolat, 1861: 378)

Colombia, Venezuela, Ecuador, Peru

***M. punensis*** Martins and Galileo, 2008: 273

Peru

***Neoclytus*** Thomson, 1860: 67***N. pusillus*** (Laporte and Gory, 1836: 22)

Peru, Brazil, Bolivia, Paraguay, Uruguay, Argentina

***N. unicolor*** (Laporte and Gory, 1836: 34)

Peru

***Pirangoclytus*** Martins and Galileo, 2011: 181***P. granulipennis*** (Zajciw, 1963: 178)

Venezuela, Peru

***P. laetus*** (Fabricius, 1801: 348)

Guianas, Colombia, Peru, Brazil

***P. nubicollis*** (Zajciw, 1964: 308)

Peru, Brazil

***P. purus*** (Bates, 1870: 398)

Peru, Brazil, Bolivia

***Unaiuba*** Martins and Galileo, 2011: 169***U. pinima*** (Galileo and Martins, 2007: 349)

Peru, Bolivia

***U. vitticollis*** (Aurivillius, 1920: 365)

Peru

***Ygapema*** Martins and Galileo, 2011***Y. michelleae*** Schmid, 2011

Peru

**Tribe Compsocerini** Thomson, 1864: 260***Aglaoschema*** Napp, 1994: 658***A. albicorne*** (Fabricius, 1801: 269)

Venezuela, French Guiana, Peru, Brazil

***A. cyaneum*** (Pascoe, 1860: 62)

Peru, Brazil

***A. inca*** Napp, 2007: 802

Colombia, Peru

***Caperonotus*** Napp, 1993: 657***C. cardinalis*** (Bates, 1870: 393)

Peru, Brazil

***C. superbis*** (Aurivillius, 1897: 245)

Peru, Brazil

***Chlorethe*** Bates, 1867: 24***C. ingae*** Bates, 1867: 24

French Guiana, Ecuador, Peru, Brazil, Bolivia

***Cosmoplatidius*** Gounelle, 1911: 233***C. abare*** Napp and Martins, 2006: 474

Peru, Brazil, Bolivia

***C. simulans*** (Bates, 1870: 428)

French Guiana, Ecuador, Peru, Brazil, Bolivia

***Cosmoplatus*** Aurivillius, 1891: 101***C. peruvianus*** Aurivillius, 1891: 102

Peru, Bolivia

***Orthostoma*** Lacordaire, 1830: 174***O. abdominale*** (Gyllenhal, 1817: 157)

Colombia, Ecuador, Peru, Brazil, Bolivia, Paraguay, Argentina

**Tribe Eburini** Blanchard, 1845: 145***Beraba*** Martins, 1997: 67***B. spinosa*** (Zajciw, 1967: 527)

Peru

***Eburella*** Monné and Martins, 1973: 152***E. pinima*** Martins, 1997: 67

Peru, Bolivia

***Eburia (Eburia)*** Lacordaire, 1830: 177***E. (E.) cinerea*** Franz, 1959: 189

Peru

***E. (E.) pilosa*** (Erichson, 1834: 267)

Ecuador, Galapagos Is, Peru, Bolivia, Chile

***E. (E.) rufobrunnea*** Perroud, 1855: 367

Guatemala, wEcuador, Peru

- Eburodacrys* White, 1853: 93  
*E. granipennis* Gounelle, 1909: 629  
Trinidad and Tobago, Colombia, Ecuador, Peru, Brazil, Bolivia  
*E. lanei* Zajciw, 1958: 233  
Peru, Brazil, Bolivia  
*E. lepida* Martins, 1973: 206  
Ecuador, Peru, Brazil, Bolivia  
*E. perspicillaris* (Erichson, 1848: 572)  
Guianas, Peru, Brazil  
*E. quadridens* (Fabricius, 1801: 308)  
French Guiana, Colombia, Peru, Brazil, Bolivia  
*E. raripila* Bates, 1870: 270  
French Guiana, Ecuador, Brazil, Peru, Bolivia  
*E. rufispinis* Bates, 1870: 269  
Colombia, French Guiana, Peru, Brazil, Bolivia  
*E. sexmaculata* (Olivier, 1790: 305)  
SAmerica (widely distributed)  
*E. silviamarinae* Galileo and Martins, 2006: 181  
Peru  
*E. sulphureosignata* (Erichson, 1847: 140)  
Trinidad and Tobago, Guianas, Colombia, Ecuador, Peru, Brazil, Bolivia
- Neoeburia* Galileo and Martins, 2006: 179  
*N. turuna* Galileo and Martins, 2006: 179  
Peru
- Pantomallus* Lacordaire, 1869: 286  
*P. costulatus* (Bates, 1870: 265)  
Peru, Brazil  
*P. proletarius* (Erichson, 1847: 140)  
Peru, Bolivia
- Susuacanga* Martins, 1997: 60  
*S. octoguttata* (Germar, 1821: 168)  
Peru, Brazil, Bolivia, Paraguay, Argentina  
*S. unicolor* (Bates, 1870: 265)  
Venezuela, Colombia, Peru, Brazil, Bolivia, Paraguay
- Tribe Ectenessini** Martins, 1998: 82
- Bomarion* Gounelle, 1909: 674  
*B. achrostum* Napp and Martins, 1982: 378  
Peru, Bolivia
- Ectenessa* Bates, 1885: 257  
*E. ornatipennis* Tippmann, 1960: 109  
French Guiana, Peru, Brazil, Bolivia  
*E. spinipennis* (Buquet, 1860: 626)  
French Guiana, Peru, Brazil, Bolivia
- Niophis* Bates, 1867: 27  
*N. neotropica* (Martins, 1961: 190)  
Costa Rica, Panama, Peru

**Tribe Elaphidiini** Thomson, 1864: 235*Appula* Thomson, 1864: 245*A. argenteoapicalis* Fuchs, 1961: 8  
Peru, Brazil, Bolivia*Eurysthea* Thomson, 1861: 247*E. koepcke* (Franz, 1956: 137)  
Ecuador, Peru*E. robertsi* (Fonseca-Gessner, 1990: 833)  
Ecuador, Peru*E. sordida* (Erichson, 1847: 140)

Colombia, Venezuela, Ecuador, Peru, Bolivia

*E. squamifera* (Martins, 1967: 45)  
Ecuador, Peru*Hemilissopsis* Lane, 1959: 306*H. clenchi* Lane, 1959: 306  
French Guiana, Peru, Brazil*Mallocera* Audinet-Serville, 1833: 567*M. amazonica* Bates, 1870: 278  
French Guiana, Trinidad and Tobago, Ecuador, Peru, Brazil, Bolivia*Mephritus* Pascoe, 1866: 479*M. castaneus* Martins and Napp, 1992: 464  
Peru*M. fraterculus* Napp and Martins, 1982: 464  
Peru*Nyssicus* Pascoe, 1859: 17*N. quadriguttatus* (Swederus, 1787: 196)  
Venezuela, French Guiana, Ecuador, Peru, Brazil*Paranyssicus* Martins, 2005: 75*P. conspicillatus* (Erichson, 1847: 141)  
French Guiana, Ecuador, Peru, Brazil, Bolivia*Periboeum* Thomson, 1864: 245*P. piliferum* (Erichson, 1847: 141)  
Peru, Brazil, Bolivia*P. pubescens* (Olivier, 1790: 309)  
Colombia, Trinidad and Tobago, Venezuela, Guianas, Peru, Brazil, Bolivia, Ecuador*Stizocera* Audinet-Serville, 1834: 107*S. suturalis* (Martins and Napp, 1992: 464)  
Ecuador, Peru**Tribe Hesperophanini** Mulsant, 1839: 61*Eusapia* Gounelle, 1909: 687*E. amazonica* (White, 1855: 240)  
French Guiana, Suriname, Peru, Brazil, Bolivia, Paraguay, Argentina



**Tribe Heteropsini** Lacordaire, 1868: 121*Chrysoprasis* Audinet-Serville, 1834: 5*C. hypocrita* Erichson, 1847: 142

Mexico-Uruguay

*C. rotundicollis* Bates, 1870: 411

Costa Rica, Panama, Peru, French Guiana, Brazil

*C. sobrina* Bates, 1870: 415

Venezuela, Ecuador, Peru, Brazil, Bolivia

*Eupempelus* Bates, 1870: 401*E. illuminus* Mermudes and Napp, 2001: 250

Peru, Bolivia

*Homogenes* Thomson in Chevrolat, 1862: 751*H. lepreurii* (Buquet, 1844: 226)

French Guiana, Peru, Brazil

*Mallosoma* Audinet-Serville, 1834: 68*M. scutellare* White, 1853: 110

French Guiana, Peru, Brazil

*Tobipuranga* Napp and Martins, 1996: 201*T. longicornis* (Bates, 1870: 412)

Peru, Brazil, Ecuador

*T. ruficoxis* (Bates, 1870: 412)

Ecuador, Peru, Brazil, Bolivia

**Tribe Hexoplonini** Martins, 2006: 22*Glyptoceridion* Martins, 1959: 270*G. quincunx* (Thomson, 1867: 162)

Peru, Brazil

*Glyptoscapus* Aurivillius, 1899: 264*G. pallidulus* (White, 1855: 234)

Panama?, Peru, Brazil, French Guiana

*G. vanettii* Martins, 1959: 270

Colombia, Peru, Brazil, Bolivia

*Gnomidolon* Thomson, 1864: 219*G. amaurum* Martins, 1967: 194

Peru

*G. biarcuatum* (White, 1855: 228)

Venezuela, Guianas, Colombia, Peru, Brazil

*G. colasi* Martins, 1967: 221

Peru

*G. conjugatum* (White, 1855: 231)

French Guiana, Peru, Brazil, Bolivia, Ecuador, Colombia

*G. cruciferum* (Gounelle, 1909: 659)

Peru, Brazil, Bolivia

*G. humerale* Bates, 1870: 287

Panama, French Guiana, Peru, Brazil

- G. melanosomum*** Bates, 1870: 288  
Guatemala-Panama, Venezuela, Guianas, Ecuador, Peru, Bolivia
- G. musivum*** (Erichson, 1847: 141)  
Venezuela, Ecuador, Peru, Brazil, Guianas, Bolivia
- G. peruvianum*** Martins, 1960: 5  
Peru
- G. rubricolor*** Bates, 1870: 286  
Panama, Venezuela, Colombia, Peru, Brazil, Bolivia
- G. subfasciatum*** Martins, 1967: 184  
Peru, Brazil, Bolivia

- Hexocycnidolon*** Martins, 1960: 27
- H. unoculum*** (Bates, 1870: 292)  
Ecuador, French Guiana, Peru, Brazil

- Hexoplon*** Thomson, 1864: 219
- H. anthracinum*** Martins, 1967: 135  
Peru
- H. carissimum*** (White, 1855: 223)  
Venezuela, French Guiana, Peru, Brazil, Bolivia
- H. reinhardti*** Aurivillius, 1899: 262  
Peru, Brazil
- H. uncinatum*** Gounelle, 1909: 659  
Peru, Brazil, Bolivia, Paraguay, Argentina

- Stenygra*** Audinet-Serville, 1834: 95
- S. brevispinea*** Delfino, 1985: 500  
Peru
- S. contracta*** Pascoe, 1862: 355  
Ecuador, Peru, Brazil
- S. cosmocera*** White, 1855: 221  
Peru, Brazil, Bolivia, Paraguay, Argentina
- S. euryarthron*** Delfino, 1985: 497  
Peru
- S. holmgreni*** Aurivillius, 1908: 5  
Peru, Brazil
- S. seabrai*** Delfino, 1985: 498  
Peru

**Tribe Ibidionini** Thomson, 1861: 199

**Subtribe Tropicidina** Martins and Galileo, 2007: 7

- Gnomibidion*** Martins, 1968: 580
- G. cylindricum*** (Thomson, 1865: 570)  
Panama, Colombia, Venezuela, Peru, Ecuador, Brazil
- G. digrammum*** (Bates, 1870: 299)  
French Guiana, Peru, Brazil, Bolivia
- G. fulvipes*** (Thomson, 1865: 571)  
French Guiana, Brazil, Peru, Bolivia, Argentina, Uruguay

- Minibidion*** Martins, 1968: 335
- M. basilare*** (Martins, 1962: 155)  
Peru

*Neotropidion* Martins, 1968: 609

*N. nodicolle nodicolle* (Dalman, 1823: 67)  
Peru, Brazil, Bolivia

*Perissomerus* Gounelle, 1909: 684

*P. hilairei hilairei* Gounelle, 1909: 684  
Peru, Brazil, Bolivia

*Phocibidion* Martins, 1968: 625

*P. erythrocephalum* (White, 1855: 224)  
Costa Rica, Panama, Colombia, Brazil, Peru, Bolivia

*Smaragdion* Martins, 1968: 605

*S. viride* Martins, 1968: 606  
Peru, Brazil

*Thoracibidion* Martins, 1960: 105

*T. buquetii* (Thomson, 1867: 139)  
Mexico-Peru, French Guiana

*T. io* (Thomson, 1867: 141)  
nSAmerica-Brazil

*T. ruficaudatum* (Thomson, 1865: 571)  
Venezuela, French Guiana, Peru, Brazil

*T. striatocolle* (White, 1855: 224)  
French Guiana, Ecuador, Peru, Brazil, Bolivia

*Tropidion* Thomson, 1867: 134

*T. semirufum* Martins, 1968: 422  
Peru, Brazil

**Subtribe Ibidionina** Thomson, 1861: 199

*Coleroidion* Martins, 1969: 830

*C. cingulum* Martins, 1969: 833  
Venezuela, Peru

*Compsibidion* Thomson, 1864: 215

*C. ilium* (Thomson, 1864: 216)  
Venezuela, Peru, Brazil

*C. maronicum* (Thomson, 1867: 135)  
Trinidad and Tobago, Venezuela, Colombia, Guianas, Peru, Brazil, Bolivia

*C. psydrum* Martins, 1969: 806  
Peru

*C. rutha* (White, 1855: 227)  
French Guiana, Ecuador, Peru, Brazil

*C. tethys* (Thomson, 1867: 145)  
Guianas, Ecuador, Peru, Brazil

*C. thoracicum* (White, 1855: 228)  
Peru, Brazil, Bolivia

*C. virgatum* Martins, 1969: 724  
Peru

- Cycnidolon* Thomson, 1864: 217  
*C. approximatum* (White, 1855: 231)  
Venezuela, Guianas, Peru, Brazil  
*C. batesianum* (White, 1855: 230)  
French Guiana, Ecuador, Peru, Brazil  
*C. sericeum* Martins, 1960: 21  
Peru, Brazil, Bolivia
- Neopotiatsuca* Martins and Galileo, 2008: 280  
*N. brevis* (Martins and Galileo, 2007: 199)  
Peru
- Ophtalmibidion* Martins, 1969: 661  
*O. tetrops* (Bates, 1870: 291)  
Peru, Brazil, Bolivia, Argentina
- Prothoracibidion* Martins, 1960: 109  
*P. flavozonatum* Martins, 1960: 109  
Ecuador, Peru
- Rhysium* Pascoe, 1866: 483  
*R. bimaculatum* Pascoe, 1866: 483  
Peru, Bolivia
- Subtribe Compsina** Martins and Galileo, 2007: 6
- Asynapteron* Martins, 1970: 1151  
*A. inca* (Martins, 1962: 95)  
Peru
- Compsa* Perty, 1832: 92  
*C. albopicta* Perty, 1832: 92  
Peru, Brazil, Paraguay, Argentina  
*C. curtula* Martins and Napp, 1986: 230  
Peru, Brazil  
*C. quadriguttata* (White, 1855: 226)  
Colombia, Ecuador, Peru, Bolivia, Paraguay
- Engyum* Thomson, 1864: 216  
*E. linsleyi* Martins, 1970: 942  
Peru
- Hadroibidion* Martins, 1967: 48  
*H. nanum* (Gounelle, 1911: 226)  
Peru, Brazil, Bolivia
- Heterachthes* Newman, 1840: 9  
*H. congener* Martins, 1965: 215  
Peru, Bolivia  
*H. figuratus* Martins, 1970: 1219  
Peru  
*H. mediovittatus* Martins, 1962: 292  
Peru, Brazil

***H. pallidipennis*** (Thomson, 1865: 573)

Peru, Chile?

***H. tysiophonis*** (Thomson, 1867: 137)

French Guiana, Peru, Brazil

***Neocompsa*** Martins, 1965: 96

***N. habra*** Martins, 1970: 1065

Venezuela, Peru

***N. leechi*** Martins, 1970: 1072

Peru

***Pygmodeon*** Martins, 1970: 1163

***P. involutum*** (Bates, 1870: 304)

Guianas, Peru, Brazil, Bolivia

***P. m-littera*** (Martins, 1962: 294)

Peru, Brazil, Bolivia

***Stenoidion*** Martins, 1970: 1196

***S. corallinum*** (Bates, 1870: 304)

French Guiana, Peru, Brazil, Bolivia

**Tribe Lissonotini** Swainson, 1840: 289

***Lissonotus*** Dalman in Schoenherr, 1817: 364

***L. ephippiatus*** Bates, 1870: 437

Peru, Brazil

**Tribe Obriini** Mulsant, 1839: 95

***Obrium*** Dejean, 1821: 110

***O. circumflexum*** Martins and Galileo, 2003: 19

Peru

**Tribe Oemini** Lacordaire, 1868: 216

**Subtribe Oemina** Lacordaire, 1868: 216

***Malacopterus*** Audinet-Serville, 1833: 565

***M. tenellus*** (Fabricius, 1801: 335)

swUSA-Brazil, Peru, Bolivia, Cuba, Guadeloupe, Jamaica, Dominican Republic

***Neoeme*** Gounelle, 1909: 595

***N. bouvieri*** Gounelle, 1909: 595

Peru, Brazil, Bolivia

**Subtribe Methioidina** Martins, 1997: 119

***Necydalosaurus*** Tippmann, 1960: 119

***N. mysticus*** Tippmann, 1960: 120

Panama, French Guiana, Brazil, Peru

**Tribe Piezocerini** Lacordaire, 1868: 324

**Subtribe Haruspicina** Martins, 1976: 199

*Haruspex* Thomson, 1864: 221

*H. lineolatus* Bates, 1870: 280

Venezuela, Ecuador, Guianas, Peru, Brazil, Bolivia

**Subtribe Piezocerina** Lacordaire, 1868: 324

*Gorybia* Pascoe, 1866: 481

*G. pallida* Martins, 1976: 346

Peru

*Hemilissa* Pascoe, 1858: 238

*H. cornuta* Bates, 1870: 284

French Guiana, Peru, Brazil, Bolivia

*H. quadrispinosa* Gounelle, 1913: 213

Peru, Brazil, Bolivia, Argentina

*H. sulcicollis* Bates, 1870: 284

Costa Rica-Brazil

*Piezocera* Audinet-Serville, 1834: 92

*P. flavipennis* (Zajciw, 1970: 593)

Peru, Brazil, Bolivia

**Tribe Pteroplatini** Thomson, 1861:254

*Deltosoma* Thomson, 1864: 258

*D. lacordairei* Thomson, 1864: 258

French Guiana, Ecuador, Peru, Brazil, Bolivia

**Tribe Rhinotragini** Thomson, 1861: 177

*Acatinga* Santos-Silva, Martins and Clarke, 2010: 606

*A. quinquemaculata* (Zajciw, 1966: 89)

Peru, Brazil

*Acyphoderes* Audinet-Serville, 1833: 549

*A. abdominalis* (Olivier, 1795: (74)8)

Nicaragua-Panama, Guianas, Ecuador, Peru, Brazil, Bolivia

*A. odynerooides* White, 1855: 196

French Guiana, Ecuador, Peru, Brazil

*Aechmutes* Bates, 1867: 23

*A. armatus* Gounelle, 1911: 120

Ecuador, Peru, Bolivia

*Agaone* Pascoe, 1859: 22

*A. notabilis* (White, 1855: 199)

Guyana, French Guiana, Peru, Brazil

*A. peruviensis* (Fisher, 1952: 10)

Ecuador, Peru, Brazil, Bolivia

*Chrysaethe* Bates, 1873: 27

*C. ochraceicollis* (Zajciw, 1965: 121)

French Guiana, Peru, Bolivia

*Epimelitta* Bates, 1870: 330

*E. meliponica* Bates, 1870: 331  
Ecuador, Peru, Brazil

*Erythroplatys* White, 1855: 201

*E. simulator* Gounelle, 1911: 118  
Peru, Brazil, Bolivia

*Isthmiade* Thomson, 1864: 166

*I. ichneumoniformis* Bates, 1870: 326  
Costa Rica, French Guiana, Peru, Brazil, Bolivia

*I. laevicollis* Tippmann, 1953: 215  
Peru, Brazil, Bolivia

*Odontocera* Audinet-Serville, 1833: 546

*O. auropilosa* Tippmann, 1953: 212  
Peru, Bolivia

*O. compressipes* White, 1855: 191  
Ecuador, Peru, Brazil, Bolivia

*O. fasciata* (Olivier, 1795: (74)10)  
Nicaragua-Colombia, Guianas, Peru, Ecuador, Brazil, Bolivia, Argentina

*O. furcifera* Bates, 1870: 323  
French Guiana, Peru, Brazil

*O. hirundipennis* Zajciw, 1962: 423  
Peru

*O. mellea* White, 1855: 188  
French Guiana, Ecuador, Peru, Brazil, Bolivia

*O. ornaticollis* Bates, 1870: 323  
French Guiana, Peru, Brazil

*O. signatipennis* Zajciw, 1971: 20  
Peru

*Phespia* Bates, 1873: 127

*P. cercerina* (Bates, 1870: 325)  
French Guiana, Peru, Brazil

*Pyrpotyra* Santos-Silva, Martins and Clarke, 2010: 614

*P. paradisiaca* (Tippmann, 1953: 213)  
French Guiana, Colombia, Peru

*Tomopterus* Audinet-Serville, 1833: 544

*T. consobrinus* Gounelle, 1911: 166  
French Guiana, Peru, Brazil, Bolivia

*T. obliquus* Bates, 1870: 329  
French Guiana, Peru, Brazil, Paraguay, Argentina

*T. pictipennis* Zajciw, 1969: 415  
Peru

*T. tetraspilotus* Magno, 1995: 557  
Peru, Brazil

*Xenocrasis* Bates, 1873: 131

*X. pubipennis* (Fisher, 1952: 16)  
Peru

**Tribe Rhopalophorini** Blanchard, 1845: 152

*Aguassay* Napp and Mermudes, 2001: 6

*A. collaris* (Klug, 1825: 459)

Peru, Brazil

*Closteropus* Guérin-Méneville, 1844: 222

*C. herteli herteli* Tippmann, 1960: 131

Ecuador, Peru, Bolivia

*Coremia* Audinet-Serville, 1834: 22

*C. plumipes* (Pallas, 1772: 5)

Nicaragua-Brazil, French Guiana, Ecuador, Peru, Bolivia

*Cosmisoma* Audinet-Serville, 1834: 19

*C. acuminatum* Zajciw, 1958: 246

Peru, Brazil

*C. albohirsutotibialis* Fuchs, 1966: 11

Peru

*C. ammiralis* (Linnaeus, 1767: 625)

Guianas, Trinidad and Tobago, Ecuador, Peru, Brazil, Bolivia

*C. angustipenne* Zajciw, 1958: 247

French Guiana, Peru, Brazil

*C. argyreum* Bates, 1870: 405

Peru, Brazil

*C. lineatum* (Kirsch, 1875: 285)

Peru, Brazil

*Cycnoderus (Cycnoderus)* Audinet-Serville, 1834: 101

*C. (C.) expeditus* Chevrolat, 1859: 55

Colombia, Ecuador, Peru

*Dihammaphora* Chevrolat, 1859: 50

*D. peruviana* Martins, 1981: 212

Peru, Bolivia

*Gurubira* Napp and Marques, 1999: 35

*G. spectabilis* (Martins and Napp, 1989: 59)

Peru

*Haenkea* Tippmann, 1953: 220

*H. zischkai* Tippmann, 1953: 222

Ecuador, Peru, Brazil, Bolivia

*Ischionodonta* Chevrolat, 1859: 58

*I. torquata* (Chevrolat, 1859: 63)

Peru, Chile

**Tribe Smodicini** Lacordaire, 1868: 143, 405

*Smodicum* Haldeman, 1847: 38

*S. brunneum* Thomson, 1878: 7

R Dominicana, Colombia, Ecuador, Peru, Brazil



*S. semipubescens* Gounelle, 1911: 127  
Peru, Brazil, Bolivia, Paraguay, Argentina

**Tribe Torneutini** Thomson, 1861: 139, 271

*Coccoderus* Buquet, 1840: 293  
*C. amazonicus* Bates, 1870: 249  
Costa Rica, French Guiana, Peru, Brazil  
*C. longespiniicornis* Fuchs, 1964: 7  
Venezuela, French Guiana, Peru, Brazil

*Diploschema* Thomson, 1858: 404  
*D. mandibulare* Fuchs, 1964: 6  
Panama, French Guiana, Colombia, Peru, Brazil, Bolivia, Paraguay  
*D. weyrauchi* Lane, 1966: 80  
Venezuela, French Guiana, Ecuador, Peru, Brazil, Bolivia

*Praxithea* Thomson, 1864: 254  
*P. morvanae* Tavakilian and Monné, 2002: 15  
French Guiana, Peru  
*P. peruviana* Lane, 1966: 88  
Venezuela, Peru, Brazil

**Tribe Trachyderini** Dupont, 1836: 1

**Subtribe Ancylocerina** Thomson, 1864: 210

*Callancyla* Aurivillius, 1912: 446  
*C. croceicollis* (White, 1855: 292)  
French Guiana, Peru, Brazil, Bolivia

*Exallancyla* Monné and Napp, 2000: 356  
*E. tuberculicollis* (Aurivillius, 1920: 369)  
Peru, Bolivia

**Subtribe Trachyderina** Dupont, 1836: 1

*Aegoidus* Buquet, 1838: 253  
*A. pacificus* Tippmann, 1960: 142  
Peru  
*A. peruvianus* Buquet, 1838: 254  
Ecuador, Peru  
*A. weyrauchi* Tippmann, 1953: 316  
Peru

*Allocerus* Lacordaire, 1830: 173  
*A. dilaticornis* (Gory, 1832: 384)  
French Guiana, Peru, Brazil

*Ancylosternus* Dupont in Audinet-Serville, 1834: 49  
*A. morio albicornis* Erichson, 1847: 139  
Peru, Brazil, Bolivia

- Batus* Thunberg, 1822: 307  
*B. barbicornis* (Linnaeus, 1764: 68)  
Guianas, Colombia, Venezuela, Ecuador, Peru, Brazil, Bolivia
- Ceragenia* Audinet-Serville, 1834: 32  
*C. bicornis* (Fabricius, 1801: 274)  
Guianas-Brazil, Venezuela, Ecuador, Peru, Bolivia
- Chydarteres* Hüdepohl, 1985: 72  
*C. dimidiatus altissimus* Hüdepohl, 1985: 79  
Peru
- Deretrachys* Hüdepohl, 1985: 27  
*D. montanus* (Tippmann, 1953: 327)  
Peru  
*D. pellitus pellitus* (Kirsch, 1889: 39)  
Ecuador, Peru  
*D. villiersi* Hüdepohl, 1985: 29  
Ecuador, Peru
- Eriocharis* Aurivillius, 1912: 483  
*E. devestivus* Monné and Martins, 1973: 75  
Peru
- Eriphus* Audinet-Serville, 1834: 88  
*E. dimidiatus* White, 1855: 293  
Peru, Brazil, Bolivia
- Micropelta* Zajciw, 1961: 399  
*M. rugosicollis* Zajciw, 1961: 400  
Peru, Brazil, Bolivia
- Monneellus* Hüdepohl, 1985: 136  
*M. rhodopus* (Bates, 1870: 431)  
Venezuela, French Guiana, Ecuador, Peru, Brazil, Bolivia
- Oxymerus* Dupont in Audinet-Serville, 1834: 50  
*O. basalis* (Dalman, 1823: 65)  
Guianas-Brazil, Venezuela, Peru, Bolivia  
*O. luteus occidentalis* Hüdepohl, 1979: 34  
Peru, Bolivia
- Seabraia* Zajciw, 1958: 257  
*S. sanguinicollis* Zajciw, 1958: 259  
Peru, Brazil
- Sternacanthus* Audinet-Serville, 1832: 172  
*S. picicornis* Thomson, 1861: 209  
Peru, Bolivia  
*S. undatus* (Olivier, 1795: (66)32)  
Guianas, Peru, Brazil

*Streptolabis* Bates, 1867: 23

*S. hispoides* Bates, 1867: 23

French Guiana, Ecuador, Peru, Brazil, Bolivia

*Trachyderes (Trachyderes)* Dalman in Schoenherr, 1817: 364

*T. (T.) cingulatus* Klug, 1825: 456

Peru, Brazil, Bolivia

*T. (T.) elegans nigerrimus* Hüdepohl, 1985: 124

Peru

*T. (T.) leptomerus leptomerus* Aurivillius, 1908: 6

Peru

*T. (T.) leptomerus boliviensis* Aurivillius, 1908: 6

Peru, Bolivia

*T. (T.) succinctus succinctus* (Linnaeus, 1758: 391)

Honduras-Argentina, West Indies (widely distributed)

*T. (T.) succinctus flaviventris* Aurivillius, 1908: 6

Peru

*Trachyderomorpha* Tippmann, 1960: 149

*T. notabilis* Tippmann, 1960: 150

Peru, Bolivia

*Weyrauchia* Tippmann, 1953: 226

*W. nobilis* Tippmann, 1960: 142

Peru

*W. viridimicans* Tippmann, 1953: 227

Peru

**Subfamily Lamiinae** Latreille, 1825: 401

**Tribe Acanthocinini** Blanchard, 1845: 154

*Alcathousites* Gilmour, 1962: 266

*A. asperipennis* (Fairmaire and Germain, 1859: 513)

Peru, Chile

*A. senticosus* Monné and Martins, 1976: 46

Peru

*A. superstes* (Erichson, 1847: 146)

Ecuador, Peru

*Alcidion* Sturm, 1843: 254

*A. sulphurifer* (White, 1855: 390)

Ecuador, Peru, Brazil, Bolivia

*Anisopodus* White, 1855: 349

*A. batesi* Gilmour, 1965: 568

French Guiana, Ecuador, Peru, Brazil

*A. consimilis* Aurivillius, 1922: 169

Peru

*A. conspersus* Aurivillius, 1922: 169

Peru, Bolivia

*A. phalangodes* (Erichson, 1847: 145)

French Guiana, Ecuador, Peru, Brazil, Bolivia

- A. prolixus** (Erichson, 1847: 145)  
Ecuador, Peru, Bolivia
- A. strigosus** (Erichson, 1847: 145)  
Costa Rica, Colombia, Ecuador, French Guiana, Peru, Bolivia
- Atrypanius** Bates, 1864: 46
- A. conspersus** (Germar, 1824: 474)  
Mexico-Panama, SAmerica (widely distributed)
- A. implexus** (Erichson, 1847: 146)  
Mexico-Panama, French Guiana, Ecuador, Peru, Brazil, Bolivia
- A. remissus** (Erichson, 1847: 146)  
French Guiana, Ecuador, Peru, Brazil, Bolivia
- Baryssiniella** Berkov and Monné, 2010: 51
- B. hieroglyphica** Berkov and Monné, 2010: 52  
French Guiana, Peru, Brazil
- Baryssinus** Bates, 1864: 43
- B. silviae** Martins and Monné, 1974: 326  
Peru, Brazil, Bolivia
- Brevoxathres** Gilmour, 1959: 33
- B. albobrunnea** (Gilmour, 1962: 259)  
Peru, Bolivia
- Carphina** Bates, 1872: 223
- C. assula** (Bates, 1864: 23)  
Ecuador, Peru, Brazil
- C. petulans** (Kirsch, 1875: 289)  
French Guiana, Ecuador, Peru, Brazil, Bolivia
- Carphontes** Bates, 1881: 171
- C. posticalis** Bates, 1881: 172  
Mexico-Panama, French Guiana, Ecuador, Peru, Brazil, Bolivia
- Cobelura** Erichson, 1847:149
- C. lorigera** Erichson, 1847: 149  
Peru
- C. peruviana** (Aurivillius, 1920: 28)  
Peru, Bolivia
- Cosmotoma** Blanchard, 1845: 155
- C. adjuncta** (Thomson, 1860: 16)  
Costa Rica, Panama, nSAmerica (widely distributed)
- C. suturalis** Gilmour, 1955: 8  
Peru, Brazil, Bolivia
- Erphaea** Erichson, 1847: 144
- E. pumicosa** Erichson, 1847: 144  
Ecuador, Peru, Bolivia
- Eucharitolus** Bates, 1885: 408
- E. geometricus** (Tippmann, 1960: 198)  
Peru, Bolivia

- Eutrypanus* Erichson, 1847: 144  
*E. triangulifer* Erichson, 1847: 144  
Peru, Bolivia
- Exalcidion* Monné, 1977: 698  
*E. tetracanthum* Monné and Delfino, 1981: 260  
Peru
- Granastyochus* Gilmour, 1959: 1  
*G. elegantissimus* (Tippmann, 1953: 347)  
French Guiana, Colombia, Ecuador, Peru, Bolivia  
*G. intricatus* Monné and Martins, 1976: 44  
Peru
- Hylettus* Bates, 1864: 11  
*H. alboplagiatus* (White, 1855: 381)  
Ecuador, Peru, Brazil  
*H. coenobita* (Erichson, 1847: 145)  
Guatemala-Panama, French Guiana, Ecuador, Peru, Brazil, Bolivia  
*H. eremita* (Erichson, 1847: 145)  
Venezuela, Ecuador, Peru, Bolivia  
*H. excelsus* (Bates, 1864: 163)  
Ecuador, Peru, Brazil, Bolivia  
*H. seniculus* (Germar, 1824: 473)  
Costa Rica-SAmerica (widely distributed)  
*H. spilotus* Monné, 1982: 104  
French Guiana, Ecuador, Peru, Brazil
- Hyperplatys* Haldeman, 1847: 49  
*H. pusillus pusillus* (Bates, 1863: 285)  
French Guiana, Ecuador, Peru, Brazil
- Lagocheirus* Dejean, 1835: 336  
*L. araneiformis fulvescens* Dillon, 1957: 151  
nSAmerica, Ecuador, Peru  
*L. plantaris plantaris* Erichson, 1847: 144  
nSAmerica, Ecuador, Peru, Bolivia
- Leiopus* Audinet-Serville, 1835: 86  
*L. floccidus* Erichson, 1847: 147  
Peru
- Leptostylus* LeConte, 1852: 168  
*L. armatus* Monné and Hoffmann, 1981: 248  
Ecuador, Peru, Brazil, Bolivia  
*L. obscurellus* Bates, 1863: 103  
Venezuela-Argentina  
*L. seabrai* Lane, 1959: 257  
Ecuador, Peru
- Lepturges (Chaeturges)* Gilmour, 1959: 135  
*L. (C.) comminus* Monné, 1977: 706  
Peru

- L. (C.) epagogus* Monné, 1977: 704  
Peru, Brazil, Bolivia
- L. (C.) griseostriatus* Bates, 1863: 376  
Peru, Brazil, Bolivia
- L. (C.) inscriptus* Bates, 1863: 371  
Mexico-SAmerica (widely distributed)
- L. (C.) villiersi* Gilmour, 1962: 567  
Peru, Brazil, Bolivia
- L. (C.) virgulti* Gilmour, 1962: 564  
Peru, Brazil
- Lepturges (Lepturges)* Bates, 1863: 367
- L. (L.) comptus* Melzer, 1930: 201  
SAmerica (widely distributed)
- L. (L.) curvilinea* Gilmour, 1959: 1  
Peru, Bolivia
- L. (L.) eurynota* Tippmann, 1960: 191  
Peru, Brazil, Bolivia
- L. (L.) limpidus* Bates, 1872: 216  
Mexico-Brazil
- L. (L.) virgatus* Monné, 1978: 11  
Ecuador, Peru, Bolivia
- Lophopoeum* Bates, 1863: 275
- L. circumflexum* Bates, 1863: 276  
French Guiana, Peru, Brazil
- Nealcidion* Monné, 1977: 699
- N. badium* Monné and Delfino, 1986: 169  
French Guiana, Ecuador, Peru, Brazil, Bolivia
- N. emeritum* (Erichson, 1847: 147)  
French Guiana, eEcuador, Peru, Brazil, Bolivia
- N. formosum* (Monné and Martins, 1976: 49)  
Peru
- N. parallelum* (Monné and Martins, 1976: 50)  
Peru
- N. singulare* Monné, 1998: 293  
Peru, Brazil, Bolivia
- N. strigilis* (Erichson, 1847: 147)  
French Guiana, Venezuela, Colombia, Peru, Brazil, Bolivia
- Neoetrypanus* Monné, 1977: 695
- N. nobilis* (Bates, 1864: 22)  
French Guiana, Ecuador, Peru, Brazil
- Neopalame* Martins and Monné, 1972: 63
- N. albomaculata* Monné and Martins, 1976: 74  
Peru
- Nyssocarinus* Gilmour, 1960: 51
- N. humeralis* Monné, 1985: 307  
Ecuador, Peru, Brazil, Bolivia

*Nyssodectes* Dillon, 1955: 142

*N. dulcissimus* (Bates, 1863: 377)  
eEcuador, Peru, Brazil

*Nyssodryssilla* Gilmour, 1962: 249

*N. lineata* Gilmour, 1962: 253  
French Guiana, Peru

*Nyssodryssina* Casey, 1913: 309

*N. spreta* (Bates, 1864: 152)  
French Guiana, Ecuador, Peru, Brazil, Bolivia  
*N. venusta* (Bates, 1863: 372)  
French Guiana, Ecuador, Peru, Brazil

*Nyssodrysternum* Gilmour, 1960: 59

*N. borneanum* (Breuning, 1970: 487)  
Guianas, Ecuador, Peru, Brazil, Bolivia  
*N. caudatum* (Bates, 1864: 157)  
French Guiana, Peru, Brazil, Bolivia  
*N. conspicillare* (Erichson, 1847: 146)  
Ecuador, Peru, Brazil, Bolivia  
*N. cretatum* Monné, 1985: 539  
Panama, Guianas, Ecuador, Peru, Bolivia  
*N. efflictum* (Bates, 1864: 160)  
French Guiana, Ecuador, Peru, Brazil  
*N. ocellatum* (Bates, 1885: 413)  
Honduras-Brazil, Ecuador, Peru, Bolivia  
*N. ptericoptum* (Bates, 1864: 163)  
French Guiana, Ecuador, Peru, Brazil, Bolivia  
*N. rubiginosum* Monné, 1975: 246  
Venezuela, Peru, Brazil, Bolivia  
*N. serpentinum* (Erichson, 1847: 146)  
Mexico-Panama, French Guiana, Ecuador, Peru, Brazil, Bolivia  
*N. signiferum* (Bates, 1864: 158)  
Costa Rica, SAmerica (widely distributed)  
*N. striatellum* (Tippmann, 1960: 192)  
French Guiana, Ecuador, Peru, Brazil, Bolivia

*Oedopeza* Audinet-Serville, 1835: 88

*O. costulata* (Gilmour, 1962: 288)  
Peru, Brazil, Bolivia  
*O. cryptica* Monné, 1990: 266  
Venezuela, Peru, Brazil, Bolivia  
*O. flavosparsa* Monné, 1990: 266  
French Guiana, Peru, Brazil, Bolivia  
*O. leucostigma* Bates, 1864: 146  
Panama-nSAmerica-Brazil, eEcuador, Peru  
*O. maculatissima* Monné and Martins, 1976: 82  
SAmerica (widely distributed)  
*O. ocellator* (Fabricius, 1801: 287)  
eMexico-Uruguay, Cuba, Barbados  
*O. setigera* (Bates, 1864: 45)  
Nicaragua-SAmerica

- Oxathres* Bates, 1864: 50  
*O. muscosa* Bates, 1864: 52  
French Guiana, Peru, Brazil  
*O. proxima* Monné, 1976: 587  
Peru
- Ozineus* Bates, 1863: 278  
*O. cretatus* Monné and Martins, 1976: 66  
Peru  
*O. dimidiatus* Aurivillius, 1922: 169  
Peru  
*O. dubius* Aurivillius, 1922: 170  
Peru  
*O. striatus* (Gilmour, 1962: 262)  
Peru
- Paranisopodus* Monné and Martins, 1976: 59  
*P. peruanus* Monné and Monné, 2007: 1060  
Peru
- Paroecus* Bates, 1863: 379  
*P. celebensis* (Thomson, 1857: 287)  
French Guiana, Ecuador, Peru, Brazil  
*P. rigidus* Bates, 1863: 380  
Panama, Ecuador, Peru, Brazil, Bolivia
- Pattalinus (Pattalinus)* Bates 1881: 165  
*P. (P.) lineatus* Monné and Martins, 1976: 72  
Peru, Bolivia  
*P. (P.) strigosus* Monné, 1988: 123  
French Guiana, Peru, Brazil, Bolivia
- Pucallpa* Lane, 1959: 254  
*P. cristata* Lane, 1959: 254  
Peru
- Sporetus* Bates, 1864: 54  
*S. bellus* Monné, 1976: 580  
Ecuador, Peru, Brazil  
*S. decipiens* Bates, 1866: 434  
Peru, Brazil  
*S. distinctus* Monné, 1976: 581  
Peru  
*S. seminalis* Bates, 1864: 55  
French Guiana, Ecuador, Peru, Brazil
- Sympagus* Bates, 1881: 172  
*S. favorabilis* Tippmann, 1960: 195  
French Guiana, Ecuador, Peru, Bolivia
- Toronaeus* Bates, 1864: 13  
*T. magnificus* (Tippmann, 1953: 351)  
French Guiana, Ecuador, Peru, Brazil



***T. perforator*** Bates, 1864: 16  
French Guiana, Peru, Brazil

***Trypanidius*** Blanchard, 1843: 209

***T. andicola*** Blanchard, 1847: 209  
Colombia, Ecuador, Peru, Brazil, Bolivia

***T. notatus*** (Fabricius, 1787: 139)  
Guatemala-Panama, Venezuela, Ecuador, French Guiana, Guyana, Brazil, Peru, Bolivia

***Xylergates*** Bates, 1864: 20

***X. elaineae*** Gilmour, 1962: 277  
Guianas, Colombia, Ecuador, Peru, Brazil

***X. lacteus*** Bates, 1864: 20  
Guianas, Colombia, Ecuador, Peru, Bolivia

***X. picturatus*** Lane, 1957: 19  
Colombia, Ecuador, Peru, Brazil, Bolivia

***X. pulcher*** Lane, 1957: 10  
Guianas, Colombia, Ecuador, Peru, Brazil

**Tribe Acanthoderini** Thomson, 1860: 5

***Acakya*** Martins and Galileo, 1996: 303

***A. nigrofasciata*** Martins and Galileo, 2001: 105  
Peru

***Acanthoderes (Acanthoderes)*** Audinet-Serville, 1835: 29

***A. (A.) daviesii*** (Swederus, 1787: 195)  
Honduras, French Guiana, Colombia, Peru

***A. (A.) satanas*** Bates, 1880: 58  
Peru

***A. (A.) thammi*** Bates, 1880: 59  
Ecuador, Peru, Bolivia

***Acanthoderes (Scythropopsis)*** Thomson, 1864: 20

***A. (S.) virescens*** (Fuchs, 1962: 323)  
Peru

***Acanthoderes (Symperasmus)*** Thomson, 1864: 19

***A. (S.) thoracica*** White, 1855: 359  
French Guiana, Ecuador, Peru, Brazil, Bolivia

***Aegoschema*** Aurivillius, 1923: 610

***A. peruvianum*** Lane, 1973: 394  
French Guiana, Peru

***Anasillus*** Marinoni and Martins, 1978: 183

***A. crinitus*** Marinoni and Martins, 1978: 183  
Peru

***Ateralphus*** Restello, Iannuzzi and Marinoni, 2001: 300

***A. senilis*** (Bates, 1862: 123)  
French Guiana, Peru, Brazil, Bolivia

- Discopus*** Thomson, 1864: 17  
***D. antennatus*** (Guérin-Ménéville, 1855: 599)  
Peru  
***D. eques*** Bates, 1880: 253  
Peru  
***D. patricius*** Bates, 1880: 254  
Ecuador, Peru  
***D. princeps*** Bates, 1880: 225  
Peru  
***D. spectabilis*** (Bates, 1861: 476)  
Peru, Brazil
- Dryoctenes*** Audinet-Serville, 1835: 27  
***D. scrupulosus*** (Germar, 1824: 470)  
Costa Rica, Panama, SAmerica (widely distributed)
- Eupromerella*** Fisher, 1938: 147  
***E. clavator*** (Fabricius, 1801: 291)  
French Guiana, Ecuador, Peru, Brazil, Bolivia  
***E. orbifera*** (Aurivillius, 1908: 9)  
Colombia, Ecuador, Peru, Brazil, Bolivia
- Exalphus*** Restello, Iannuzzi and Marinoni, 2001: 296  
***E. biannulatus*** (Aurivillius, 1921: 50)  
Ecuador, Peru, Bolivia  
***E. malleri*** (Lane, 1955: 287)  
French Guiana, Ecuador, Peru, Brazil, Bolivia
- Irundisaua*** Martins and Galileo, 2005: 15  
***I. forsteri*** (Tippmann, 1960: 168)  
Ecuador, Peru, Brazil  
***I. ucayalensis*** (Tippmann, 1960: 168)  
Ecuador, Peru, Brazil
- Macropophora*** Thomson, 1864: 15  
***M. lacordairei*** Lepesme, 1946: 491  
French Guiana, Colombia, Ecuador, Peru, Brazil, Bolivia  
***M. trochlearis*** (Linnaeus, 1758: 389)  
nSAmerica, Peru, Bolivia
- Myoxinus*** Bates, 1862: 120  
***M. pictus*** (Erichson, 1847: 144)  
Mexico-Panama, nSAmerica, Ecuador, Peru, Bolivia
- Myoxomorpha*** White, 1855: 355  
***M. funesta*** (Erichson, 1848: 573)  
Panama, nSAmerica, Peru, Bolivia
- Nesozineus*** Linsley and Chemsak, 1966: 229  
***N. juninensis*** (Lane, 1970: 392)  
Peru, Bolivia  
***N. peruanus*** Galileo and Martins, 2007: 631  
Peru

- N. probolus* Galileo and Martins, 1996: 45  
Ecuador, Peru
- Oreodera* Audinet-Serville, 1835: 19
- O. achatina* Erichson, 1847: 143  
Peru, Brazil
- O. aerumnosa* Erichson, 1847: 142  
Panama, SAmerica (widely distributed)
- O. bituberculata* Bates, 1861: 51  
Guianas, Colombia, Ecuador, Peru, Brazil, Bolivia
- O. boliviana* Tippmann, 1960: 159  
Peru, Bolivia
- O. crinita* Monné and Fragoso, 1988: 815  
French Guiana, Ecuador, Peru
- O. lanei* Monné and Fragoso, 1988: 824  
Peru, Brazil
- O. macropoda* Marinoni and Martins, 1978: 175  
Ecuador, Peru, Brazil
- O. melzeri* Monné and Fragoso, 1988: 823  
French Guiana, Colombia, Ecuador, Peru, Brazil
- O. olivaceotincta* Tippmann, 1953: 343  
Ecuador, Peru, Brazil, Bolivia
- O. rufofasciata* Bates, 1861: 51  
Ecuador, Peru, Brazil
- Psapharochrus* Thomson, 1864: 18
- P. alboniger* (Bates, 1861: 218)  
Ecuador, Peru, Brazil, Bolivia
- P. bialbomaculatus* (Zajciw, 1964: 159)  
French Guiana, Peru, Bolivia
- P. chrysopus* (Bates, 1861: 474)  
French Guiana, Peru, Brazil
- P. griseomaculatus* (Zajciw, 1971: 306)  
Peru
- P. hebes* (Bates, 1861: 215)  
French Guiana, Ecuador, Peru, Brazil
- P. laetificus* (Bates, 1880: 60)  
Ecuador, Peru, Brazil, Bolivia
- P. lateralis* (Bates, 1861: 475)  
Guianas, Ecuador, Peru, Brazil, Bolivia
- P. leucogaeus* (Erichson, 1847: 143)  
Peru
- P. longispinis* (Bates, 1861: 471)  
French Guiana, Ecuador, Peru, Brazil
- P. lotor* (White, 1855: 362)  
Peru, Brazil
- P. meleagris* (Bates, 1861: 474)  
Ecuador, Peru, Brazil, Bolivia
- P. nigromaculatus* (Fuchs, 1958: 58)  
Peru
- P. nigroocellatus* (Tippmann, 1960: 170)  
Peru, Bolivia
- P. nigropunctatus* (Tippmann, 1960: 169)  
Peru, Bolivia

- P. phasianus*** (Bates, 1861: 473)  
Costa Rica, Panama, French Guiana, Ecuador, Peru, Brazil, Bolivia
- P. satellinus*** (Erichson, 1847: 143)  
Peru, Brazil, Bolivia
- Scleronotus*** White, 1855: 364
- S. angulatus*** Aurivillius, 1916: 357  
Peru, Bolivia
- Steirastoma*** Lacordaire, 1830: 180
- S. aethiops*** Bates, 1862: 399  
Colombia, Ecuador, Peru, Brazil, Bolivia
- S. melanogenys*** White, 1855: 355  
Honduras-Panama, Guyana, French Guiana, Brazil, Ecuador, Peru
- Tetrasarus*** Bates, 1880: 142
- T. lineatus*** Bréthes, 1920: 47  
Peru
- Zikanita*** Lane, 1943: 261
- Z. argenteofasciata*** (Tippmann, 1960: 178)  
Peru, Brazil
- Z. biocellata*** (Tippmann, 1960: 177)  
eEcuador, Peru, Bolivia
- Tribe Acrocinini** Swainson, 1840: 287
- Acrocinus*** Illiger, 1806: 247
- A. longimanus*** (Linnaeus, 1758: 388)  
ecMexico-Panama, SAmerica
- Tribe Aerenicini** Lacordaire, 1872: 897
- Aphilesthes*** Bates, 1881: 145
- A. rustica*** Bates, 1881: 145  
Panama, French Guiana, Venezuela, Peru, Bolivia
- Calliphaula*** Lane, 1973: 418
- C. leucippe*** (Bates, 1881: 146)  
Peru, seBrazil, Bolivia
- Hydraschema*** Thomson, 1864: 128
- H. petila*** Martins and Galileo, 1998: 90  
Peru, Bolivia
- Montesia*** Lane, 1938: 110
- M. bosqi*** Seabra, 1961: 264  
Peru
- Tribe Agapanthiini** Mulsant, 1839: 172

*Amillarus* Thomson, 1857: 312

*A. singularis* (Aurivillius, 1922: 435)  
Peru

*Grammopsoides* Breuning, 1940: 416

*G. picta* Galileo and Martins, 1995: 42  
Peru

*Helvina* Thomson, 1864: 103

*H. strandi* (Breuning, 1942: 166)  
Ecuador, Peru, Bolivia

*Hippopsis* Lepelletier and Audinet-Serville in Latreille, 1825: 336

*H. bivittata* Martins and Galileo, 2003: 25  
Peru

*H. fractilinea* Bates, 1866: 41  
Ecuador, Peru, Brazil, Bolivia

*H. macrophthalma* Breuning, 1940: 434  
Guianas, Colombia, Ecuador, Peru, Brazil

*H. prona* Bates, 1866: 41  
Peru, Brazil

*H. pubiventris* Galileo and Martins, 1988: 188  
Peru, Brazil, Bolivia

*Neoamphion* Monné, 2005: 254

*N. triangulifer* (Aurivillius, 1908: 7)  
Peru, Bolivia

*Pachypeza* Audinet-Serville, 1835: 42

*P. joda* Dillon and Dillon, 1945: 23  
Ecuador, Peru, Brazil, Bolivia

**Tribe Anisocerini** Thomson, 1860: 31

*Anisocerus* Lacordaire, 1830: 181

*A. stellatus* Guérin-Méneville, 1855: 599  
Ecuador, Peru, Brazil, Bolivia

*Caciomorpha* Thomson, 1864: 22

*C. batesii* (Pascoe, 1858: 242)  
Peru, Brazil

*C. genalis* (Aurivillius, 1908: 9)  
Ecuador, Peru, Bolivia

*C. plagiata* (Bates, 1875: 275)  
Ecuador, Peru

*C. robusta* Galileo and Martins, 1998: 21  
Ecuador, Peru, Brazil

*Cyclopeplus* Thomson, 1860: 32

*C. lacordairei* Thomson, 1868: 150  
French Guiana, Ecuador, Peru, Bolivia

*C. peruvianus* Tippmann, 1939: 77  
Peru

*Gounellea* Lane, 1964: 195

*G. bruchi* (Gounelle, 1906: 17)

Peru, Brazil, Bolivia, Argentina

*G. histrion* (Gounelle, 1906: 18)

Peru, Brazil

*Jurua* Lane, 1964: 194

*J. monachina* (White, 1855: 406)

Peru, Brazil

*Onychocerus* Lacordaire, 1830: 181

*O. albitarsis* Pascoe, 1859: 31

Peru, Brazil, Bolivia

*O. ampliatus* Bates, 1875: 277

Ecuador, Peru

*O. hovorei* Julio and Monné, 2001: 3

Peru, Brazil

*Satipoella* Lane, 1964: 195

*S. heilipoides* Lane, 1964: 197

Peru

**Tribe Apomecynini** Thomson, 1860: 66

*Adetus* LeConte, 1852: 161

*A. albovittatus* Breuning, 1966: 11

Peru

*A. inca* Martins and Galileo, 2005: 26

Peru, Bolivia

*A. pacaruai* Martins and Galileo, 2003: 376

Peru

*A. pinima* Martins and Galileo, 2003: 376

Peru

*Amphicnaeia* Bates, 1866: 32

*A. flavolineata* Breuning, 1943: 38

Peru

*Bisaltes* (*Bisaltes*) Thomson, 1868: 110

*B. (B.) fuscodiscalis* Breuning, 1943: 39

Peru

*B. (B.) fuscomarmoratus* Breuning, 1966: 11

Peru

*B. (B.) subreticulatus* Aurivillius, 1920: 381

Ecuador, Peru, Bolivia, Brazil, Argentina

*Ptericoptus* Lacordaire, 1830: 185

*P. sinuatus* Breuning, 1939: 233

Colombia, Peru

*Tethystola* Thomson, 1868: 131

*T. unifasciata* Galileo and Martins, 2001: 288

Peru

**Tribe Calliini** Thomson, 1864: 123*Callia* Audinet-Serville, 1835: 60*C. boliviana* Belon, 1903: 72

Peru, Bolivia

*C. marginata* Galileo and Martins, 2002: 42

Peru

*C. rubristerna* Galileo and Martins, 1992: 138

Peru, Bolivia

*Callisema* Martins and Galileo, 1990: 475*C. iucaua* Martins and Galileo, 1996: 307

Peru

*Drycothaea* Thomson, 1868: 145*D. jolyi* Galileo and Martins, 2010: 70

Peru

*Eumimesis* Bates, 1866: 298*E. carbonelli* Lane, 1973: 476

Ecuador, Peru

*E. heilipoides* Bates, 1866: 298

French Guiana, Ecuador, Peru, Brazil

*Graminea* Thomson, 1864: 329*G. inca* Galileo and Martins, 1990: 471

Peru

*Mimolaia* Bates, 1881: 424*M. peruana* Galileo and Martins, 1991: 255

Peru

*Rumuara* Martins and Galileo, 2006: 214*R. fasciata* (Martins and Galileo, 1990: 479)

Peru

**Tribe Colobotheni** Thomson, 1860: 18*Calliphenges* Waterhouse, 1880: 296*C. cuprascens* Waterhouse, 1880: 296

Ecuador, Peru

*Carneades* Bates, 1869: 387*C. glaucothea* Bates, 1872: 227

Ecuador, Peru, Brazil

*C. vittata* Gahan, 1889: 391

Ecuador, Peru, Brazil

*Carterica* Pascoe, 1858: 263*C. mima* Belon, 1903: 68

Peru, Bolivia

*C. mucronata* (Olivier, 1795: (68)30)

French Guiana, Peru, Brazil, Bolivia

- C. soror* Belon, 1896: 253  
Peru, Bolivia
- Colobothea* Lepeletier and Audinet-Serville in Latreille, 1825: 336
- C. andina* Monné, 1993: 475  
Peru
- C. assimilis* Aurivillius, 1902: 212  
Colombia, Peru, Bolivia
- C. berkovi* Monné and Monné, 2010: 40  
Peru, Bolivia
- C. bicuspidata* (Latreille, 1811: 56)  
French Guiana, Colombia, Ecuador, Peru, Brazil, Bolivia
- C. bisignata* Bates, 1865: 389  
Guianas, Ecuador, Peru, Brazil, Bolivia
- C. brullei* Gahan, 1889: 389  
Ecuador, Peru, Brazil, Bolivia
- C. crassa* Bates, 1865: 103  
Peru, Brazil
- C. femorosa* Erichson, 1847: 149  
Peru
- C. fibrosa* Erichson, 1847: 149  
Peru
- C. hirtipes* (DeGeer, 1775: 116)  
Trinidad and Tobago, Guianas, Peru, Brazil, Bolivia
- C. lunulata* Lucas, 1857: 190  
Ecuador, Peru, Brazil, Bolivia
- C. macularis* (Olivier, 1792: 474)  
Suriname, French Guiana, Ecuador, Peru, Brazil, Bolivia
- C. meleagrina* Erichson, 1847: 149  
Ecuador, Peru, Bolivia
- C. naevigera* Bates, 1865: 101  
Ecuador, Peru, Brazil, Bolivia
- C. osculatii* Guérin-Méneville, 1855: 600  
Ecuador, Peru
- C. paulina* Bates, 1865: 384  
French Guiana, Peru, Brazil
- C. peruviana* Aurivillius, 1920: 389  
Peru
- C. pimplaea* Bates, 1865: 382  
French Guiana, Peru, Brazil
- C. plagiata* Aurivillius, 1902: 212  
Colombia, Ecuador, Peru, Bolivia
- C. plebeja* Aurivillius, 1902: 219  
Peru, Bolivia
- C. propinqua* Bates, 1865: 385  
Peru, Brazil
- C. punctata* Aurivillius, 1902: 221  
Colombia, Peru
- C. scolopacea* Erichson, 1847: 149  
Peru
- C. securifera* Bates, 1865: 387  
Ecuador, Peru, Brazil
- C. sejuncta* Bates, 1865: 387  
Ecuador, Peru, Brazil



*C. sordida* Aurivillius, 1902: 221  
Ecuador, Peru, Brazil, Bolivia

*Priscilla* Thomson, 1864: 30

*P. hypsiomoides* Thomson, 1864: 31  
Honduras-nSAmerica, Peru, Bolivia

*Sangaris* Dalman, 1823: 71

*S. petrovi* Schmid, 2010: 190  
Peru

*S. sexmaculata* Monné, 1993: 472  
Peru

**Tribe Compsosomatini** Thomson, 1857: 70

*Aerenea* Thomson, 1857: 298

*A. albilarvata* Bates, 1866: 198  
French Guiana, Peru, Brazil

*A. bimaculata* (Brèthes, 1920: 46)  
Peru, Bolivia

*A. brunnea* Thomson, 1868: 96  
Costa Rica, Panama-Argentina

*A. flavofasciculata* Breuning, 1948: 30  
Peru

*A. tuberculata* Monné, 1980: 259  
Peru, Bolivia

*Compsosoma* Lacordaire, 1830: 183

*C. geayi* Gounelle, 1908: 8  
French Guiana, Peru, Brazil

*C. mniszechii* Thomson, 1857: 74  
Peru, Brazil

*Laraesima* Thomson, 1868: 96

*L. pilosa* Monné, 1980: 228  
Peru

*Tessarecphora* Thomson, 1857: 77

*T. arachnoides amazonica* Monné, 1980: 39  
Peru, Brazil

**Tribe Cyrtinini** Thomson, 1864: 41

*Omosarotes* Pascoe, 1860: 131

*O. paradoxum* (Tippmann, 1955: 12)  
Panama, Ecuador, Peru

*Scopadus* Pascoe, 1857: 100

*S. ciliatus* Pascoe, 1857: 100  
Peru, Brazil

**Tribe Desmiphorini** Thomson, 1860: 74

- Blabia*** Thomson, 1864: 109  
***B. bicuspis*** (Bates, 1866: 288)  
Ecuador, Peru, Brazil
- B. colobothooides*** Thomson, 1864: 109  
Colombia, Peru
- B. epicharis*** Martins and Galileo, 1995: 577  
Peru
- B. rendira*** Galileo and Martins, 1998: 148  
Peru
- B. strandiella*** Breuning, 1943: 53  
Peru
- Desmiphora (Desmiphora)*** Audinet-Serville, 1835: 62
- D. (D.) cirrosa*** Erichson, 1847: 147  
Mexico-Panama, Ecuador, Peru, Brazil
- D. (D.) fasciola*** Martins and Galileo, 1995: 166  
Peru, Bolivia
- D. (D.) pallida*** Bates, 1874: 226  
Jamaica, Peru, Brazil, Bolivia
- D. (D.) xerophila*** Martins and Galileo, 1995: 167  
Ecuador, Peru
- Estola*** Fairmaire and Germain, 1859: 524
- E. retrospinosa*** Breuning, 1940: 59  
Venezuela, Peru
- E. seriata*** Kirsch, 1875: 287  
Peru
- E. similis*** Breuning, 1940: 70  
Peru
- Heteresmia*** Monné, 2005: 414
- H. seabrai*** (Lane and Prosen, 1961: 131)  
Peru, Brazil
- Ischnolea*** Thomson, 1860: 347
- I. peruana*** Breuning, 1943: 48  
Peru
- Ischnoleomimus*** Breuning, 1940: 168
- I. excavatus*** Breuning, 1940: 168  
Peru, Brazil, Bolivia
- Malthonea*** Thomson, 1864: 329
- M. minima*** Martins and Galileo, 1995: 614  
Peru
- M. obyuna*** Martins and Galileo, 2005: 245  
Peru
- Paradesmiphora*** Breuning, 1959: 86
- P. amazonica*** Galileo and Martins, 1998: 34  
Peru, Bolivia

**Tribe Eupromerini** Galileo and Martins, 1995: 132*Iquiracetima* Galileo and Martins, 1995: 140*I. aspasia* Galileo and Martins, 1995: 142  
eEcuador, Peru**Tribe Forsteriini** Tippman, 1960: 210*Nyctonympha* Thomson, 1868: 127*N. annulipes* (Belon, 1897: 187  
Peru, Bolivia*N. flavipes* Aurivillius, 1920: 401  
Ecuador, Peru, Brazil, Bolivia**Tribe Hemilophini** Thomson, 1868: 189*Acasanga* Martins and Galileo, 1991: 613*A. delectabilis* (Waterhouse, 1880: 302)  
Colombia, Peru*Adesmus* Lepeletier and Audinet-Serville in Latreille, 1825: 335*A. calca* Galileo and Martins, 2005: 278  
Peru*A. guttatus* Galileo and Martins, 2005: 277  
Peru*A. juninensis* Galileo and Martins, 1999: 89  
Peru*A. laetus* (Bates, 1881: 198)  
Venezuela, Colombia, Peru*A. tribalteatus* (Bates, 1881: 198)  
Peru, Bolivia*A. vilhena* Galileo and Martins, 1999: 95  
Peru, Brazil*Apypema* Galileo and Martins, 1992: 17*A. yara* Galileo and Martins, 1992: 17  
Peru, Brazil*Callanga* Lane, 1973: 411*C. tenebrosa* Lane, 1973: 415  
Peru*C. trichocera* Lane, 1973: 413  
Peru, Bolivia*Canarana* Martins and Galileo, 1992: 442*C. affinis* (Aurivillius, 1908: 12)  
Peru, Bolivia*C. brachialis* (Guérin-Méneville, 1855: 600)  
Ecuador, Peru, Bolivia*C. tuberculicollis* (Guérin-Méneville, 1855: 601)  
Ecuador, Peru

***Chrysaperda*** Bates, 1881: 152

***C. metallica*** Bates, 1881: 152  
Ecuador, Peru

***Corcovado*** Lane, 1973: 408

***C. peruvienne*** Lane, 1973: 409  
Peru

***Cuicirama*** Martins and Galileo, 1992: 124

***C. spectabilis*** (Blanchard, 1847: 210)  
Ecuador, Peru, Bolivia

***Fredlanea*** Martins and Galileo, 1996: 190

***F. calliste*** (Bates, 1881: 148)  
Peru, Bolivia

***F. flavipennis*** (Lane, 1966: 271)  
Ecuador, Peru

***F. kirschi*** (Aurivillius, 1923: 590)  
Colombia, Peru

***Isomerida*** Bates, 1866: 373

***I. albicollis*** (Laporte, 1840: 488)  
Costa Rica, French Guiana, Colombia, Peru, Brazil, Bolivia

***I. apiratinga*** Martins and Galileo, 1992: 189  
Peru

***I. invicta*** Galileo and Martins, 1996: 244  
Peru

***I. lineata*** Bates, 1874: 232  
Nicaragua-Colombia, Peru, Brazil, Bolivia

***Juninia*** Lane, 1966: 247

***J. annulifera*** (Kirsch, 1889: 44)  
Colombia, Ecuador, Peru

***Lapazina*** Lane, 1973: 409

***L. fuscipennis*** (Bates, 1881: 203)  
Peru, Bolivia

***Malacoscyllus*** Thomson, 1868: 190

***M. auricomus*** Bates, 1881: 296  
Peru, Bolivia

***M. cinctulus*** Bates, 1881: 297  
Ecuador, Peru, Bolivia

***M. elegantulus*** Galileo and Martins, 2005: 275  
Peru

***M. niger*** Aurivillius, 1908: 12  
Peru

***Porangonycha*** Martins and Galileo, 1997: 50

***P. princeps*** (Bates, 1872: 230)  
Nicaragua, Costa Rica, French Guiana, Ecuador, Peru, Bolivia

- Poticuara* Martins and Galileo, 1991: 614  
*P. ipiterpe* Martins and Galileo, 1991: 615  
Costa Rica, Peru
- Susuanycha* Galileo and Martins, 2005: 274  
*S. susua* Galileo and Martins, 2005: 274  
Peru
- Sybaguasu* Martins and Galileo, 1991: 621  
*S. pubicorne* (Bates, 1881: 201)  
Peru, Brazil  
*S. titingum* Martins and Galileo, 1991: 622  
Peru
- Tyrinthia* Bates, 1866: 371  
*T. capillata* Bates, 1866: 371  
Peru, Brazil, Bolivia
- Woytkowskia* Lane, 1966: 281  
*W. scorpiona* Lane, 1966: 282  
Peru
- Tribe Monochamini** Gistel, 1848: 9
- Plagiohammus* Dillon and Dillon, 1941: 85  
*P. camillus* Dillon and Dillon, 1949: 3  
Peru  
*P. spinipennis* (Thomson, 1860: 100)  
Mexico, Costa Rica, nSAmerica, Peru
- Pseudotaeniotes* Dillon and Dillon, 1949: 2  
*P. mimus* (Dillon and Dillon, 1943: 16)  
Peru, Bolivia
- Taeniotes* Audinet-Serville, 1835: 90  
*T. affinis* Breuning, 1935: 62  
Ecuador, Peru  
*T. buckleyi* Bates, 1872: 198  
Ecuador, Peru  
*T. chapini* Dillon and Dillon, 1941: 28  
Ecuador, Peru, Bolivia  
*T. naevius* Bates, 1872: 198  
Colombia, eEcuador, Peru  
*T. orbigny* Guérin-Méneville, 1844: 244  
Panama-SAmerica, Peru, Bolivia  
*T. peruanus* Breuning, 1971: 287  
Peru  
*T. scalatus* (Gmelin, 1790: 1825)  
Mexico-nSAmerica, Peru  
*T. similis* Dillon and Dillon, 1941: 29  
Colombia, Ecuador, Peru

**Tribe Mauesiini** Lane, 1956: 19*Taurolema* Thomson, 1860: 15*T. flavocincta* Gounelle, 1906: 13

Costa Rica-Colombia, Ecuador, Peru, Bolivia

*T. superba* Fuchs, 1966: 14

Peru

**Tribe Onciderini** Thomson, 1860: 38*Alexera* Dillon and Dillon, 1945: 119*A. barii* (Jekel, 1861: 261)

Guianas, Peru, Brazil

*Bacuris* Gounelle, 1906: 274*B. sexvittatus* (Bates, 1865: 181)

Costa Rica, French Guiana, Peru, Brazil

*Cacostola* Fairmaire and Germain, 1859: 527*C. simplex* (Pascoe, 1859: 55) **NEW RECORD**

French Guiana, Peru, nBrazil

*Cherentes* Gounelle, 1906: 273*C. niveilateris* (Thomson, 1868: 70)

Costa Rica, Panama, Colombia, Peru, Brazil, Bolivia, Paraguay, Argentina

*Cicatrodea* Dillon and Dillon, 1946: 223*C. monima* Dillon and Dillon, 1946: 225

Peru, Brazil, Bolivia

*Cipriscola* Dillon and Dillon, 1945: 82*C. fasciata* (Thomson, 1860: 118)

Colombia, Peru, Brazil, Bolivia, Paraguay, Argentina

*Clavidesmus* Dillon and Dillon, 1946: 293*C. metallicus* (Thomson, 1868: 70)

French Guiana, Peru, Bolivia, Ecuador

*Cylicasta* Thomson, 1868: 42*C. terminata* (Buquet, 1859: 47)

French Guiana, Peru, Brazil

*Delilah* Dillon and Dillon, 1945: 53*D. subfasciata* Dillon and Dillon, 1952: 61

Peru

*Ecthoea* Pascoe, 1858: 250*E. quadricornis* (Olivier, 1792: 466)

Costa Rica-nSAmerica, Trinidad and Tobago, Peru

*Ephiales* Dillon and Dillon, 1946: 218*E. cretacea* (Bates, 1865: 173)

French Guiana, Ecuador, Peru, Brazil

- Eudesmus* Audinet-Serville, 1835: 81  
*E. diopites* Dillon and Dillon, 1946: 303  
Peru  
*E. grisescens* Audinet-Serville, 1835: 82  
Nicaragua-French Guiana, Peru, Brazil, Bolivia
- Euthima* Dillon and Dillon, 1945: 106  
*E. rodens* (Bates, 1865: 112)  
French Guiana, Ecuador, Peru, Brazil, Bolivia  
*E. variegata* (Aurivillius, 1921: 50)  
Peru, Bolivia  
*E. wendtae* Martins, 1979: 151  
Peru
- Furona* Dillon and Dillon, 1945: 96  
*F. egens* (Erichson, 1847: 148)  
Ecuador, Peru
- Hesychotypa* Thomson, 1868: 53  
*H. nyphonoides* (Pascoe, 1859: 36)  
Colombia, Ecuador, Peru, Brazil  
*H. punctata* Martins, 1979: 153  
Ecuador, Peru
- Hypsioma* Audinet-Serville, 1835: 38  
*H. amydon* Dillon and Dillon, 1945: 36  
Ecuador, Peru, Brazil  
*H. lyca* Dillon and Dillon, 1945: 34  
Colombia, Ecuador, Peru, Brazil
- Jamesia* Jekel, 1861: 259  
*J. globifera* (Fabricius, 1801: 284)  
nSAmerica, Colombia, Ecuador, Peru, Bolivia  
*J. papulenta* Thomson, 1868: 43  
Nicaragua-Colombia, Ecuador, Peru  
*J. phileta* Dillon and Dillon, 1945: 8  
Peru
- Leus* Dillon and Dillon, 1946: 222  
*L. ramuli* (Bates, 1865: 311)  
Ecuador, Peru, Brazil, Bolivia
- Lochmaeocles* Bates, 1880: 124  
*L. callidryas* (Bates, 1865: 175)  
nSAmerica, Peru, Bolivia  
*L. consobrinus bolivianus* Dillon and Dillon, 1946: 207  
Peru, Bolivia  
*L. pulcher* Dillon and Dillon, 1946: 211  
French Guiana, Ecuador, Peru, Brazil
- Lydipta* Thomson, 1868: 52  
*L. conspersa* (Aurivillius, 1922: 164)  
Peru, Brazil, Bolivia, Paraguay

- Marensis* Dillon and Dillon, 1945: 94  
*M. simplex* (Bates, 1865: 168) **NEW RECORD**  
Ecuador, Peru, Brazil
- Monneoncideres* Nearn and Swift, 2011: 8  
*M. cristata* Nearn and Swift, 2011: 8  
Ecuador, Peru
- Neocherentes* Tippmann, 1960: 155  
*N. dilloniorum* Tippmann, 1960: 156  
Ecuador, Peru, Bolivia
- Neohylus* Monné, 2005: 570  
*N. dubius* (Dillon and Dillon, 1945: 105)  
Colombia, Peru
- Neolampedula* Monné, 2005: 570  
*N. obliquator* (Fabricius, 1801: 303)  
French Guiana, Peru, Brazil, Bolivia
- Oncideres* Lacordaire, 1830: 183  
*O. albistillata* Dillon and Dillon, 1952: 75  
Peru  
*O. albopicta* Martins and Galileo, 1990: 93  
Peru  
*O. angaturama* Galileo and Martins, 2008: 2  
Peru  
*O. crassicornis* Bates, 1865: 177  
Ecuador, Peru, Brazil  
*O. laceyi* Dillon and Dillon, 1949: 10  
Peru  
*O. nicea* Dillon and Dillon, 1949: 5  
Peru  
*O. philosipes* Dillon and Dillon, 1946: 328  
Ecuador, Peru  
*O. satyra* Bates, 1865: 176  
Guianas, Peru, Brazil, Bolivia
- Peritrox* Bates, 1865: 313  
*P. perbra* Dillon and Dillon, 1945: 93  
French Guiana, Peru, Brazil
- Strioderes* Giorgi, 2001: 1  
*S. peruanus* Giorgi, 2001: 3  
Brazil, Peru
- Trachysomus* Audinet-Serville, 1835: 40  
*T. apipunga* Martins and Galileo, 2008: 27  
Peru, Bolivia  
*T. cavigibba* Martins, 1975: 68 **NEW RECORD**  
Peru, Bolivia



**Trestonia** Buquet, 1859: 45

**T. frontalis** (Erichson, 1847: 148)

Colombia, Ecuador, Peru, Brazil, Bolivia

**T. turbula** Monné and Fragoso, 1984: 929

French Guiana, Ecuador, Peru, Brazil

**Tulcus** Dillon and Dillon, 1945: 50

**T. crudus** (Erichson, 1847: 148)

Ecuador, Peru

**T. hebes** (Dillon and Dillon, 1945: 59)

Peru

**T. paganus** (Pascoe, 1859: 35)

Colombia, Peru, Brazil, Bolivia

**T. picticornis** (Bates, 1865: 111)

Peru, Brazil

**T. pullus** (Dillon and Dillon, 1945: 65)

Peru, Bolivia

**T. somus** (Dillon and Dillon, 1945: 67)

Peru

**T. tigrinatus** (Thomson, 1868: 49)

French Guiana, Ecuador, Peru, Brazil

**Tybalmia** Thomson, 1868: 44

**T. pupillata** (Pascoe, 1859: 35)

Guianas, Colombia, Ecuador, Peru, Brazil

**T. tetrops** Bates, 1872: 201

Ecuador, Peru, Brazil

**Tribe Parmenini** Mulsant, 1839: 118

**Tuberolamia** Breuning, 1940: 408

**T. andicola** Breuning, 1940: 409

Peru

**Tribe Polyrhaphidini** Thomson, 1860: 30

**Polyrhaphis** Audinet-Serville, 1835: 26

**P. angustata** Buquet, 1853: 445

Nicaragua-Panama, French Guiana, Ecuador, Peru, Brazil

**P. argentina** Lane, 1978: 72

Peru, Brazil, Bolivia, Paraguay, Argentina

**P. fabricii** Thomson, 1865: 542

Guiana, French Guiana, Ecuador, Peru, Brazil

**P. jansoni** Pascoe, 1859: 30

Venezuela, Ecuador, Peru, Brazil

**P. papulosa** (Olivier, 1795: 72)

Guianas, Venezuela, Colombia, Peru?, Brazil, Bolivia?

**P. peruana** Santos-Silva, Martins and Tavakilian, 2010: 476

Peru

**P. pilosa** Lane, 1965: 294

French Guiana, Ecuador, Brazil, Peru, Bolivia

**P. spinosa** (Drury, 1773: pl. 31)

Trinidad and Tobago, Guiana, French Guiana, Colombia, Peru, Brazil, Bolivia

**Tribe Pteropliini** Thomson, 1860: 73*Anobrium* Belon, 1902: 333*A. rugosicolle* Galileo and Martins, 2002: 23  
Peru, Brazil, Bolivia*Cryptocranium* Lacordaire 1830: 184*C. cazieri* Lane, 1958: 6  
Peru, Brazil, Bolivia*Epectasis* Bates, 1866: 294*E. juncea* (Newman, 1840: 13)  
Mexico-Panama, French Guiana, Ecuador, Peru, Brazil, Bolivia*Esthlogena (Pseudotaxia)* Breuning, 1940: 152*E. (P.) proletaria* Thomson, 1868: 121  
Venezuela, Peru*Rhaphiptera* Audinet-Serville, 1835: 66*R. scrutator* Thomson, 1868: 118  
Panama, French Guiana, Peru**Tribe Xenofreini** Aurivillius, 1923: 375*Xenofrea* Bates, 1885: 373*X. trigonalis* Bates, 1885: 373  
French Guiana, Peru, Bolivia**Family Disteniidae** Thomson, 1861: 181**Tribe Disteniini** Thomson, 1861: 181*Abauba* Santos-Silva and Tavakilian, 2009: 17*A. flavipes* (Villiers, 1958: 48)  
Peru*America* Santos-Silva and Tavakilian, 2009: 29*A. amethystina* (Villiers, 1957: 409)  
Peru*A. hovorei* (Santos-Silva, 2007: 95)  
Peru*A. peruviana* (Villiers, 1958: 46)  
Peru*A. thomasi* (Hovore and Santos-Silva, 2007: 93)  
Peru*Cupecuara* Santos-Silva and Tavakilian, 2009: 15*C. argodi* (Belon 1896: 128)  
Peru, Bolivia*Distenia (Basisvallis)* Santos-Silva and Hovore, 2007: 23*D. (B.) carinata* Villiers 1959: 60  
Ecuador, Peru, Brazil

***Distenia (Distenia)*** Lepeletier and Audinet-Serville in Latreille, 1828: 485

***D. (D.) suturalis*** Bates, 1870: 440

French Guiana, Ecuador, Peru, Brazil, Bolivia

***Novantinoe*** Santos-Silva and Hovore, 2007: 19

***N. iani*** Santos-Silva and Hovore 2007: 601

Ecuador, Peru

***N. peruviansis*** (Villiers, 1959: 70)

Colombia, Ecuador, Peru, Brazil

***N. tumidicollis*** (Villiers, 1959: 72)

Peru

**Family Vesperidae** Mulsant, 1839: 214

**Subfamily Anoplodermatinae** Guérin-Méneville, 1840: 276

**Tribe Anoplodermatini** Guérin-Méneville, 1840: 276

***Anoploderma*** Guérin-Méneville, 1840: 276

***A. bicolor*** Guérin-Méneville, 1840: 277

Peru, Bolivia

***A. peruvianum*** Dias, 1986: 121

Peru