

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Tractor Tests

Tractor Test and Power Museum, The Lester F.
Larsen

January 1936

Test 275: CO-OP Number 2

Tractor Museum

University of Nebraska-Lincoln, TractorMuseumArchives@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Applied Mechanics Commons](#)

Museum, Tractor, "Test 275: CO-OP Number 2" (1936). *Nebraska Tractor Tests*. 870.
<https://digitalcommons.unl.edu/tractormuseumlit/870>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 275

Dates of test: October 22 to November 10, 1936.

Name and model of tractor: CO-OP #2

Manufacturer: Duplex Machinery Company, Battle Creek, Michigan,

Manufacturer's rating: NOT RATED.

B R A K E H O R S E P O W E R T E S T S

H. P.	:Crank : :shaft :	Fuel Consumption : Gals. : H. P. : : R.P.M. : per : : hour :	Lbs. per : H. P. : : hour :	Water Consumption : per hour gallons : Cool- : In : : ing : fuel : Total : : : : : med. :	Temp. : Deg. F. : Cool- : : ing : Air : : : : :	:Barometer :Inches of :Mercury : :
-------	----------------------	---	-----------------------------------	---	---	---

TEST B 100% MAXIMUM LOAD. TWO HOURS

33.17 : 1500 : 3.522 : 9.42 : 0.646 : 0.000 : 0.000 : 0.000 : 180 : 73 : 29.005

TEST C OPERATING MAXIMUM LOAD. ONE HOUR

31.66 : 1501 : 2.919 : 10.85 : 0.561 : 0.000 : 0.000 : 0.000 : 177 : 72 : 29.010

TEST D RATED LOAD. ONE HOUR

29.65 : 1500 : 2.827 : 10.49 : 0.580 : 0.000 : 0.000 : 0.000 : 168 : 69 : 29.010

TEST E *VARYING LOAD. TWO HOURS

29.67 : 1502 : 2.932 : 10.48 : 0.580 : -- : -- : -- : 166 : 69 : --

0.68 : 1618 : 1.066 : 0.64 : 9.529 : -- : -- : -- : 141 : 69 : --

15.62 : 1579 : 1.930 : 8.09 : 0.751 : -- : -- : -- : 154 : 69 : --

30.85 : 1465 : 2.852 : 10.82 : 0.562 : -- : -- : -- : 165 : 68 : --

8.12 : 1597 : 1.490 : 5.45 : 1.116 : -- : -- : -- : 146 : 66 : --

22.74 : 1550 : 2.378 : 9.56 : 0.636 : -- : -- : -- : 160 : 66 : --

17.95 : 1552 : 2.177 : 8.25 : 0.737 : 0.000 : 0.000 : 0.000 : 155 : 68 : 29.030

*20 minute runs. Last line is average for two hours.

D R A W B A R H O R S E P O W E R T E S T S

H. P.	: Draw : Speed : Crank : Slip : Fuel Consumption : Water : Temp. :	: bar : miles : shaft : on : : H. P. : Lbs. : used : : :Barometer	: pull : per : speed : drive: Gal.: hour : per :Gal. :Cool-: :Inches of	: pounds: hour : R.P.M.:wheels: per : per : H.P. :per : ing :Air:Mercury	: : : : % : hour: gal. : hour :hour :med. : :
-------	--	---	---	--	---

TEST F 100% MAXIMUM LOAD. Third GEAR.

29.67 : 1839 : 6.05 : 1500 : 9.57:-----Not Recorded-----: 155 : 49: 29.010

TEST G OPERATING MAXIMUM LOAD

12.23 : 1980 : 2.32 : 1497 : 13.81:-----Not Recorded-----: 147 : 36: 28.500

20.13 : 1863 : 4.05 : 1502 : 13.18:-----" "-----: 160 : 37: 28.435

27.67 : 1662 : 6.24 : 1502 : 6.82:-----" "-----: 155 : 51: 29.010

26.57 : 741 : 13.45 : 1503 : 2.80:-----" "-----: 155 : 54: 29.025

TEST H RATED LOAD. TEN HOURS. Third GEAR

22.77 : 1344 : 6.35 : 1500 : 5.03:2.451: 9.29 :0.654 :0.000: 153 : 47: 29.055

Corrected Copy of Report of Official Tractor Test No. 275

BRIEF SPECIFICATIONS

MOTOR: Make Chrysler Industrial Serial No. 766 Type 6 cylinder, vertical
Head L Mounting Crankshaft lengthwise
Bore and stroke: 3 1/8" x 4 3/8" Rated R.P.M. 1500
Port Diam. Valves: Inlet 1 5/16" Exhaust 1 5/16"
Belt pulley: Diam. 14" Face 8 3/4" R.P.M. 707
Generator Auto-lite Model GAR4608-C-5
Carburetor Zenith Model 124 1/2 E Size 1"
Governor Pierce Type Centrifugal
Air Cleaner: Donaldson Type Twister pre-cleaner and oil-
washed wire-screen filter
Lubrication Pressure

CHASSIS: Type 4 wheels, 2 drivers Serial No. 2-198 Drive Enclosed gear
Clutch Borg & Beck Type Single-plate, dry Operated by Foot pedal
Advertised speeds, miles per hour: First 2.7 Second 4.7
Third 6.8 Fourth 14.2 Fifth 21.3 Reverse 3.5
Drive wheel tires, size 11.25" x 28" Air pressure 16 pounds.
Front wheel tires, size 6.00" x 16" Air pressure 25 pounds.
Seat Sponge-rubber-covered pressed steel
Total weight as tested (with operator) 5000 pounds.

FUEL AND OIL:

Fuel Gasoline (70 Octane) Weight per gallon 6.08 pounds.
Oil S.A.E. Viscosity No. 10
Total oil to motor 1.485 gallons
Total drained from motor 1.151 gallons
Total time motor was operated 54 hours

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 275

REPAIRS AND ADJUSTMENTS

No repairs or adjustments.

REMARKS

All results shown on page 1 of this report were determined from observed data and without allowances, additions or deductions. Tests B and F were made with carburetor set for 100% maximum horsepower and these figures were used in determining the ratings as recommended by the A.S.A.E. and S.A.E. tractor rating codes. Tests C, D, E, G and H were made with an operating setting of the carburetor (selected by the manufacturer) of 95.4% of maximum horsepower.

Observed maximum horsepower (tests F & B) Drawbar 29.67 Belt 33.17

Sea level (calculated) maximum horsepower Drawbar 30.26 Belt 34.63
 (based on 60° F. and 29.92" Hg.)

Highest permissible horsepower ratings Drawbar 22.70 Belt 29.44
 (as recommended by A.S.A.E. and S.A.E.
 codes)

We, the undersigned, certify that the above is a true and correct report of official tractor test No. 275.

Carlton L. Zink

 Engineer-in-charge

E. E. Brackett

C. W. Smith

L. W. Hurlbut

 Board of Tractor Test Engineers