

2001

NF01-463 Turf Disease Fact Sheet No. 3: Management Program for Brown Patch

John E. Watkins

University of Nebraska--Lincoln, jwatkins1@unl.edu

Follow this and additional works at: <http://digitalcommons.unl.edu/extensionhist>



Part of the [Agriculture Commons](#), and the [Curriculum and Instruction Commons](#)

Watkins, John E., "NF01-463 Turf Disease Fact Sheet No. 3: Management Program for Brown Patch" (2001). *Historical Materials from University of Nebraska-Lincoln Extension*. 896.

<http://digitalcommons.unl.edu/extensionhist/896>

This Article is brought to you for free and open access by the Extension at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Historical Materials from University of Nebraska-Lincoln Extension by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Turf Disease Fact Sheet No. 3 Management Program for Brown Patch

by John E. Watkins, Extension Plant Pathologist

Cause, Hosts and Occurrence

Brown Patch: Cause: *Rhizoctonia solani*, *Rhizoctonia zeae*
Principal Hosts: Ryegrasses, Tall fescue, Creeping bentgrass
Occurrence: July - September

Key Symptoms

- Tall-cut turf:**
- Roughly circular patches of blighted grass with a reddish-tan color.
 - Long, irregularly shaped leaf lesions surrounded by a dark brown margin.
- Greens and fairway-height:**
- Diffuse roughly circular, reddish brown patches up to 2 feet in diameter.
 - Patches may have a smokey-gray outer ring.

Cultural/Maintenance Practices

- Avoid high nitrogen fertilizer applications during summer. Spoon feed the turf with low rates of nitrogen to maintain moderate growth and good recovery ability from disease.
- Perform maintenance that will improve air circulation across the turf.
- Avoid nighttime irrigation.

Fungicide Program

- Golf courses:**
- On bentgrass greens use the most effective products from early July through mid-August. Curative treatments should include azoxystrobin

or flutolanil.

- Home lawn and other turfs:**
- Use high-label rates of propiconazole or thiophanate methyl to provide three to four weeks of protection. Treat brown patch-prone areas as a preventive; other areas can be treated curatively as needed.

Products reported to provide fair to excellent control of brown patch include:

Commercial Products

<i>Active ingredient(s)</i>	<i>Product name(s)</i>
azoxystrobin	Heritage
chloroneb	Termec SP
chlorothalonil*	Daconil Ultrex, Manicure Ultrex, Thaloni
fenarimol	Rubigan
flutolanil	ProStar
iprodione*	Chipco 26GT
mancozeb	Formec 80, Fore Rainshield, Dithane T/O Rainshield, Lesco Mancozeb, Protect T/O
myclobutanil	Eagle
propiconazole	Banner MAXX
thiophanate-methyl	Cleary's 3336, Fungo, Cavalier thiram Spotrete
triadimefon	Accost, Bayleton, Lesco Granular Turf Fungicide
trifloxystrobin	Compass
vinclozlin	Curalin, Touché
chlorothalonil+fenarimol	TwoSome Flowable Fungicide
chlorothalonil+thiophanate methyl	Spectro 90
mancozeb+copper hydroxide	Junction

*No longer registered for residential turf

Home Lawn Products

<i>Active ingredient(s)</i>	<i>Product name(s)</i>
benomyl	Acme Benomyl Systemic Fungicide, Bonide Benomyl Lawn Fungicide Granules

mancozeb	Green Light Broad Spectrum Mancozeb Fungicide
maneb	Acme Maneb Tomato and Vegetable Dust
propiconazole	ferti-lome Liquid Systemic Fungicide
thiophanate-methyl	Green Light Fung-Away II Systemic Fungicide, ferti lome Halt Systemic, Dragon Systemic Fungicide 3336 WP
triadimefon	Green Light Systemic Lawn Fungicide, Bonide Lawn Fungicide with Bayleton

***File NF01-463 under PLANT DISEASES
F-4, Turf
Issued April 2001***

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Elbert C. Dickey, Dean and Director of Cooperative Extension, University of Nebraska, Institute of Agriculture and Natural Resources.

University of Nebraska Cooperative Extension educational programs abide with the non-discrimination policies of the University of Nebraska-Lincoln and the United States Department of Agriculture.