University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Historical Materials from University of Nebraska-Lincoln Extension

Extension

2-1952

EC1409 Record Chart for Broiler Growers

Follow this and additional works at: http://digitalcommons.unl.edu/extensionhist

"EC1409 Record Chart for Broiler Growers" (1952). Historical Materials from University of Nebraska-Lincoln Extension. 2517. http://digitalcommons.unl.edu/extensionhist/2517

This Article is brought to you for free and open access by the Extension at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Historical Materials from University of Nebraska-Lincoln Extension by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

585 E7 # 1409 c.1

2

EXTENSION SERVICE
UNIVERSITY OF NEBRASKA COLLEGE OF AGRICULTURE
AND U. S. DEPARTMENT OF AGRICULTURE
COOPERATING
W. V. LAMBERT, DIRECTOR


RECORD CHART FOR BROILER GROWERS

Good records show the experienced manager how daily operations are going. See the reverse side of this card for the record chart for reporting the brooder house information that the manager needs.


The weekly feed consumption for the 1948 and 1951 national chicken-of-tomorrow contests is reported in the following table. In the 1951 contest, the average weight at 10 weeks for all the entries was 3.06 pounds, with a feed conversion ratio of 2.62 pounds. At 12 weeks, the average weight was 3.73 pounds and the feed conversion ratio was 2.93 pounds.

| | 1951 | 1948 | | | | | |
|-------|---------------|---------------|--|--|--|--|--|
| Week | Feed Consumed | Feed Consumed | | | | | |
| | Per 100 Head | Per 100 Head | | | | | |
| | (pounds) | (pounds) | | | | | |
| 1 | 14.8 | 14 | | | | | |
| 2 3 | 31.7 | 26 | | | | | |
| | 38.0 | 43 | | | | | |
| 4 | 62.2 | 48 | | | | | |
| 5 | 62.4 | 61 | | | | | |
| 6 | 87.5 | 77 | | | | | |
| 7 | 104.3 | 96 | | | | | |
| 8 | 121.6 | 98 | | | | | |
| 9 | 152.6 | 114* | | | | | |
| 10 | 133.1 | 110* | | | | | |
| 11 | 136.2 | 139 | | | | | |
| 12 | 147.7 | 140 | | | | | |
| Total | 1102.1 | 966 | | | | | |

* In the 1948 contest, an outbreak of Newcastle disease during the ninth and tenth weeks caused decreased feed consumption during the tenth week. The average weight at 12 weeks and 2 days was 3 pounds.



The chart compares the placement of broiler chicks in the seven major areas by weeks, for the years 1950 and 1951. It is produced from reports of the Bureau of Agricultural Economics, U.S.D.A.



The chart compares the weekly prices received for broilers in the Delmarva area during 1950 and 1951. It is produced from reports of the Bureau of Agricultural Economics, U.S.D.A.

RECORD CHART FOR BROILER GROWERS

| Name | | | | | Address | | | | | | | County | | | | | | | | |
|--|--------|----------|-----------------|------|---------|----------------|--------------|--------------------|--------|----------|---|---------|--|-----|--|-------|--|------|--|--|
| No. chicks started | | | | | | Breed Pen or h | | | | | or ho | ouse no | | | | | | | | |
| Dates started | | | | | | | | | | | | | | | | | | | | |
| Daily Mortality Record | | | | | | | Total for | Total | | | | | | | | | Total for | Cost | | |
| Week | Sun. | Mon. | Tues. | Wed. | Thur. | Fri. | Sat. | | | Week | Daily Feed Record Week Sun. Mon. Tues. Wed. Thur. Fri. Sa | | | | | | | week | week | |
| 1 | | | | | | | | E (pr | | 1 | | | | | 1 100 | | Child and a supplemental of the supplemental o | 200 | | |
| 2 | N. | | | | | | | | | 2 | | | | | 1000 | 1 | and a | 160% | | |
| 3 | | | | KS | | | | | | 3 | | | | | 182 | 5 | TOT MA | 53 | | |
| 4 | 801 20 | | | 3 | | | | 1269 | | 4 | | | ps. | | THE STATE OF THE S | | Ti | | | |
| 5 | | P = 10 a | to the first to | | N S A A | | | | in man | 5 | OF WE | 2-10 | THE HEAD | | e bu | | TO SOL | OW. | A PORT OF THE PARTY OF THE PART | |
| 6 | | | | | | | | | 15.0 | 6 | | 60 60 | | 3 | 100 | | 9 8 | N. | | |
| 7 | | | 1-12- | | | | | | | 7 | | | P. P. S. | | do 2 | | NGO! | .1 | | |
| 8 | | | 14 | | | | | T G | | 8 | | | | | No. of Street | | TO TO | 100 | New York | |
| 9 | | | 13 | | | * | , | 1 10 | | 9 | | | | | | 1 184 | d by de | 5 | | |
| 10 | | | M | - | | | | | | 10 | | | | | BINE BALL | | 10 8 | | | |
| 11 | | | | | R I | | - 5 | 1 | | 11 | | | | | H 5 B | | HIT WO | C C | 409 | |
| 12 | | | | | 1 | | bo | | | 12 | | | | | SE LE | 9 | 10 0 | | 7 | |
| 444 | | | | | | Т | otals | 18 | | | | | | | | T | otals | | . Ig | |
| SUMMARY Cash expenses | | | | | | | | | | S | | | | | | | | | | |
| No. chicks started Bags of feed used Total weight sold Chicks No. birds sold Pounds meat per bag Price per pound Feed | | | | | | | | | | | | | | | | | | | | |
| No. birds soldPounds meat per bagPrice per poundFeedPer cent livabilityPounds feed per pound meatTotal salesLitter | | | | | | | | | | THE POST | | | | | | | | | | |
| Date | | IVabili | c,y | | | wt. | | | und in | cat | | | expens | ses | 9 40 8 | | uel | | | |
| Age when birds sold Amt. feed per bird | | | | | | | | Total profit Other | | | | | | | | | | | | |