

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Chemical and Biomolecular Engineering News
Releases

Chemical and Biomolecular Engineering
Departmental Papers

10-12-2005

Royal Society of Chemistry - Gold-plated bacteria

Ravi F. Saraf

University of Nebraska-Lincoln, rsaraf2@unl.edu

Vikas Berry

Department of Chemical Engineering, University of Nebraska-Lincoln, vberry2@unlnotes.unl.edu

Follow this and additional works at: https://digitalcommons.unl.edu/chemeng_news

 Part of the [Chemical Engineering Commons](#)

Saraf, Ravi F. and Berry, Vikas, "Royal Society of Chemistry - Gold-plated bacteria" (2005). *Chemical and Biomolecular Engineering News Releases*. 1.
https://digitalcommons.unl.edu/chemeng_news/1

This Article is brought to you for free and open access by the Chemical and Biomolecular Engineering Departmental Papers at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Chemical and Biomolecular Engineering News Releases by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Gold-plated bacteria bring nanodevices to life

12 October 2005

US researchers have coated live bacteria with gold nanoparticles to create a highly sensitive bio-electronic device that responds to changes in humidity.

The outermost protective layer of gram-positive bacteria such as *Bacillus cereus* expands with increasing humidity. Vikas Berry and Ravi Saraf at the University of Nebraska at Lincoln coated this peptidoglycan layer with positively charged gold nanoparticles, which adhere by electrostatic interaction. Previous research had shown that electric currents pass between these particles by tunneling mechanisms, which are extremely sensitive to distance changes.

Saraf and colleagues selected living *B. cereus* cells of similar size (around 5 μm long, 0.9 μm diameter) and deposited them on a chip containing pairs of gold electrodes at 7 μm distance. They optimised the experimental conditions so that the bacteria formed several bridges spanning each pair of electrodes. The gold nanoparticle coating on the bacteria established an efficient conducting bridge between the electrodes.

The researchers increased the current fortyfold by decreasing the humidity from 20 per cent to zero. This change was reversible over five cycles. 'It is possible to make nanodevices piggyback on a living cell,' triumphed Saraf. He now looks forward to coupling the two so that the live cell can drive the device.

'If such a coupling were possible,' said Saraf, 'one could also imagine electronics gadgets, locally powered by living microorganism consuming biodegradable carbon food rather than using caustic batteries.' *Michael Gross*

References

V Berry and R F Saraf, *Angewandte* (DOI: 10.1002/anie.200501711)

© Royal Society of Chemistry 2005