

1981

Autopoint Imprinted Chart Availability Catalog [c.1981]

Autopoint Inc.

Robert L. Bolin Depositor

University of Nebraska-Lincoln, rbolin2@unl.edu

Follow this and additional works at: <http://digitalcommons.unl.edu/tradecatalogs>



Part of the [Marketing Commons](#), [Other Business Commons](#), and the [Sales and Merchandising Commons](#)

Autopoint Inc. and Bolin, Robert L. Depositor, "Autopoint Imprinted Chart Availability Catalog [c.1981]" (1981). *Trade Catalogs*. 4. <http://digitalcommons.unl.edu/tradecatalogs/4>

This Article is brought to you for free and open access by the Libraries at University of Nebraska-Lincoln at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Trade Catalogs by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

AUTOPOINT

Imprinted Chart Availability Catalog

Calendar Charts

Calendar charts are the most popular of our chart imprints. Autopoint can supply calendar imprints for both Jumbo round barrel and for Standard round barrel pencils.

The use of charts is a great selling tool . . . for customers who can use metrics, metal and steel gauges, capacities, pressures and temperatures, and other equivalents.

All stock charts available are shown in this brochure. Custom charts can also be produced with your art or can be set from your copy.



JANUARY	FEBRUARY	MARCH	1982	APRIL	MAY	JUNE
SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

For Use on Jumbo Size Round Barrel Pencils
Autopoint Model No. 3107
Order: Calendar A

JANUARY	FEBRUARY	MARCH	1982	APRIL	MAY	JUNE
SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS	SMTWTFS
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

For Use on Standard Size Round Barrel Pencils
Autopoint Nos. 1107, 5107
Order: Calendar B

Chart Availability

...for use on Jumbo Round Barrel Pencils

Model No. 3107

METRIC CONVERSION CHART

LENGTH	
inch	2.54 cm
cm	0.394 in
foot	0.3048 m
meter	3.28 ft
yard	0.9144 m
meter	1.0936 yd
mile	1.609 km
mile	0.6275 mi
AREA	
sq in	6.4516 cm ²
cm ²	0.155 sq in
sq ft	0.0929 m ²
m ²	10.764 sq ft
WEIGHT	
ounce	28.35 g
gram	0.0353 oz
pound	0.4535 kg
kilogram	2.205 lb
ton	0.907 mt
metric ton	1.1025 t
VOLUME	
cu yd	0.765 m ³
m ³	1.307 cu yd
US gal	3.785 l
liter	0.2642 gal

A1—Metric Conversion Chart

DECIMAL EQUIVALENTS

1/64 .015625	33/64 .515625
1/32 .03125	17/32 .53125
3/64 .046875	35/64 .546875
1/16 .0625	9/16 .5625
5/64 .078125	37/64 .578125
3/32 .09375	19/32 .59375
7/64 .109375	39/64 .609375
1/8 .125	5/8 .625
9/64 .140625	41/64 .640625
5/32 .15625	21/32 .65625
11/64 .171875	43/64 .671875
3/16 .1875	11/16 .6875
13/64 .203125	45/64 .703125
7/32 .21875	23/32 .71875
15/64 .234375	47/64 .734375
1/4 .25	3/4 .75
17/64 .265625	49/64 .765625
9/32 .28125	25/32 .78125
19/64 .296875	51/64 .796875
5/16 .3125	13/16 .8125
21/64 .328125	53/64 .828125
11/32 .34375	27/32 .84375
23/64 .359375	55/64 .859375
3/8 .375	7/8 .875
25/64 .390625	57/64 .890625
13/32 .40625	29/32 .90625
27/64 .421875	59/64 .921875
7/16 .4375	15/16 .9375
29/64 .453125	61/64 .953125
15/32 .46875	31/32 .96875
31/64 .484375	63/64 .984375
1/2 .5	1 1

A2—Decimal Equivalents—
one color

DECIMAL EQUIVALENTS

1/64 .015625	33/64 .515625
1/32 .03125	17/32 .53125
3/64 .046875	35/64 .546875
1/16 .0625	9/16 .5625
5/64 .078125	37/64 .578125
3/32 .09375	19/32 .59375
7/64 .109375	39/64 .609375
1/8 .125	5/8 .625
9/64 .140625	41/64 .640625
5/32 .15625	21/32 .65625
11/64 .171875	43/64 .671875
3/16 .1875	11/16 .6875
13/64 .203125	45/64 .703125
7/32 .21875	23/32 .71875
15/64 .234375	47/64 .734375
1/4 .25	3/4 .75
17/64 .265625	49/64 .765625
9/32 .28125	25/32 .78125
19/64 .296875	51/64 .796875
5/16 .3125	13/16 .8125
21/64 .328125	53/64 .828125
11/32 .34375	27/32 .84375
23/64 .359375	55/64 .859375
3/8 .375	7/8 .875
25/64 .390625	57/64 .890625
13/32 .40625	29/32 .90625
27/64 .421875	59/64 .921875
7/16 .4375	15/16 .9375
29/64 .453125	61/64 .953125
15/32 .46875	31/32 .96875
31/64 .484375	63/64 .984375
1/2 .5	1 1

A3—Decimal Equivalents—two
color (highlighting
popular fractions)

ENGINE SIZES FOR GM CARS

Litres	Cu. In.
1.4	85
1.6	98
1.8	109
2.3	140
2.5	151
3.8	231
4.1	250
4.3	260
5.0	305
5.8	350
6.6	400
6.6	403
7.0	425

1 Ltr. = 60.7 cu. in.
1000 cc = 1 Ltr.

GMAC

A4—GM Engine Sizes

U. S. STANDARD GAUGES OF ANGLES

SIZE	THICKNESS		
	1/2	3/8	1/4
8 x 8	26.4		
6 x 6	19.6	14.9	
6 x 4	16.2	12.3	
5 x 5	16.2	12.3	
5 x 3	12.8	9.8	6.6
4 x 4	12.8	9.8	6.6
4 x 3 1/2	11.9	9.1	6.2
4 x 3	11.1	8.5	5.8
3 1/2 x 3 1/2	10.2	7.9	5.4
3 1/2 x 2 1/2	9.4	7.2	4.9
3 x 3	9.4	7.2	4.9
3 x 2 1/2	8.5	6.6	4.5
3 x 2	7.7	5.9	4.1
2 1/2 x 2 1/2	7.7	5.9	4.1
2 1/2 x 2	5.3	3.6	
2 1/2 x 1 1/2	4.7	3.2	
2 x 2	4.7	3.2	
2 x 1 1/2	2.8	2.5	
1 1/2 x 1 1/2	2.4		
1 1/2 x 1 1/2	1.1		
1 1/4 x 1 1/4	1.0		
1 1/4 x 1 1/4	.91		
1 x 1	.80		
7/8 x 7/8	.70		
3/4 x 3/4	.59		
5/8 x 5/8	.48		
1/2 x 1/2	.38		

1/8 THICKNESS

A5—U.S. Standard Gauges of Angles

GAUGE

Decimal Part of An Inch	Stainless Weight per Square Foot in Pounds
3 .250	10.336
4 .2343	9.690
5 .2187	9.044
6 .2031	8.398
7 .1875	7.752
8 .1718	7.2187
9 .1562	6.5625
10 .1406	5.9062
11 .125	5.250
12 .1093	4.5937
13 .0937	3.9375
14 .0781	3.2812
15 .0703	2.9531
16 .0625	2.6250
17 .0562	2.3625
18 .0500	2.1000
19 .0437	1.8375
20 .0375	1.5750
21 .0343	1.4437
22 .0312	1.3125
23 .0281	1.1813
24 .025	1.0500
25 .0218	.9187
26 .0187	.7875
27 .0171	.7218
28 .0156	.6562
29 .0140	.5906
30 .0125	.5250

A6—Stainless Steel Gauges and
Decimal Equivalents

GALVANIZED FLAT SHEETS GALVANIZED SHEET GAUGE

Gauge No.	Pounds Per Sq. Ft.	Gauge No.	Pounds Per Sq. Ft.
8	7.031	1681	
9	6.406	1532	
10	5.781	1382	
11	5.156	1233	
12	4.531	1084	
13	3.906	934	
14	3.281	785	
15	2.969	710	
16	2.656	635	
17	2.406	575	
18	2.156	516	
19	1.906	456	
20	1.656	396	
21	1.531	366	
22	1.406	336	
23	1.281	306	
24	1.156	276	
25	1.031	247	
26	.906	217	
27	.844	202	
28	.781	187	
29	.719	172	
30	.656	157	
31	.594	142	
32	.563	134	

A9—Galvanized Flat Sheet Chart

Stand. U.S. Gauges

Ga.	Dec.	Wt.
7	.1793	7.50
8	.1644	6.875
9	.1494	6.25
10	.1345	5.625
11	.1196	5.00
12	.1046	4.375
13	.0897	3.75
14	.0747	3.125
15	.0673	2.812
16	.0598	2.50
17	.0538	2.25
18	.0478	2.00
19	.0418	1.75
20	.0359	1.50
21	.0329	1.375
22	.0299	1.25
23	.0269	1.125
24	.0239	1.00
25	.0209	.875
26	.0179	.75
27	.0164	.6875
28	.0149	.625

A10—Standard Gauge and
Weight Chart

REINFORCING BAR WEIGHTS		
BAR SIZES	WEIGHT	
OLD (Inches)	NEW (Numerals)	POUNDS PER FOOT
1/4	#2	.167
3/8	#3	.376
1/2	#4	.668
5/8	#5	1.043
3/4	#6	1.502
7/8	#7	2.044
1	#8	2.670
1 1/8	#9	3.400
1 1/4	#10	4.303
1 1/2	#11	5.313
1 3/4	#14	7.65
2	#18	13.60

A11—Reinforcing Bar Sizes and
Weight Per Foot

BAR SIZE	WEIGHT	DIA.
#2	.167	.250
#3	.376	.375
#4	.668	.500
#5	1.043	.625
#6	1.502	.750
#7	2.044	.875
#8	2.670	1.000
#9	3.400	1.128
#10	4.303	1.270
#11	5.313	1.410
#14	7.65	1.693
#18	13.60	2.257

A12—Reinforcing Bar Diameter,
Sizes, and Weight Per Foot

ONE CUBIC YARD OF CONCRETE WILL COVER

SQ. FT.	THICK
648	.5 "
324	1. "
216	1.5 "
162	2. "
129.75	2.5 "
108	3. "
93	3.5 "
81	4. "
76.25	4.25 "
72	4.5 "
64.75	5. "
59	5.5 "
54	6. "
50	6.5 "
46	7. "
43.33	7.5 "
40.5	8. "
38	8.5 "
36	9. "
34.1	9.5 "
32.4	10. "
30.8	10.5 "
29.5	11. "
28.1	11.5 "
27	12. "

A13—Concrete Coverage Chart

INSIDE BBLs. PIPE DIAM. PER SIZE ETER 100 FT.

2 1/2	2.47	.5
3	2.99	.75
4	3.45	1.1
4 1/4	4.08	1.6
5	4.40	1.9
5 1/2	4.89	2.3
5 3/4	4.99	2.4
6 1/8	5.85	3.3
7	6.27	3.8
7	6.33	3.9


A14—Pipe Size—
Diameter Chart

A	•
B	•••
C	••••
D	•••••
E	••••••
F	•••••••
G	••••••••
H	•••••••••
I	••••••••••
J	•••••••••••
K	••••••••••••
L	•••••••••••••
M	••••••••••••••
N	•••••••••••••••
O	••••••••••••••••
P	•••••••••••••••••
Q	••••••••••••••••••
R	•••••••••••••••••••
S	••••••••••••••••••••
T	•••••••••••••••••••••
U	••••••••••••••••••••••
V	•••••••••••••••••••••••
W	••••••••••••••••••••••••
X	•••••••••••••••••••••••••
Y	••••••••••••••••~•••••••••
Z	••••••••••••••••••••••••••
1	•••••••••••••••••••••••••••
2	••••••••••••••••••••••••••••
3	••••••••••••••••~••••••••••
4	••••••••••••••••••••••••~•••
5	••••••••••••••••••••••~•••••
6	••••••••••••••••~•••••••••••
7	••••••••••••••~••••••••••••
8	••••••••••~•••••••••••••••
9	••••••••~••••••••••••••••
0	••••••~•••••••••••••••••

A17—Morse Code

OHMS LAW	
WATTS	OHMS
E ²	W
I ² R	I ²
E ²	E ²
R	W
AMPERES	E
E	I
R	VOLTS
W	I ² R
E	W
I ² R	I

A18—Ohm's Law



A19—Centigrade/
Fahrenheit

LUMBER CHART												
	2	3	4	5	6	7	8	9	10	11	12	13
1 1/4	144	220	313	423	513	6	18	20	22			
1 1/2	144	220	313	423	513	6	18	20	22			
1 3/4	144	220	313	423	513	6	18	20	22			
2	144	220	313	423	513	6	18	20	22			
2 1/4	144	220	313	423	513	6	18	20	22			
2 1/2	144	220	313	423	513	6	18	20	22			
2 3/4	144	220	313	423	513	6	18	20	22			
3	144	220	313	423	513	6	18	20	22			
3 1/4	144	220	313	423	513	6	18	20	22			
3 1/2	144	220	313	423	513	6	18	20	22			
3 3/4	144	220	313	423	513	6	18	20	22			
4	144	220	313	423	513	6	18	20	22			
4 1/4	144	220	313	423	513	6	18	20	22			
4 1/2	144	220	313	423	513	6	18	20	22			
4 3/4	144	220	313	423	513	6	18	20	22			
5	144	220	313	423	513	6	18	20	22			
5 1/4	144	220	313	423	513	6	18	20	22			
5 1/2	144	220	313	423	513	6	18	20	22			
5 3/4	144	220	313	423	513	6	18	20	22			
6	144	220	313	423	513	6	18	20	22			
6 1/4	144	220	313	423	513	6	18	20	22			
6 1/2	144	220	313	423	513	6	18	20	22			
6 3/4	144	220	313	423	513	6	18	20	22			
7	144	220	313	423	513	6	18	20	22			
7 1/4	144	220	313	423	513	6	18	20	22			
7 1/2	144	220	313	423	513	6	18	20	22			
7 3/4	144	220	313	423	513	6	18	20	22			
8	144	220	313	423	513	6	18	20	22			
8 1/4	144	220	313	423	513	6	18	20	22			
8 1/2	144	220	313	423	513	6	18	20	22			
8 3/4	144	220	313	423	513	6	18	20	22			
9	144	220	313	423	513	6	18	20	22			
9 1/4	144	220	313	423	513	6	18	20	22			
9 1/2	144	220	313	423	513	6	18	20	22			
9 3/4	144	220	313	423	513	6	18	20	22			
10	144	220	313	423	513	6	18	20	22			
10 1/4	144	220	313	423	513	6	18	20	22			
10 1/2	144	220	313	423	513	6	18	20	22			
10 3/4	144	220	313	423	513	6	18	20	22			
11	144	220	313	423	513	6	18	20	22			
11 1/4	144	220	313	423	513	6	18	20	22			
11 1/2	144	220	313	423	513	6	18	20	22			
11 3/4	144	220	313	423	513	6	18	20	22			
12	144	220	313	423	513	6	18	20	22			
12 1/4	144	220	313	423	513	6	18	20	22			
12 1/2	144	220	313	423	513	6	18	20	22			
12 3/4	144	220	313	423	513	6	18	20	22			
13	144	220	313	423	513	6	18	20	22			
13 1/4	144	220	313	423	513	6	18	20	22			
13 1/2	144	220	313	423	513	6	18	20	22			
13 3/4	144	220	313	423	513	6	18	20	22			
14	144	220	313	423	513	6	18	20	22			
14 1/4	144	220	313	423	513	6	18	20	22			
14 1/2	144	220	313	423	513	6	18	20	22			
14 3/4	144	220	313	423	513	6	18	20	22			
15	144	220	313	423	513	6	18	20	22			
15 1/4	144	220	313	423	513	6	18	20	22			
15 1/2	144	220	313	423	513	6	18	20	22			
15 3/4	144	220	313	423	513	6	18	20	22			
16	144	220	313	423	513	6	18	20	22			
16 1/4	144	220	313	423	513	6	18	20	22			
16 1/2	144	220	313	423	513	6	18	20	22			
16 3/4	144	220	313	423	513	6	18	20	22			
17	144	220	313	423	513	6	18	20	22			
17 1/4	144	220	313	423	513	6	18	20	22			
17 1/2	144	220	313	423	513	6	18	20	22			
17 3/4	144	220	313	423	513	6	18	20	22			
18	144	220	313	423	513	6	18	20	22			
18 1/4	144	220	313	423	513	6	18	20	22			
18 1/2	144	220	313	423	513	6	18	20	22			
18 3/4	144	220	313	423	513	6	18	20	22			
19	144	220	313	423	513	6	18	20	22			
19 1/4	144	220	313	423	513	6	18	20	22			
19 1/2	144	220	313	423	513	6	18	20	22			
19 3/4	144	220	313	423	513	6	18	20	22			
20	144	220	313	423	513	6	18	20	22			
20 1/4	144	220	313	423	513	6	18	20	22			
20 1/2	144	220	313	423	513	6	18	20	22			
20 3/4	144	220	313	423	513	6	18	20	22			
21	144	220	313	423	513	6	18	20	22			
21 1/4	144	220	313	423	513	6	18	20	22			
21 1/2	144	220	313	423	513	6	18	20	22			
21 3/4	144	220	313	423	513	6	18	20	22			
22	144	220	313	423	513	6	18	20	22			
22 1/4	144	220	313	423	513	6	18	20	22			
22 1/2	144	220	313	423	513	6	18	20	22			
22 3/4	144	220	313	423	513	6	18	20	22			
23	144	220	313	423	513	6	18	20	22			
23 1/4	144	220	313	423	513	6	18	20	22			
23 1/2	144	220	313	423	513	6	18	20	22			
23 3/4	144	220	313	423	513	6	18	20	22			
24	144	220	313	423	513	6	18	20	22			
24 1/4	144	220	313	423	513	6	18	20	22			
24 1/2	144	220	313	423	513	6	18	20	22			
24 3/4	144	220	313	423	513	6	18	20	22			
25	144	220	313	423	513	6	18	20	22			
25 1/4	144	220	313	423	513	6	18	20	22			
25 1/2	144	220	313	423	513	6	18	20	22			
25 3/4	144	220	313	423	513	6	18	20	22			
26	144	220	313	423	513	6	18	20	22			
26 1/4	144	220	313	423	513	6	18	20	22			
26 1/2	144	220	313	423	513	6	18	20	22			
26 3/4	144	220	313	423	513	6	18	20	22			
27	144	220	313	423	513	6	18	20	22			
27 1/4	144	220	313	423	513	6	18	20	22			
27 1/2	144	220	313	423	513	6	18	20	22			
27 3/4	144	220	313	423	513	6	18	20	22			
28	144	220	313	423	513	6	18	20	22			
28 1/4	144	220	313	423	513	6	18	20	22			
28 1/2	144	220	313	423	513	6	18	20	22			
28 3/4	144	220	313	423	513	6	18	20	22			
29	144	220	313	423	513	6	18	20	22			
29 1/4	144	220	313	423	513	6	18	20	22			
29 1/2	144	220	313	423	513	6	18	20	22			
29 3/4	144	220	313	423	513	6	18	20	22			
30	144	220	313	423	513	6	18	20	22			
30 1/4	144	220	313	423	513	6	18	20	22			
30 1/2	144	220	313	423	513	6	18	20	22			
30 3/4	144	220	313	423	513	6	18	20	22			
31	144	220	313	423	513	6	18	20	22			
31 1/4	144	220	313	423	513	6	18	20	22			
31 1/2	144	220	313	423	513	6	18	20	22			
31 3/4	144	220	313	423	513	6	18	20	22			
32	144	220	313	423	513	6	18	20	22			
32 1/4	144	220	313	423	513	6	18	20	22			
32 1/2	144	220	313	423	513	6	18	20	22			
32 3/4	144	220	313	423	513	6	18	20	22			
33	144	220	313	423	513	6	18	20	22			
33 1/4	144	220	313	423	513	6	18	20	22			
33 1/2	144	220	313	423	513	6	18	20	22			
33 3/4	144	220	313	423	513	6	18	20	22			
34	144	220	313	423	513	6	18	20	22			
34 1/4	144	220	313									

COMMON EQUIVALENTS & CONVERSIONS
(APPROXIMATE)

1 in.	=	25 mm
1 ft.	=	0.3 m
1 yd.	=	0.9 m
1 mi.	=	1.6 km
1 sq. in.	=	5.5 cm ²
1 sq. ft.	=	0.09 m ²
1 sq. yd.	=	0.8 m ²
cu. in.	=	16 cm ³
cu. ft.	=	0.028 m ³
cu. yd.	=	0.8 m ³
1 qt.	=	0.95 l
1 gal.	=	3.8 l
1 oz.	=	28 g
1 lb.	=	0.45 kg (AVDP)
1 mm	=	0.04 in
1 cm	=	0.39 in
1 m	=	1.1 yd
1 cm ²	=	0.6 in ²
1 m ²	=	1.16 sq in
1 m ²	=	17 sq ft
1 m ²	=	1.2 sq yd
1 cm ³	=	0.06 cu in
1 m ³	=	0.028 cu yd
1 m ³	=	1.3 cu yd
1 m	=	1.05 qt
1 m ³	=	250 gal
1 g	=	0.035 oz (AVDP)
1 kg	=	2.2 lb
1 kw	=	1.3 hp
cell temp.	=	555/9 - (F - 32)

A7—Standard Weight of Gauges for Plates and Sheets

A8—Galvanized Sheet Gauges and Weight Chart

A15—Tank Capacities—Gallons/Pounds Equivalent Chart

A16—Coal Tonnage
Per Acre

A23—Pressure—
Temperature Chart
(-50° to +130°
Fahrenheit)
two color

B1—Common Equivalents Chart

B2—Board Feet Chart

B3—Fertilizer Application Chart

B5—Conversion Factors and Formulas




B6—Ohm's Law,
Wire Size, Amp
Capacity, Motor hp

B8—Pumping
Pounds Per
Square Inch




B9—Wallpaper
ChartB11—Silo Chart

Layout Specifications for "Design Your Own" Charts and Copy Messages

for Jumbo Size Round Barrel Pencils Model No. 3107



for Standard Size Round Barrel Pencils Model Nos. 1107, 5107



AUTOPOINT·JANESVILLE