

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

2000 Bird Strike Committee-USA/Canada, 2nd  
Annual Meeting, Minneapolis, MN

Bird Strike Committee Proceedings

---

August 2000

## THE AVIAN HAZARD ADVISORY SYSTEM (AHAS): OPERATIONAL USE OF WEATHER RADAR FOR REDUCING BIRD STRIKE RISK IN NORTH AMERICA

T. Adam Kelly

*Geo-Marine, Inc., Panama City, FL*

Ron Merritt

*Geo-Marine, Inc., Panama City, FL*

Andreas Smith

*Geo-Marine, Inc., Panama City, FL*

Mark Howera

*Geo-Marine, Inc., Panama City, FL*

Ron White

*Geo-Marine, Inc., Panama City, FL*

Follow this and additional works at: <https://digitalcommons.unl.edu/birdstrike2000>



Part of the [Environmental Health and Protection Commons](#)

---

Kelly, T. Adam; Merritt, Ron; Smith, Andreas; Howera, Mark; and White, Ron, "THE AVIAN HAZARD ADVISORY SYSTEM (AHAS): OPERATIONAL USE OF WEATHER RADAR FOR REDUCING BIRD STRIKE RISK IN NORTH AMERICA" (2000). *2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN*. 12.

<https://digitalcommons.unl.edu/birdstrike2000/12>

This Article is brought to you for free and open access by the Bird Strike Committee Proceedings at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in 2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

**THE AVIAN HAZARD ADVISORY SYSTEM (AHAS): OPERATIONAL USE OF  
WEATHER RADAR FOR REDUCING BIRD STRIKE RISK IN NORTH AMERICA**

*T. Adam Kelly, Ron Merritt, Ron White, Andreas Smith and Mark Howera, Avian Research Laboratory, Geo-Marine, Inc., 3160 Airport Road, Suite 22A, Panama City, FL 32405 USA (850-913-8003; fax 850-913-9582; bashbam@aol.com)*

The Avian Hazard Advisory System (AHAS) was developed to use NEXRAD weather radar data and National Weather Service (NWS) weather data to forecast and monitor bird activity. The system was tested in a pilot study in 1998 and became operational for the eastern 1/3 of the USA in March 2000. Two thousand low level routes, ranges, airspace and military airfields are evaluated every hour. The monitoring of birds in near real time uses algorithms developed by Geo-Marine, Inc to isolate biological targets from weather. Removing the weather returns permits subsequent processing to retrieve information on bird strike risk to be fully automated. Development of additional algorithms to isolate specific classes of biological targets is underway. These new radar datasets are in Geographic Information System (GIS) format and are being used for improving bird strike risk models and for conservation and ecological applications.