

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

2000 Bird Strike Committee-USA/Canada, 2nd  
Annual Meeting, Minneapolis, MN

Bird Strike Committee Proceedings

---

August 2000

## THE RELATIONSHIP BETWEEN BIRD STRIKES AND WEATHER: A DETAILED SPECIES BASED ANALYSIS

John Allan

*Central Science Laboratory, Birdstrike Avoidance Team, Sand Hutton, United Kingdom*

Susan Manktelow

*Central Science Laboratory, Birdstrike Avoidance Team, Sand Hutton, United Kingdom*

Jennifer Bell

*Central Science Laboratory, Birdstrike Avoidance Team, Sand Hutton, United Kingdom*

Follow this and additional works at: <https://digitalcommons.unl.edu/birdstrike2000>



Part of the [Environmental Health and Protection Commons](#)

---

Allan, John; Manktelow, Susan; and Bell, Jennifer, "THE RELATIONSHIP BETWEEN BIRD STRIKES AND WEATHER: A DETAILED SPECIES BASED ANALYSIS" (2000). *2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN*. 14.  
<https://digitalcommons.unl.edu/birdstrike2000/14>

This Article is brought to you for free and open access by the Bird Strike Committee Proceedings at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in 2000 Bird Strike Committee-USA/Canada, 2nd Annual Meeting, Minneapolis, MN by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

**THE RELATIONSHIP BETWEEN BIRD STRIKES AND WEATHER: A DETAILED SPECIES BASED ANALYSIS**

*John Allan, Susan Manktelow, and Jennifer Bell, Central Science Laboratory, Birdstrike Avoidance Team, Sand Hutton, York YO41 1LZ, United Kingdom (44-1904-462210; fax 44-1904-462111; [j.allan@csl.gov.uk](mailto:j.allan@csl.gov.uk))*

Bird controllers have recognized for many years that the frequency of bird strikes is related in some way to weather conditions. Previous studies have demonstrated a relationship between bird strike frequency and rainfall on certain airfields. This paper takes bird strike data from five major UK airports and relates them to a variety of weather parameters. It then examines the relationships found on a species by species basis and uses differences in the ecology of the birds involved to suggest the mechanisms by which weather may influence bird strike frequency. The data can be used to better target bird control effort in relation to meteorological conditions and may be important in developing bird avoidance models for airports.