University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

3 - Third Eastern Wildlife Damage Control Conference (1987)

Eastern Wildlife Damage Control Conferences

October 1987

STATUS OF THE COYOTE IN THE SOUTHEASTERN UNITED **STATES**

Edward P. Hill

Follow this and additional works at: https://digitalcommons.unl.edu/ewdcc3



Part of the Environmental Health and Protection Commons

Hill, Edward P., "STATUS OF THE COYOTE IN THE SOUTHEASTERN UNITED STATES" (1987). 3 - Third Eastern Wildlife Damage Control Conference (1987). 24.

https://digitalcommons.unl.edu/ewdcc3/24

This Article is brought to you for free and open access by the Eastern Wildlife Damage Control Conferences at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in 3 - Third Eastern Wildlife Damage Control Conference (1987) by an authorized administrator of DigitalCommons@University of Nebraska -Lincoln.

STATUS OF THE COYOTE IN THE SOUTHEASTERN UNITED STATES

by Edward P. Hill

ABSTRACT

The range of the coyote (Canis latrans) in the southeastern United States, particularly east of the Mississippi River, has recently expanded. Although populations were present in Arkansas and Louisiana in the 1960s, only isolated individuals were known to exist east of the river before 1975. In addition to Arkansas and Louisiana, the present range includes Mississippi and

Alabama, the western three fourths of Kentucky and Tennessee, Northwestern Florida, southcentral and northwest Georgia and scattered portions of Maryland, West Virginia, Virginia, North and South Carolina, and Peninsular Florida. Recent literature indicates that several releases have influenced the rate of range expansion.