

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

The R Journal

Statistics, Department of

12-2021

Robust and Efficient Optimization Using a Marquardt-Levenberg Algorithm with R Package marqLevAlg

Viviane Philipps

Boris P. Hejblum

Mélanie Prague

Daniel Commenges

Cécile Proust-Lima

Follow this and additional works at: <https://digitalcommons.unl.edu/r-journal>



Part of the [Numerical Analysis and Scientific Computing Commons](#), and the [Programming Languages and Compilers Commons](#)

This Article is brought to you for free and open access by the Statistics, Department of at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in The R Journal by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Robust and Efficient Optimization Using a Marquardt-Levenberg Algorithm with R Package `marqLevAlg`

by Viviane Philipps, Boris P. Hejblum, Mélanie Prague, Daniel Commenges and Cécile Proust-Lima

Abstract Implementations in R of classical general-purpose algorithms for local optimization generally have two major limitations which cause difficulties in applications to complex problems: too loose convergence criteria and too long calculation time. By relying on a Marquardt-Levenberg algorithm (MLA), a Newton-like method particularly robust for solving local optimization problems, we provide with `marqLevAlg` package an efficient and general-purpose local optimizer which (i) prevents convergence to saddle points by using a stringent convergence criterion based on the relative distance to minimum/maximum in addition to the stability of the parameters and of the objective function; and (ii) reduces the computation time in complex settings by allowing parallel calculations at each iteration. We demonstrate through a variety of cases from the literature that our implementation reliably and consistently reaches the optimum (even when other optimizers fail) and also largely reduces computational time in complex settings through the example of maximum likelihood estimation of different sophisticated statistical models.

Introduction

Optimization is an essential task in many computational problems. In statistical modeling, for instance, in the absence of analytical solutions, maximum likelihood estimators are often retrieved using iterative optimization algorithms, which locally solve the problem from given starting values.

Steepest descent algorithms are among the most famous general local optimization algorithms. They generally consist in updating parameters according to the steepest gradient (gradient descent) possibly scaled by the Hessian in the Newton (Newton-Raphson) algorithm or an approximation of the Hessian based on the gradients in the quasi-Newton algorithms (e.g., Broyden-Fletcher-Goldfarb-Shanno - BFGS). Newton-like algorithms have been shown to provide good convergence properties (Joe and Nash, 2003) and were demonstrated in particular to behave better than Expectation-Maximization (EM) algorithms in several contexts of Maximum Likelihood Estimation, such as the random-effect models (Lindstrom and Bates, 1988) or the latent class models (Proust and Jacqmin-Gadda, 2005). Among Newton methods, the Marquardt-Levenberg algorithm, initially proposed by Levenberg (Levenberg, 1944), then Marquardt (Marquardt, 1963), combines BFGS and gradient descent methods to provide a more robust optimization algorithm. Like other Newton methods, the Marquardt-Levenberg algorithm is designed to find a local optimum of the objective function from given initial values. When dealing with multimodal objective functions, it can thus converge to local optimum and needs to be combined with a grid search to retrieve the global optimum.

The R software includes multiple solutions for local and global optimization tasks (see CRAN task View on *Optimization* (Theussl et al., 2014)). In particular, the `optim` function in **base** R offers different algorithms for general-purpose optimization, and so does `optimx`, a more recent package extending `optim` (Nash and Varadhan, 2011). Numerous additional packages are available for different contexts, from nonlinear least square problems (including some exploiting Marquardt-Levenberg idea like `minpack.lm` (Elzhov et al., 2016) and `nlmrt` (Nash, 2016)) to stochastic optimization and algorithms based on the simplex approach. However, R software could benefit from a general-purpose R implementation of the Marquardt-Levenberg algorithm.

We present here an R implementation of the Marquardt-Levenberg algorithm in the package `marqLevAlg`, which relies on a stringent convergence criterion based on the first and second derivatives to avoid loosely convergence (Prague et al., 2012) and includes (from version 2.0.1) parallel computations within each iteration to speed up convergence. This implementation is particularly dedicated to complex settings, that is, when a large number of parameters are optimized, and/or the computation of the objective function is time-consuming. The parallel computations speed up the procedure, and the stringent convergence criterion prevents false convergences on the flat regions of the objective function obtained with convergence criteria based on the function stability.

Section 2 and 3 describe the algorithm and the implementation, respectively. Then Section 4 provides an example of a call with the estimation of a linear mixed model. A benchmark of the package is reported in Section 5 with the performances of parallel implementation. Performances of Marquardt-Levenberg algorithm implementation are also challenged in Section 6 using a variety of simple and complex examples from the literature and compared with other optimizers. Finally,

Section 7 concludes.

Methodology

The Marquardt-Levenberg algorithm

The Marquardt-Levenberg algorithm (MLA) can be used for any problem where a function $\mathcal{F}(\theta)$ has to be minimized (or equivalently, function $\mathcal{L}(\theta) = -\mathcal{F}(\theta)$ has to be maximized) according to a set of m unconstrained parameters θ as long as the second derivatives of $\mathcal{F}(\theta)$ exist. In statistical applications, for instance, the objective function is the deviance to be minimized or the log-likelihood to be maximized.

Our improved MLA iteratively updates the vector $\theta^{(k)}$ from a starting point $\theta^{(0)}$ until convergence using the following formula at iteration $k + 1$:

$$\theta^{(k+1)} = \theta^{(k)} - \delta_k \left(\tilde{H}(\mathcal{F}(\theta^{(k)})) \right)^{-1} \nabla(\mathcal{F}(\theta^{(k)})),$$

where $\theta^{(k)}$ is the set of parameters at iteration k , $\nabla(\mathcal{F}(\theta^{(k)}))$ is the gradient of the objective function at iteration k , and $\tilde{H}(\mathcal{F}(\theta^{(k)}))$ is the Hessian matrix $H(\mathcal{F}(\theta^{(k)}))$ where the diagonal terms are replaced by $\tilde{H}(\mathcal{F}(\theta^{(k)}))_{ii} = H(\mathcal{F}(\theta^{(k)}))_{ii} + \lambda_k[(1 - \eta_k)|H(\mathcal{F}(\theta^{(k)}))_{ii}| + \eta_k \text{tr}(H(\mathcal{F}(\theta^{(k)})))]$. In the original MLA, the Hessian matrix is inflated by a scaled identity matrix. Following Fletcher (1971), we consider refined inflation based on the curvature. The diagonal inflation of our improved MLA makes it an intermediate between the steepest descent method and the Newton method. The parameters δ_k , λ_k , and η_k are scalars specifically determined at each iteration k . Parameter δ_k is fixed to 1 unless the objective function is not reduced, in which case a line search determines the locally optimal step length. Parameters λ_k and η_k are internally modified in order to ensure that (i) $\tilde{H}(\mathcal{F}(\theta^{(k)}))$ be definite-positive at each iteration k , and (ii) $\tilde{H}(\mathcal{F}(\theta^{(k)}))$ approaches $H(\mathcal{F}(\theta^{(k)}))$ when $\theta^{(k)}$ approaches $\hat{\theta}$.

When the problem encounters a unique solution, the minimum is reached whatever the chosen initial values.

Stringent convergence criteria

As in any iterative algorithm, the convergence of MLA is achieved when convergence criteria are fulfilled. In `marqLevAlg` package, convergence is defined according to three criteria:

- parameters stability: $\sum_{j=1}^m \left(\theta_j^{(k+1)} - \theta_j^{(k)} \right)^2 < \epsilon_a$;
- objective function stability: $|\mathcal{F}^{(k+1)} - \mathcal{F}^{(k)}| < \epsilon_b$;
- relative distance to minimum/maximum (RDM): $\frac{\nabla(\mathcal{F}(\theta^{(k)}))(H(\mathcal{F}(\theta^{(k)})))^{-1} \nabla(\mathcal{F}(\theta^{(k)}))}{m} < \epsilon_d$.

The original Marquardt-Levenberg algorithm (Marquardt, 1963) and its implementations (Elzhov et al., 2016; Nash, 2016) consider the two first criteria (as well as a third one based on the angle between the objective function and its gradient). Yet, these criteria, which are also used in many other iterative algorithms, do not ensure convergence towards an actual optimum. They only ensure the convergence towards a saddle point. We thus chose to complement the parameter and objective function stability by the relative distance to minimum/maximum. As it requires the Hessian matrix to be invertible, it prevents any convergence to a saddle point and is thus essential to ensure that an optimum is truly reached. When the Hessian is not invertible, RDM is set to $1 + \epsilon_d$, and convergence criteria cannot be fulfilled.

Although it constitutes a relevant convergence criterion in any optimization context, RDM was initially designed for log-likelihood maximization problems, that is, cases where $\mathcal{F}(\theta) = -\mathcal{L}(\theta)$ with \mathcal{L} the log-likelihood. In that context, RDM can be interpreted as the ratio between the numerical error and the statistical error (Commenges et al., 2006, Prague et al. (2013)).

The three thresholds ϵ_a , ϵ_b , and ϵ_d can be adjusted, but values around 0.0001 are usually sufficient to guarantee a correct convergence. In some complex log-likelihood maximization problems, for instance, Prague et al. (2013) showed that the RDM convergence properties remain acceptable, providing ϵ_d is below 0.1 (although the lower, the better).

Derivatives calculation

MLA update relies on first ($\nabla(\mathcal{F}(\theta^{(k)}))$) and second ($H(\mathcal{F}(\theta^{(k)}))$) derivatives of the objective function $\mathcal{F}(\theta^{(k)})$ at each iteration k . The gradient and the Hessian may sometimes be calculated analytically, but numerical approximation can become necessary in a general framework. In `marqLevAlg` package, in the absence of analytical gradient computation, the first derivatives are computed by central finite differences. In the absence of analytical Hessian, the second derivatives are computed using forward finite differences. The step of finite difference for each derivative depends on the value of the involved parameter. It is set to $\max(10^{-7}, 10^{-4}|\theta_j|)$ for parameter j .

When both the gradient and the Hessian are to be numerically computed, numerous evaluations of \mathcal{F} are required at each iteration:

- $2 \times m$ evaluations of \mathcal{F} for the numerical approximation of the gradient function;
- $\frac{m \times (m + 1)}{2}$ evaluations of \mathcal{F} for the numerical approximation of the Hessian matrix.

The number of derivatives thus grows quadratically with the number m of parameters, and calculations are per se independent as done for different vectors of parameters θ .

When the gradient is analytically calculated, only the second derivatives have to be approximated, requiring $2 \times m$ independent calls to the gradient function. In that case, the complexity thus linearly increases with m .

In both cases, and especially when each calculation of derivative is long and/or m is large, parallel computations of independent \mathcal{F} evaluations become particularly relevant to speed up the estimation process.

Special case of a log-likelihood maximization

When the optimization problem is the maximization of the log-likelihood $\mathcal{L}(\theta)$ of a statistical model according to parameters θ , the Hessian matrix of the $\mathcal{F}(\theta) = -\mathcal{L}(\theta)$ calculated at the optimum $\hat{\theta}$, $\mathcal{H}(\mathcal{F}(\hat{\theta})) = -\frac{\partial^2 \mathcal{L}(\theta)}{\partial \theta^2} \Big|_{\theta=\hat{\theta}}$, provides an estimator of the Fisher Information matrix. The inverse of $\mathcal{H}(\mathcal{F}(\hat{\theta}))$ computed in the package thus provides an estimator of the variance-covariance matrix of the optimized vector of parameters $\hat{\theta}$.

Implementation

`marqLevAlg` function

The call of the `marqLevAlg` function, or its shortcut `mla`, is the following :

```
marqLevAlg(b, m = FALSE, fn, gr = NULL, hess = NULL, maxiter = 500,
  epsa = 0.0001, epsb = 0.0001, epsd = 0.0001, digits = 8,
  print.info = FALSE, blinding = TRUE, multipleTry = 25, nproc = 1,
  clustertype = NULL, file = "", .packages = NULL, minimize = TRUE, ...)
```

Argument `b` is the set of initial parameters; alternatively, its length `m` can be entered. `fn` is the function to optimize; it should take the parameter vector as the first argument, and additional arguments are passed in `...`. Optional `gr` and `hess` refer to the functions implementing the analytical calculations of the gradient and the Hessian matrix, respectively. `maxiter` is the maximum number of iterations. Arguments `epsa`, `epsb`, and `epsd` are the thresholds for the three convergence criteria defined in Section 2.2.2. `print.info` specifies if details on each iteration should be printed; such information can be reported in a file if argument `file` is specified, and `digits` indicates the number of decimals in the eventually reported information during optimization. `blinding` is an option allowing the algorithm to go on even when the `fn` function returns NA, which is then replaced by the arbitrary value of 500,000 (for minimization) and -500,000 (for maximization). Similarly, if an infinite value is found for the chosen initial values, the `multipleTry` option will internally reshape `b` (up to `multipleTry` times) until a finite value is got, and the algorithm can be correctly initialized. The parallel framework is first stated by the `nproc` argument, which gives the number of cores, and by the `clustertype` argument (see the next section). In the case where the `fn` function depends on R packages, these should be given as a character vector in the `.packages` argument. Finally, the `minimize` argument offers the possibility to minimize or maximize the objective function `fn`; a maximization problem is implemented as the minimization of the opposite function (`-fn`).

Implementation of parallel computations

In the absence of analytical gradient calculation, derivatives are computed in the `deriva` subfunction with two loops, one for the first derivatives and one for the second derivatives. Both loops are parallelized. The parallelized loops are at most over $m * (m + 1)/2$ elements for m parameters to estimate, which suggests that the performance could theoretically be improved with up to $m * (m + 1)/2$ cores.

When the gradient is calculated analytically, the `deriva` subfunction is replaced by the `deriva_grad` subfunction. It is parallelized in the same way, but with the parallelization being executed over m elements, the performance should be bounded at m cores.

In all cases, parallelization is achieved using the `doParallel` and `foreach` packages. The `snow` and `multicore` options of the `doParallel` backend are kept, making the `parallel` option of `marqLevAlg` package available on all systems. The user specifies the type of parallel environment among `FORK`, `SOCK`, or `MPI` in argument `clustertype` and the number of cores in `nproc`. For instance, `clustertype = "FORK"`, `nproc = 6` will use `FORK` technology and 6 cores.

Example

We illustrate how to use `marqLevAlg` function with the maximum likelihood estimation in a linear mixed model (Laird and Ware, 1982). Function `loglikLMM` available in the package implements the log-likelihood of a linear mixed model for a dependent outcome vector ordered by subject (argument `Y`) explained according to a matrix of covariates (argument `X`) entered in the same order as `Y` with a Gaussian individual-specific random intercept and Gaussian independent errors:

```
loglikLMM(b, Y, X, ni)
```

Argument `b` specifies the vector of parameters with first the regression parameters (length given by the number of columns in `X`) and then the standard deviations of the random intercept and the independent error. Finally, argument `ni` specifies the number of repeated measures for each subject.

We consider the dataset `dataEx` (available in the package) in which variable `Y` is repeatedly observed at time `t` for 500 subjects along with a binary variable `X1` and a continuous variable `X3`. For the illustration, we specify a linear trajectory over time adjusted for `X1`, `X3`, and the interaction between `X1` and time `t`. The vector of parameters to estimate corresponds to the intercept, 4 regression parameters, and the 2 standard deviations.

We first define the quantities to include as an argument in `loglikLMM` function:

```
> Y <- dataEx$Y
> X <- as.matrix(cbind(1, dataEx[, c("t", "X1", "X3")],
+                   dataEx$t * dataEx$X1))
> ni <- as.numeric(table(dataEx$i))
```

The vector of initial parameters to specify in `marqLevAlg` call is created with the trivial values of 0 for the fixed effects and 1 for the variance components.

```
> binit <- c(0, 0, 0, 0, 0, 1, 1)
```

The maximum likelihood estimation of the linear mixed model in sequential mode is then run using a simple call to `marqLevAlg` function for a maximization (with argument `minimize = FALSE`):

```
> estim <- marqLevAlg(b = binit, fn = loglikLMM, minimize = FALSE,
+                   X = X, Y = Y, ni = ni)
> estim
```

Robust `marqLevAlg` algorithm

```
marqLevAlg(b = binit, fn = loglikLMM, minimize = FALSE, X = X,
          Y = Y, ni = ni)
```

Iteration process:

```
Number of parameters: 7
Number of iterations: 18
Optimized objective function: -6836.754
Convergence criteria satisfied
```

```

Convergence criteria: parameters stability= 3.2e-07
                    : objective function stability= 4.35e-06
                    : Matrix inversion for RDM successful
                    : relative distance to maximum(RDM)= 0

```

```

Final parameter values:
50.115  0.106  2.437  2.949 -0.376 -5.618  3.015

```

The printed output `estim` shows that the algorithm converged in 18 iterations with convergence criteria of $3.2e-07$, $4.35e-06$, and 0 for parameters stability, objective function stability, and RDM, respectively. The output also displays the list of coefficient values at the optimum. All this information can also be recovered in the `estim` object, where item `b` contains the estimated coefficients.

As mentioned in Section 2.2.4, in log-likelihood maximization problems, the inverse of the Hessian given by the program provides an estimate of the variance-covariance matrix of the coefficients at the optimum. The upper triangular matrix of the inverse Hessian is thus systematically computed in object `v`. When appropriate, the summary function can output this information with option `loglik = TRUE`. With this option, the summary also includes the square root of these variances (i.e., the standards errors), the corresponding Wald statistic, the associated *p*-value, and the 95% confidence interval boundaries for each parameter:

```

> summary(estim, loglik = TRUE)

Robust marqLevAlg algorithm

marqLevAlg(b = binit, fn = loglikLMM, minimize = FALSE, X = X,
          Y = Y, ni = ni)

```

```

Iteration process:
  Number of parameters: 7
  Number of iterations: 18
  Optimized objective function: -6836.754
  Convergence criteria satisfied

```

```

Convergence criteria: parameters stability= 3.2e-07
                    : objective function stability= 4.35e-06
                    : Matrix inversion for RDM successful
                    : relative distance to maximum(RDM)= 0

```

```

Final parameter values:
  coef SE.coef      Wald P.value  binf  bsup
50.115  0.426 13839.36027  0e+00 49.280 50.950
  0.106  0.026  16.02319  6e-05  0.054  0.157
  2.437  0.550  19.64792  1e-05  1.360  3.515
  2.949  0.032 8416.33202  0e+00  2.886  3.012
 -0.376  0.037  104.82702  0e+00 -0.449 -0.304
 -5.618  0.189  883.19775  0e+00 -5.989 -5.248
  3.015  0.049 3860.64370  0e+00  2.919  3.110

```

The exact same model can also be estimated in a parallel mode using FORK implementation of parallelism (here with two cores):

```

> estim2 <- marqLevAlg(b = binit, fn = loglikLMM, minimize = FALSE,
+                   nproc = 2, clustertype = "FORK",
+                   X = X, Y = Y, ni = ni)

```

It can also be estimated by using analytical gradients (provided in gradient function `gradLMM` with the same arguments as `loglikLMM`):

```

> estim3 <- marqLevAlg(b = binit, fn = loglikLMM, gr = gradLMM,
+                   minimize = FALSE, X = X, Y = Y, ni = ni)

```

In all three situations, the program converges to the same maximum as shown in Table 1 for the estimation process and Table 2 for the parameter estimates. The iteration process is identical when

using either the sequential or the parallel code (number of iterations, final convergence criteria, etc.). It necessarily differs slightly when using the analytical gradient, as the computation steps are not identical (e.g., here it converges in 15 iterations rather than 18), but all the final results are identical.

	Object estim	Object estim2	Object estim3
Number of cores	1	2	1
Analytical gradient	no	no	yes
Objective Function	-6836.754	-6836.754	-6836.754
Number of iterations	18	18	15
Parameter Stability	3.174428e-07	3.174428e-07	6.633702e-09
Likelihood stability	4.352822e-06	4.352822e-06	9.159612e-08
RDM	1.651774e-12	1.651774e-12	2.935418e-17

Table 1: Summary of the estimation process of a linear mixed model using ‘marqLevAlg’ function run either in sequential mode with numerical gradient calculation (object estim), parallel mode with numerical gradient calculation (object estim2), or sequential mode with analytical gradient calculation (object estim3).

	Object estim		Object estim2		Object estim3	
	Coef	SE	Coef	SE	Coef	SE
Parameter 1	50.1153	0.4260	50.1153	0.4260	50.1153	0.4260
Parameter 2	0.1055	0.0264	0.1055	0.0264	0.1055	0.0264
Parameter 3	2.4372	0.5498	2.4372	0.5498	2.4372	0.5498
Parameter 4	2.9489	0.0321	2.9489	0.0321	2.9489	0.0321
Parameter 5	-0.3764	0.0368	-0.3764	0.0368	-0.3764	0.0368
Parameter 6	-5.6183	0.1891	-5.6183	0.1891	5.6183	0.1891
Parameter 7	3.0145	0.0485	3.0145	0.0485	3.0145	0.0485

Table 2: Estimates (Coef) and standard error (SE) of the parameters of a linear mixed model fitted using ‘marqLevAlg’ function run either in sequential mode with numerical gradient calculation (object estim), parallel mode with numerical gradient calculation (object estim2), or sequential mode with analytical gradient calculation (object estim3).

Benchmark

We aimed at evaluating and comparing the performances of the parallelization in some time-consuming examples. We focused on three examples of sophisticated models from the mixed models area, estimated by maximum likelihood. These examples rely on packages using three different languages, thus illustrating the behavior of `marqLevAlg` package with a program exclusively written in R (JM, Rizopoulos (2010)) and programs, including Rcpp (CInLPN, Taddé et al. (2019)) and Fortran90 (lcmm, Proust-Lima et al. (2017)) languages, widely used in complex situations.

We first describe the generated dataset on which the benchmark has been realized. We then introduce each statistical model and associated program. Finally, we detail the results obtained with the three programs. Each time, the model has been estimated sequentially and with a varying number of cores in order to provide the program speed-up. We used a Linux cluster with 32 cores machines and 100 replicates to assess the variability. Codes and datasets used in this section are available at <https://github.com/VivianePhilipps/marqLevAlgPaper>.

Simulated dataset

We generated a dataset of 20,000 subjects having repeated measurements of a marker Ycens (measured at times t) up to a right-censored time of event t_{surv} with the indicator that the event occurred event. The data were generated according to a 4 latent class joint model (Proust-Lima et al., 2014). This model assumes that the population is divided into 4 latent classes, each class having a specific trajectory of the marker defined according to a linear mixed model with specific parameters, and specific risk of event defined according to a parametric proportional hazard model with specific parameters too. The

class-specific linear mixed model included a basis of natural cubic splines with 3 equidistant knots taken at times 5, 10 and 15, associated with fixed and correlated random effects. The proportional hazard model included a class-specific Weibull risk adjusted on 3 covariates: one binary (Bernoulli with 50% probability) and two continuous variables (standard Gaussian and Gaussian with mean 45 and standard deviation 8). The proportion of individuals in each class is about 22%, 17%, 34%, and 27% in the sample.

Below are given the five first rows of the three first subjects:

	i	class	X1	X2	X3	t	Ycens	tsurv	event
1	1	2	0	0.6472205	43.42920	0	61.10632	20.000000	0
2	1	2	0	0.6472205	43.42920	1	60.76988	20.000000	0
3	1	2	0	0.6472205	43.42920	2	58.72617	20.000000	0
4	1	2	0	0.6472205	43.42920	3	56.76015	20.000000	0
5	1	2	0	0.6472205	43.42920	4	54.04558	20.000000	0
22	2	1	0	0.3954846	43.46060	0	37.95302	3.763148	1
23	2	1	0	0.3954846	43.46060	1	34.48660	3.763148	1
24	2	1	0	0.3954846	43.46060	2	31.39679	3.763148	1
25	2	1	0	0.3954846	43.46060	3	27.81427	3.763148	1
26	2	1	0	0.3954846	43.46060	4	NA	3.763148	1
43	3	3	0	1.0660837	42.08057	0	51.60877	15.396958	1
44	3	3	0	1.0660837	42.08057	1	53.80671	15.396958	1
45	3	3	0	1.0660837	42.08057	2	51.11840	15.396958	1
46	3	3	0	1.0660837	42.08057	3	50.64331	15.396958	1
47	3	3	0	1.0660837	42.08057	4	50.87873	15.396958	1

Statistical models

Joint shared random effect model for a longitudinal marker and a time to event: package JM

The maximum likelihood estimation of joint shared random effect models has been made available in R with the **JM** package (Rizopoulos, 2010). The implemented optimization functions are `optim` and `nlmminb`. We added the `marqLevAlg` function for the purpose of this example. We considered a subsample of the simulated dataset, consisting of 5,000 randomly selected subjects.

The joint shared random effect model is divided into two submodels jointly estimated:

- a linear mixed submodel for the repeated marker Y measured at different times t_{ij} ($j = 1, \dots, n_i$):

$$\begin{aligned} Y_i(t_{ij}) &= \tilde{Y}_i(t_{ij}) + \varepsilon_{ij} \\ &= X_i(t_{ij})\beta + Z_i(t_{ij})u_i + \varepsilon_{ij}, \end{aligned}$$

where, in our example, $X_i(t)$ contained the intercept, the class indicator, the 3 simulated covariates, a basis of natural cubic splines on time t (with 2 internal knots at times 5 and 15), and the interactions between the splines and the time-invariant covariates, resulting in 20 fixed effects. $Z_i(t)$ contained the intercept and the same basis of natural cubic splines on time t , and was associated with u_i , the 4-vector of correlated Gaussian random effects. ε_{ij} was the independent Gaussian error.

- a survival submodel for the right censored time-to-event:

$$\alpha_i(t) = \alpha_0(t) \exp(X_{si}\gamma + \eta\tilde{Y}_i(t)),$$

where, in our example, the vector X_{si} , containing the 3 simulated covariates, was associated with the vector of parameters γ ; the current underlying level of the marker $\tilde{Y}_i(t)$ was associated with parameter η and the baseline hazard $\alpha_0(t)$ was defined using a basis of B-splines with 1 interior knot.

The length of the total vector of parameters θ to estimate was 40 (20 fixed effects and 11 variance component parameters in the longitudinal submodel and 9 parameters in the survival submodel).

One particularity of this model is that the log-likelihood does not have a closed-form. It involves an integral over the random effects (here, of dimension 4), which is numerically computed using an adaptive Gauss-Hermite quadrature with 3 integration points for this example.

As package **JM** includes an analytical computation of the gradient, we ran two estimations: one with the analytical gradient and one with the numerical approximation to compare the speed up and execution times.

Latent class linear mixed model: package `lcmm`

The second example is a latent class linear mixed model, as implemented in the `hlme` function of the `lcmm` R package. The function uses a previous implementation of the Marquardt algorithm coded in Fortran90 and in sequential mode. For the purpose of this example, we extracted the log-likelihood computation programmed in Fortran90 to be used with `marqLevAlg` package.

The latent class linear mixed model consists of two submodels estimated jointly:

- a multinomial logistic regression for the latent class membership (c_i):

$$\mathbb{P}(c_i = g) = \frac{\exp(W_i \zeta_g)}{\sum_{l=1}^G \exp(W_i \zeta_l)} \quad , \quad \text{with } g = 1, \dots, G,$$

where $\zeta_G = 0$ for identifiability, and W_i contained an intercept and the 3 covariates.

- a linear mixed model specific to each latent class g for the repeated outcome Y measured at times t_{ij} ($j = 1, \dots, n_i$):

$$Y_i(t_{ij}|c_i = g) = X_i(t_{ij})\beta_g + Z_i(t_{ij})u_{ig} + \epsilon_{ij},$$

where, in this example, $X_i(t)$ and $Z_i(t)$ contained an intercept, time t , and quadratic time. The vector u_{ig} of correlated Gaussian random effects had a proportional variance across latent classes, and ϵ_{ij} were independent Gaussian errors.

The log-likelihood of this model has a closed-form, but it involves the logarithm of a sum over latent classes, which can become computationally demanding. We estimated the model on the total sample of 20,000 subjects with 1, 2, 3, and 4 latent classes, which corresponded to 10, 18, 26, and 34 parameters to estimate, respectively.

Multivariate latent process mixed model: package `CInLPN`

The last example is provided by the `CInLPN` package, which relies on the Rcpp language. The function fits a multivariate linear mixed model combined with a system of difference equations in order to retrieve temporal influences between several repeated markers (Taddé et al., 2019). We used the data example provided in the package where three continuous markers `L_1`, `L_2`, `L_3` were repeatedly measured over time. The model related each marker k ($k = 1, 2, 3$) measured at observation times t_{ijk} ($j = 1, \dots, T$) to its underlying level $\Lambda_{ik}(t_{ijk})$ as follows:

$$L_{ik}(t_{ijk}) = \eta_{0k} + \eta_{1k}\Lambda_{ik}(t_{ijk}) + \epsilon_{ijk},$$

where ϵ_{ijk} are independent Gaussian errors and (η_0, η_1) parameters to estimate. Simultaneously, the structural model defines the initial state at time 0 ($\Lambda_{ik}(0)$) and the change over time at subsequent times t with δ is a discretization step:

$$\begin{aligned} \Lambda_{ik}(0) &= \beta_{0k} + u_{ik} \\ \frac{\Lambda_{ik}(t + \delta) - \Lambda_{ik}(t)}{\delta} &= \gamma_{0k} + v_{ik} + \sum_{l=1}^K a_{kl}\Lambda_{il}(t), \end{aligned}$$

where u_{ik} and v_{ik} are Gaussian random effects.

Again, the log-likelihood of this model that depends on 27 parameters has a closed-form, but it may involve complex calculations.

Results

All the models have been estimated with 1, 2, 3, 4, 6, 8, 10, 15, 20, 25, and 30 cores. To fairly compare the execution times, we ensured that changing the number of cores did not affect the final estimation point or the number of iterations needed to converge. The mean of the speed up over the 100 replicates is reported in Table 3 and plotted in Figure 1.

The joint shared random effect model (JM) converged in 16 iterations after 4279 seconds in sequential mode when using the analytical gradient. Running the algorithm in parallel on 2 cores made the execution 1.85 times shorter. Computational time was gradually reduced with a number of cores

	JM		hlme				CInLPN
	analytic	numeric	G=1	G=2	G=3	G=4	
Number of parameters	40	40	10	18	26	34	27
Number of iterations	16	16	30	30	30	30	13
Number of elements in foreach loop	40	860	65	189	377	629	405
Sequential time (seconds)	4279	14737	680	3703	10402	22421	272
Speed up with 2 cores	1.85	1.93	1.78	1.93	1.94	1.96	1.89
Speed up with 3 cores	2.40	2.80	2.35	2.81	2.88	2.92	2.75
Speed up with 4 cores	2.97	3.57	2.90	3.58	3.80	3.87	3.56
Speed up with 6 cores	3.66	4.90	3.49	5.01	5.44	5.66	4.95
Speed up with 8 cores	4.15	5.84	3.71	5.84	6.90	7.26	5.96
Speed up with 10 cores	4.23	6.69	3.98	6.70	8.14	8.96	6.89
Speed up with 15 cores	4.32	7.24	3.59	7.29	10.78	12.25	8.14
Speed up with 20 cores	4.28	7.61	3.11	7.71	12.00	15.23	8.36
Speed up with 25 cores	3.76	7.29	2.60	7.37	12.30	16.84	8.11
Speed up with 30 cores	3.41	6.82	2.47	6.82	13.33	17.89	7.83

Table 3: Estimation process characteristics for the 3 different programs (JM, hlme, and CInLPN). Analytic and Numeric refer to the analytical and numerical computations of the gradient in JM; G refers to the number of latent classes.




Figure 1: Speed up performances for the 3 different programs (JM, hlme, and CInLPN). Analytic and Numeric refer to the analytical and numerical computations of the gradient in JM. The number of parameters was 40 for JM; 10, 18, 26, 34 for hlme with 1, 2, 3, 4 classes, respectively; 27 for CInLPN.

between 2 and 10 to reach a maximal speed up slightly above 4. With 15, 20, 25, or 30 cores, the performances were no more improved, the speed up showing even a slight reduction, probably due to the overhead. In contrast, when the program involved numerical computations of the gradient, the parallelization reduced the computation time by a factor of almost 8 at maximum. The better speed-up performances with a numerical gradient calculation were expected since the parallel loops iterate over more elements.

The second example, the latent class mixed model estimation (hlme), showed an improvement of the performances as the complexity of the models increased. The simple linear mixed model (one class model), like the joint models with analytical gradient, reached a maximum speed-up of 4 with 10 cores. The two-class mixed model with 18 parameters showed a maximum speed up of 7.71 with 20 cores. Finally, the 3 and 4-class mixed models reached speed-ups of 13.33 and 17.89 with 30 cores and might still be improved with larger resources.

The running time of the third program (CInLPN) was also progressively reduced with the increasing number of cores reaching the maximal speed-up of 8.36 for 20 cores.

In these 7 examples, the speed up systematically reached almost 2 with 2 cores, and it remained interesting with 3 or 4 cores, although some variations in the speed-up performances began to be observed according to the complexity of the objective function computations. This highlights the benefit of the parallel implementation of MLA, even on personal computers. As the number of cores continued to increase, the speed-up performances varied a lot. Among our examples, the most promising situation was the one of the latent class mixed model (with a program in Fortran90) where

the speed-up was up to 15 for 20 cores with the 4 class model.

Comparison with other optimization algorithms

Other Marquardt-Levenberg implementations

The Marquardt-Levenberg algorithm has been previously implemented in the context of nonlinear least squares problems in `minpack.lm` and `nlmrt`. We ran the examples provided in these two packages with `marqLevAlg` and compared the algorithms in terms of the final solution (that is, the residual sum-of-squares) and runtime. Results are shown in the supplementary material. Our implementation reached exactly the same value as the two others but performed slower in these simple examples.

We also compared the sensitivity to initial values of `marqLevAlg` with `minpack.lm` using a simple example from `minpack.lm`. We ran the two implementations of MLA on 100 simulated datasets, each one from 100 different starting points (see supplementary material). On the 10000 runs, `marqLevAlg` converged in 51.55% of the cases whereas the `minpack.lm` converged in 65.98% of the cases. However, 1660 estimations that converged according to `nls.lm` criteria were far from the effective optimum. This reduced the proportion of satisfying convergences with `minpack.lm` to 49.38% (so similar rate as `marqLevAlg`) but more importantly illustrated the convergence to saddle points when using classical convergence criteria. In contrast, all the convergences with `marqLevAlg` were closed to the effective solution thanks to its stringent RDM convergence criterion.

Examples from the literature

We tested our algorithm on 35 optimization problems designed by [More et al. \(1981\)](#) to test unconstrained optimization software and compared the `marqLevAlg` performances with those of several other optimizers, namely Nelder-Mead, BFGS, conjugate gradients (CG) implemented in the `optim` function, L-BFGS-B algorithm from `optimParallel`, and `nlsminb`. Each problem consists of a function to optimize from given starting points. The results are presented in supplementary material in terms of bias between the real solution and the final value of the objective function. Our implementation of MLA converged in almost all the cases (31 out of 35), and provided almost no bias. Except for `nlsminb`, which showed similar very good performances, the other algorithms converged at least once very far from the effective objective value. In addition, Nelder-Mead and CG algorithms converged only in approximately half of the cases.

Example of complex optimization problem: Maximum Likelihood Estimation of a Joint model for longitudinal and time-to-event data

Our implementation is particularly dedicated to complex problems involving many parameters and/or complex objective function calculation. We illustrate here its performances and compare them with other algorithms for the likelihood maximization of a joint model for longitudinal and time-to-event data, as an example of complex objective function optimization.

The `JM` package ([Rizopoulos \(2010\)](#)), dedicated to the maximum likelihood estimation of joint models, includes several optimization algorithms, namely the BFGS of `optim` function and an expectation-maximization (EM) technique internally implemented. It thus offers a nice framework to compare the reliability of MLA to find the maximum likelihood in a complex setting with the reliability of other optimization algorithms. We used in this comparison the `prothro` dataset described in the `JM` package and elsewhere ([Skrondal and Rabe-Hesketh, 2004](#), [Andersen et al. \(1993\)](#)). It consists of a randomized trial in which 488 subjects were split into two treatment arms (prednisone *versus* placebo). Repeated measures of prothrombin ratio were collected over time as well as time to death. The longitudinal part of the joint model included a linear trajectory with time in the study, an indicator of the first measurement and their interaction with the treatment group. Correlated individual random effects on the intercept and the slope with time were also included. The survival part was a proportional hazard model adjusted for the treatment group as well as the dynamics of the longitudinal outcome either through the current value of the marker or its slope or both. The baseline risk function was approximated by B-splines with one internal knot. The total number of parameters to estimate was 17 or 18 (10 for the longitudinal submodel and 7 for the survival submodel, given that only the current value of the marker or its slope or 8 for the survival model when both the current level and the slope were considered). The marker initially ranged from 6 to 176 (mean=79.0, sd=27.3).

To investigate the consistency of the results to different dimensions of the marker, we also considered cases where the marker was rescaled by a factor 0.1 or 10. In these cases, the log-likelihood was

rescaled a posteriori to the original dimension of the marker to make the comparisons possible. The starting point was systematically set at the default initial value of the `jointModel` function, which is the estimation point obtained from the separated linear mixed model and proportional hazard model.

In addition to EM and BFGS included in JM package, we also compared the MLA performances with those of the parallel implementation of the L-BFGS-B algorithm provided by the `optimParallel` package. Codes and dataset used in this section are available at <https://github.com/VivianePhilipps/marqLevAlgPaper>.

MLA and L-BFGS-B ran on 3 cores. MLA converged when the three criteria defined in section 2.2.2 were satisfied with tolerance 0.0001, 0.0001, and 0.0001 for the parameters, the likelihood, and the RDM, respectively. BFGS and L-BFGS-B converged when the convergence criterion on the log-likelihood was satisfied with the square root of the tolerance of the machine ($\approx 10^{-8}$). The EM algorithm converged when stability on the parameters or on the log-likelihood was satisfied with tolerance 0.0001 and around 10^{-8} (i.e., the square root of the tolerance of the machine), respectively.

Nature of dependency	Algorithm	Scaling factor	Rescaled log-likelihood	Variation of value (%)	Variation of slope (%)	Number of iterations	Time in seconds
value	BFGS	1	-13958.55	-3.73		120	27.39
value	BFGS	0.1	-13957.91	-0.01		490	116.33
value	BFGS	10	-13961.54	-9.28		91	18.16
value	LBFGSB	1	-13958.41	-3.56		289	79.07
value	LBFGSB	0.1	-13957.69	-0.11		244	67.53
value	LBFGSB	10	error				
value	EM	1	-13957.91	-0.29		66	72.44
value	EM	0.1	-13957.72	0.14		104	106.70
value	EM	10	-13957.94	-0.59		62	67.80
value	MLA	1	-13957.69	-0.00		7	34.37
value	MLA	0.1	-13957.69	-0.00		6	29.48
value	MLA	10	-13957.69	-0.00		17	75.48
slope	BFGS	1	-13961.41		-1.85	251	52.76
slope	BFGS	0.1	-13961.23		-1.37	391	87.61
slope	BFGS	10	-13980.90		-13.98	444	80.16
slope	LBFGSB	1	-13960.69		-0.15	266	60.29
slope	LBFGSB	0.1	-13960.70		-0.27	206	47.87
slope	LBFGSB	10	-13962.56		-2.87	823	182.20
slope	EM	1	-13960.69		0.17	170	161.64
slope	EM	0.1	-13960.69		0.02	208	196.68
slope	EM	10	-13960.70		0.08	156	159.58
slope	MLA	1	-13960.69		-0.00	11	48.00
slope	MLA	0.1	-13960.69		-0.00	11	48.10
slope	MLA	10	-13960.69		0.00	14	61.61
both	BFGS	1	-13951.60	15.97	-28.17	164	37.83
both	BFGS	0.1	-13949.82	2.66	-4.63	502	132.84
both	BFGS	10	-13965.25	40.31	-95.26	52	10.48
both	LBFGSB	1	-13950.04	-1.67	7.10	800	177.61
both	LBFGSB	0.1	-13949.42	-0.01	0.38	411	93.31
both	LBFGSB	10	-13985.72	67.33	-147.30	18	7.75
both	EM	1	-13949.82	4.10	-7.22	159	186.69
both	EM	0.1	-13949.44	1.68	-3.66	156	152.89
both	EM	10	-13950.46	10.67	-16.31	142	220.07
both	MLA	1	-13949.42	-0.00	-0.00	10	49.91
both	MLA	0.1	-13949.42	-0.00	0.00	10	51.63
both	MLA	10	-13949.42	-0.00	0.00	24	121.69

Table 4: Comparison of the convergence obtained by MLA, BFGS, LBFGSB, and EM algorithms for the estimation of a joint model for prothrombin repeated marker (scaled by 1, 0.1, or 10) and time to death when considering a dependency on the current level of prothrombin ('value'), the current slope ('slope'), or both ('both'). All the models converged correctly according to the algorithm outputs. We report the final log-likelihood rescaled to scaling factor 1 (for comparison), the percentage of variation of the association parameters ('value' and 'slope' columns) compared to the one obtained with the overall maximum likelihood with scaling 1, the number of iterations and the running time in seconds.

Table 4 compares the convergence obtained using the four optimization methods when considering a pseudo-adaptive Gauss-Hermite quadrature with 15 points. All the algorithms converged correctly according to the programs except one with L-BFGS-B, which gave an error (non-finite value) during optimization. Although the model for a given association structure is exactly the same, some differences were observed in the final maximum log-likelihood (computed in the original scale of prothrombin ratio). The final log-likelihood obtained by MLA was always the same, whatever the outcome's scaling, showing its consistency. It was also higher than the one obtained using the three

other algorithms, showing that BFGS, L-BFGS-B, and, to a lesser extent, EM did not systematically converge toward the effective maximum. The difference could go up to 20 points of log-likelihood for BFGS in the example with the current slope of the marker as the association structure. The convergence also differed according to outcome's scaling with BFGS/L-BFGS-B and slightly with EM, even though, in general, the EM algorithm seemed relatively stable in this example. The less stringent convergence of BFGS/L-BFGS-B and, to a lesser extent, of EM had also consequences on the parameters estimates as roughly illustrated in Table 4 with the percentage of variation in the association parameters of prothrombin dynamics estimated in the survival model (either the current value or the current slope) in comparison with the estimate obtained using MLA which gives the overall maximum likelihood. The better performances of MLA were not at the expense of the number of iterations since MLA converged in at most 22 iterations, whereas several hundreds of iterations could be required for EM or BFGS. Note, however, that one iteration of MLA is much more computationally demanding.

Finally, for BFGS, the problem of convergence was even more apparent when the outcome was scaled by a factor 10. Indeed, the optimal log-likelihood of the model assuming a bivariate association structure (on the current level and the current slope) was worse than the optimal log-likelihood of its nested model, which assumes an association structure only on the current level (i.e., constraining the parameter for the current slope to 0). We faced the same situation with the L-BFGS-B algorithm when comparing the log-likelihoods with a bivariate association and with an association through the current slope only.

Concluding remarks

We proposed in this paper a general-purpose optimization algorithm based on a robust Marquardt-Levenberg algorithm. The program, written in R and Fortran90, is available in [marqLevAlg](#) R package. It provides a very nice alternative to other optimization packages available in R software such as [optim](#), [roptim](#) (Pan, 2020), or [optimx](#) (Nash and Varadhan, 2011) for addressing complex optimization problems. In particular, as shown in our examples, notably the estimation of joint models, it is more reliable than classical alternatives (in particular EM, BFGS, and L-BFGS-B). This is due to the very good convergence properties of the Marquardt-Levenberg algorithm associated with very stringent convergence criteria based on the first and second derivatives of the objective function, which avoids spurious convergence at saddle points (Commenges et al., 2006).

The Marquardt-Levenberg algorithm is known for its very computationally intensive iterations due to the computation of the first and second derivatives. However, compared to other algorithms, it converges in a very small number of iterations (usually less than 30 iterations). This may not make MLA competitive in terms of running time in simple and rapid settings. However, the parallel computations of the derivatives can largely speed up the program and make it very competitive with alternatives in terms of running time in complex settings.

We chose in our implementation to rely on the RDM criterion, which is a very stringent convergence criterion. As it is based on the inverse of the Hessian matrix, it may cause non-convergence issues when some parameters are at the border of the parameter space (for instance, 0 for a parameter constrained to be positive). In that case, we recommend fixing the parameter at the border of the parameter space and running the optimization again on the rest of the parameters. In cases where the stabilities of the log-likelihood and of the parameters are considered sufficient to ensure satisfactory convergence, the program outputs might be interpreted despite a lack of convergence according to the RDM, as is done for other algorithms that only converge according to the parameter and/or objective function stability.

As with any other optimization algorithm based on the steepest descent, MLA is a local optimizer. It does not ensure the convergence of multimodal objective functions toward the global optimum. In such a context, we recommend the use of a grid search which consists in running the algorithm from a grid of (random) initial values and retaining the best result as the final solution. We illustrate in supplementary material how this technique succeeds in finding the global minimum with the Wild function of the `optim` help page.

[marqLevAlg](#) is not the first optimizer to exploit parallel computations. Other R optimizers include a parallel mode, in particular stochastic optimization packages like [DEoptim](#) (Mullen et al., 2011), [GA](#) (Scrucca, 2017), [rgenoud](#) (Mebane, Jr. and Sekhon, 2011), or [hydroPSO](#) (Zambrano-Bigiarini and Rojas, 2020). We compared these packages, the local optimizer of `optimParallel`, and [marqLevAlg](#) for the estimation of the linear mixed model described in Section 2.4. For this specific problem [marqLevAlg](#) was the fastest, followed by `optimParallel` (results shown in supplementary files).

With its parallel implementation of derivative calculations combined with very good convergence properties of MLA, [marqLevAlg](#) package provides a promising solution for the estimation of complex statistical models in R. We have chosen for the moment to parallelize the derivatives, which is

very useful for optimization problems involving many parameters. However, we could also easily parallelize the computation of the objective function when the latter is decomposed into independent sub-computations, as is the log-likelihood computed independently on the statistical units. This alternative is currently under development.

Funding

This work was funded by French National Research Agency [grant number ANR-18-CE36-0004-01 for project DyMES].

Acknowledgments

The computing facilities MCIA (Mésocentre de Calcul Intensif Aquitain) at the Université de Bordeaux and the Université de Pau et des Pays de l'Adour provided advice on parallel computing technologies, as well as computer time.

Bibliography

- P. K. Andersen, O. Borgan, R. D. Gill, and N. Keiding. *Statistical Models Based on Counting Processes*. Springer, Paris, 1993. [p374]
- D. Commenges, H. Jacqmin-Gadda, C. Proust, and J. Guedj. A Newton-Like Algorithm for Likelihood Maximization: The Robust-Variance Scoring Algorithm. *arXiv:math/0610402*, Dec. 2006. URL <http://arxiv.org/abs/math/0610402>. arXiv: math/0610402. [p366, 376]
- T. V. Elzhov, K. M. Mullen, A.-N. Spiess, and B. Bolker. *minpack.lm: R Interface to the Levenberg-Marquardt Nonlinear Least-Squares Algorithm Found in MINPACK, Plus Support for Bounds*, 2016. URL <https://CRAN.R-project.org/package=minpack.lm>. R package version 1.2-1. [p365, 366]
- R. Fletcher. A modified Marquardt subroutine for non-linear least squares. 1971. Publisher: Theoretical Physics Division, Atomic Energy Research Establishment. [p366]
- H. Joe and J. C. Nash. Numerical optimization and surface estimation with imprecise function evaluations. *Statistics and Computing*, 13(3):277–286, Aug. 2003. ISSN 1573-1375. doi: 10.1023/A:1024226918553. URL <https://doi.org/10.1023/A:1024226918553>. [p365]
- N. M. Laird and J. H. Ware. Random-Effects Models for Longitudinal Data. *Biometrics*, 38(4):963–974, 1982. ISSN 0006-341X. doi: 10.2307/2529876. URL <https://www.jstor.org/stable/2529876>. Publisher: [Wiley, International Biometric Society]. [p368]
- K. Levenberg. A method for the solution of certain non-linear problems in least squares. *Quarterly of Applied Mathematics*, 2(2):164–168, July 1944. ISSN 0033-569X, 1552-4485. doi: 10.1090/qam/10666. URL <http://www.ams.org/qam/1944-02-02/S0033-569X-1944-10666-0/>. [p365]
- M. J. Lindstrom and D. M. Bates. Newton—Raphson and EM Algorithms for Linear Mixed-Effects Models for Repeated-Measures Data. *Journal of the American Statistical Association*, 83(404):1014–1022, Dec. 1988. ISSN 0162-1459. doi: 10.1080/01621459.1988.10478693. URL <https://doi.org/10.1080/01621459.1988.10478693>. Publisher: Taylor & Francis _eprint: <https://doi.org/10.1080/01621459.1988.10478693>. [p365]
- D. W. Marquardt. An Algorithm for Least-Squares Estimation of Nonlinear Parameters. *Journal of the Society for Industrial and Applied Mathematics*, 11(2):431–441, June 1963. ISSN 0368-4245. doi: 10.1137/0111030. URL <https://epubs.siam.org/doi/abs/10.1137/0111030>. Publisher: Society for Industrial and Applied Mathematics. [p365, 366]
- W. R. Mebane, Jr. and J. S. Sekhon. Genetic optimization using derivatives: The rgenoud package for R. *Journal of Statistical Software*, 42(11):1–26, 2011. URL <http://www.jstatsoft.org/v42/i11/>. [p376]
- J. J. More, B. S. Garbow, and K. E. Hillstom. Testing unconstrained optimization software. *ACM Trans. Math. Software*, 7(1), 3 1981. doi: 10.1145/355934.355936. URL <https://www.osti.gov/biblio/6256067>. [p374]

- K. Mullen, D. Ardia, D. Gil, D. Windover, and J. Cline. DEoptim: An R package for global optimization by differential evolution. *Journal of Statistical Software*, 40(6):1–26, 2011. URL <http://www.jstatsoft.org/v40/i06/>. [p376]
- J. C. Nash. *nlmrt: Functions for Nonlinear Least Squares Solutions*, 2016. URL <https://CRAN.R-project.org/package=nlmrt>. R package version 2016.3.2. [p365, 366]
- J. C. Nash and R. Varadhan. Unifying optimization algorithms to aid software system users: optimx for R. *Journal of Statistical Software*, 43(9):1–14, 2011. URL <http://www.jstatsoft.org/v43/i09/>. [p365, 376]
- Y. Pan. *roptim: General Purpose Optimization in R using C++*, 2020. URL <https://CRAN.R-project.org/package=roptim>. R package version 0.1.5. [p376]
- M. Prague, A. Diakite, and D. Commenges. Package ‘marqLevAlg’ - Algorithme de Levenberg-Marquardt en R : une Alternative à ‘optimx’ pour des Problèmes de Minimisation. In *1ères Rencontres R*, Bordeaux, France, July 2012. URL <https://hal.archives-ouvertes.fr/hal-00717566>. [p365]
- M. Prague, D. Commenges, J. Guedj, J. Drylewicz, and R. Thiébaud. Nimrod: A program for inference via a normal approximation of the posterior in models with random effects based on ordinary differential equations. *Computer methods and programs in biomedicine*, 111(2):447–458, 2013. [p366]
- C. Proust and H. Jacqmin-Gadda. Estimation of linear mixed models with a mixture of distribution for the random effects. *Computer Methods and Programs in Biomedicine*, 78(2):165–173, May 2005. ISSN 0169-2607. doi: 10.1016/j.cmpb.2004.12.004. [p365]
- C. Proust-Lima, M. Séne, J. M. Taylor, and H. Jacqmin-Gadda. Joint latent class models for longitudinal and time-to-event data: A review. *Statistical methods in medical research*, 23(1):74–90, Feb. 2014. ISSN 0962-2802. doi: 10.1177/0962280212445839. URL <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5863083/>. [p370]
- C. Proust-Lima, V. Philipps, and B. Liquet. Estimation of Extended Mixed Models Using Latent Classes and Latent Processes: The R Package lcmm. *Journal of Statistical Software*, 78(1):1–56, June 2017. ISSN 1548-7660. doi: 10.18637/jss.v078.i02. URL <https://www.jstatsoft.org/index.php/jss/article/view/v078i02>. Number: 1. [p370]
- D. Rizopoulos. JM: An R package for the joint modelling of longitudinal and time-to-event data. *Journal of Statistical Software (Online)*, 35(9):1–33, July 2010. ISSN 15487660. doi: 10.18637/jss.v035.i09. URL <https://repub.eur.nl/pub/89690/>. [p370, 371, 374]
- L. Scrucca. On some extensions to GA package: hybrid optimisation, parallelisation and islands evolution. *The R Journal*, 9(1):187–206, 2017. URL <https://journal.r-project.org/archive/2017/RJ-2017-008>. [p376]
- A. Skrondal and S. Rabe-Hesketh. *Generalized Latent Variable Modeling: Multilevel, Longitudinal, and Structural Equation Models*. CRC Press, May 2004. ISBN 978-0-203-48943-7. [p374]
- B. O. Taddé, H. Jacqmin-Gadda, J.-F. Dartigues, D. Commenges, and C. Proust-Lima. Dynamic modeling of multivariate dimensions and their temporal relationships using latent processes: Application to Alzheimer’s disease. *Biometrics*, n/a(n/a), 2019. ISSN 1541-0420. doi: 10.1111/biom.13168. URL <https://onlinelibrary.wiley.com/doi/abs/10.1111/biom.13168>. _eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/biom.13168>. [p370, 372]
- S. Theussl, F. Schwendinger, and H. W. Borchers. CRAN task view: Optimization and mathematical programming, 2014. URL <https://cran.r-project.org/view=Optimization>. Version 2020-05-21. [p365]
- M. Zambrano-Bigiarini and R. Rojas. *hydroPSO: Particle Swarm Optimisation, with Focus on Environmental Models*, 2020. URL <https://CRAN.R-project.org/package=hydroPSO>. R package version 0.5-1. doi:10.5281/zenodo.1287350. [p376]

Viviane Philipps
Inserm, Bordeaux Population Health Research Center, UMR 1219,
Univ. Bordeaux, F-33000 Bordeaux, France
146 rue Léo Saignat
33076 Bordeaux Cedex
France
E-mail: viviane.philipps@u-bordeaux.fr

Boris P. Hejblum
Inserm, Bordeaux Population Health Research Center, UMR 1219,
Inria BSO SISTM,
Vaccine Research Institute (VRI), F-94000 Créteil, France
Univ. Bordeaux, F-33000 Bordeaux, France
146 rue Léo Saignat
33076 Bordeaux Cedex
France
E-mail: boris.hejblum@u-bordeaux.fr

Mélanie Prague
Inserm, Bordeaux Population Health Research Center, UMR 1219,
Inria BSO SISTM,
Vaccine Research Institute (VRI), F-94000 Créteil, France
Univ. Bordeaux, F-33000 Bordeaux, France
146 rue Léo Saignat
33076 Bordeaux Cedex
France
E-mail: melanie.prague@inria.fr

Daniel Commenges
Inserm, Bordeaux Population Health Research Center, UMR 1219,
Inria BSO SISTM,
Univ. Bordeaux, F-33000 Bordeaux, France
146 rue Léo Saignat
33076 Bordeaux Cedex
France
E-mail: daniel.commenges@u-bordeaux.fr

Cécile Proust-Lima
Inserm, Bordeaux Population Health Research Center, UMR 1219,
Univ. Bordeaux, F-33000 Bordeaux, France
146 rue Léo Saignat
33076 Bordeaux Cedex
France
E-mail: cecile.proust-lima@inserm.fr