University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Global Studies Papers & Publications

Global Integrative Studies, School of

2023

A network perspective on multi-scale water governance in the Lake Champlain Basin, Vermont

Patrick Bitterman

Christopher Koliba

Anna Singer

Follow this and additional works at: https://digitalcommons.unl.edu/global

Part of the Anthropology Commons, Geography Commons, and the International and Area Studies Commons

This Article is brought to you for free and open access by the Global Integrative Studies, School of at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Global Studies Papers & Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Research

A network perspective on multi-scale water governance in the Lake Champlain Basin, Vermont

Patrick Bitterman¹, Christopher Koliba² b and Anna Singer^{3,4}

ABSTRACT. The prevalence and persistence of harmful cyanobacterial blooms demonstrate the importance of governance systems that effectively engage with many actors to address nonpoint pollution from a variety of sources across multiple spatial domains. Although the importance of social-ecological alignment on effective governance is increasingly clear, governance systems often evolve incrementally and in a manner that fails to adequately align resources and governance networks with biophysical structures, processes, and legacies. Through a survey of water governance actors in the Lake Champlain Basin, we map the structure of the water governance network and identify the key information brokers, flows of resources, and ongoing collaborative partnerships. We measure cross-scale and within-scale linkages to characterize the degree of coordination across space and scale using exponential random graph models, finding distinct differences in governance activities by mode of coordination. We also show that coordination in the system is largely a function of geographic proximity and shared issues of concern, demonstrating the importance of multidimensional, social-ecological perspectives in the collaborative governance of freshwater systems. Specific to the Lake Champlain Basin, our findings suggest that as the transformation of the governance system proceeds, cross-scale and inter-watershed coordination must be regularized to maintain learning and innovation across the system as it pursues its clean water goals.

Key Words: exponential random graph models; harmful algal blooms; network analysis; water governance

INTRODUCTION

Cyanobacterial blooms (cyanoHABs) are a common late summer feature along the beaches and in the shallow bays of Lake Champlain. The blooms threaten public health, degrade the aquatic environment, depress property values, close beaches, and negatively affect local economies (USEPA 2018, Gourevitch et al. 2021). Lake Champlain cyanoHABs result from complex interactions among climatic conditions, lake morphology and bathymetry, and nutrient pollution (Zia et al. 2022). However, the primary driver of cyanoHABs across the Lake Champlain Basin (LCB) is phosphorus. Phosphorus enters the lake as runoff from multiple sources, including agriculture, forestry, and urban stormwater (Zia et al. 2016, Isles et al. 2017, Lake Champlain Basin Program 2018). To reduce nutrient pollution to Lake Champlain, the state of Vermont has mounted several policies to address water quality issues in the lake and across the LCB, including multiple pieces of legislation, partnerships with the United States Environmental Protection Agency (USEPA), collaboration with local and regional organizations, and the allocation of over \$250 million since 2016 (Vermont Agency of Administration 2021). However, integrated assessment models predict that even with substantial reductions to phosphorus surface runoff, legacy phosphorus in lake bed sediment will continue to affect water quality, posing substantial management problems (Zia et al. 2016, 2022).

Despite the efforts of many concerned actors operating at multiple scales, nutrient reductions required under the jurisdiction of federal and state laws will be insufficient to meet water quality objectives. These policy disconnects (Webster 2015) or functional mismatches (Cumming et al. 2006) in the social-ecological system (SES) reflect the inability of policy tools to adequately manage the complex social-ecological processes in the LCB, including multiple sources of nonpoint nutrient pollution on the surface,

climate change–benthic phosphorus interactions, and the inability to effectively regulate agricultural land use on private lands (Koliba et al. 2016, Zia et al. 2016, 2022, Isles et al. 2017). To help close this gap, the Vermont Agency of Natural Resources (VTANR) has increased its use of incentive-based, voluntary projects dependent on coordination among actors (Vermont General Assembly 2019).

Coordination among actors relative to their management of environmental processes can be structured as social and socialecological networks (Janssen et al. 2006). A network approach obviates the cross-scale and within-scale interactions among social and environmental SES components (Cash et al. 2006). Where mismatches in social networks and ecological functions occur, resource management may suffer (Fischer 2018, Hamilton et al. 2019). However, resource governance networks have multiple functions, and actors are connected via multiple possible pathways. Thus, a multiplex network can be thought of as having multiple "layers" of edges in the network, each layer corresponding to a different mode of interaction or purpose (Koliba et al. 2018). Multiplex network analysis can tell us not only if a tie exists between actors, but also what functional role that tie embodies. For example, previous model-based research in the LCB showed that a collaborative, regionalized, polycentric governance model can reduce functional and spatial mismatches (and increase programmatic efficiency) if information sharing and task coordination activities co-occur among actors at the watershed scale (Bitterman and Koliba 2020).

Meeting Vermont's clean water goals through both the legallymandated and voluntary work of public and private actors will require a system of effective collaborative governance (Ansell and Gash 2008, Emerson and Gerlak 2014, Emerson and Nabatchi 2015). Hundreds of individuals, institutions, and organizations

¹School of Global Integrative Studies, University of Nebraska-Lincoln, ²School of Public Affairs and Administration, University of Kansas, ³University of Delaware, ⁴University of Southern California



are engaged in issues of water quality and quantity across the state (Koliba et al. 2014, Scheinert et al. 2015), and many of these actors work together directly or through mediated forums and structured action situations (Bitterman and Koliba 2023). Thus, to assess the SES's ability to leverage collaborative governance principles within a polycentric framework in pursuit of a new trophic regime from Lake Champlain, it is useful to understand where, how much, and what type of coordination is currently taking place.

Polycentricity, or the presence of multiple centers of decision making in a governance system (Carlisle and Gruby 2019), can occur across multiple functions in the multiplex network. Polycentricity is often seen as a principle for enhancing resilience (Biggs et al. 2012), as well as a necessary condition for the promotion of collective action (Baldwin et al. 2018). Although many studies have looked at polycentricity through the lens of the Ecology of Games (Berardo and Lubell 2016, 2019) or through connected institutions (McGinnis 2011, Oberlack et al. 2018, Kimmich et al. 2023), network studies of water governance have not fully unpacked the multi-functionality of water resource management. Although much of social network analysis assumes some homogeneity in ties connecting actors, not all types of coordination are equal with respect to their influence on effective water governance (Koliba et al. 2018). By investigating heterogeneous types of coordination within the LCB governance network, we can identify where gaps in coordination among actors exist and where targeted rulemaking can reduce spatial and functional mismatch.

Our analysis utilizes a survey of governance actors across the LCB with social network analysis to map the structure of the water quality governance system in the LCB. We first characterize the general structure of the multiplex governance network, identify which actors are most central to governance activities, and plot the relative frequency of cross-scale and within-scale linkages. We expect to find a network characterized by highly connected actors at the state scale, although the centrality of various actors will differ by function within the multiplex framework. Second, we measure the degree to which scale, geographic proximity, and shared issues of concern influence actor collaboration in the network. We expect that actors will be more likely to coordinate their actions with others at similar spatial scales and with similar concerns and, following the first law of geography (Tobler 1970), will be more likely to coordinate with actors in nearby locations. The LCB demonstrates many of the common features of socialecological resilience thinking, including spatial and temporal lags (Zia et al. 2016, 2022) and heterogeneity among actors and actor functions (Koliba et al. 2016); in addition, achieving LCB clean water objectives would entail the use of incremental adaptations of the governance system to shift the system from its current mesotrophic state to a more desirable basin of attraction (Carpenter et al. 2001, Walker et al. 2004). In that context, our analysis is an initial step in understanding whether more tightly connecting governance network structures with phosphorus sources and solutions can facilitate water quality improvements in the region. Further, these findings may help identify potential points of leverage that can aid in the development of the collaborative relationships vital to achieving Vermont's clean water objectives.

METHODS

The Lake Champlain Social-Ecological System

The LCB includes portions of Vermont, New York, and southern Québec, necessitating interstate and international coordination on water-related issues. Within Vermont, there are many overlapping jurisdictions responsible for managing facets of water quality and quantity. VTANR coordinates water quality management at the state scale, but allocates activities in LCB at a spatial unit formally termed "tactical basins." Tactical basins approximate the six 8-digit hydrologic unit (HUC-8) watersheds (including direct drainage to Lake Champlain) that comprise the Vermont portion of the LCB (Fig. 1).

Twelve segments of Lake Champlain are under a "total maximum daily load" (TMDL) regulation that limits the level of phosphorus that may legally enter waterways draining to the lake, and requires the state to take steps to reduce phosphorus runoff. The TMDL was initially conceived in 2002, then revised in 2011 and 2016 following litigation (Koliba et al. 2016, USEPA 2016, Lake Champlain Basin Program 2018). The TMDL estimates that 41% of total phosphorus (TP) comes from agricultural lands, 21% from riverbank instability, 16% from forested lands, 13% from developed lands, 5% from unpaved roads, and 4% from sewage treatment (see Fig. 1B for the spatial distribution of TP estimates from the TMDL; USEPA 2016).

In response to the TMDL and concerns of its residents, the Vermont government has enacted multiple pieces of legislation aimed at improving water quality. Act 64, commonly called Vermont's Clean Water Act [of 2015], adopted revised required agricultural practices, established permitting processes for development, and created the Clean Water Fund to fund "clean water projects" to reduce nutrient runoff to Lake Champlain (Vermont General Assembly 2015). Within VTANR, responsibility for prioritizing clean water projects was consolidated in the Department of Environmental Conservation (DEC), which makes prioritization decisions under the law. However, private land rights, capacity constraints, external financial perturbations, and imperfect information have constrained the search for optimal outcomes. Even without these constraints, the phosphorus reduction targets set by the TMDL cannot be strictly met by Act 64 and other existing regulatory frameworks (e.g., the U.S. Clean Water Act), necessitating new legislation titled the Clean Water Service Delivery Act of 2019, or Vermont Act 76. This law prioritizes non-regulatory projects in pursuit of EPA-mandated targets and establishes a new paradigm for water quality management by creating new regional organizations termed Clean Water Service Providers (CWSPs). CWSPs are intended to manage, implement, and maintain nonregulatory projects within jurisdictions on the basis of HUC-8 watersheds, thus shifting some of the responsibility and centrality of VTANR for managing water quality to novel watershed-based social-ecological action situations (Ostrom 2005, Schlüter et al. 2019) across the state, and theoretically reducing spatial mismatch between hydrology and management.

To assess the LCB water governance network, we collected survey data via an online platform from July to December 2019. The sample frame included private, non-profit, and public entities (e.g., organizations, institutions, and agencies), collectively termed "actors," engaged in water quality or quantity issues in the Vermont **Fig. 1.** The Lake Champlain Basin (gold outline) spans parts of Vermont, New York, and southern Québec. Lake Champlain drains north in Canada, presenting multiple international water management issues. On the left, tactical basins (labeled) in the Vermont portion of the Lake Champlain Basin are management units roughly corresponding to HUC-8 watersheds. Water governance occurs across multiple boundaries and scales. On the right, TMDL estimates of the annual total phosphorus yield (area-normalized TP load in units of kg/ha/year) represent spatially heterogenous mitigation targets across the basin.



or Québec portions of the LCB. An initial set of possible actors was seeded from the authors' previous surveys in the region (Koliba et al. 2014, Scheinert et al. 2015). Additional actors were identified via expert knowledge, state government databases (e.g., funding recipients), document analysis (e.g., meeting minutes), internet searches, and collaboration with local government agencies. The lists were validated by watershed management staff at VTANR. Because many Vermont towns and villages are small, with few full-time staff, we excluded municipalities from the sample frame. Respondents were contacted via email at their place of employment and were asked to answer on behalf of the entity they represented. Although entities varied in size, care was taken to ensure individual respondents were in leadership roles within the organizations, thereby likely possessing knowledge regarding coordination efforts. Further, we surveyed sub-units of large organizations to assess coordination among functional units. For example, VTANR is not an actor in our network, but the Watershed Management Division of VTANR is included, among many others. Subjects were sent an invitation email, followed by up to two follow-up reminder emails. A PDF of the web survey can be found in Appendix 2.

We received responses from 88 of 203 (43.3%) surveyed actors (some had multiple responses). Our contact list purposefully included many small organizations and private firms. That these potential actors did not reply is unsurprising, given the private nature of firms and contracts as well as the limited resources of small entities. If we omitted actors that did not respond and were identified as partners by five or fewer respondents (corresponding to one edge per mode of coordination), our response rate would improve to 51.3%. To increase our confidence in our sample, expert staff at VTANR verified that we captured nearly all major actors in the system.

The survey asked about actor activities (e.g., "Does your organization provide or offer any of the following [services]..."), participation in water resource management issues (e.g., stormwater, agricultural land management), and measures of accountability. We also asked respondents to identify other actors they partner with to manage water-related issues along five possible dimensions. Possible modes of coordination included: (1) information sharing, (2) technical assistance, (3) reporting, (4) financial resource sharing or exchange, and (5) project coordination or collaboration. We selected these modes to

Table 1. Coding rules used to assign a final hybrid scale to each actor based on jurisdictional and hydrological scale. DEC, Department of Environmental Conservation; US EPA, United States Environmental Protection Agency; VTANR, Vermont Agency of Natural Resources.

Jurisdictional scale	Hydrological scale	Final assigned scale	Example actor(s)
International	Basins spanning international boundaries	Basin	International Joint Commission (IJC)
National	Basins spanning state boundaries	Basin	US EPA
State	No corresponding hydrological scale	Basin	VTANR DEC Watershed Program
Lake Champlain Basin	Lake Champlain Basin	Basin	Lake Champlain Basin Program
Tactical basin	HUC-8 watershed	Watershed	Addison County Regional Planning Commission
Municipality	No corresponding hydrological scale	Watershed	Morrisville Conservation Commission

correspond with policy incentives, priorities in Acts 64 and 76, and to align with previous studies in the LCB (Koliba et al. 2014, Scheinert et al. 2015). Each respondent is termed an "ego" in the network and each stated partner is an "alter." The data were transformed into ego-alter pairs where each pairwise connection represents an edge in the network, yielding a five-layer (one for each model of interaction) multiplex social network of water governance actors in the LCB.

In post-survey coding, we assigned each actor a functional type (e.g., planning commission, firm, education) and a jurisdictional scale. Assigning a single geographic scale is an imperfect process dependent on purpose of analysis and complicated by spatial mismatch between hydrology and administrative boundaries. Given the pending shift of many water management functions from the state scale to the HUC-8 scale, we simplified our coding of spatial scale to two levels. We used "watershed scale" to encompass actors that operate across just two or fewer HUC-8 watersheds and "basin scale" to encompass all others. Our final assigned scale was a hybrid of hydrological and jurisdictional scales and more closely aligned with the new policy regime (Table 1).

Our analysis is divided into two parts. First, we characterized the structure of the water governance network in the LCB. To do so, we created five egocentric networks (one for each mode of interaction) of the self-reported relationships from survey respondents to other actors. We created network data structures using the igraph and tidygraph packages in R (Csardi and Nepusz 2006, Pedersen 2019). Nodes were assigned properties for their scale and actor type. In cases where multiple respondents identified as working for the same actor, the network was simplified so that multiple edges between two actors were only counted once, loops were eliminated, and isolated nodes were removed. By definition, egocentric networks include relationships between egos that may not be validated or reciprocated, potentially underestimating network density and limiting analyses. Accordingly, we used the egocentric network as a first approximation of actor centrality and characterized network function by calculating descriptive statistics of each layer of the multiplex network.

Our second analysis investigated the geographic components of the multiplex network to investigate the degree to which actors in the network were coordinating across space and our assigned scale. To do so, we created a subset of the network that only included survey respondents such that we could control for additional actor properties (e.g., homophily in issue domains). The smaller network was a "square" network containing only validated reciprocal edges between nodes, eliminating the concerns of egocentric analysis. Using this network, we first measured the relative frequency of within-scale and cross-scale relationships for each of the five models of coordination in the network. We then used exponential random graph models (ERGMs) to measure the influence of various factors on two modes of actor-actor coordination. ERGMs assume the observed network is one possible realization of many possible networks and estimate parameters (e.g., the influence of scale on the likelihood of an edge) to generate simulated networks with similar statistics to the network we observed (Robins et al. 2007).

Using the statnet set of packages (Handcock et al. 2008), we fit two ERGMs to estimate the determinants of within-scale coordination among watershed-scale actors with respect to project coordination and information sharing. These two activities will be central to watershed-scale actions under the new regionalized governance regime, and exploratory data analysis suggested that actors in adjacent watersheds are more likely to collaborate. Accordingly, we modeled geographic dependence of ties between adjacent watersheds using the edgecov model term. We also tested for homophily in the various issues (e.g., wastewater, agriculture, stormwater) in which actors were involved, as well as the number of municipalities with whom each actor worked. Finally, we introduced a series of control parameters to account for geometrically weighted degree distribution (gwdegree) and geometrically weighted edgewise shared partners (gwesp), which controled for structural characteristics of the network. All model parameters are described in Appendix 1.

RESULTS

Whole network characterization

We first identified the most connected actors using a simple measure of degree centrality, which measures a node's number of incoming or outgoing (or both) edges. The governance network carries out its management functions via multiplex ties representing the five modes of coordination. Figure 2A plots each mode separately, whereas Table 2 reports network metrics for each mode. Actors in the network are plotted as nodes and shaded according to assigned spatial scale. We found that the network functions largely as an information sharing and project coordination network. Edge density is formally defined as the number of edges in the network divided by the number of possible edges. The whole network has an edge density of 0.28, suggesting a moderately connected governance network. **Fig. 2.** Panel A: the multiplex governance network by the five surveyed dimensions. Panel B: the distributions of actors by degree centrality and mode of coordination. The most central actors are state agencies and large non-governmental organizations (i.e., the Lake Champlain Committee [LCC], Lake Champlain Basin Program [LCBP]). Within Vermont Agency of Natural Resources (VTANR), the Watershed Management Division (WMD), Rivers Program (Rivers), and Clean Water Improvement Program (CWIP) are most central. DEC, Department of Environmental Conservation; NRC, Vermont Natural Resources Council; Stone Env., Stone Environmental, Inc.



Figure 2B plots the degree distributions by different modes of coordination and scale. Because of the large number of actors, we labeled only the most central actors along each dimension, and include a table of the 30 most central actors in Appendix 1. The degree distribution of respondents and nominated nonrespondents is exponential, with most actors having low degree centrality. The most central actors are generally state agencies, and across all modes of interaction, programs and divisions within VTANR are the most central. Their rankings also benefit from strong internal coordination because the various programs within VTANR commonly work together to address water quality issues. Despite the importance of VTANR actors, some nongovernmental organizations (NGOs) serve important roles in distributing information, including the Lake Champlain Committee (LCC) and the Lake Champlain Basin Program (LCBP). A few private organizations also have substantial influence in the system. For example, Stone Environmental, Inc., an environmental consulting firm, provides technical assistance across Vermont. Finally, a group of municipal conservation commissions are highly central in the reporting network. In general, the most central actors operate at the basin scale and have substantial capacity. Overall, these network statistics point to a water governance network dominated by highly connected state actors that largely perform information distribution and project coordination functions.

Cross-scale and within-scale linkages

The relative frequency of cross-scale and within-scale linkages in the governance network are presented in Table 3. Across all modes of coordination, there is a slightly greater proportion of crossscale linkages than within-scale. The same is true for technical assistance, whereas the opposite is the case for information sharing and project coordination activities. The greatest **Table 2.** Metrics describing the structure of the full multiplex network and by individual modes of interaction. Metrics include: number of nodes, number of edges, edge density. See text for descriptions of metrics.

Network	Nodes (n)	Edges (m)	Density
All modes	232	7446	0.28
Information sharing	229	2627 (35.3%)	0.10
Project coordination	220	1779 (23.9%)	0.07
Technical assistance	216	1485 (20.0%)	0.06
Financial exchange	187	961 (12.9%)	0.06
Reporting	153	594 (8.0%)	0.05

Table 3. Relative frequency of cross-scale and within-scale coordination in the LCB water governance network by mode of coordination. Frequencies are presented as percentages with counts in parentheses. Higher percentages italicized.

Mode of coordination	Percentage of cross- scale edges (count)	Percentage of within- scale edges (count)	
All modes	53.3% (2225)	46.7% (1951)	
Information sharing	48.1% (681)	51.9% (736)	
Project coordination	47.2% (470)	52.8% (525)	
Technical assistance	53.8% (448)	46.2% (385)	
Financial exchange	63.7% (359)	36.3% (205)	
Reporting	72.8% (267)	27.2% (100)	

differences are found in financial exchange and reporting, which are substantially more cross-scale than within-scale activities. The large majority of within-scale edges are between basin-scale actors.

Information sharing and project coordination are the two primary functions of the LCB water governance network, and both activities will be vital to the success of the regional collaborative governance regime targeted by Act 76. Accordingly, we focus our analysis on the determinants of those activities among watershedscale actors only. These edges represent a validated reciprocal network among 36 actors spread across six HUC-8 watersheds. Figure 3 plots these two networks, shading each node by its membership in each of the six tactical basins in the LCB.

The ERGM results explain the factors that influence the likelihood of an edge connecting actors (nodes) in the network. The "watershed adjacency" parameter (Table 4) indicates actors are more likely to coordinate their information sharing and project coordination activities with nearby actors in adjacent watersheds. This confirms our supposition that geographic space (here, proximity) partially explains coordination efforts across the LCB. The "count of connected municipalities" parameter suggests a weak but positive relationship between municipal engagement and coordination with other actors. The set of homophily parameters measures the influence that coengagement with the same water quality issues has on the likelihood of an edge between two actors. Surprisingly, the project coordination model does not find any relationship between actors engaged in similar activities and the likelihood of coordination. However, the information sharing model finds that coengagement in forestry issues predicts greater information sharing, whereas co-engagement in wastewater issues predicts lower coordination. Last, the "shared partners" control parameter indicates that in both models, actors are more likely to coordinate with partners-of-partners, signifying clustering in the network. The control parameters and model fit diagnostics are included in Appendix 1.

DISCUSSION

The policy goals of water quality governance across the LCB include a transformation of the SES from a mesotrophic state characterized by intermittent cyanoHABs to a stable clean water state. The ongoing transformation is marked by multiple iterative learning and adaptive management and legal processes, including the Lake Champlain TMDL, Act 64, and Act 76. None of these policies are singularly sufficient to achieve the goals, and future interventions will likely be required as well. Further, the policy suite attempts to manage the actions of many heterogeneous actors and institutions playing multiple roles across multiple geographies and scales to improve the hydrology, ecology, human health and well-being, and regional economic productivity of a complex system. From an SES resilience theoretic perspective, this evokes a canonical example of resilience in SES, the freshwater lake system (Janssen and Carpenter 1999, Gunderson et al. 2006), and the policy goals entail altering the system's stability landscape (Walker et al. 2004) to guide the system into a new basin of attraction. To reach these goals, management and analysis must map the connections among actors and the environment in network space, but also integrate these graphbased data structures with multi-scale representations of discrete spaces (e.g., legal jurisdictions, watershed boundaries) and continuous spaces (e.g., precipitation, depth gradients) as well. Only through a holistic approach to understanding space can governance and management capture sufficient system complexity, develop new solutions, and successfully guide the system toward more desirable states.

There is substantial evidence for homophily in governance and management networks across multiple contexts (McPherson et al. 2001), including actor beliefs (Howe et al. 2021) and politics (e.g., voting behavior, general partisanship; Gerber et al. 2013). With respect to policy issues in the LCB, we find evidence that for some issues homophily affects the likelihood (both positively and negatively) of collaborative information sharing between actors. However, we also find the strength of the homophilic effects varies by mode of coordination. Although ERGMs can help explicate the influence of multiple effects on collaboration across multiple geographies (Bodin et al. 2016), collaborative relationships are multidimensional, as are the issues with which actors engage. Further, the issues are themselves intertwined, complicating our understanding of fit between collaborative arrangements and the issues or environmental problems at hand (Hedlund et al. 2021).

The water governance system in the LCB is a moderately dense network linking many actors across multiple scales. However, the connections among actors are heavily weighted toward state-scale government actors, with activity by a small number of NGOs. This is unsurprising, because following the creation of the Lake Champlain TMDL and the implementation of Act 64, the state agencies responsible for managing water quality (primarily Fig. 3. Networks of within-scale coordination at the watershed scale. Nodes are shaded by actors' location within each of the six tactical basins in the LCB.



Information Sharing



Table 4. Exponential random graph model (ERGM) results. AIC, Akaike information criterion; BIC, Bayesian information criterion; GW, geometrically-weighted.

Parameter	Project coordination model: estimate (SE)	Information sharing model: estimate (SE)
Watershed adjacency	3.64 (0.5)***	5.22 (0.8)***
Count of connected municipalities	0.003 (0.002)*	0.003 (0.001)*
Issue homophily: wastewater	-0.61 (0.38)	$-0.68(0.36)^{\dagger}$
Issue homophily: forestry	0.44 (0.38)	0.93 (0.34)***
Issue homophily: river corridors	0.09 (0.27)	0.1 (0.29)
Issue homophily: agriculture	0.2 (0.39)	-0.39 (0.36)
Issue homophily: development	0.12 (0.35)	0.45 (0.33)
Issue homophily: stormwater	0.35 (0.28)	0.35 (0.29)
Edges	-3.57 (0.74)***	-5.38 (0.64)***
GW Degree	-1.06 (0.68)	$1.57(0.85)^{\dagger}$
Coordination model: ($\theta_s = 0.9$) Information model: ($\theta_s = 0.6$)		
GW edgewise shared partners (θ_{T} =	0.69 (0.27)*	1.31 (0.26)***
0.55)		
AIC	293.2	340.6
BIC	342.1	389.5
Significance code: *** p-value < 0.00	1; ** p-value < 0.01;	* p-value < 0.05;

[†] p-value < 0.1.

VTANR and the Vermont Agency of Agriculture, Farms, and Markets [AAFM]) significantly increased their water quality management activities. Further, information sharing and project coordination are the most prevalent modes of coordination in the network. Information sharing is relatively lower in cost and easier to accomplish than other forms of coordination, and is thus a common activity in governance networks (Koliba et al. 2018). The importance of state-scale expert organizations in the LCB (see Fig. 2B) supports the notion that actors seek out other popular actors, some of which may act as important bridging organizations (Berardo and Scholz 2010). Although our experience in the LCB reinforces the importance of state-scale actors, we also note the prevalence of heterogeneous actors operating across the basin. Many of these actors are small, possessing limited capacity and commonly focusing on highly localized issues. However, these actors also have highly specialized expertise that may be unlocked locally by partnering with CWSPs at the watershed scale to address problems across the entire LCB. Accordingly, assisting these small actors with capacity building and connecting them to bridging organizations (e.g., VTANR, CWSPs) will be increasingly important, as networking skills and experience have been shown to be important in effectively navigating polycentric governance systems (Hileman and Bodin 2018).

Our analysis found multiple centers of information at the state scale; however, most of those actors are housed within VTANR. Across different modes of interaction, we find some evidence for polycentricity. For example, private firms have an increased role in technical assistance and formal commissions serve wider reporting functions. However, we see clear partitioning of crossscale and within-scale activities by mode of coordination. Over half of information sharing and project coordination activities are within-scale, with most activity occurring at the basin scale. This focus on broader scale activities is likely an artifact of the 2002 TMDL, which defined the cyanoHAB problem as a basinwide issue. At the watershed scale, our ERGM results indicate that although watershed-to-watershed coordination is occurring, it is largely limited to adjacent tactical basins. This focus on localized concern aligns with studies that have found similar geographic signals (Fischer and Jasny 2017, Hamilton et al. 2019). It is possible that the strength of these geographic signals varies by the various water quality-related issues as well. The increased prevalence of geographically bound collaboration in the LCB is unsurprising, as it is reasonable that nearby actors have existing professional or personal relationships. Despite the large number of actors engaged in water-related activities, Vermont is a small state where specialists tend to know one another. How the LCB water governance system might bridge spatial and issue boundaries to leverage social capital and strengthen governance networks in the region will likely require additional qualitative research (Fischer et al. 2016).

We can extend quantitative network analysis to direct more indepth and qualitative research within the basin. For example, in an analysis of watershed partnerships in Arizona, Muñoz-Erickson et al. (2010) showed how information sharing spans boundaries (e.g., geographic, scalar, belief) and promotes coordination. However, it can be more difficult to determine the exact causal influences that promote coordination. In other geographic contexts, water governance studies have found that collaboration depends on trust, transparency, and leadership style (Snorek et al. 2022); that establishing common ground can break down barriers to collaboration (Dimadama and Zikos 2010); and that engagement by key groups (e.g., tribal members) can activate transformation in the water governance system (Diver et al. 2022). Future research in the LCB might focus on how regional water governance is organized across HUC-8 watersheds in the LCB, and how various organizational rules promote trust, legitimacy, and collaborative culture.

Collectively, our findings suggest that as VTANR implements Act 76 and delegates authority to regional service providers, crossscale and inter-watershed coordination among actors will need to be actively managed. In other SES, actors facing common problems have been shown to form collaborative arrangements, even with direct competitors (Barnes et al. 2019). However, our analysis shows that the likelihood of project coordination among actors is not a function of common interests, suggesting actors do not coordinate to co-manage mutually beneficial projects. Further research is required to determine the cause of this lack of coordination, but it may be rooted in resource constraints, lack of information, lack of trust, or legal and policy frameworks that restrict cooperation. Whether the responsibility for improving coordination falls on CWSPs or is facilitated by VTANR and other state organizations, these functions will likely be important to Vermont's clean water goals. Without these connections, innovations developed in one tactical basin may not transfer across the network to other basins, reducing system-level learning and possibly threatening the resilience of the new state. If VTANR and other state entities maintain the role of facilitating information transfer while regionalizing project coordination, polycentricity can be realized while simultaneously ensuring a communication backbone in the system. Information distribution or the coordination of projects could also be distributed at the watershed scale, as opposed to relying on the state or CWSPs to serve those functions. Our findings also point to potential bridging organizations that connect sub-components of the network and possibly serve as local facilitators. Thus, the process of learning can be regularized while innovation can be distributed across tactical basins.

Analyses of this type can aid policymakers and water managers in the intentional design of policy tools to effectively manage common pool resources in complex social-ecological contexts. In particular, scalar and functional mismatches commonly cited as sources of management problems differ by mode of interaction among actors. Further, although information sharing is often the underlying function of many of these social networks, it is not synonymous with coordination. Just because organizations are sharing information about the state of the SES does not mean they are coordinating their activities. Many network analysis approaches do not parse these distinctions, and our analysis demonstrates the importance of understanding these interactions from a multidimensional perspective.

CONCLUSION

The pursuit of effective water quality policy in Vermont is an ongoing process marked by legislation, litigation, and activism over decades. The network structure we measured is an emergent outcome of countless social-ecological interactions within this governance context. The alignment between environmental processes and the social processes (and structures) that manage them is increasingly recognized as important in generating successful outcomes (Bodin et al. 2014, Sayles and Baggio 2017). Although we do not measure alignment directly, our findings suggest that network structure can be responsive to how the scale and scope of the environmental problem are defined. The predominately basin-scale network we measured reflects the basin-scale focus of the 2002 TMDL and the state-level funding apparatus created to address TMDL objectives that followed. The new priority to transition from a centralized, top-down regulatory network to a more bottom-up, democratically anchored governance design reflects the need to better align governance activities to watershed-scale hydrology.

Within these watershed-scale activities, we found evidence that localized relationships and existing partnerships matter significantly in coordinating clean water activities, whereas shared interests matter little. Accordingly, as CWSPs begin to develop new partnerships within their tactical basin jurisdictions, they may want to look at multiple modes of interaction to build on existing relationships. Because our analysis captured multiple connections among governance actors and integrated geographic topology, such an approach would be appropriate for identifying candidate actors to collaborate with CWSPs or sit on advisory basin water quality councils.

This study provides the groundwork for future work in integrating multiple conceptualizations of geographic space, scale, and relationships in social and social-ecological network analysis. Further, the ongoing transformation of the LCB SES provides a rare opportunity to observe a natural experiment in polycentric governance. Although we investigated the role of scale and space in actor-actor coordination, future research investigating the fit between social networks in a particular HUC-8 watershed and surface and groundwater hydrology would significantly improve our understanding of how to design policies to engage multiple actors across multiple management domains (e.g., by land use/

land cover type). In addition, further work focusing on the role of formal institutions in facilitating coordination across multiple scales could provide insight into how novel action situations might integrate with the existing institutional landscape to better address water quality problems across the Lake Champlain Basin.

Acknowledgments:

The authors acknowledge the contributions of Neil Kamman, Julie Moore, Ethan Swift, and everyone at the Vermont Agency of Natural Resources for their expertise and willingness to share data and ideas. We also recognize the contributions of team members on the Vermont EPSCoR Basin Resilience to Extreme Events project. This work was supported by the National Science Foundation under VT EPSCoR Grant No. NSF OIA 1556770.

Data Availability:

All code related to data processing and visualization will be made publicly available via the University of Nebraska-Lincoln Data Repository (<u>https://dataregistry.unl.edu</u>). Raw survey data are unavailable due to confidentiality concerns.

LITERATURE CITED

Ansell, C., and A. Gash. 2008. Collaborative governance in theory and practice. Journal of Public Administration Research and Theory 18(4):543-571. <u>https://doi.org/10.1093/jopart/mum032</u>

Baldwin, E., P. McCord, J. Dell'Angelo, and T. Evans. 2018. Collective action in a polycentric water governance system. Environmental Policy and Governance 28(4):212-222. <u>https://doi.org/10.1002/eet.1810</u>

Barnes, M. L., Ö. Bodin, T. R. McClanahan, J. N. Kittinger, A. S. Hoey, O. G. Gaoue, and N. A. J. Graham. 2019. Socialecological alignment and ecological conditions in coral reefs. Nature Communications 10:2039. <u>https://doi.org/10.1038/</u> <u>s41467-019-09994-1</u>

Berardo, R., and M. Lubell. 2016. Understanding what shapes a polycentric governance system. Public Administration Review 76 (5):738-751. <u>https://doi.org/10.1111/puar.12532</u>

Berardo, R., and M. Lubell. 2019. The ecology of games as a theory of polycentricity: recent advances and future challenges. Policy Studies Journal 47(1):6-26. <u>https://doi.org/10.1111/psj.12313</u>

Berardo, R., and J. T. Scholz. 2010. Self-organizing policy networks: risk, partner selection, and cooperation in estuaries. American Journal of Political Science 54(3):632-649. <u>https://doi.org/10.1111/j.1540-5907.2010.00451.x</u>

Biggs, R., M. Schlüter, D. Biggs, E. L. Bohensky, S. BurnSilver, G. Cundill, V. Dakos, T. M. Daw, L. S. Evans, K. Kotschy, et al. 2012. Toward principles for enhancing the resilience of ecosystem services. Annual Review of Environment and Resources 37:421-448. <u>https://doi.org/10.1146/annurev-environ-051211-123836</u>

Bitterman, P., and C. J. Koliba. 2020. Modeling alternative collaborative governance network designs: an agent-based model of water governance in the Lake Champlain basin, Vermont. Journal of Public Administration Research and Theory 30 (4):636-655. <u>https://doi.org/10.1093/jopart/muaa013</u>

Bitterman, P., and C. Koliba. 2023. Engagement in water governance action situations in the Lake Champlain Basin. PLoS ONE 18(3):e0282797. https://doi.org/10.1371/journal.pone.0282797

Bodin, Ö., B. Crona, M. Thyresson, A.-L. Golz, and M. Tengö. 2014. Conservation success as a function of good alignment of social and ecological structures and processes. Conservation Biology 28(5):1371-1379. https://doi.org/10.1111/cobi.12306

Bodin, Ö., G. Robins, R. R. J. McAllister, A. M. Guerrero, B. Crona, M. Tengö, and M. Lubell. 2016. Theorizing benefits and constraints in collaborative environmental governance: a transdisciplinary social-ecological network approach for empirical investigations. Ecology and Society 21(1):40. <u>https://doi.org/10.5751/ES-08368-210140</u>

Carlisle, K., and R. L. Gruby. 2019. Polycentric systems of governance: a theoretical model for the commons. Policy Studies Journal 47(4):927-952. <u>https://doi.org/10.1111/psj.12212</u>

Carpenter, S., B. Walker, J. M. Anderies, and N. Abel. 2001. From metaphor to measurement: resilience of what to what? Ecosystems 4:765-781. https://doi.org/10.1007/s10021-001-0045-9

Cash, D. W., W. N. Adger, F. Berkes, P. Garden, L. Lebel, P. Olsson, L. Pritchard, and O. Young. 2006. Scale and cross-scale dynamics: governance and information in a multilevel world. Ecology and Society 11(2):8. <u>https://doi.org/10.5751/ES-01759-110208</u>

Csardi, G., and T. Nepusz. 2006. The igraph software package for complex network research. InterJournal Complex Systems 1695 (5):1-9.

Cumming, G. S., D. H. M. Cumming, and C. L. Redman. 2006. Scale mismatches in social-ecological systems: causes, consequences, and solutions. Ecology and Society 11(1):14. https://doi.org/10.5751/ES-01569-110114

Dimadama, Z., and D. Zikos. 2010. Social networks as Trojan Horses to challenge the dominance of existing hierarchies: knowledge and learning in the water governance of Volos, Greece. Water Resources Management 24:3853-3870. <u>https://doi.org/10.1007/s11269-010-9637-5</u>

Diver, S., M. V. Eitzel, M. Brown, A. Hazel, R. Reed, and S. Fricke. 2022. Indigenous nations at the confluence: water governance networks and system transformation in the Klamath Basin. Ecology and Society 27(4):4. https://doi.org/10.5751/ES-12942-270404

Emerson, K., and A. K. Gerlak. 2014. Adaptation in collaborative governance regimes. Environmental Management 54:768-781. https://doi.org/10.1007/s00267-014-0334-7

Emerson, K., and T. Nabatchi. 2015. Collaborative governance regimes. Georgetown University Press, Washington, D.C., USA.

Fischer, A. P. 2018. Forest landscapes as social-ecological systems and implications for management. Landscape and Urban Planning 177:138-147. https://doi.org/10.1016/j.landurbplan.2018.05.001

Fischer, A. P., and L. Jasny. 2017. Capacity to adapt to environmental change: evidence from a network of organizations concerned with increasing wildfire risk. Ecology and Society 22 (1):23. <u>https://doi.org/10.5751/ES-08867-220123</u>

Fischer, A. P., K. Vance-Borland, L. Jasny, K. E. Grimm, and S. Charnley. 2016. A network approach to assessing social capacity for landscape planning: the case of fire-prone forests in Oregon, USA. Landscape and Urban Planning 147:18-27. <u>https://doi.org/10.1016/j.landurbplan.2015.10.006</u>

Gerber, E. R., A. D. Henry, and M. Lubell. 2013. Political homophily and collaboration in regional planning networks. American Journal of Political Science 57(3):598-610. <u>https://doi.org/10.1111/ajps.12011</u>

Gourevitch, J. D., C. Koliba, D. M. Rizzo, A. Zia, and T. H. Ricketts. 2021. Quantifying the social benefits and costs of reducing phosphorus pollution under climate change. Journal of Environmental Management 293:112838. <u>https://doi.org/10.1016/j.jenvman.2021.112838</u>

Gunderson, L. H., S. R. Carpenter, C. Folke, P. Olsson, and G. Peterson. 2006. Water RATs (resilience, adaptability, and transformability) in lake and wetland social-ecological systems. Ecology and Society 11(1):16. <u>https://doi.org/10.5751/ES-01556-110116</u>

Hamilton, M., A. P. Fischer, and A. Ager. 2019. A socialecological network approach for understanding wildfire risk governance. Global Environmental Change 54:113-123. <u>https:// doi.org/10.1016/j.gloenvcha.2018.11.007</u>

Handcock, M. S., D. R. Hunter, C. T. Butts, S. M. Goodreau, and M. Morris. 2008. statnet: software tools for the representation, visualization, analysis and simulation of network data. Journal of Statistical Software 24(1):1-11. <u>https://doi.org/10.18637/jss.v024.i01</u>

Hedlund, J., Ö. Bodin, and D. Nohrstedt. 2021. Policy issue interdependency and the formation of collaborative networks. People and Nature 3(1):236-250. <u>https://doi.org/10.1002/pan3.10170</u>

Hileman, J., and Ö. Bodin. 2018. Balancing costs and benefits of collaboration in an ecology of games. Policy Studies Journal 47 (1):138-158. <u>https://doi.org/10.1111/psj.12292</u>

Howe, A. C., D. B. Tindall, and M. C. J. Stoddart. 2021. Drivers of tie formation in the Canadian climate change policy network: belief homophily and social structural processes. Social Networks. <u>https://doi.org/10.1016/j.socnet.2021.06.004</u>

Isles, P. D. F., Y. Xu, J. D. Stockwell, and A. W. Schroth. 2017. Climate-driven changes in energy and mass inputs systematically alter nutrient concentration and stoichiometry in deep and shallow regions of Lake Champlain. Biogeochemistry 133:201-217. https://doi.org/10.1007/s10533-017-0327-8

Janssen, M. A., Ö. Bodin, J. M. Anderies, T. Elmqvist, H. Ernstson, R. R. J. McAllister, P. Olsson, and P. Ryan. 2006. Toward a network perspective of the study of resilience in social-

ecological systems. Ecology and Society 11(1):15. <u>https://doi.org/10.5751/ES-01462-110115</u>

Janssen, M. A., and S. R. Carpenter. 1999. Managing the resilience of lakes: a multi-agent modeling approach. Conservation Ecology 3(2):15. https://doi.org/10.5751/ES-00145-030215

Kimmich, C., E. Baldwin, E. Kellner, C. Oberlack, and S. Villamayor-Tomas. 2023. Networks of action situations: a systematic review of empirical research. Sustainability Science 18:11-26. https://doi.org/10.1007/s11625-022-01121-2

Koliba, C. J., J. W. Meek, A. Zia, and R. W. Mills. 2018. Governance networks in public administration and public policy. Second edition. Routledge, New York, New York, USA. <u>https://doi.org/10.4324/9781315268620</u>

Koliba, C., A. Reynolds, A. Zia, and S. Scheinert. 2014. Isomorphic properties of network governance: comparing two watershed governance initiatives in the Lake Champlain Basin using institutional network analysis. Complexity, Governance & Networks 1(2):99-118.

Koliba, C., A. Zia, A. Schroth, A. Bomblies, J. Van Houten, and D. Rizzo. 2016. The Lake Champlain Basin as a complex adaptive system: insights from the Research on Adaptation to Climate Change (RACC) Project. Vermont Journal of Environmental Law 17:533.

Lake Champlain Basin Program. 2018. 2018 State of the lake and ecosystem indicators report. Lake Champlain Basin Program, Grand Isle, Vermont, USA.

McGinnis, M. D. 2011. Networks of adjacent action situations in polycentric governance. Policy Studies Journal 39(1):51-78. https://doi.org/10.1111/j.1541-0072.2010.00396.x

McPherson, M., L. Smith-Lovin, and J. M. Cook. 2001. Birds of a feather: homophily in social networks. Annual Review of Sociology 27:415-444. <u>https://doi.org/10.1146/annurev.soc.27.1.415</u>

Muñoz-Erickson, T. A., B. B. Cutts, E. K. Larson, K. J. Darby, M. Neff, A. Wutich, and B. Bolin. 2010. Spanning boundaries in an Arizona watershed partnership: information networks as tools for entrenchment or ties for collaboration? Ecology and Society 15(3):22. https://doi.org/10.5751/ES-03390-150322

Oberlack, C., S. Boillat, S. Brönnimann, J.-D. Gerber, A. Heinimann, C. Ifejika Speranza, P. Messerli, S. Rist, and U. Wiesmann. 2018. Polycentric governance in telecoupled resource systems. Ecology and Society 23(1):16. <u>https://doi.org/10.5751/ES-09902-230116</u>

Ostrom, E. 2005. Understanding institutional diversity. Princeton University Press, Princeton, New Jersey, USA. <u>https://doi.org/10.1515/9781400831739</u>

Pedersen, T. L. 2019. tidygraph: a tidy API for graph manipulation. https://tidygraph.data-imaginist.com

Robins, G., P. Pattison, Y. Kalish, and D. Lusher. 2007. An introduction to exponential random graph (p*) models for social networks. Social Networks 29(2):173-191. <u>https://doi.org/10.1016/j.socnet.2006.08.002</u>

Sayles, J. S., and J. A. Baggio. 2017. Social-ecological network analysis of scale mismatches in estuary watershed restoration.

Proceedings of the National Academy of Sciences 114(10):E1776-E1785. https://doi.org/10.1073/pnas.1604405114

Scheinert, S., C. Koliba, S. Hurley, S. Coleman, and A. Zia. 2015. The Shape of Watershed Governance: Locating the Boundaries of Multiplex Networks. Complexity, Governance & Networks 2 (1):65-82.

Schlüter, M., L. J. Haider, S. J. Lade, E. Lindkvist, R. Martin, K. Orach, N. Wijermans, and C. Folke. 2019. Capturing emergent phenomena in social-ecological systems: an analytical framework. Ecology and Society 24(3):11. <u>https://doi.org/10.5751/ES-11012-240311</u>

Snorek, J. L., J. Loos, M. Cox, T. Shata, A. Q. Bowman, J. C. Kramer, J. Snodgrass, V. Iniguez, R. Finger-Higgens, and F. Krivak-Tetley. 2022. Care-based leadership in a core-periphery network: a South African case study in collaborative watershed governance. Ecology and Society 27(4):34. <u>https://doi.org/10.5751/ES-13589-270434</u>

Tobler, W. R. 1970. A computer movie simulating urban growth in the Detroit region. Economic Geography 46:234-240. <u>https://doi.org/10.2307/143141</u>

U.S. Environmental Protection Agency. 2016. Phosphorus TMDLs for Vermont segments of Lake Champlain. U.S. Environmental Protection Agency, Boston, Massachusetts, USA.

U.S. Environmental Protection Agency (USEPA). 2018. Harmful algal blooms. <u>https://www.epa.gov/nutrientpollution/harmful-algal-blooms</u>

Vermont Agency of Administration. 2021. Vermont clean water initiative 2021 performance report. Montpelier, Vermont, USA. <u>https://dec.vermont.gov/sites/dec/files/wsm/erp/docs/</u>

Reports/2021CleanWaterInitiativePerformanceReport_FINAL_updated% 201-20-2022.pdf

Vermont General Assembly. 2015. Bill H.35 (Act 64). https:// legislature.vermont.gov/bill/status/2016/H.35

Vermont General Assembly. 2019. Clean Water Service Delivery Act (Act 76). <u>https://dec.vermont.gov/water-investment/statues-rules-policies/act-76</u>

Walker, B., C. S. Holling, S. R. Carpenter, and A. Kinzig. 2004. Resilience, adaptability and transformability in social-ecological systems. Ecology and Society 9(2):5. <u>https://doi.org/10.5751/</u> ES-00650-090205

Webster, D. G. 2015. Beyond the tragedy in global fisheries. MIT Press, Cambridge, Massachusetts, USA. <u>https://doi.org/10.7551/</u> mitpress/9780262029551.001.0001

Zia, A., A. Bomblies, A. W. Schroth, C. Koliba, P. D. F. Isles, Y. Tsai, I. N. Mohammed, G. Bucini, P. J. Clemins, S. Turnbull, et al. 2016. Coupled impacts of climate and land use change across a river-lake continuum: insights from an integrated assessment model of Lake Champlain's Missisquoi Basin, 2000-2040. Environmental Research Letters 11(11):114026. https://doi.org/10.1088/1748-9326/11/11/114026

Zia, A., A. W. Schroth, J. S. Hecht, P. Isles, P. J. Clemins, S. Turnbull, P. Bitterman, Y. Tsai, I. N. Mohammed, G. Bucini, et al. 2022. Climate change-legacy phosphorus synergy hinders lake

response to aggressive water policy targets. Earth's Future 10: e2021EF002234. <u>https://doi.org/10.1029/2021EF002234</u>

APPENDIX 1

Table A1.1: Degree centrality of 30 most-central actors in the network

	Financial	Information	Proiect		Technical	All
Actor name	Exchange	sharing	Coordination	Reporting	Assistance	Modes
DEC Watershed Management	0	0		-1 0		
Division	71	158	137	76	141	583
DEC Rivers Program	26	106	99	20	115	366
DEC Clean Water Improvement	20	200		20		
Program	68	79	73	57	69	346
Stone Environmental	50	90	74	38	69	321
Lake Champlain Commission	31	124	64	7	70	296
AAFM Water Quality Division	46	87	69	27	64	293
LCBP Steering Committee	64	122	81	11	11	289
Cambridge Conservation	•					
Commission	50	58	52	47	53	260
Lake Champlain Fish and Wildlife						
Resources Office	34	73	55	11	73	246
DEC Wetlands Program	22	99	53	17	53	244
Georgia Conservation Commission	47	50	48	46	48	239
Charlotte Conservation Commission	46	47	47	46	46	232
Morrisville Conservation						
Commission	46	47	47	46	46	232
Vermont Natural Resources Council	13	99	91	6	19	228
The Nature Conservancy	33	76	60	6	33	208
Lake Champlain NRCD	35	53	48	24	46	206
Lamoille County Planning						
Commission	32	67	40	22	39	200
Northwest Regional Planning						
Commission	28	62	44	12	42	188
Poultney Mettowee Natural						
Resources Conservation District	24	75	36	15	35	185
UVM Extension	26	66	43	17	31	183
Central Vermont Regional Planning						
Commission	28	56	38	16	42	180
Chittenden County Regional						
Planning Commission	27	57	36	21	30	171
Lintilhac Foundation	34	74	44	6	12	170
DEC Green Infrastructure						
Collaborative	10	109	18	7	19	163
Lewis Creek Association	17	54	25	26	41	163
Addison County Regional Planning						
Commission	16	56	42	9	38	161
EPA Region 1 office	31	44	33	16	34	158
DEC Compliance and Enforcement						
Program	7	53	41	10	44	155
Friends of Northern Lake Champlain	21	57	32	7	33	150
Vermont Emergency Management:						
Recovery and Mitigation Section	16	48	36	15	35	150

Description of Exponential Random Graph parameters and interpretation

For dyad_{i,j}, "watershed adjacency" measures whether *i* and *j* are located in adjacent HUC-8 scale watersheds. The parameter is assigned as an edge property, and modeled using the *edgecov* term. In both the project coordination and information sharing models, the parameter is positive and significant, indicating that actors in adjacent watersheds are more likely to coordinate their respective activities.

"Count of connected municipalities" measures the number of municipalities each actor reported coordinating with. While the parameter is positive and significant for both models, the effect is very small. We do not infer any substantial impact of this parameter on the likelihood of edges in either network.

For dyad_{i,j}, the "issue homophily" parameters measure whether *i* and *j*'s co-engagement in water quality issues affects the likelihood of coordination. In the project coordination model, wastewater is negative and all other parameters are positive. However, none are significant. In the information sharing model, only the wastewater and forestry parameters are significant. Wastewater homophily is negative, indicating relatively lower information sharing. The forestry parameter is positive, indicating greater information sharing among actors co-engaged in forestry issues.

The "edges" parameter measures the number of edges in the network. It is equivalent to an intercept term in a logistic regression.

"GW Degree" is a control parameter equal to the weighted degree distribution, subject to a decay parameter. To fit the models (see diagnostic graphs below), we used a decay of 0.9 in the project coordination model and 0.6 in the information sharing model. In the former, the parameter was negative but not significant. In the latter, the parameter is positive, though only significant at p = 0.1. This provides limited support that actors tend to share information with others that share information more broadly, which is intuitive.

"GW edgewise shared partners" is a control parameter that measures if actors tend to coordinate with those their partners also coordinate with, subject to a decay parameter. This statistic essentially measures clustering within the network. For both models, we used the decay value of 0.55, which fit the model best. For both models, the parameter is positive and significant, indicating that an actor is more likely to coordinate an actor if they already work with their partner.

Goodness of model fit

Project coordination model



Information sharing model



APPENDIX 2

The following is a PDF copy of the web survey used to collect data for this article. Some formatting appears differently in this file due to the HTML to PDF conversion process. Unfortunately, an HTML version is no longer available, as the use of the platform has been discontinued by the University of Vermont, where the data collection took place.

The UNIVERSITY of VERMONT

BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed



Greetings,

You or your organization have been identified as participating in actions that positively impact water quality in the Lake Champlain Basin (LCB). This study is being conducted by Chris Koliba at the University of Vermont.

Water quality in Lake Champlain and in the LCB relies on unique levels of partnership between private, non-profit, and public entities. We are conducting research regarding water quality governance and these partnerships in the LCB. We invite you and your organization to participate in a study that examines how the different entities are connected through the sharing of knowledge, resources, and technical assistance. It is our objective to understand and map these connections as part of ongoing efforts to examine policy-making and project implementation to protect water quality in the LCB and across all of Vermont.

This survey is being conducted by scientists at the University of Vermont, Vermont EPSCoR, and the Basin Resilience to Extreme Events (BREE) project. Following the objectives of BREE, we seek to use this information to better understand and support our region's capacity to pursue and sustain surface and ground waters. This research is funded by the National Science Foundation (Grant # OIA1556770).

Study Procedures

If you take part in this study, you will be asked to answer questions about your organization's role in improving or addressing water quality in the Lake Champlain Basin. This study is in the form of an online survey. You will be asked to identify other organizations with whom your organization partners and the nature of those partnerships.

Benefits

As a participant in this research study, there may not be any direct benefits for you. However, information from this study may benefit other people now or in the future.

Risks

We will do our best to protect the information we collect from you during this study. Your responses and identifying information will remain confidential. The identifiable information that will be collected are your name, email address, place of work, and job title.



Costs

There will be no costs to you for participation in this research study.

Compensation

You will not be paid for taking part in this study.

Confidentiality

All information collected about you during the course of this study will be stored with a code name or number so that we are able to match you to your answers. Your responses will be kept secure and protected in a password-protected system. Only the members of the research team will have access to your information. As part of a long-term study, your data will be kept for 10 years.

Voluntary Participation/Withdrawal

Taking part in this study is voluntary. You are free to not answer any questions or withdraw at any time. You may choose not to take part in this study, or if you decide to take part, you can change your mind later and withdraw from the study. If you choose to withdraw your participation from the study, your partial responses will not be saved or used. The survey should take 30-45 minutes to complete.

Questions

If you have any questions about this study now or in the future, you may contact:

Dr. Christopher Koliba Department of Community Development and Applied Economics University of Vermont ckoliba@uvm.edu (mailto:ckoliba@uvm.edu) or 802-498-8172

or

Dr. Patrick Bitterman Vermont EPSCoR University of Vermont patrick.bitterman@uvm.edu (mailto:patrick.bitterman@uvm.edu) or 802-656-7352

If you have questions or concerns about your rights as a research participant, then you may contact the Director of the Research Protections Office at (802) 656-5040.

Participation

Your participation is voluntary, and you may refuse to participate without penalty or discrimination at any time.

You may wish to print this information sheet for your records before continuing.

Thank you for taking the time in helping us better understand these issues!

The BREE Social Systems Team

There are 35 questions in this survey

Contact information []Your first name: *

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019 7/2/19, 1:42 PM



[]Organization Name: *

Please write your answer here:

[]Program, Division, or Unit (If applicable)

Please write your answer here:

[]Your job title:

Please write your answer here:

[]Your email address:

Please write your answer here:

Organization functions

[]Does your organization *provide or offer* any of the following?

Check all that apply

Please choose **all** that apply:

	Make	loans	and/or	guarantees
				3

Communicate public information

Administer permits

Commit to cost sharing

Administer tax incentives

Pursue litigation

JNIVERSITY

Make	arants
 mano	granto

- Organize community action
- Provide technical assistance
- Enforce regulation compliance
- Provide contracted services
- Establish conservation easements

Other

[]Does your organization *respond to or utilize* any of the following?

Check all that apply

Please choose **all** that apply:

Receive technical assistance
Receive cost sharing
Benefit from tax incentives
Benefit from organized actions by the local community
Receive loans and/or guarantees
Receive public information
Receive grants
Respond to litigation
Obtain permits
Complete contracted services
Establish conservation easements
Comply with regulation
Other:

[]Please check all of the planning, technical assistance, and policy response efforts in the Lake Champlain Basin where your organization is engaged.

Check all that apply

Please choose all that apply:

Municipal stormwater management and technical assistance provision

Vermont Clean Water Network

Agricultural technical assistance program

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019 Vermont Technical Basin Planning (TBP) committees, meetings, and hearings Legislative committees in the Vermont State House and Senate covering natural resources, water resources, and energy Watershed Alliance (UVM Extension) The Vermont Green Infrastructure Collaborative EPA-Initiated TMDL Agricultural Work Group (AG Workgroup) Clean Water Advisory Committees (CWACs) Vermont Sustainable Jobs Fund Legislative Committees in the Vermont State House and Senate covering agriculture Legislative Committees in the Vermont State House and Senate covering transportation Legislative Committees in the Vermont State House and Senate covering economic development Your local Clean Water Advisory Committee (CWAC)

Vermont Farm to Plate network

[]Participation in water and land resource management for water quality can focus on many different issues. In which of the following issues does your organization work?

Check all that apply

Please choose all that apply:

- Wastewater
- Forestry
- **River corridors**
- Agricultural land management
- Development
- Stormwater runoff
- Flood hazard mitigation

| | There are many ways that organizations typically assess their effectiveness. How does your organization assess the effectiveness of its actions?

Check all that apply

Please choose all that apply:

Page 5 of 24



M	Surve	ey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019	RSIT'Y MONT
		Professional codes of conduct, principles of best practice	
		Direct oversight from an administratively_superior organization or unit	
		Feedback garnered from public hearings, citizen input, or other forms of citizen participation	
		Feedback from shareholders or owners of your organization	
		Feedback from peer or partnering organizations or units	
		Feedback from federal, state, or local elected officials	
		Feedback from consumers of your services	
		Outcomes of court cases or quasi-judicial rulings	
		Other:	

Class nodes

υv

Next, we are going to ask about partnerships you may have with different types of actors (individuals, organizations, institutions, or agencies) that have an impact on water quality in the Lake Champlain Basin.

You will be presented with lists of actors operating in the region. Please identify if you partner with each actor, and if you do partner with them, the nature of that partnership.

Only consider partnerships that have occurred in the last 5 years, and ONLY those related to water quality or water quantity issues.

Only check those boxes for actors and partnership types your organization engages in.

There are five types of partnerships we are interested in:

- Information sharing, either to or from another organization
- Technical assistance, provided either to or from another organization
- Reporting to another organization
- Financial resourshe sharing or exchange, either to or from another organization
- Project coordination or collaboration, either to or from another organization

[]Does your organization partner with Vermont farms or farmers? *

Please choose only one of the following:

0	Yes
<u> </u>	

O No



[]Please identify the types of farms that you partner with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '12 [farmersBoolean]' (Does your organization partner with Vermont farms or farmers?)

Small farm operations (SFOs)	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
Medium farm operations (MFOs)					
Large farm operations (LFOs)					

If you are unfamiliar with these designations, you can view their definitions at the following link:

https://agriculture.vermont.gov/water-quality/regulations (https://agriculture.vermont.gov/water-quality/regulations)

[]Please identify the types of actors that you partner with and the nature of those partnerships.

				Financial	Project
		Technical		resource	coordination
	Information	assistance,	Report	sharing or	or
	sharing	either to or from	to	exchange	collaboration
Foresters					
Property developers					
Households					

Watershed organizations

This section of the survey asks if and how your organization partners with other groups in the Winooski River Watershed.

There are five types of partnerships we are interested in:

- Information sharing, either to or from another organization
- Technical assistance, provided either to or from another organization
- Reporting to another organization

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019



7/2/19, 1:42 PM

- Financial resourshe sharing or exchange, either to or from another organization
- Project coordination or collaboration, either to or from another organization

[]Does your organization partner with non-profit or non-governmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations? *

Please choose only one of the following:

Ο	Yes
\cup	100

O No

[]Does your organization partner with programs, projects, or offices within the University of Vermont (UVM)? *

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?)

Please choose only one of the following:

0	Yes
---	-----

O No

[]Please identify the UVM programs, projects, or offices you partner with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?) *and* Answer was 'Yes' at question '16 [uvmBoolean]' (Does your organization partner with programs, projects, or offices within the University of Vermont (UVM)?)

		Technical		Financial	Project
		assistance,		resource	coordination
	Information sharing	either to or from	Report to	sharing or exchange	or collaboration
UVM Extension Office					
Basin Resilience to Extreme Events					

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019 7/2/19, 1:42 PM

CHRI	BSS (Behav	vioral) #STUD	Y00000390	Approved: 7	/3/2019	The UNIVERSIT
(BREE) Project						
Lake Champlain Sea Grant						
Gund Institute for Environment						
Other UVM projects, programs, or offices						
	orgoniza	tion nort	nor with	nrojact	0 0 F	

[]Does your organization partner with projects or programs within the Lake Champlain Basin Program (LCBP)? *

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?)

Please choose only one of the following:

- O Yes
- O No

[]Please identify the LCBP projects or programs you partner with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?) *and* Answer was 'Yes' at question '18 [lcbpBoolean]' (Does your organization partner with projects or programs within the Lake Champlain Basin Program (LCBP)?)

	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
Technical					
Advisory Committee (TAC)					
Vermont Citizen Advisory Committee (CAC)					
Education and Outreach Committee (E&O)					
Steering Committee					

CHRB	SS (Behavio	oral) #STUD	/00000390	Approved: 7/	/3/2019	The UNIVE of VER
Lake Champlain						
Watershed						
Environmental						
Assistance Program						
Other LCBP projects,						
program, or						
commitees						
[]Does your o conservation (rganizat organiza	ion parti tions <u>in</u>	ner with <u>your re</u> g	ו land tru <u>gion</u> ? *	usts or	
Only answer this question	on if the follow	ing conditions	are met:			
((ngosBoolean.NAOK						

(/index.php/admin/questions/sa/view/surveyid/169225/gid/61803/qid/597556) == "Y"))

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed

Please choose only one of the following:

- O Yes
- O No

[]Please identify the land trusts or conservation organizations you partner with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?) *and* Answer was 'Yes' at question '20 [landtrustsBoolean]' (Does your organization partner with land trusts or conservation organizations in your region?)

	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
Stowe Land Trust					
Duxbury Land Trust					
Jericho Underhill Land Trust					
Richmond Land Trust					
Green Mountain Club					



[]Please identify the non-governmental organizations that your organization partners with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?)

	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
Central Vermont Regional Planning Commission					
Chittenden County Regional Planning Commission					
Winooski Natural Resource Conservation District					
Friends of the Winooski River					
Friends of the Mad River					
Trout Unlimited (Mad Dog Chapter)					
Trout Unlimited (Central Vermont Chapter)					
Huntington River Conservation Partnership					
Regional Stormwater Education Program (South Burlington)					
Chittenden County Stream Team					
Greater Burlington Industrial Corporation					
Lamoille County Natural Resource Conservation District					

UVM Survey - BREE Water Quality Implemer	ntation Networks Survey (201	19) - Winooski River W	/atershed
CHRBSS ((Behavioral) #STU[DY00000390 A	pproved: 7/3/2019

Ch	HRBSS (Behavio	oral) #STUDY	00000390	Approved: 7/	/3/2019	UNIVERSITY
Mad River Valley Chamber of Commerce						
Intervale Foundatio	n 🗌					
Central Vermont Chamber of Commerce						
United Way of Chitteden County						
Mad River Planning District						
Stowe Area Association Inc.						
Lake Champlain Regional Chamber Commerce	of					
Friends of the Waterbury Resevoi	r 🗆					
Lake Iroquois Association						
South Chittenden Riverwatch						
Voice for the Potasl Brook Watershed	h					
ECHO						

[]Please identify the non-governmental organizations that your organization partners with and the nature of those partnerships.

Only answer this guestion if the following conditions are met:

Answer was 'Yes' at question '15 [ngosBoolean]' (Does your organization partner with non-profit or nongovernmental groups or organizations? For example, Natural Resource Conservation Districts (NRCDs), Regional Planning Commissions (RPCs), universities and colleges, or other interest groups or organizations?)

	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
American Society of Landscape Architects (ASLA) Vermont Chapter					
Association of Vermont Convservation					

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019

CHRB	SS (Behavio	oral) #STUDY	00000390	Approved: 7/	/3/2019	The UNIVERSITY of VERMONT
Commissions						
Beck Pond LLC						
Center for Global						
Resilience and						
I Iniversity						
Champlain Valley						
Farmer Coalition						
Cold Hollow to						
Canada						
Community						
Resilience						
Organizations						
Conservation Law						
Ducks Unlimited						
Green Mountain						
Dairy Farmers		_		_		
Cooperative						
Federation						
Green Works						
Vermont Nursery and						
High Meadows Fund						
Housing Vermont						
Institute for						
Sustainable						
Communities						
Lake Champlain						
Committee						
Lake Champlain						
Lake Champiain						
Lake Champlain Land				_		
Trust						
Lake Champlain						
Maritime Museum						
Lintilhac Foundation						
National Woodland						
Owners Association						
ivew England Interstate Water						
Pollution Control						

Survey - BREE Water Quality Imple CHRBS	ementation Netw SS (Behavio	orks Survey (2019) oral) #STUDY	- Winooski River 00000390	Watershed Approved: 7/	/3/2019
The Nature Conservancy					
Trust for Public Land					
Vermont Association of Conservation Districts					
Vermont Chamber of Commerce					
Vermont Council on Rural Development					
Vermont Environmental Consortium					
Vermont Federation of Lakes and Ponds					
Vermont Grass Growers Association					
Vermont Land Trust					
Vermont Leauge of Cities and Towns					
Vermont Natural Resources Council					
Vermont Paddlers Club					
Vermont Rivers Conservancy					
Vermont Rural Water Association					
Vermont Sustainable Jobs Fund					
Vermont Woodlands Association					
Watersheds United Vermont					
Vermont Youth Conservation Corps Watershed Program					

[]Does your organization partner with private firms (planning, consulting, engineering)? *

Please choose only one of the following:

O Yes

O No





[]Please identify the firms that your organization partners with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '24 [firmsBoolean]' (Does your organization partner with private firms (planning, consulting, engineering)?)

	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
Ann Ruzow Holland					
Arrowwood Environmental					
ATC					
Bannon Engineering					
Ben and Jerry's					
Community Workshop LLC					
Dubois & King, Inc.					
Dunkiel, Saunders, Elliott, Raubvogel, and Hand					
Fitzgerald Environmental Associates, LLC					
GeoTech Environmental Equipment, Inc.					
Green Mountain Engineering					
Green Mountain Water Environment Association					
Marble Valley Engineering					
Milone & MacBroom					
Native Geographic					
PlaceSense					
SE Group					
South Mountain					
Research &					
Consulting					
Stantec					
SIGHE					

1 Survey - BREE Water Qu	uality Implementation Net CHRBSS (Behav	works Survey (2019 ioral) #STUD	9) - Winooski River Y00000390	Watershed Approved: 7	/3/2019	
Environmental						VERMON1
Tetra Tech						
Transmission Developers, Inc						
Waite-Heindel Environmental						
Watershed Consulting Associates, LLC						
White + Burke						

Watershed municipalities

This section of the survey asks if and how your organization partners with towns, cities, or villages in the Winooski River Watershed.

There are five types of partnerships we are interested in:

- Information sharing, either to or from another organization
- Technical assistance, provided either to or from another organization
- Reporting to another organization
- Financial resourshe sharing or exchange, either to or from another organization
- Project coordination or collaboration, either to or from another organization

[]Does your organization partner with any municipalities in the Winooski River watershed on water quality related issues? *

Please choose only one of the following:

O Yes

UN

O No

[]Please identify the municipalities that your organization partners with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '26 [localmunisboolean]' (Does your organization partner with any municipalities in the Winooski River watershed on water quality related issues?)

		Technical		Financial	Project
		assistance,		resource	coordination
	Information	either to or	Report	sharing or	or
	sharing	from	to	exchange	collaboration
All Municipalities					

	CHRBSS (E	Behavioral) #S	FUDY0000039	0 Approved: 7	7/3/2019
Barre City					
Barre					
Berlin				\square	
Bolton					
Brookfield					
Buels Gore					
Burlington					
Cabot					
Calais					
Cambridge					
Colchester					
Duxbury					
Fast					
Montpelier					
Fimore					
Ennore					
Eaveton					
Granville					
Gration					
Hiposhura					
Huntington					
Jericho					
Marshfield					
Viddlesex			<u>L</u>		
Montpelier					
Moretown					
Morristown					
Northfield					
Orange					
Peacham					
Plainfield					
Richmond					
Roxbury					
Shelburne					
South					
Burlington					
St.George					
Starksboro					
Stowe					
Underhill					
Waitsfield	\Box	\square	\square	\square	\square
Walden					
Warren				\square	
A. L.					

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019

	benavioral) #ST	001000003	so Approved.	11312019	UNIVERSI'
Waterbury					WERMON
Westford					
Williamstown					
Williston					
Winooski					
Woodbury					
Worcester					

Vermont state government

This section of the survey asks if and how your organization partners with agencies, departments, and programs within the Vermont state government.

There are five types of partnerships we are interested in:

- Information sharing, either to or from another organization
- Technical assistance, provided either to or from another organization
- Reporting to another organization
- Financial resourshe sharing or exchange, either to or from another organization
- Project coordination or collaboration, either to or from another organization

[]Does your organization partner with programs or offices within the Vermont Agency of Natural Resources (ANR) or the Department of Environmental Conservation? *

Please choose **only one** of the following:

() res

O No

[]Please identify the programs or offices <u>within ANR /</u> <u>DEC</u> that you partner with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '28 [decBoolean]' (Does your organization partner with programs or offices within the Vermont Agency of Natural Resources (ANR) or the Department of Environmental Conservation?)

				Financial	
		Technical		resource	Project
		assistance,		sharing	coordination
	Information	either to or	Report	or	or
	sharing	from	to	exchange	collaboration
DEC Clean Water					
Initiative					
DEC Commissioner's					

Office					
DEC Compliance					
and Enforcement					
Program					
DEC Dam Safety					
Program					
DEC Drinking Water					
and Groundwater					
Protection Program					
DEC Environmental					
Assistance Office					
DEC Green					
Infrastructure					
Collaborative					
DEC Indirect					
Discharge Program					
DEC Lakes and					
Ponds Program					
DEC Monitoring,					
Assessment, and					
Planning Program					
DEC Regional					
Permits Program					
DEC River Program					
DEC Solid Waste	_	_	_	_	_
and Recycling					
Program					
DEC Solid Waste					
Frogram. Groundwater					
DEC Stormwater					
Program					
DEC Tactical Basin					
Planning					
DEC Underground					
Injection Control					
Program					
DEC Wastewater				_	
Program					
DEC Watershed					
Management					
Division					
DEC Wetlands					
Program					
ANR Secretary's					
Office					

UVN	Survey - BREE Water Quality Imp	lementation Netv SS (Behavi	works Survey (2019) - oral) #STUDY	Winooski River V 00000390 /	Watershed Approved: 7/	/3/2019		7/2/19, 1:42 PM
	Other ANR programs or agencies						WERMONT	
	[]Does your of offices within t and Markets (A	rganiza the Ver AAFM)?	tion partr mont Age	ner with ncy of <i>i</i>	prograr Agricultu	ns or Ire, Fo	od,	

Yes

O No

[]Please identify the programs of offices <u>within AAFM</u> that your organiation partners with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '30 [aafmBoolean]' (Does your organization partner with programs or offices within the Vermont Agency of Agriculture, Food, and Markets (AAFM)?)

	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
AAFM Water Quality Division					
Agricultural Resource Management Division (ARM)					
AAFM Secretary's Office					
Other AAFM programs					
[]Does vour	organiza	tion nart	nor witl	h nroarai	ms or

[]Does your organization partner with programs or offices within any other Vermont State agencies (VTrans, Department of Health, etc.)? *

Please choose **only one** of the following:

O Yes

O No

[]Please identify the other Vermont state programs or offices that you partner with and the nature of those partnerships.



Only answer this question if the following conditions are met:

Answer was 'Yes' at question '32 [otherVtStateBoolean]' (Does your organization partner with programs or offices within any other Vermont State agencies (VTrans, Department of Health, etc.)?)

Vermont Department	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
of Health: Environmental Public Health Tracking Program					
Vermont Department of Health: Other Programs					
Vermont Department of Health: Recreational Water Program					
VTrans: Municipal Mitigation Grants Program					
VTrans: Better Roads Program					
VTrans: Policy Planning and Intermodal Development Program (PPAID)					
VTrans: Project Delivery Bureau					
Vermont Emergency Management: Recovery and Mitigation Section					
Department of Forests, Parks and Recreation (FPR): Forest Resource Management Program					
Department of Forests, Parks and Recreation (FPR): Urban and					

UVM Survey - BREE Water Quality Implementation Networks Survey (2019) - Winooski River Watershed CHRBSS (Behavioral) #STUDY00000390 Approved: 7/3/2019

CF	IRBSS (Benavio	oral) #510D i	000003907	Approved: //	3/2019	UNIVERSIT VERMON
Community Forestry Program	/					
Department of Forests, Parks and Recreation (FPR): Forest Resource Protection Program						
Department of Forests, Parks and Recreation (FPR): Watershed Forestry Program						
Department of Forests, Parks and Recreation (FPR): Commissioner's Office						
Natural Resources Board: Executive Director						
Agency of Commerce and Community Development: Community Plannin and Revitalization Program	g					

Federal and International actors

This section of the survey asks if and how your organization partners with Federal (US Goverment) or International organizations or agencies.

There are five types of partnerships we are interested in:

- Information sharing, either to or from another organization
- Technical assistance, provided either to or from another organization
- Reporting to another organization
- Financial resourshe sharing or exchange, either to or from another organization
- Project coordination or collaboration, either to or from another organization

[]Does your organization partner with Federal (US Goverment) or International organizations or agencies? *

Please choose **only one** of the following:

O Yes

1



O No

[]Please identify the federal and international organizations or agencies that your organization partners with and the nature of those partnerships.

Only answer this question if the following conditions are met:

Answer was 'Yes' at question '34 [fedAndIntlBoolean]' (Does your organization partner with Federal (US Goverment) or International organizations or agencies?)

EPA Region 1 Office	Information sharing	Technical assistance, either to or from	Report to	Financial resource sharing or exchange	Project coordination or collaboration
International Joint Commission (IJC)					
Lake Champlain Fish and Wildlife Conservation Office (US Fish and Wildlife)					
National Flood Insurance Program (NFIP)					
National Pollutant Discharge Elimination System (NPDES)					
USDA-FSA Chittenden Service Center					
USDA Natural Resource Conservation Service (NRCS)					

Thank you very much for taking the time to complete this survey. Your responses will help us better understand how the wide array of organizations, individuals, and agencies are working together to improve water quality in the Lake Champlain Basin.

If you have any questions or would be interested in learning about the results of this research, please contact:

Dr. Christopher Koliba Department of Community Development and Applied Economics University of Vermont ckoliba@uvm.edu (mailto:ckoliba@uvm.edu) 802-498-8172

Thank you!



Submit your survey. Thank you for completing this survey.