

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Conference Presentations and White Papers:
Biological Systems Engineering

Biological Systems Engineering

11-2005

Engineering Substrate-Mediated Gene Delivery with Self-Assembled Monolayers

Angela K. Pannier

University of Nebraska - Lincoln, apannier2@unl.edu

Lonnie D Shea

Northwestern University, l-shea@northwestern.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/biosysengpres>



Part of the [Biological Engineering Commons](#)

Pannier, Angela K. and Shea, Lonnie D, "Engineering Substrate-Mediated Gene Delivery with Self-Assembled Monolayers" (2005). *Conference Presentations and White Papers: Biological Systems Engineering*. 47.

<https://digitalcommons.unl.edu/biosysengpres/47>

This Article is brought to you for free and open access by the Biological Systems Engineering at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Conference Presentations and White Papers: Biological Systems Engineering by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Podium presentation
American Institute of Chemical Engineers Annual Meeting
Cincinnati, OH, November 1, 2005.

Engineering Substrate-Mediated Gene Delivery with Self-Assembled Monolayers

Angela K. Pannier

Interdepartmental Biological Sciences, Northwestern University,
2145 Sheridan Rd, TECH E136, Evanston, IL 60208

Lonnie D. Shea

Chemical and Biological Engineering, Northwestern University,
2145 Sheridan Road, Tech E136, Evanston, IL 60208

Gene transfer has many potential applications in basic and applied sciences, including functional genomics, gene therapy, and tissue engineering. Substrate-mediated delivery, also termed solid phase delivery, describes the immobilization of DNA, complexed with nonviral vectors, to a biomaterial or substrate that supports cell adhesion. A critical component to this process is designing the appropriate interactions between the DNA complexes and substrate. The objective of this study was to investigate gene transfer as a function of i) complex formation and deposition conditions and ii) non-specific and specific binding interactions between the complexes and substrate. The volume and time of complex formation, and incubation time and volume were investigated for their effects on transfection efficiency. While nonspecific immobilization strategies have been used to enhance transfection in vitro, translating the substrate-mediated delivery approach to biomaterials for in vivo applications requires that the complexes be more effectively retained at the biomaterial surface. Self-assembled

monolayers (SAMs) of alkanethiols on gold were used to study the mechanisms of transfection by complexes nonspecifically immobilized on chemically specific substrates, to determine appropriate biomaterial surface properties for efficient gene delivery. Surface hydrophilicity and ionization were found to mediate both immobilization and transfection. Furthermore, the ability of specifically tethered complexes to mediate transfection was investigated. DNA, complexed with polyethylenimine (PEI), was covalently linked to SAMs presenting appropriate functional groups through a fraction of the functional groups available on the PEI present in the complex. Complexes were directly coupled to the SAMs through degradable and non-degradable tethers. Covalently tethered complexes provide an approach to retain the complexes at the surface, particularly following exposure to serum. SAMs provide a versatile approach to identify covalent tethering strategies with the potential to be translated to biomaterial surfaces for use in tissue engineering applications.

