

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Insecta Mundi

Center for Systematic Entomology, Gainesville,
Florida

September 2005

***Curius punctatus* (Fisher), new combination (Coleoptera: Cerambycidae: Cerambycinae: Curiini)**

Eugino H. Nears

University of Florida, Gainesville, FL

Marc A. Branham

University of Florida, Gainesville, FL

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>



Part of the [Entomology Commons](#)

Nears, Eugino H. and Branham, Marc A., "*Curius punctatus* (Fisher), new combination (Coleoptera: Cerambycidae: Cerambycinae: Curiini)" (2005). *Insecta Mundi*. 80.

<https://digitalcommons.unl.edu/insectamundi/80>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Curius punctatus (Fisher), new combination
(Coleoptera: Cerambycidae: Cerambycinae: Curiini)

Fisher (1932) described *Pentomacrus punctatus* from eight specimens, the holotype of which is a male specimen deposited in the USNM, type locality Santiago de las Vegas, Cuba (Fig. 1b). Giesbert (1985) synonymized *Pentomacrus* with *Plectromerus*. *Plectromerus punctatus* (Fisher) is listed as endemic to Cuba (Fisher 1932, Monné 2005, Monné and Hovore 2003, Peck 2005).

The type genus for the tribe is *Curius* Newman, 1840, which currently contains two species: the type species for the genus *C. dentatus* Newman (Fig. 1a), known from southeastern United States and *C. panamensis* Bates, 1885, known from Panama.

During the senior author's revisionary work on the tribe Curiini LeConte, 1873, *Plectromerus punctatus* (Fisher) was found to possess many of the characters listed by Linsley (1963) for the genus *Curius*, including depressed form, integument opaque (shining in *Plectromerus*), antennae with fourth segment a little shorter than fifth (very much shorter than fifth in *Plectromerus*), pronotum rounded at sides (nearly straight in *Plectromerus*), legs with femora gradually clavate (suddenly clavate in *Plectromerus*), and abdomen with first segment as long as following two together (as long as following three in *Plectromerus*). Based on these shared characteristics, a new combination, *Curius punctatus* (Fisher), is proposed.

References cited

- Chemsak, J. A., E. G. Linsley, and F. A. Noguera.** 1992. Listados Faunísticos de México II. Los Cerambycidae y Disteniidae de Norteamérica, Centroamérica y las Indias Occidentales. Univ. Nac. Autónoma de México, Instituto de Biología, México. 204 pp.
- Fisher, W. S.** 1932. New West Indian cerambycid beetles. Proceedings of the U.S. National Museum 80(22): 1-93.
- Giesbert, E. F.** 1985. Two new species of Cerambycinae from Quintana Roo, Mexico. Coleopterists Bulletin 39(1):80-85.
- Linsley, E. G.** 1963. The Cerambycidae of North America. Part IV. Taxonomy and classification of the subfamily Cerambycinae, tribes Elaphidionini through Rhinotragini. University of California Publications in Entomology, 21:1-165.
- Monné, M. A.** 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part I. Subfamily Cerambycinae. Zootaxa 946: 1-765.
- Monné, M. A., and F. T. Hovore.** 2003. Electronic Checklist of the Cerambycidae and Disteniidae of the Western Hemisphere. (accessible at: www.hovore.com, Accessed October 24, 2005).
- Peck, S. B.** 2005. A Checklist of the Beetles of Cuba with Data on Distributions and Bionomics (Insecta: Coleoptera). Arthropods of Florida and Neighboring Land Areas 18: 1-241.
- Eugenio H. Nearn, Marc A. Branham, Department of Entomology and Nematology, University of Florida, P.O. Box 110620, Gainesville, FL 32611-0620, Nayla Garcia R., and Ileana Fernandez G., Instituto de Ecología y Sistemática, CITMA, Carretera Varona, km 3½, Boyeros, Ciudad de La Habana, Cuba**



FIGURE 1. a) *Curius dentatus* Newman, dorsal habitus; b) *Curius punctatus* (Fisher), new combination, dorsal habitus of holotype.