

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Faculty Publications in the Biological Sciences

Papers in the Biological Sciences

2006

The Developmental and Molecular Basis of Allometry in *Drosophila*

Alexander W. Shingleton

Michigan State University, shingle9@msu.edu

Jennifer A. Brisson

University of Nebraska-Lincoln, jennifer.brisson@rochester.edu

David L. Stern

Princeton University, dstern@princeton.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/bioscifacpub>



Part of the [Life Sciences Commons](#)

Shingleton, Alexander W.; Brisson, Jennifer A.; and Stern, David L., "The Developmental and Molecular Basis of Allometry in *Drosophila*" (2006). *Faculty Publications in the Biological Sciences*. 84.
<https://digitalcommons.unl.edu/bioscifacpub/84>

This Article is brought to you for free and open access by the Papers in the Biological Sciences at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Faculty Publications in the Biological Sciences by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Published in *Developmental Biology* 295 (2006): 418-419. Copyright Elsevier, 2006. Used by permission. <http://dx.doi.org/10.1016/j.ydbio.2006.04.286>

Abstracts

260

The Developmental and Molecular Basis of Allometry in *Drosophila*

Alexander W. Shingleton¹, Jennifer A. Brisson², David L. Stern³

¹Michigan State University, East Lansing, MI, USA

²University of Nebraska-Lincoln, Lincoln, Nebraska, USA (formerly of Princeton, jbrisson2@unl.edu)

³Princeton University, Princeton, NJ, USA

Allometry is the scaling relationship between the size of an organism and the size of its constituent parts. Despite its obvious developmental and evolutionary importance, very little is known of the mechanisms that regulate allometries. Here, we look at one particular type of allometry—that created by rearing *Drosophila* under different nutritional conditions. *Drosophila* larvae that are fed increasingly suboptimal diets eclose into increasingly small adults with increasingly small body parts. Surprisingly, however, the male genitals remain approximately the same size under a range of nutritional conditions. The genitals therefore maintain a different allometric relationship with the body than other structures. The

insulin-signaling pathway is known to regulate growth with respect to nutrition, and suppression of the insulin receptor has less of an effect on the size of the genitals than it does on the wing, the maxillary palp, and the leg. Genetic and micro-array data suggest that the unusual allometric relationship between the genitals and the body is explained by differential expression of insulin-pathway genes in the genitals relative to other body parts. Organ-specific regulation of the insulin signaling pathway may therefore be a general method by which animals maintain the size of key structures under variable nutritional conditions.