

11-9-1990

INSECT, PLANT DISEASE, & WEED SCIENCE NEWS [No. 90-26] [Nov. 9, 1990]

Alex Martin

University of Nebraska - Lincoln, amartin2@unl.edu

Bob N. Stougarrd

Extension Weed Specialist, University of Nebraska-Lincoln

Lisa Brown Jasa

University of Nebraska-Lincoln, ljasa@unlnotes.unl.edu

Follow this and additional works at: <http://digitalcommons.unl.edu/weedscihist>

Martin, Alex; Stougarrd, Bob N.; and Brown Jasa, Lisa, "INSECT, PLANT DISEASE, & WEED SCIENCE NEWS [No. 90-26] [Nov. 9, 1990]" (1990). *Historical Publications in Weed Science and Weed Technology*. 87.
<http://digitalcommons.unl.edu/weedscihist/87>

This Article is brought to you for free and open access by the Agronomy and Horticulture Department at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Historical Publications in Weed Science and Weed Technology by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.



Insect Plant Disease Weed Science

NEWS

UNIVERSITY OF NEBRASKA COOPERATIVE EXTENSION • INSTITUTE OF AGRICULTURE AND NATURAL RESOURCES

No. 90-26

Nov. 9, 1990

In This Issue

Weed Science

Accent/Beacon Use Poses Interaction Question	155
Weed Science Annual Index	156

Season Closes for IPW Newsletter	156
--	-----

Insect Science

Deadline Monday for CPMU Preregistrations	157
Growers Surveyed about Chinch Bugs	157

Insect Science (Con't)

Manual, Videotapes Teach Scouting, IPM Methods	157
Insect Science Annual Index	158

Plant Disease

Plant Disease Annual Index	159
----------------------------------	-----

Miscellaneous Index	160
---------------------------	-----

WEED SCIENCE

Accent/Beacon Use Poses Interaction Question

Accent and Beacon received full registration in 1990 for postemergence use in corn. Both herbicides provide excellent shattercane control; however, there are concerns about crop injury when Accent or Beacon and certain rootworm and corn borer insecticides are applied to the same corn crop. While relatively little data are available, and additional research is needed, several trends have been observed. In more than half of the studies, Counter 15G applied in-furrow or T-banded, followed by Accent or Beacon has resulted in significant visible corn injury, and corn yield reductions ranging from 0 to as much as 40%.

Several studies have indicated that other organophosphates have less risk of crop injury with Accent or Beacon and where injury did occur, it was less severe than with Counter 15G. Our experience with and knowledge of the new Counter 20CR formulation, (which is pending registration), used in conjunction with Accent or Beacon is very limited; however, corn injury has been recorded when Accent or Beacon was applied to corn treated with Counter

20CR at planting. Because of the concern about crop injury interactions with Counter, we advise following the Accent and Beacon labels which state that these herbicides should not be applied to corn previously treated with Counter 15G or 20CR. We do not have sufficient information about Counter 20CR to alter this statement and suggest its use. The pending American Cyanamid label will permit the use of Accent following Counter 20CR applied in a band at planting.

Interactions with foliar applied insecticides have also been observed for organophosphates including Lorsban, malathion, and parathion applied in a tank mix with Beacon or Accent or within several days of the herbicide applications. For this reason, the Accent label prohibits foliar applications of organophosphate insecticides for seven days before or three days after Accent application. For Beacon, foliar applications of organophosphate insecticides are prohibited for ten days before or after Beacon application.



UNIVERSITY OF NEBRASKA-LINCOLN, COOPERATING WITH THE COUNTIES AND THE U.S. DEPARTMENT OF AGRICULTURE



Cooperative Extension provides information and educational programs to all people without regard to race, color, national origin, sex or handicap.

Weed Science Annual Index

- ACR acres, weed control, 88
- Alfalfa
 Bucril registered, 36
 Early weed control, 6
 Fall control, 144
- Beans, herbicide approved for dry, edible, 43
- Bindweed, 107
- Hemp dogbane, 129
- Herbicides
 Accent, 155
 Beans, dry edible, 43
 Beacon, 57, 155
 Combination herbicide components, 21
 Drift, limiting, 59
 "Miracle" cures, 5
 Passport registered, 44
 Postemergence weed control, 22, 47, 60, 71, 72
 Preemergence weed control, 71
 Pursuit illegal on corn, 70
 Replant options, 82; correction, 92
 Shattercane, 25
 2,4-D
 Timing vital, 92
 Hemp dogbane, 129
 Whole field effects, 81
- Herbicide Guide*, suggestions wanted, 107
- Lawns
 Chemical recommendations, 14
 Fall treatments, 143
 Renovation, 108
 Weed control, 76
- Leafy spurge control, 47, 128
- No-till weed control, 11
- Oats, weed control, 6
- Perennials, 87;
 Fall control, 144
- Personnel, weed scientist joins staff, 49
- Postemergence weed control, 22, 47, 60, 71, 72, 75
- Preemergence weed control, 71
- Replant options, 82; correction, 92
- Rotary hoe, 58
- Shattercane
 Approved herbicides, 25
 Postemergence control limited, 47
- Soybeans
 Broadleaf weeds, 91
 Postemergence control, 75
 Wipers, bean bars, 93
- Thistle
 Biological control, musk, 35
 Fall control, 144
 Plume, musk thistle control, 26
 Russian thistle, Kochia control, 43
- Turf
 Chemical recommendations, 14
 Fall treatments, 143
 Renovation, 108
 Weed control, 76
- Weed control, late season, 108
- Wheat
 Weed control, winter wheat, 5
 Winter wheat, treating stubble, 92
- Wipers, 93

Season Closes for IPW Newsletter

This is the last issue of the **Insect Science, Plant Disease and Weed Science News** for 1990. We have appreciated your interest and comments throughout the year and welcome your evaluation of the newsletter through the readership survey published Aug. 31. (A few surveys continue to trickle in, so don't hesitate if you still want to submit yours.)

Publication of the next series of newsletters will begin in March 1991. Use the enclosed form to subscribe now. Include a check for \$25 for 26 issues and submit it by Feb. 15 to be sure you don't miss an issue.

We all wish you a beneficial winter as you evaluate the past growing season and plan your pest control strategies for next year.

INSECT SCIENCE

Deadline Monday For CPMU Preregistrations

This Monday, Nov. 12, is the deadline for preregistration for the 1990 Crop Pest Management Update conference. This year's conference will be held Nov. 27-28 at the Ramada Inn in Kearney. Registration begins at 9:30 am Nov. 27 with the program beginning at noon with lunch. The conference will end at 5 pm Nov. 28.

This conference is designed to provide the latest information to agricultural professionals making decisions about field crop pest management. Speakers from the University of Nebraska, industry and agricultural representatives from nearby states will discuss research results, extension recommendations, and interesting and controversial viewpoints.

The fee is \$75 per person when received by Nov. 12 or \$100 if received after that date. This fee includes the conference, a copy of the proceedings, and two lunches. Please write us at Extension Entomology, 210 Plant Industry Building, UNL, Lincoln, NE 68583-0816 (or call us at (402) 472-2125) to obtain a conference mailing and preregistration forms. Room reservations should be made directly with the Ramada Inn of Kearney by mail or by calling (800) 248-4460 or (308) 237-5971.

We look forward to seeing you at the 1990 Crop Pest Management Update conference.

Steve Danielson

Growers to be Surveyed about Chinch Bugs

Within the next week, a questionnaire will be mailed to 1000 randomly selected sorghum growers in 14 southeast Nebraska counties. Last year, results from a similar questionnaire were instrumental in producing changes in ASCS regulations to allow a prevented planting option for sorghum producers in 11 high-risk counties in southeast Nebraska.

The objectives of this questionnaire (as well as the one in 1989) are to document the geographical distribution and economic losses associated with this pest in 1990, and the strategies growers have used to manage chinch bug infestations. I hope that growers receiving this questionnaire take a few minutes to fill it out and return it as soon as they can.

Barb Spike, Research Associate, Entomology

Manual, Videotapes Teach Scouting, IPM Methods

The UNL Field Crops IPM program has produced two educational resources for people interested in learning more about field crop scouting techniques and integrated pest management (IPM). These are a training manual and two videotapes.

The Field Scout Manual was revised in June 1990 and covers corn, sorghum, soybeans, alfalfa, wheat and specialty crops. Information is included on pest identification, sampling procedures, and biology and management for insects and mites, weeds and plant diseases. Where available, there are color photographs to aid in pest identification.

Two videotapes were produced in 1989 that describe insect scouting techniques for pests of corn, soybeans and alfalfa. Important pest and beneficial insects and mites

found on these crops are covered, including how to identify and scout for them, and damage symptoms. The VHS videotapes contain color footage from the field, color photographs, text and narration. One videotape (26 minutes) covers corn insects and mites and the second one (21 minutes) covers soybean and alfalfa insects.

The videotapes and Field Scout Manual can be ordered from the Dept. of Agricultural Communications at UNL. The Field Scout Manual costs \$25, and the videotapes cost \$29.95 each, if ordered separately, or \$50 for both on one tape. Make checks payable to University of Nebraska, include sales tax, and send orders with payment to "Field Scouting", 104 Ag. Comm., University of Nebraska-Lincoln, Lincoln NE 68583-0918.

Bob Wright

Insect Science Annual Index

- Ants, carpenter ants, 11
- Aphids
 Control, 66
 Corn leaf, 115
 In ornamentals, 67
 Russian wheat, 37, 125
 Species identification, 66
- Armyworms, in wheat, 77
- Bees
 African bees, 126
 Beekeeper field day, 20
 Protect honeybees, 111
- Beetles
 Bean leaf, in soybeans, 65
 C-7 lady beetle, 20
 Corn rootworm, 97, 112
 Elm leaf, 34
 Grape flea, 20
 Mexican bean, 117
 Western bean cutworms, 117
- Billbugs, bluegrass, 33
- Biting bugs
 Bat bugs, 49
 Bed bugs, 49
 Bird bugs, 49
- Borers,
 Iris, 3
 European corn borers, 77, 80, 103, 131
 Treatment guidelines, 110
 Treatment worksheet, 110
- Cankerworms, spring control, 3
- Chinch bugs
 Control, 39, 127
 Grower questionnaire, 157
 Migration outlook, 2, 17, 38, 54, 77, 88
 Survey results, 2
- Corn Rootworm
 Beetle numbers high, 112
 Control, 9, 76
 Insecticide evaluations, 146
 Scouting, 97
- Crop Pest Management Update, 3, 105, 137, 151, 157
- Cutworms
 Army, 10, 41
 Black, 30, 56
 Treatment depends on type, 55
 Western bean, 98, 117
- Dormant oil sprays, 3
- Fall insect problems, 150
- Flies, 94, 100
- Fleas, 104, 136
- Garden
 Floating row covers, 68
 Grasshoppers, 94
 Whitefly control, 124
- Grasshoppers
 Control, 104
 Outlook, 33, 94
- Greenbugs, scouting sorghum fields, 126
- Hessian fly, cultural control practices, 123
- Houseplants, pest control, 10
- Insecticides
 Baythroid 2, 39, 79, 94
 Correction to *Insect Guide*, 4
 Capture 2EC, 109, 118, 124
 Force 1.5G, 40
 Furadan, 135
 Lorsban 4E, 19, 38
 Preharvest interval, 136
 Recommendations changed, 17
 Re-entry interval, 81
 Repellent may cause adverse problems, 62
 Status of pesticides, 66
 Synthetic insecticides, 34
 Temik, 49
- Lacebugs and psyllids, 147
- Lyme disease, 63
- Mites
 Banks Grass, 90
 Clover, 3
 Spider, 105
- Mosquitoes, 57, 88
- Panhandle insect problems, 18
- Pet pests, 56
- Potato leafhoppers, 89, 99
- Potato pests, 49, 99
- Psyllids, 147
- Scouting guides available, 10, 157
- Soybeans 116, 132
- Stored grain, 67
- Termites, 50
- Thrips, 16, 89
- Ticks, 63
- Training resources for field crops, 157
- Trees and shrubs, 9, 48
- Turf
 Bluegrass billbugs, 33
 Field day, 93
 White grubs, 28, 111
- Webworms
 Fall webworms, 94
 Mimosa, 99

Continued on Page 159

Insect Index (Continued from Page 158)**Weevils**

Alfalfa, 20, 29, 40, 48, 53, 62, 78
Clover leaf, 20, 40, 53

Wheat

Correction, 29
Furadan, 135

Wheat (Con't)

Lorsban 4E, 19, 38
Volunteer wheat, 98
Whiteflies, 124
White grubs, 28, 111
Youth program, 123

PLANT DISEASE

Plant Disease Annual Index

Alfalfa

Anthracnose, 107, 137
Leaf disease control, 45
Phytophthora root rot, 23
Resistant cultivars, 8
Rust, 137
Spring blackstem, 32
Stand management, 118
Winterkill, 4

Ash decline, 101**Benlate formulations recalled, 31****Barley yellow dwarf, 95****Cedar apple rust, 8, 32****Corn**

Foliar disease update, 106
Goss's wilt, blight, 86
Holcus spot, 86
Maize chlorotic mottle virus, 107
Stalk rot, 133, 141
Yellow corn mystery problem, 74

Diagnostic Clinic, 28, 42, 61, 87, 95

Accurate tree descriptions, 122
Removing turfgrass plugs, 74

Dutch elm disease, 83**EBDC fungicides, 4****Education**

Apple/pear disease guide, 83
Slides available, 23, 113

Floods, when to replant, 69**Flowers, fungi strike iris, 52****Forestry**

Bacterial wetwood, 46
Heavy leaf loss, 75
Iron chlorosis, 23
Irrigate to avoid losses, 134
Slime flux, 46
Sooty molds, 138

Garden

Anthracnose, 130
Black knot, 16
Clean-up, 15
Leaf spots threaten tomatoes, 96
Strawberry gray mold, 61
Houseplants, avoid salt, 8
Mushrooms, 24, 113
Non-chemical controls, 5
Oak wilt a threat, 52

Oats

Barley yellow dwarf, 83, 95
Windburn, 73

Ornamentals

Barberry shrubs, 87
Iron chlorosis, 23
Powdery mildew, 133
Sooty molds, 138

Pines

Diplodia tip blight, pines, 22
Dothistroma needle blight, 42
Evergreen damage, 27
Pine wilt, 70

Seed rot, 52**Seedling blight, 52****Sorghum**

Leaf spots, 133
Stalk rot, 133

Soybeans

Bacterial blight, 86
Cyst nematode identification, 119
Phytophthora root rot, 95
Seed treatment, 42

Spruce

Needle drop, Rhizosphaera needle cast, 46
Sugar beets damaged, 45

Continued on Page 160

Plant Disease Index (Continued from Page 159)

Sycamores, anthracnose attacks, 69

Tomato spotted wilt virus, 15

Turf

Avoid heavy fertilizing, 7

Brown patch, 75

Dethatch and aerify, 16

Fairy ring, 24

Hot weather leads to problems, 101

Leaf spot, 70

Management to reduce disease risk, 129, 143

Mushrooms, 24, 113

Rust diseases, 114, 142

Slime mold, 129

Stripe smut, 41

Yellow turfgrass, 95

Wheat

Black chaff, 68

Fungicide trials, 142

Management to minimize disease risk, 121

Powdery mildew, 41, 51, 60

Premature death, 84

Scab, 68, 85

Wheat (Con't)

Tan spot, 60

Wheat leaf rust, 41, 51, 60, 83, 85

Soilborne wheat mosaic, 15, 23, 27

Crown and root rot, 4

== Miscellaneous Index ==

Agricultural engineering

Grain bin preparation, 132

Natural air grain drying, 138, 139, 145

Environmental programs

Diazinon, restricted use, 34

Farm auctions, pesticide sales, 119

Ground water survey, 96

Lawn care chemicals, 100

Pesticide development, 147

IPW readership survey, 135-136

IPW News Contributors

The Insect, Plant Disease and Weed Science News is published throughout the growing season by the University of Nebraska Department of Agricultural Communications, 108 Agricultural Communications Bldg., UNL, Lincoln, NE 68583-0918. To order a subscription or to change your address, write to IPW News, Department of Agricultural Communications or call (402) 472-7981.

Lisa Brown Jasa, Editor

Department of Entomology, 202 Plant Industry Bldg., UNL, Lincoln, NE 68583-0816.

Fred Baxendale

Art Hagen

Ackland Jones

Ron Seymour

Jack Campbell

Gary Hein

Jim Kalisch

John Witkowski

Steve Danielson

Keith Jarvi

Leroy Peters

Bob Wright

Department of Plant Pathology, 406 Plant Science Bldg., UNL, Lincoln, NE 68583-0722.

Luanne Coziahr

John Watkins

Ben Doupnik

David Wysong

Eric Kerr

Weed Science, Department of Agronomy, 279 Plant Science Bldg., UNL, Lincoln, NE 68583-0915.

Alex Martin

Gail Wicks

Fred Roeth


Bob Stougaard

Bob Wilson

Bob Klein

Russell Moomaw

Stay On Top of the Situation



Plant pest management in Nebraska provides a unique set of problems and solutions each year. Subscribers to the University of Nebraska **Insect Science, Plant Disease and Weed Science News** receive timely information throughout the growing season to keep one step ahead of developing situations. Extension agricultural specialists in Lincoln and throughout the state report on recent pest developments and recommend treatment programs. Learn:

- How to scout for specific insects, diseases and weeds.
- How to determine whether the problem warrants treatment.
- Which chemicals work best in what situations.
- What chemicals are available for special use.

IPW News also includes information on other pest control procedures and pesticide regulations. The newsletter focuses on the crop situation, but also includes advisories on household, lawn and garden problems as warranted.

Try It, You'll Like It

The newsletter publishes 24-26 issues from March to November, including weekly newsletters in summer. Learn what you need to know about the season's pests before you have to face them in the field. Subscribe now so you don't miss an issue.

I wish to subscribe to the 1991 series of the Insect Science, Plant Disease and Weed Science News. My check for \$25 made payable to the University of Nebraska is enclosed.

Name _____

Street Address _____

City _____ State _____ Zip _____ County _____

Please mail to:

**Department of Ag Communications
108 Agricultural Communications Bldg.
University of Nebraska-Lincoln
Lincoln, NE 68583-0918**