

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

Agricultural Research Magazine

U.S. Department of Agriculture: Agricultural  
Research Service, Lincoln, Nebraska

---

2-2012

## Gene Helps with Multiple Leaf Diseases in Corn

Sharon Durham

ARS, sharon.durham@ars.usda.gov

Peter Balint-Kurti

USDA-ARS, peter.balint-kurti@ars.usda.gov

Jim Holland

USDA-ARS, jim.holland@ars.usda.gov

Matt Krakowsky

USDA-ARS, matt.krakowsky@ars.usda.gov

Follow this and additional works at: <https://digitalcommons.unl.edu/usdaagresmag>



Part of the [Agriculture Commons](#), [Animal Sciences Commons](#), [Food Science Commons](#), and the [Plant Sciences Commons](#)

---

Durham, Sharon; Balint-Kurti, Peter; Holland, Jim; and Krakowsky, Matt, "Gene Helps with Multiple Leaf Diseases in Corn" (2012). *Agricultural Research Magazine*. 122.

<https://digitalcommons.unl.edu/usdaagresmag/122>

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Agricultural Research Magazine by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# Gene Helps with Multiple Leaf Diseases in Corn



REGIS LEFEBURE (K5660-3)

Corn is one of the most widely grown crops in the United States, which produces 40 percent of the world crop. But as with all crops, diseases threaten corn production.

Three diseases, southern corn leaf blight, northern leaf blight, and gray leaf spot, all cause lesions on corn leaves. In the U.S. Midwest Corn Belt, northern leaf blight and gray leaf spot are significant problems.

Agricultural Research Service scientists and university colleagues found a specific gene in corn that seems to confer resistance to all three of these leaf diseases. This discovery, published in 2011 in the *Proceedings of the National Academy of Sciences*, could potentially help plant breeders build disease-resistance traits into future corn plants.

The researchers examined 300 corn varieties from around the world, making sure to have a genetically diverse representation. No corn variety has complete resistance to any of these diseases, but varieties differ in the severity of symptoms they exhibit.

“We set out to look for maize lines with resistance to these three leaf diseases. But what we really wanted to know is which genes underlie disease resistance,” says ARS plant geneticist Peter Balint-Kurti, who is in the Plant Science Research Unit

in Raleigh, North Carolina. Also on the research team were ARS plant geneticists Jim Holland and Matt Krakowsky and scientists with the University of Delaware, Cornell University, and Kansas State University.

When they tested the lines for resistance to these three diseases, they found that if a corn variety was resistant to one disease, chances were favorable that it was also resistant to the other two. So the search was on for the gene or genes responsible for that multiple disease resistance.

The researchers applied a statistical analysis technique called “association mapping” to identify regions of the genome associated with variation in disease resistance.

“We knew there was a strong correlation between resistance of one disease and the other two. So we postulated that some resistance genes conferred resistance to two or more different diseases,” says Balint-Kurti.

“We identified a gene that seemed to confer multiple resistance,” he says. “This gene, a GST (glutathione S-transferase), is part of a family of genes known for their roles in regulating oxidative stress and in detoxification. Both of these functions are consistent with a role in disease resistance.”

“While we know the DNA sequence variation of the gene in all the different lines, the function of the genes tested is often unknown. But by putting together the information on which varieties carry specific sequence variations and also exhibit better resistance, we could identify a gene that appears related to multiple disease resistance,” explains Holland.

This study represents a departure from the standard process of gene association mapping. “Usually, you are looking for something that causes the change in one trait. We modified the technique so that we can find gene variants that are associated with variation in multiple traits, such as resistance to multiple diseases,” says Holland.—By **Sharon Durham, ARS.**

*This research is part of Plant Genetic Resources, Genomics, and Genetic Improvement, an ARS national program (#301) described at [www.nps.ars.usda.gov](http://www.nps.ars.usda.gov).*

*Peter Balint-Kurti, Jim Holland, and Matt Krakowsky are in the USDA-ARS Plant Science Research Unit, 3411 Gardner Hall, N.C. State University, Raleigh, NC 27695; (919) 515-3516 [Balint-Kurti], (919) 513-4198 [Holland], (919) 515-7039 [Krakowsky], [peter.balint-kurti@ars.usda.gov](mailto:peter.balint-kurti@ars.usda.gov), [jim.holland@ars.usda.gov](mailto:jim.holland@ars.usda.gov), [matt.krakowsky@ars.usda.gov](mailto:matt.krakowsky@ars.usda.gov).\**