

University of Nebraska - Lincoln
DigitalCommons@University of Nebraska - Lincoln

Erforschung biologischer Ressourcen der Mongolei
/ Exploration into the Biological Resources of
Mongolia, ISSN 0440-1298

Institut für Biologie der Martin-Luther-Universität
Halle-Wittenberg

2016

Bibliographia phytosociologica et floristica Mongolia: Pars IV

Werner Hilbig
Petershausen, Germany

Follow this and additional works at: <http://digitalcommons.unl.edu/biolmongol>

 Part of the [Asian Studies Commons](#), [Biodiversity Commons](#), [Botany Commons](#), [Environmental Sciences Commons](#), [Nature and Society Relations Commons](#), and the [Terrestrial and Aquatic Ecology Commons](#)

Hilbig, Werner, "Bibliographia phytosociologica et floristica Mongolia: Pars IV" (2016). *Erforschung biologischer Ressourcen der Mongolei / Exploration into the Biological Resources of Mongolia*, ISSN 0440-1298. 164.
<http://digitalcommons.unl.edu/biolmongol/164>

This Article is brought to you for free and open access by the Institut für Biologie der Martin-Luther-Universität Halle-Wittenberg at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Erforschung biologischer Ressourcen der Mongolei / Exploration into the Biological Resources of Mongolia, ISSN 0440-1298 by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Erforsch. biol. Ress. Mongolei (Halle/Saale) 2016 (13): 83-122

Bibliographia phytosociologica et floristica Mongolia¹

Pars IV

W. Hilbig

Abstract

In Ergänzung zu den bisherigen drei Teilen der Bibliographie vegetationskundlicher, vegetationsökologischer, floristischer und pflanzengeographischer Arbeiten über die Mongolei wird in dieser Arbeit Teil IV der Bibliographie vorgelegt. Er umfasst im Wesentlichen den Zeitraum 2007 bis 2014. Auch Publikationen zur Vegetationsgeschichte und zum botanischen Naturschutz werden berücksichtigt.

Key words: bibliography, Mongolia, geobotany, ecology, flora, plant-geography

Einleitung und Erläuterungen

In Ergänzung zu den bisherigen drei Teilen der Bibliographie vegetationskundlicher, vegetationsökologischer, vegetationsgeschichtlicher, botanisch-taxonomischer, floristischer und pflanzengeographischer Arbeiten über die Mongolei (Äußere Mongolei, ehemalige Mongolische Volksrepublik) wird der vierte Teil vorgelegt. Er stellt die Fortsetzung der bisherigen Teile (HILBIG 1991, GUBANOV & HILBIG 1993, HILBIG 2007) dar und umfasst Publikationen aus dem Zeitraum von 2007 bis 2014 sowie einige Nachträge aus dem Zeitraum bis 2006. Auch Würdigungen von Forschern, die in der Mongolei im Rahmen der oben angeführten Fachgebiete tätig waren, wurden in die Bibliographie aufgenommen. Bei Veröffentlichungen in mongolischer Sprache wird, abgesehen von einigen Ausnahmen, in Klammern die Übersetzung des Titels angegeben, meist in der Sprache der Zusammenfassung. Dabei wird auch die Sprache der Veröffentlichung und der Zusammenfassung in einer anderen Sprache angeführt (z. B. mong./russ.; mong./engl.). Häufig werden in englischsprachigen Publikationen bei Literaturzitaten russisch und mongolisch publizierter Arbeiten diese nur in englischer Übersetzung zitiert. Bei einigen dieser Publikationen, die mir nicht direkt zugänglich waren, sind die Titel mit dem Vermerk (mong. bzw. russ.) nur in Englisch, Deutsch oder Russisch in Klammern zitiert. Die kyrillischen Buchstaben werden bei Publikationen in Russisch und Mongolisch nach der deutschen Bibliotheksumschrift in lateinische Buchstaben transkribiert (s.u.).

In englischsprachigen Publikationen, z. T. auch in Publikationen in russischer und in deutscher Sprache, werden die Autorennamen, aber auch geographische Bezeichnungen (Orts-, Fluss- und Gebirgsnamen) in der nicht einheitlichen englischen Umschrift wiedergegeben. Das führt dazu, dass z. B. der kyrillische Buchstabe ц (c) als ts transkribiert wird und der Autor unter dem Anfangsbuchstaben T läuft. Dabei wird/werden bei der Abkürzung des Vornamens teilweise nur der erste Buchstabe - T. oder aber auch der zweite Anfangsbuchstabe - Ts. angeführt, beim kyrillischen Buchstaben Ш mal nur S., mal Sh., in anderen Fällen entsprechend. Der mongolische Autor C. Жамсран wird in verschiedenen Publikationen auch als Ts. Jamsran, Ts. Zhamsran, aber auch als Z. Schamsran angeführt. Der mongolische Buchstabe ё (ö) wird, vor allem in russisch publizierten Arbeiten häufig als u angegeben, desgleichen der mongolische Buchstabe ў (ü). Der mongolische Autor Ölziжчутаг erscheint als Ulzijchutag bzw. Ulziykhutag. In vorliegender Bibliographie werden einige Namens-Querverweise gegeben.

¹ Ergebnisse der Mongolisch-Deutschen Biologischen Expeditionen seit 1962, Nr. 328.

In Teil 3 der Bibliographie (HILBIG 2007) wurden von der russischen Publikationsreihe Biologičeskie Resursy i prirodnye Uslovija Mongolskoj Narodnoj Respublikи (Biol. Res. prir. Uslov. MNR), weitergeführt als Biologičeskie Resursy i prirodnye Uslovija Mongolii (Biol. Res. prir. Uslov. Mongolii) bzw. Biological Resources and Natural Conditions of Mongolia (Biol. Res. natural Conditions Mongolia), in der zusammenfassende Ergebnisse der Sowjetisch- bzw. Russisch-Mongolischen Komplexen Biologischen Expedition der Akademien beider Länder veröffentlicht wurden, die Bände 1-44 sowie Bd. 46 angeführt. Inzwischen wurden mir weitere Bände bekannt, die am Ende der Arbeit zitiert werden. Die russischen Zeitschriften Botaničeskij Žurnal und Novosti Sistematički vysšich Rastenij werden unter der Abkürzung Bot. Ž. bzw. Novosti Sist. vysšich Rast. angeführt. Als mongolische Zeitschriften werden im wesentlichen Botanikijn chüreelengijn Erdem šinžilgeenijn Büteel Mongol Uls šinžlech Uchaany Akademi (Bot. chür. Erdem šinžilg. Büteel) und Mongolian Journal of biological Sciences (Mong. J. biol. Sciences), beide Ulaanbaatar, angeführt. Erstere wird bei Literaturzitaten teilweise nur mit dem russischen Titel Trudy Instituta Botaniki Akademii Nauk Mongolii oder in den letzten Jahren mit dem englischen Titel Scientific Proceedings of the Institute of Botany of MAS (Mongolian Academy of Sciences) angegeben. Die von der Martin-Luther-Universität Halle-Wittenberg in Halle herausgegebene deutsche Publikationsreihe mit dem Titel Erforschung biologischer Ressourcen der Mongolischen Volksrepublik (Erforsch. biol. Ress. MVR) heißt ab Band 9 (2005) Erforschung biologischer Ressourcen der Mongolei (Erforsch. biol. Ress. Mongolei) mit gleichzeitig ausgewiesenen englischen Titel Exploration into the Biological Resources of Mongolia, der inzwischen bei englischsprachigen Titeln zitiert wird.

Tabelle 1: Zitation kyrillischer Buchstaben

Kyrillische Buchstaben	deutsche Bibliothekumschrift	englische Umschrift
В	v	v, w
З	z	dz, z
Ж	ž	j, zh
Х	ch	h, kh
Ц	c	ts
Ч	č	ch, tch, cz
С	s	s
Ш	š	sh
Щ	šč	shch
е, э	e	e
ы	y	y
ү	u	u
ү	ü	ü
и	i	i
й	j	y
ө	ö	ö
я	ja	ya
ю	ju	yu

Für zweckdienliche Hinweise danke ich den Herren Prof. Dr. Č. Dugaržav und Prof. Dr. Z. Schamsran (beide Ulaanbaatar), Frau Dr. Ch. Dulamsuren (Göttingen), Frau Dr. N. Narantujaa (Ulaanbaatar), Frau D. Seidel und Frau Dr. A. Stubbe (Halle/Saale), Herrn Prof. Dr. H. von Wehrden (Lüneburg) und Herrn Dr. K. Wesche (Görlitz). Frau Dr. Ch. Dulamsuren übersetzte einige mongolische Publikationstitel ins Deutsche, wofür ich ihr ganz besonders danke.

Bibliographie

- Academy of Sciences MPR [Mongolian Peoples Republic] (1990): Flora. - In: Information Mongolia. The Comprehensive Reference Source of the People's Republic of Mongolia (MPR): 37-43. - Oxford-New York-Beijing-Frankfurt-Sao Paulo-Sydney-Tokyo-Toronto.
- ADAMS, R.P.; SCHWARZBACH, A.E. (2006): A new variety of *Juniperus sabina* from Mongolia: *J. sabina* var.*mongolensis*. - *Phytologia* **88**: 179-185.
- ADIYASUREN, T. (1997): Bogd chaan uulyn ekosistem (Ecosystems of Bogd Khan Mountain). - Ulaanbaatar (mong.).
- ADYASUREN, T.; DASH, D.; ERDENETUYA, M. (2002): National forum on combating desertification and synergistic implementation of interlinked multilateral environmental conventions. - In: CHULUUN, T.; OJIMA, D. (eds.): Fundamental issues affecting sustainability of the Mongolian steppe: 250-259, Ulaanbaatar.
- ALEKSEEVA, N.B. (2011): Novye vidy *Iris* L. (Iridaceae) dlja flory Mongolii. - *Turczaninowia* **14** (1): 59-60.
- ALTANCECEG, G. (2009): Mongol orny urgamlyn ajmag dach nersnij (*Vaccinium* L.) töröl. (Genus *Vaccinium* in the Flora of Mongolia). – Bot. chür. Erdem šinžilg. Büteel **21**: 29-33 (mong./engl.).
- AMARTUVSHIN, N.; BOLOR-ERDENE, L. (2013): Fire effects on *Caragana microphylla* density in Eastern Mongolian steppe. - Bot. chür. Erdem šinžilg. Büteel **25**:
- AMARTUVSHIN, N.; DARIMAA, Sh.; TSERENBALJID, G. (2006): Taxonomy of the genus *Peganum* L. (Peganaceae VAN TIEGHEM) in Mongolia. – Mong. J. biol. Sciences **4** (2): 9-14, Ulaanbaatar.
- ANSORGE, H.; WESCHE, K. (2013): Im Land der Gräser und wilden Pferde. Schlaglichter der Biologischen Forschung in der Mongolei. – Senckenberg - Natur, Forschung, Museum **143** (1/2): 46-51.
- ARIUNSUREN, P. (2006): (The genus of *Poa* L. in the flora of Mongolia and Inner Mongolia.) – Thesis of Diss., Ulaanbaatar (mong.).
- ARIUNSUREN, P. (2006): Study on *Poa* L. species in Mongolia and Inner Mongolia in terms of taxonomy, geography and ecology. – Proc. Int. Workshop on Participation by Researchers for Ecological Problems: 29-33. - Ulaanbaatar.
- ARIUNSUREN, P.; DAMIRAN, D.; STEVENS, J. P. (2009): Results of Assessment of the Current Status and Degree of Disturbance of the Desert-Steppe Rangelands of Western Mongolia. - In: Proc. of Soils and Crops Conf. Febr. 2009 Saskatoon, Canada.
- ARIUNTSETSEG, L.; BOLDGIV, B. (2009): On the Quantitative Aspects of the Flora of Mongolia. – Mong. J. biol. Sciences **7**: 81-84.
- ARIUNTSETSEG, L.; BOLDGIV, B.; GOLDE, A. (2008): Main Habitats and Floristic Diversity in the Tarbagatai Nuruu National Park – General View. - Mong. J. biol. Sciences **6** (1-2): 11-20.
- AVIRMED, A. (2002): Mongol dach *Populus diversifolia* -gijn tarchalt, tüünijg tarimalžuulach bolomž (Distribution of *Populus diversifolia* SCHRENK. in Mongolia and possibility of cultivation). - Ph. D. thesis, 23 S., Ulaanbaatar (mong./russ.).
- AVIRMED, A. (2004): Mongol orny tooroj (*Populus diversifolia* SCHRENK)-n sudalgaany asuudald (To *Populus diversifolia* SCHRENK research issue of Mongolia). - Bot. chür. Erdem šinžilg. Büteel **14**: 141-145 (mong./engl.).
- BABAEV, A.M.; NARANTUJAA, N. (1995): Izučenie i kartografirovaniye degradacii rastitel'nogo pokrova aridnykh territorij Mongolii. - Čölleri özlešdirm. Probl. - Probl. Osvoenija Pustyn Jg. 1995 (3): 16-24.
- BADAMCECEG, B. (2008): Mongol orny güün töchijin töröl (*Scutellaria* L.) (Genera Scull cup [*Scutellaria* L.] in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **20**: 7-15 (mong./engl.).

- BADAMTSETSEG, B. (2012): (Lamiaceae in the flora of Mongolia.) - In: Problems of Botany in South Siberia and Mongolia. Proc. Int. scientific-practical Conf. Barnaul: 13-16 (mong.).
- BAJGAL, Ö.; OJUUNCECEG, B. (2010): Brassicaceae JUSS. ovгijn zarim зүйлийн тоосны судалгаа. - Bot. чүр Erdem шинжилг. Бүтэл **22**: 17-23 (mong.).
- BAJTULIN, I.O. (1993): Fitoekologičeskie issledovanija južnoj Gobi. - Almaty, 164 S.
- BANNIKOVA, I.A. (1983): Rastitelnyj pokrov: struktura vysotnoj pojasmnosti. - In: Gornaja lesostep Vostočnogo Changaja (MNR). Prirodnye uslovija (somon Tevšrulech). - Biol. Res. prir. Uslov. MNR **19**: 51-89, Moskva.
- BARKHUU, N.-O.; LEL, D.K.; TSOGTBAATAR, J.; DAE, P.Y.; BAR-AMGALAN, R.; EUN, P.G. (2006): Variation in Seed Quality, Seedling Growth and Biomass Allocation of One-year-old Siberian Larch (*Larix sibirica* Ledeb.) Seedlings, Grown in Different Conditions from Diverse Seed Sources of Mongolia. - Mong. J. biol. Sciences **4** (2): 15-24, Ulaanbaatar.
- BARSCH, H.; OPP, Ch.; STEINHARDT, U. (1993): Geoökologische Probleme in der Waldsteppe der nördlichen Mongolei. - Potsdamer geogr. Forschungen **3**. - Potsdam, 85 S.
- BATCEREN, C.; MÖNCHŽARGAL, B.; DUGARŽAV, Č.; TÜVŠINTOGTOCH, I.; URGAMAL, M.; GÜNDEGMAA, V. (2015): Gov-Altaj ajmgijn chojd sumdyn ašigt urgamal (Important plants of the North part of Gobi-Altai province of Mongolia). - Ulaanbaatar (mong./engl.).
- BATJARGAL, Z. (1998): Desertification in Mongolia. - Rala Report **200**: 107-113.
- BATRAEVA, A. A.; IVELSKAJA, V. I.; MALYŠEV, L. I.; FROLOVA, M. V.; ČEPURNOV, A. A. (1976): Rastitelnyj pokrov. Sostav flory. Charakteristika rastitelnosti. Geobotaničeskoe rajonirovanie. - In: Prirodnye Uslovija i Resursy Prichubsugulja v MNR: 114-161, Moskva.
- BATTULGA, P.; TSOGTBAATAR, J.; DULAMSUREN, Ch.; HAUCK; M. (2013): Equations for estimating the above-ground biomass of *Larix sibirica* in the forest-steppe of Mongolia. - J. of Forestry Res. **24**: 431-437.
- BAYANMUNKH, T.; DARIIMAA, Sh. (2006): (The anatomy, structure, area and ecology of *Bromopsis inermis* LEYSS.) – Bot. чүр. Erdem шинжилг. Бүтэл **16**: 40-45, (mong.).
- BAYARTOGTOKH, B. (2008): A Tribute to the Sixty Fifth Anniversary of Prof. Peter D. Gunin. – Mong. J. biol. Sciences **6**: 53-54, Ulaanbaatar.
- BAYARTOGTOKH, B. (2010): A tribute to the eightieth birthday of Prof. Adiya Tsendsuren. – Mong. J. biol. Sciences **8** (2): 57-60. - Ulaanbaatar.
- BAZHA [BAŽA], S.N.; BAYASGALAN, D.; GUNIN, P.D.; DANZHALOVA [DANŽALOVA], E.V.; DROBYSHEV, Ju. I.; KAZANTSEVA [KAZANCEVA], T.I.; PRISHCEPA [PRIŠČEPA], A.V.; KHADBAATAR, S. (2008): Osobennosti pastbiščnoj digressii stepnych ekosistem centralnoj Mongolii. – Bot. Ž. **93**: 657-681.
- BAZHA, S.N.; DANZHALOVA, E.V.; KAZANTSEVA, T.I.; GUNIN, P.D. (2009): Vlijanie vypasa na morfometričeskie pokazateli osnovnyh dominantov rastitelnyh soobščestv stepnych ekosistem centralnoj Mongolii. - Bot. Ž. **94**: 1505-1526.
- BAŽA, S.N.; GUNIN, P.D.; DANŽALOVA, E.V.; DROBYSHEV, Ju.I.; KAZANCEVA, T.I. (2009): Sovremennye processy degradacii i opustynivanija pastbiščnyh ekosistem Vostočno-Aziatskogo sektora stepej. - In: Stepi Severnoj Evrazii. Materialy 5. Meždunar. Simpoz. Orenburg 2009: 90-93.
- BAZHA, S.N.; GUNIN, P.D.; DANZHALOVA, E.V.; DROBYSHEV, Yu.I.; PRISHCEPA, A.V. (2012): Pastoral degradation of steppe ecosystems in Central Mongolia. - In: WERGER, M.J.A.; VAN STAALDUINEN, M.A. (eds.): Eurasian steppes – Ecological Problems and Livelihoods in a Changing World. Ser. Plant and Vegetation **6**: 289-320. - Dordrecht-Heidelberg-New York-London.
- BAŽA, S.N.; GUNIN, P.D.; DANŽALOVA, E.V.; KAZANCEVA, T.I. (2008): Diagnostičeskie pokazateli pastbiščnoj digressii stepnych rastitelnyh soobščestv Mongolskoj biogeografičeskoj provincii Palearktiki. - Povolžskij ekol. Ž. Jg. 2008 No.4: 251-263.

- BAZHA, S.N.; GUNIN, P.D.; DANZHALOVA, E.V.; KAZANTSEVA, T.I.; BAYASGALAN, D.; DROBYSHEV, Yu.I. (2010): Sovremennye processy degradacii pastbiščnykh ekosistem stepej centralnoj Mongolii. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 1: 59-64, Ulaanbaatar.
- BAŽA, S.N.; GUNIN, P.D.; KAZANCEVA, T.I.; DANŽALOVA, E.V.; DROBYŠEV, Ju.I.; PRIŠČEPA, A.V. (2007): Rol „mikrozapovednikov“ v vosstanovlenii i sohranenii stepnych ekosistem Mongolii. - In: Problemy Botaniki Južnoj Sibiri i Mongolii. Materiały 6. Meždunar. naučno-prakt. Konf. Barnaul, Okt. 2007: 108-111. - Barnaul.
- BEDUNAH, D.J.; SCHMIDT, S.M. (2004): Pastoralism and protected area management in Mongolia's Gobi Gurvansaikhan National Park. - Development and Change **35**: 167-191.
- BEHER, J. (2008): Biomasse und Nährstoffgehalte westmongolischer Weidegebiete in Abhängigkeit von Zeit, Raum und Nutzungsintensität. - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 137-145.
- BEKET, U. (1986): Mongol Altajn nuruuny cöljin cheerijn urgamalžlyn zarim onclog (Zur Halbwüstenvegetation des Mongolischen Altai). - Bot. chür. Erdem šinžilg. Büteel **12**: 31-37. - Ulaanbaatar (mong.).
- BEKET, U. (1986): Rastitelnost severnoj časti Mongolskogo Altaja. - In: Prir. Uslov. biol. Res. MNR, Tezisy Dokladov Meždunar. Konf. Moskva 1986: 61-62. - Moskva.
- BEKET, U. (2002): Klassifikacija rastitelnosti Mongolskogo Altaja. - In: Sochranenie etno-kulturnogo i biologičeskogo raznoobrazija gornych territorij čerez strategij ustojčivogo razvitiya. Tezisy Dokladov Meždunar. Konf. Gorno-Altajsk 2002: 17-25. - Gorno-Altajsk.
- BEKET, U. (2003): Rastitelnost Mongolskogo Altaja, problemy ee ispolzovanija i ochrana (klassifikacija, tipologija, geografija, ispolzovanie i ochrana). - Avtoref. Diss. Akad. d. Wiss. d. Mongolei, Ulaanbaatar, 41 S.
- BEKET, U. (2009): The Vegetation of the Mongolian Altai. Problems of sustainable land use and nature conservation – Mongol Altajn nuruuny urgamalžilt, tüünijg zochistoj ašiglach, champaagalach asuuulduud. - BfN-Skripten **257**, mong. Text 317 S., engl. Summary 18 S. - Bonn-Bad Godesberg.
- BEKET, U.; KNAPP, H.D. (2012): Protection of the natural and cultural heritage of the Mongolian Altai. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 335-352.
- BELIKOVIČ, A.V.; GOLOVINA, E.O.; SAFRONOVA, I.N. (2007): Osnovnye čerty rastitelnosti Onon-Baldžinskogo Nacionalnogo parka (Mongoliya). - In: Rastitelnyj i životnyj mir transgraničnoj osobo ochranjaemoj territorii. - Trudy Sochondinskogo Zapovednika Vyp. **2**: 79-89. - Čita.
- BERESNEVA, I.A.; RAČKOVSKAJA, E.I. (1978): K voprosu o faktorach zonalnosti v južnoj časti MNR. - Čölleri özlešdirm. Probl. - Probl. Osvojenija Pustyn Jg. 1978 (1): 19-29. - Ašchabad.
- BESPALOVA, Z.G. (1977): O cvetenii i osobennostjach plodonošenija zmeevki džungarskoj (*Cleistogenes songorica* (ROSHEV.) OHWI) i zmeevki rastopyrennoj (*C. squarrosa* (TRIN.) KENG). - In: Probl. ekologii, geobotaniki, botan. geografii i floristiki: 156-164. - Leningrad.
- BESPALOVA, Z.G.; BORISOVA, I.V. (1979): Vschožest i osobennosti prorastanija zernovok kovylej *Stipa* L. (Poaceae). - Bot. Ž. **64** (8): 1081-1090.
- BESPALOVA, Z.G.; BORISOVA, I.V.; KALESNIK, M.N. (1984): Vschožest i charakter prorastanija semjan nekotorych mongolskich vidov roda *Caragana* (Fabaceae). - Bot. Ž. **69** (6): 792-799.
- BLÄß, Ch.; RONNENBERG, K.; HENSEN, I.; WESCHE, K. (2008): Grazing Impact on Plant Seed Production in Southern Mongolia. - Mongol. J. biol. Sciences **6**: 3-9. - Ulaanbaatar.
- BLÄß, Chr.; RONNENBERG, K.; WESCHE, K. (2006): Exozoochorus seed dispersal: seed retention under experimental and natural conditions in Mongolian steppes. - In: Problemy Botaniki

- južnoj Sibiri i Mongolii. Materialy 5. Meždunar. Naučno-prakt. Konf. Barnaul Nojabr 2006: 329-331. - Barnaul.
- BLÄß, Chr.; RONNENBERG, K.; TACKENBERG, O.; HENSEN, I.; WESCHE, K. (2010): The relative importance of different seed dispersal modes in dry Mongolian rangelands. - J. Arid Environment **74**: 991-997.
- BOBROVSKAJA, N.I. (2009): Specifika utilizacii vody dominantami suchich stepej Srednej Chalchi (Mongolija) i raschod vody zonalnymi soobščestvami. - Bot. Ž. **94**: 1226-1234.
- BOBROVSKAYA, N.I. (2010): The water consumption of steppe and desert of Mongolia. – In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 206-209. - Ulaanbaatar.
- BOBROVSKAYA, N.I.; NIKULINA, R.I. (2012): Water use efficiency of main dominant species in steppes and deserts of Mongolia. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 395-404.
- BOBROVSKAJA, N.I.; POPOVA, T.A. (1978): Sravnitel'naja ekofiziologičeskaja i biologičeskaja charakteristika *Allium polyyrhizum* TURCZ., A. *mongolicum* REGEL. - Čölleri özlešdirm. Probl. - Probl. Osvoenija Pustyn Jg. 1978 (1): 65-70. - Ašchabad.
- BOBROVSKAJA, N.I.; ZAVADSKAJA, I.G.; KOBAK, K.I. (1977): Vlijanie različnoj stepeni degradacii na dvijenie protoplasmy, sposobnost k plazmolizu i dychanie u *Cleistogenes squarrosa* (TRIN.) KENG i *Agropyron cristatum* (L.) BEAUV. - In: Probl. ekologii, geobotaniki, botan. geografii i floristiki: 201-206. - Leningrad.
- BOCHARNIKOV, M.; DUDOV, S. (2010): Cenotičeskoe raznoobrazie i prostranstvennaja differenciacija suchich stepej stacionara Tumencogt (Vostočnaja Mongolija). - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar Sept. 2010, Vol. **1**: 268-270. - Ulaanbaatar.
- BOLDSAIKHAN, B. (2004): Encyclopedia of Mongolian medicinal plants. Vol. **1**. – Ulaanbaatar, 274 S. (engl. u. mong.).
- BOLDSAIKHAN, B. (2013): Medicinal Plants in Mongolia. - 235 S., Geneva, Switzerland.
- BORISOVA, I.V.; POPOVA, T.A.; SANŽID, Z. (1974): Sezonnaja i raznogodičnaja dinamika stroenija travostojja v pustynnyx stepjach Severnoj Gobi. - In: Struktura i dinamika stepnyx i pustynnyx ekosistem MNR. Biol. Res. prir. Uslov. MNR **5**: 47-53. - Leningrad.
- BRAUN, U. (2012): Mongolian plants in the Herbarium of the Martin-Luther-University Halle-Wittenberg. – In: STUBBE, A.; WESCHE, K. (eds.): Erforsch. biol. Ress. Mongolei. - Abstracts Int. Sympos. Halle 25.-29.03.2012: 17-18.
- BUJANDELGER, M. (2001): Prirodnyj risk pastbiščnogo životnovodstva v Mongolii, ego suščnost, vidy. - In: In: Prirodnye Uslovija, Istorija i Kultura Zapadnoj Mongolii i sopredelnyx Regionov - Natural Resources, History and Ethnography of western Mongolia and adjacent Regions, Tezisy Dokladov 6. Meždunar. naučnoj Konf. (18.-22. 9. 2003, Chovd, Mongolia). - Tomsk.
- BUJAN-ORŠICH, Ch.; DAVAAŽAMC, C. (1981): Ich nuuruudyn chotgoryn elsnij belčeerijn urgac, tüünij chödlölzüj. (Dinamika i urožajnost pesčanych pastbiš Kotloviny Bol'sich ozer.) – Bot. chür. Erdem šinžilg. Büteel **5** (1979): 67-79 (mong./russ.).
- BULGAN, A.; SERGELEN, J. (2004): Flowers of Hustai National Park. Volume 1 - Chustajn Bagjalijn cogcolbort gazry cecegs. Negdügeer devter. - Ulaanbaatar, 99 S. i. w. Pflanzenfotos (mong. u. engl.).
- BURKART, M. (2000): *Artemisia frigida* in der nordwestlichen Mongolei. Merkmale und Standorte von drei unterschiedlichen Sippen. - In: BRECKLE, S.-W.; SCHWEIZER, B.; ARNDT, U. (eds.): Results of worldwide ecological studies. – Proc. 1. Sympos. A.F.W. Schimper-Foundation: 449-455. - Stuttgart.
- BUßLER, H.; WALENTOWSKI, H. (2011): Wälder in der Mongolei. – LWF aktuell **83**: 46-49. [LWF = Bayer. Landesanstalt f. Wald- u. Forstwirtsch.]

- CEDENDAŠ, G. (2007): Mongol orny gacuuran (*Picea obovata* L.) oj (Spruce (*Picea obovata* L.) forests in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **17**: 125-138 (mong./engl.).
- CEDENDAŠ, G.; ENCHSAJCHAN, D. (2008): Lesa rajona Lugovogo stacionara i ego okrestnosti. - In: Pojmennye luga severnoj Mongolii. Čast I. Biol. Res. prir. Uslov. Mongolii **49**: 163-165.
- CENDEECHÜÜ, C. [CENDEECHUU, C.; TSENDEEKHUU, Ts.] (2007): Otgontenger uulyn baruun chesgijn oncloch urgamluudyn deežis (Color illustration of the native plants in the western part of Otgontenger mountain). - Ulaanbaatar, 136 S. (mong.).
- CERENBALŽID, G. (2009): Mongol orny tarialangijn chöl gazryn urgamlyn dasan zochicoh čadavchijn chörs-gazarzüjn angilal (Adaptive classification of dominant plants in agricultural fields in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **21**: 79-88 (mong./engl.).
- CERENDAŠ, S. (1980): Raznotravno-kovylno-tipčakovaja step. - Bot. chür. Erdem šinžilg. Büteel Jg. 1980 (4): 35-44.
- CERENDULAM, C.; OJUUNCECEG, B. (2011): Chustajn Bajgalijn cogcolbort gazryn zonchilogc bulgemdlüüd dech Krylovyn Chjalgany (*Stipa krylovii* ROSHEV.) üzegdel züj (Phänologie von *Stipa krylovii* in dominierenden Pflanzengesellschaften des Chustaj Nationalparkes). - Bot. chür. Erdem šinžilg. Büteel **23**: 120-126 (mong.).
- CERENNAM, Ž.; BADAMCECEG, B. (2012): Mongol orny Gandbadraa (*Veronica* L.) törljin urgamlyn angilalzüjn tojm (Die Systematik von *Veronica* L. in der Mongolei). - Bot. chür. Erdem šinžilg. Büteel **24**: 64-70.
- CHAJDAV, C. (1978): Lekarstvennye rastenija v mongolskoj medicine. Istoriko-medicinskie issledovaniya. - 191 S., Ulan-Bator.
- CHAJDAV, C.; ALTANČIMEG, B.; VARLAMOVA, T.S. (1985): Lekarstvennye rastenija v Mongolskoj medicine. - 391 S., Ulan-Bator.
- CHANDSÜREN, D.; GANCECEEG, G. (2012): Urgamlan nömrögijg sudalsan dün (Töv ajmgijin Erdene sumyn žišeen deer (Überblick über die Vegetationsuntersuchungen am Beispiel des Erdene Sum im Töv Aimak). - Bot. chür. Erdem šinžilg. Büteel **24**: 112-123 (mong.).
- CHANDSÜREN; D.; ZANDANMJADAG, G. (2012): Chovd ajmgijin Erdenebüren sumyn urgamlan nömrögijg sudalsan dün (Vegetationsübersicht des Erdenebüren Sum im Chovd Aimak). - Bot. chür. Erdem šinžilg. Büteel **24**: 124-131 (mong.).
- CHENG, Yu.; TSENDEEKHUU, Ts.; NARANTUYA, N.; NAKAMURA, T. (2008): Phytosociological study of steppe vegetation in Mongolia. - Grassland Science **54**: 107-116.
- CHENG, Y.; TSUBO, M.; ITO, T. Y.; NISHIHARO, E.; SHINODA, M. (2011): Impact of rainfall variability and grazing pressure on plant diversity in Mongolian grasslands. - J. Arid. Environment **75**: 471-476.
- CHENLEMUGE, T.; HERTEL, D.; DULAMSUREN, Ch.; KHISHUGJARGAL, M.; LEUSCHNER, C.; HAUCK, M. (2013): Extremely low fine root biomass in *Larix sibirica* forests at the southern drought limit of the boreal forest. - Flora **208**: 488-496.
- CHONGORZUL, O.; ŽARGALSAJCHAN, L. (2013): Dornod Mongolyn alag övs-tom chjalganat bülgemdljin urgacyn chödlölzüjn, cag urdyn chamaaral (Die Dynamik der Biomasse der krautreichen *Stipa*-Steppe in der Ost-Mongolei in Korrelation zum Klima). - Bot. chür Erdem šinžilg. Büteel **25** (mong.).
- CHOSBAJAR, Č.; NARANTUJAA, N.; MÖNCHZUL, O.; BAJARŽARGAL, B. (2013): Tatmyn nugyn üeten-alag övst bülgemdljin biomassyn chödlelzüjn sudalgaany ür dün (Zur Biomasse-Dynamik der krautreichen Auenwiesen). - Bot. chür Erdem šinžilg. Büteel **25** (mong.).
- CHULUUN, T.; OJIMA, D. (2001): Sustainability of pastoral systems in Mongolia. - In: CHULUUN, T.; OJIMA, D. (eds.): Change and Sustainability of Pastoral Land Use Systems in Temperate and Central Asia. – Proc. Sympos., Ulaanbaatar 2001: 52-57.
- COGT, Z. (1993): Formirovanie, stroenie i produktivnost listvenničnyx molodnjakov Centralnogo Changaja i Vostočnogo Chenteja i rubki uchoda v nich. - Avtoref. Diss. Ulaanbaatar, 24 S.

- COGT, Z.; DORŽSUREN, Č.; CHONGOR, C. (2006): Tablicy choda rosta podtaežnych listveničnikov v Mongolii. - Bot. chür. Erdem šinžilg. Büteel **16**: 114-122.
- COGT, Z.; DORŽSUREN, Č.; SLEMNEV, N. N.; JARMIŠKO, V. T. (2012): Opyt ocenki biologičeskoj produktivnosti psevdotaežnych listvenničnikov Centralnogo Changaja (Mongolija). - Rastit. Resursy **48**: 303-310.
- COGT, Z.; DORŽSÜREN, Č.; COGTBAATAR, Ž. (2009): Formirovanie i chod rosta drevostoev psevdotaežnych listvenničnikov v centralnom Changae Mongolii. - Bot. chür. Erdem šinžilg. Büteel **21**: 313-320.
- COOŽ, Š.; SLEMNEV, N.N. (2009): Osobennosti fotosinteza dominantnych rastenij osnovnych prirodných zon Mongolii. – Bot. chür. Erdem šinžilg. Büteel **21**: 214-225.
- CVELEV, N.N. (2007): Novye taksony i novye kombinacii taksonov složnocvetnych (Asteraceae) iz Centralnoj Azii. - Bot. Ž. **92**: 1747-1757.
- CVELEV, N.N. (2008): Rastenija Centralnoj Azii, po materialam Botaničeskogo Instituta im. V. L. Komarova. Vyp. 14 b. Složnocvetnye (cikorievye). Otvetstvennyj redaktor V. I. GRUBOV. - 223 S., Moskva.
- CYDYPOV, B.Z.; VOLOŠIN, A.L.; BATUEVA, D.Ž.; GARMAEV, E.Ž.; AJURŽANAEV, A.A.; ČIMEDDORŽ, C. (2012): Dinamika rastitel'nogo pokrova aridnoj klimatičeskoj zony Mongolii s pomoščju indeksa vegetacii NDVI. - Bot. chür. Erdem šinžilg. Büteel **24**: 132-138.
- ČOGNIJ, O. (1973): Janz bürijn chemžegeer ašiglagdsan belčeer dech bajgalijn chjalgany biomorfologijn charcuulsan šinž (Sravnitel'naja biomorfologičeskaja charakteristika bajkalskogo kovylja v uslovijach različnoj pastbiščnoj nagruzki.) - Biol. uchaany chür. Büteel **8**: 111-123 (mong.).
- ČOJŽAMC, B. (1978): K ekologii zlakov Vostočnogo Changaja. - Avtoref. Kand.-Diss., Leningrad, 20 S.
- DAMBA, E. (1967): Die Wasserversorgung der Weiden in der Mongolei. – Internat. Z. d. Landwirtsch. **11** (5): 575-576, Berlin.
- DANILIN, I.M. (1992): Struktura organičeskoj massy i bioproduktivnost nasaždenij *Larix sibirica* LEDEB. na južnom predele ich rasprostranenija v Mongolii. - Rastit. Resursy **28**: 111-117.
- DANILIN, I.M. (2004): Struktura i fitomassa listvenničnikov na južnych granicach ich rasprostranenija v Sibiri i Mongolii. - Lesn. Taksacija i Lesoustrojstvo **33** (1): 27-32.
- DANILIN, I.M.; COGT, Z. (1990): Taksacionno-morfologičeskaja struktura i produktivnost listvenničnikov, formirujuščichsjia na vyrubkach MNR. - In: Metodologičeskie voprosy ocenki sostojanija prirodnoj sredy MNR, Tezisy Dokladov: 71-72. - Puščino.
- DANILIN, I.M.; DORJSUREN, Ch. [DORŽSÜREN, Č.]; TSOGT, Z. (2010): Vosstanovlenie listvenničnykh lesov na garjach i vyrubkach v Mongolii. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010: 194-198. - Ulaanbaatar.
- DANŽALOVA, E.V. (2008): Pastbiščnaja digressija rastitel'nyh soobščestv stepnych ekosistem Centralnoj Mongolii. - Avtoref. Diss., Moskva 27 S.
- DANZHALOVA, E.V.; BAZHA, S.N.; ARIUNBOLD, E. (2011): The structure of plant communities in the dry steppes of Central Mongolia and their response to irrigation. - Arid Ecosystems **1** (3): 171-176.
- DANZHALOVA, E.V.; BAZHA, S.N.; GUNIN, P.D.; DROBYSHEV, Yu.I.; KAZANTSEVA, T.I.; PRISCHEPA, A.V.; SLEMNEV, N.N.; ARIUNBOLD, E. (2012): Indicators of pasture digression in steppe ecosystems of Mongolia. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 297-306.
- DANZHALOVA, E.V.; BAZHA, S.N.; GUNIN, P.D.; DROBYSHEV, Yu.I.; KONTSOV, S.V.; KHAD-BAATAR, S. (2010): Antropogennye sukcessii na zemljach pastbiščnogo i bogarnogo naznačenija v centralnoj časti bassejna Selengi. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **1**: 198-2002. - Ulaanbaatar.

- DANZHALOVA, E.V.; GUNIN, P.D.; BAZHA, S.N.; DROBYSHEV, Yu.I.; KAZANTSEVA, T.I.; PRISCHEPA, A.V.; BAYASGALAN, D.; VOROBYOV, K.A. (2010): Regionalnye osobennosti vozdejstvija klimatičeskikh i antropogennych faktorov na pastbiščnye ekosistemy suchich stepej Mongoli. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 2: 88-93. - Ulaanbaatar.
- DARIIMAA, Sh. (2012): (Features of the subsection *Argyrotrichae* (KRASCH.), genus *Artemisia* L. in the flora of Mongolia). – In: Problems of Botany of South Siberia and Mongolia. Proc. Int. scientific-practical Conf. Barnaul: 67-68 (russ.).
- DARIIMAA, Sh. (2014): Mongolyn urgamlyn ajmag (Flora of Mongolia [Asteraceae, Cichorioideae – Carduoideae].) – Volume 14a, Ulaanbaatar (mong.).
- DARIIMAA, Sh.; BAYANMUNKH, T.; JIMSEE, D. (2004): (Flora of the nearest in Ikh Nart station). – Bot. chür Erdem šinžilg. Büteel 15: 68-73 (mong.).
- DARIJMAA, Š. (2000): Mongol orny Golgesertenij (Asteraceae DUMORT.) šine oldvor (Neufunde von Asteraceae der Mongolei). - Bot. chür. Erdem šinžilg. Büteel Jg. 2000: 33-55 (mong.).
- DARIJMAA, Š. (2003): Astrovye (Asteraceae DUMORT.) Mongolii. - Avtoref. Diss. biol. Nauk, Sankt-Peterburg, 60 S.
- DARIJMAA, Š. (2004): Mongol orny Golgesertenij (Asteraceae DUMORT.) angilalzüj (Die Systematik der Asteraceae der Mongolei). - Bot. chür. Erdem šinžilg. Büteel 15: 52-57 (mong.).
- DARIJMAA, Š. (2008): Vyssie sosudistye rastenija. - In: Pojmennye luga severnoj Mongolii. Čast I. Biol. Res. prir. Uslov. Mongolii 49: 127-138.
- DARIJMAA, Š. (2009): Mongol orny urgamlyn ajmagt süülijn žilüüded šineer nemen bütgesen urgamar (Poslednye gody florističeskogo otrjada dopolnenija vidy k flore Mongoliju). - Bot. chür. Erdem šinžilg. Büteel 21: 44-50 (mong./russ.).
- DARIJMAA, Š.; KAMELIN, R.V. (2002): Novye vidy dlja flory Mongolii i otdelnych ee rajonov. - In: Proc. Int. Conf. on Biodiversity of Mongolia 2002: 21-23.
- DARIIMAA, Sh.; KAMELIN, R.V.; ULZIHKHUTAG [ÖLZIJCHUTAG], N.; GANBOLD, E. (2010): Mongol orny urgamlyn ajmag: urgamlyn ajmgijn Sudлагаany Süülijn žilüüdijn ür dün (The Flora of Mongolia: Results of floristical researches during the last years). - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 1: 55-58, Ulaanbaatar (mong./engl.).
- DARIJMAA, S.; MANDACH, B. (2013): Ich Nartyn bajgalijn nööc gazryн chojd chesgijin urgamlyn ajmgijn züülijn bürdel, ekologi- biologijn onclog (Biologisch-ökologische Eigenschaften und Struktur der Flora im Nordteiles Schutzgebietes Ich-Nart). - Bot. chür Erdem šinžilg. Büteel 25: 32-37 (mong.).
- DARIKHAND, D. (2011): (New distribution of *Allium obliquum* L.). - Bot. chür. Erdem šinžilg. Büteel 23: 225-226 (mong.).
- DAŠNJAM, B. (1974): Dornod Mongolyn urgamlyn ajmag, urgamaržilt (Flora i rastitelnost stepej Vostočnogo Mongolii). - Ulaanbaatar, 146 S. (mong./russ.).
- DAVAA, N.; ŠTUBBE, M.; CHILBIG, V. [HILBIG, W.]; ŽAMSRAN, C. (1980): Nekotorye dannye biocenologičeskikh issledovanij vysokich gor Charchira. - In: Prirodnye Uslovija i Resursy nekotorych rajonov MNR. Tezisy Dokladov 9. Meždunar. Konf. Mongolsk.-Sovetsk. Chub-sugulsk. Eksped. 1980: 99-101, Ulan-Bator.
- DAVAAŽAMC, C. (1954): Pastbišča i senokosy severnoj časti uburchangajskogo ajmaka Mongolskoj Narodnoj Respubliki. - Kandidatsk. Diss. Leningrad, 257 S.
- DAVAAŽAMC, C.; BAJASGALAN, D.; MANDACH, B. (1988): Cheert zonchiloch bühlgemdiijn fitomasssyn bürdech zarim onclog (Osobennosti formirovaniija fitomassy osnovnych stepnych soobščestv). - Bot. chür. Erdem šinžilg. Büteel 12 (1986): 5-21, Ulaanbaatar (mong./russ.).
- DEDKOV, V.P.; GUNIN, P.D. (2014): On the Microclimate of Natural Oases of the Extremely Arid Desert of the Transaltai Gobi. - Arid Ecosystems 4 (4): 253-258.

- DMITRIEV, I.A.; OMAROV, K.Z.; ŽARGALSAJCHAN, L. (2008): Različija v ispolzovanii stepnych pastbišč Vostočnoj Mongolii v zavisimosti ot meteorologičeskikh i ekonomičeskikh faktorov. - In: Globalnye i regionalnye osobennosti transformacii ekosistem Bajkalskogo regiona, Tezisy Dokladov: 167-169. - Ulaanbaatar.
- DMITRIEV, I.A.; ROZENFELD, S.B.; ABATUROV, B.D. (2009): Osobennosti ispolzovanija stepnych pastbišč vostočnoj Mongolii dikimi i domašnimi krupnymi rastitelnojadnymi mlekipitajuščimi. - Aridnye Ekosistemy **15** No. 4 (40): 52-68.
- DORJSUREN, Ch. (ed.) (2005): Ecosystems of Mongolia and frontier areas of adjacent countries. Natural resources, biodiversity and ecological prospects. - Proc. Int. Conf. 5.-9. 9. 2005, Ulaanbaatar (engl., russ., teilweise mong., Summaries engl.).
- DORJSUREN, Ch. [DORŽSUREN; Č:] (2010): Dinamika fitocenozov na splošnych vyrubkach listveničnykh lesov v Mongolii. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 96-99 - Ulaanbaatar.
- DOROFEEV, V.I.; GANBOLD, E.; ENCHMAA, U.; KOROTKOV, A. A. (2011): Dopolnenie k flore Mongolii. - Turczaninowia **14** (2): 108-109. – Barnaul (mong.,engl.).
- DOROFYUK, N.I.; TARASOV, P.E. (1998): Vegetation and Lake Levels in Northern Mongolia in the Last 12500 Years as Indicated by Data of Pollen and Diatom Analyses. - Stratigraphy and Geological Correlation **6** (1): 70-83.
- DORŽSUREN, Č. (2006): Struktura i antropogennaja dinamika rastitelnyh soobščestv listveničnykh lesov Mongolii – Avtoref. Diss. Krasnojarsk, 40 S.
- DORŽSUREN, Č. (2009): Antropogennye sukcessii v listveničnykh lesach Mongolii. - Biol. Res. prir. Uslov. Mongolii **50**. - 260 S., Moskva.
- DORŽSUREN, Č.; KRASNOŠČEKOV, Ju.N. (2007): Poslepožarnaja dinamika rastitelnyh soobščestv v psevdotaežnykh listveničnikach centralnogo Changaja. - Bot. chür. Erdem šinžilg. Büteel **17**: 110-121.
- DORŽSÜREN, C.; ZOEO, D.; ALTANZAGAS, B. (2012): Sibirijn chür erveechejn chürencert nervegež chatsan alag övs-ulalžit šinesen ojn success (Die Sukzession im kraut- und Carex-reichen Lärchen-Wald nach einer Schwammspinner-Kalamität). - Bot. chür. Erdem šinžilg. Büteel **24**: 156- 166 (mong.).
- DORJSUREN, Ch.; ZOYO [ZOEO], D.; UNDRAA, M. (2010): Sukcessionnye processy v listveničnom selkoprjadnike v vostočnom Chentee Mongolii. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 99-104, Ulaanbaatar.
- DORŽSÜREN, Č.; ZOEO, D.; UNDRAA, M. (2013): Töv Changajn tajgaazuu alag övst- ritid chövdöt šinesen ojn tüjmrijn daraach urgamal bülgemdlijn sukcessijnen üe šat (Sukzessionsstadien der kraut- und *Rhytidium*-reichen *Larix*-Wälder in der Taiga des zentralen Changai). - Bot. chür. Erden šinžilg. Büteel **25** (mong.).
- DUGARŽAV, Č. (1980): Estestvennoe vozobnovlenie listvennicy sibirskoj v lesach Changaja. - Avtoref. Diss. Krasnojarsk, 26 S.
- DUGARŽAV, Č. (1985): Changajn nuruuny šinesen ojn bajgalijn nöchön urgalt (Estestvennoe vozobnovlenie listveničnykh lesov v Changae (MNR).) - BNMAU-yn urgamlyn ajmag, urgamalžiltyn sudalga (Issledovaniya flory i rastitelnosti MNR) **5**: 11-107, Ulan-Bator (mong.).
- DUGARŽAV, Č. (2006): Mongol orny šinesen oj (Larch forests of Mongolia). - Ulaanbaatar, 318 S. (mong./engl.).
- DUGARJAV, Ch.; ERDENEKHULEG, D.; PUREVBAT, N. (2009): Forest of Darkhad Depression I. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 357-361.

- DUGARJAV, Ch.; TSETSEG, B. (2003): Chapter 11. Conservation and Sustainable Use of Biodiversity in the Trans-Altai Gobi Desert of Mongolia. - In: LEMONS, I.; VICTOR, R.; SCHAFFER, D.: Conserving Biodiversity in Arid Regions. Best Practices in Developing Nations. - New York.
- DUGARJAV, Ch.; TSOGT [COGT], Z. (2009): Forests of Darkhad Depression II. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 363-371.
- DULAMSUREN, Ch. (2009): Izuchenie vodnogo potenciala Sibirskoj Listvennicy pod vlijaniem globalnogo poteplenija v ekotone lesostepi severo-zapadnogo Chenteja. - Bot. chur Erdem sinzilg. Büteel **21**: 194-204.
- DULAMSUREN, Ch. (2010): Tree establishment and survival on steppe slopes of the northern Mongolian mountain taiga. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 104-107. - Ulaanbaatar.
- DULAMSUREN, Ch.; HAUCK, M. (2008): Spatial and seasonal variation of climate on steppe slopes of the northern Mongolian mountain taiga. - Grassland Sci. **54**: 217-230.
- DULAMSUREN, Ch.; HAUCK, M.; BADER, M.; OSOKHJARGAL, D.; OYUNGEREL, Sh.; NYAMBAYAR, S.; RUNGE, M.; LEUSCHNER, Ch. (2009): Water relations and photosynthetic performance in *Larix sibirica*, growing in the forest-steppe ecotone of northern Mongolia. - Tree Physiol. **29**: 99-110.
- DULAMSUREN, Ch.; HAUCK, M.; BADER, M.; OYUNGEREL, Sh.; OSOKHJARGAL, D.; NYAMBAYAR, S.; LEUSCHNER, Ch. (2009): The different strategies of *Pinus sylvestris* and *Larix sibirica* to deal with summer drought in a northern Mongolian forest-steppe ecotone suggest a future superiority of pine in a warming climate. - Canad. J. Forest Research **39**: 2520-2528.
- DULAMSUREN, Ch.; HAUCK, M.; KISHIGJARGAL, M.; LEUSCHNER, H.H.; LEUSCHNER, Ch. (2010): Diverging climate trends in Mongolian taiga forests influence growth and regeneration of *Larix sibirica*. - Oecologia **163**: 1091-1102.
- DULAMSUREN, Ch.; HAUCK, M.; LEUSCHNER, Ch. (2010): Recent drought stress leads to growth reductions in *Larix sibirica* in the western Khentey, Mongolia. - Global Change Biol. **16**: 3024-3035.
- DULAMSUREN, Ch.; HAUCK, M.; LEUSCHNER, Ch. (2011): Climate response of tree ring width in *Larix sibirica* growing in the drought-stressed forest steppe ecotone in northern Mongolia. - Ann. Forest Science **68**: 275-282.
- DULAMSUREN, Ch.; HAUCK, M.; LEUSCHNER, Ch. (2013): Seedling emergence and establishment of *Pinus sylvestris* in the Mongolian forest-steppe ecotone. - Plant Ecology **214**: 139-152.
- DULAMSUREN, Ch.; HAUCK, M.; LEUSCHNER, H.H.; LEUSCHNER, Ch. (2010): Gypsy moth-induced growth decline of *Larix sibirica* in a forest-steppe ecotone. - Dendrochronologia **28**: 207-213.
- DULAMSUREN, Ch.; HAUCK, M.; MÜHLENBERG, M. (2005): Ecophysiological causes of the forest border moving towards the steppe - a case study in the Khentey Mountains, Northern Mongolia. - In: Ecosystems of Mongolia and frontier areas of adjacent countries: natural resources, biodiversity and ecological prospects. - Proc. Int. Conf. Ulaanbaatar, Sept. 2005: 83-84. Ulaanbaatar.
- DULAMSUREN, Ch.; HAUCK, M.; MÜHLENBERG, M. (2008): Insect and small mammal herbivores limit tree establishment in northern Mongolian steppe. - Plant Ecol. **195**: 143-156.
- DULAMSUREN, Ch.; HAUCK, M.; NYAMBAYAR, S.; BADER, M.; OSOKHJARGAL, D.; OYUNGEREL, S.; LEUSCHNER, Ch. (2009): Performance of Siberian elm (*Ulmus pumila*) on steppe slopes of the northern Mongolian mountain taiga: drought stress and herbivory in mature trees. - Environm. Exp. Bot. **66**: 18-24.

- DULAMSUREN, Ch.; HAUCK, M.; NYAMBAYAR, S.; OSOKHJARGAL, D.; LEUSCHNER, Ch. (2009): Establishment of *Ulmus pumila* seedlings on steppe slopes of the northern Mongolian mountain taiga. - *Acta oecol.* **35**: 563-572.
- DULAMSUREN, Ch.; JAMSRAN, Ts. (1997): Plant diversity of the Choriyn Bogd Uul mountain range. - *Mongol. J. biol. Sciences* **5**: 8-33.
- DULAMSUREN, Ch.; JAMSRAN, Ts. (1997): The flora of the phytogeographical region Middle Khalkha. - In: *Prirodnye Uslovija, Istorija i Kultura Zapadnoj Mongolii i sopredelnych Regionov - Natural Resources, History and Ethnography of western Mongolia and adjacent Regions*. - Tezisy Dokladov Meždunar. naučnoj Konf. Chovd, Mongolia: 124-132, Tomsk.
- DULAMSUREN, Ch.; JAMSRAN, Ts. (1998): Comparative study of plant diversity in three areas of central Mongolia. - *Mongol. J. biol. Sciences* **7**: 71-79.
- DULAMSUREN, Ch.; KISHIGJARGAL, M. (2012): Opposing growth trends created by external disturbances in larch forests of the Mongolian Altai. - *Erforsch. biol. Ress. Mongolei (Halle/Saale)* **12**: 353-363.
- DULAMSUREN, Ch.; MÜHLENBERG, M. (2005): Phytosociological and biogeographical survey of flora and vegetation of Western Khentey. - In: *Ecosystems of Mongolia and frontier areas of adjacent countries: natural resources, biodiversity and ecological prospects*. – Proc. Int. Conf. Ulaanbaatar, Sept. 2005: 84-86, Ulaanbaatar.
- DULAMSUREN, Ch.; MÜHLENBERG, M. (2007): Phytosociological and biogeographical survey of flora and vegetation of Western Khentey. - In: GUNIN, P.D. (ed.): *Ecosystems of Inner Asia: Questions on research and conservation*: 135-153, Moscow.
- DULMAA, A.; AYUSHSUREN, Ch.; TSEDENDASH, G.; BAYASGALAN, D. (2011): (Classification and vegetation of water vascular plants of Mongolia). – *Bot. chür. Erdem šinžilg. Büteel* **28**: 90-98 (mong.).
- DYLIS, N.V. (1947): *Sibirskaja Listvennica. Materialy k sistematike, geografii i istorii*. - Moskva, 137 S.
- Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. of Int. Conf., Sept. 6-8, (2010), Ulaanbaatar. – Vol. **1**. Oral Reports, 301 S., Vol. **2**. Poster Reports, 274 S., Ulaanbaatar (engl., russ., mong.).
- EGOROVA, T. V. (1999): The Sedges (*Carex* L.) of Russia and Adjacent States. – St.-Peterburg, 772 S. (russ. u. engl.).
- ENCHTUJAA, L. (2009): Cachildag (*Iris*). - Ulaanbaatar, 223 S. (mong.).
- ENKH-AMGALAN, S.; GUNIN, P.D.; DROBYSHEV, Yu. I.; BAZHA, S. N. (2012): Modern use of pastures and watering security in the Middle Gobi aimak, Mongolia (by example of Rashaant brigade). - *Arid Ecosystems* **2** (1): 11-17.
- ENKHMAA, U. (2008): (Particularities of the reserve Bogdkhan uul flora.) - In: Problems of Botany of South Siberia and Mongolia. - Proc. 7th Int. scientific-pract. Conf. Barnaul: 347-350, Barnaul (russ.).
- ENKHMAA, U. (2009): (The family Alliaceae in Mongolia). - *Bot. chür. Erdem šinžilg. Büteel* **21**: 345-352 (mong.).
- ENKHSAIKHAN, D. (2009): Ecological Sustainability forest of Darhadia. - In: NISHIDA, H.; JAMSRAN, Ts. (2009): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 385-391.
- ENKHTUYA, L.; MUNKH-ERDENE, T. (2013): (New territory of distribution of Irises (*Iris loczyi* KANITZ, and *I. psammocola* Y.T. ZHAO) – The Great Lake Circuit area). – *Bot. chür. Erdem šinžilg. Büteel* **25**: 171-174 (mong.).
- ERDENEŽAV, G. (1988): Fitocenotičeskie aspekty travosejenija na Changae. - In: *Fitocenotičeskie osnovy ulučšenija estestvennych kormovych ugodij Mongolskoj Narodnoj Respubliky*. - Biol. Res. prirodn. Uslov. MNR **31**: 114-132. - Moskva.
- ERDENEŽAV, G.; UBUGUNOV, L.L.; UBUGUNOVA, V.I.; KALIBERNOVA, N.M.; KUZMIN, S.L.; KOROLEVA, T.M.; OGAR, N.P.; PETROVSKIY, V.V.; DARIJMAA, Š.; CEGMID, C.;

- CECEGMAA, D.; CEDENDAŠ, G.; ENCHSAJCHAN, D.; BOLDBAATAR, Š.; MJAGMAR-SUREN, D.; ULYK PAN, K.; BAATAR, R.; BEKET, U.; ZOEO, D.; MANIBAZAR, N.; BAJASGAN, D. (2008): Pojmennye iuga Severnoj Mongolii. Čast I. Struktura, sostav, produktivnost i bioraznoobrazie pojmenyvych ekosistem. - Otv. Red. KALIBERNOVA, N.M.; KOROLEVA, T.M.; GUNIN, P.D. - Biol. Res. prir. Uslov. Mongolii **49**. - Moskva, 238 S.
- EVDOKIMENKO, M.D. (1990): Pirogennaja destrukcija listveničnyh lesov. - In: Ekologija i prirodopolzovanie v Mongolii: 83-85, Ulaanbaatar.
- FILATOVA, N.S. (2007): Plants of Central Asia. Plant Collections from China and Mongolia. Volume **14a**. Compositae (Anthemideae). - Editor-in-Chief V.I. GRUBOV. - Enfield-Jersey-Plymouth, 177 S.
- FROLOVA, M.V.; IVELSKAJA, V.I.; ŽAMS'RAN, C. (1983): O verchnej granice lesa v Prichub-sugule. – In: Prir. Uslov. i Res. nekotorych Rajonov MNR. Tezisy Dokladov 12. Meždunar. Konf. Sov.-Mong. Chubsugulsk. Eksped. Irkutsk: 43-44.
- FUJITA, N.; AMARTUVSHIN, N. (2013): Distribution Patterns of Vegetation as a Fundamental Factor in Mongolian Ecosystems. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 23-29. - Tokyo-Heidelberg-New York-Dordrecht-London.
- FUJITA, N.; AMARTUVSHIN, N.; ARIUNBOLD, E. (2013): Annual Production and Species Diversity of Mongolian Pasture Plants in Relation to Grazing Pressure by Livestock. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 131-143. - Tokyo-Heidelberg-New York-Dordrecht-London.
- FUJITA, N.; AMARTUVSHIN, N.; ARIUNBOLD, E. (2013): Vegetation Interactions for the Better Understanding of a Mongolian Ecosystem Network. . - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 157-184. - Tokyo-Heidelberg-New York-Dordrecht-London.
- FUJITA, N.; AMARTUVSHIN, N.; YAMADA, Y.; MATSUI, K.; SAKAI, S.; YAMAMURA, N. (2009): Positive and negative effects of livestock grazing on plant diversity of Mongolian nomadic pasturelands along a slope with soil moisture gradient. - Grassland Sci. **55**: 126-134.
- GAL, Ž. (1975): Govijn zarim urgamlyg ašiglach biologi-ekologijin onclog (Biologo-ekologičeskie osnovy ispolzovanija nekotorych rastenij Gobi.). – Ulaanbaatar, 260 S. (mong.).
- GAL, J.; GANBOLD, E.; DARIIMAA, Sh.; JAMS'RAN, Ts.; TSEDENDASH, G.; TSETSEGMAA, D.; CHANTSALNYAM, D.; ENKHMAA, O.; ERDENEJAV, G.; SHIIREVDAMBA, Ts. (1997): Plants. In: Minstry for Nature and Environment of Mongolia: Mongolian Red Book: 205-388. - Ulaanbaatar (mong. u. engl.).
- GANBOLD, E. (2000): Flora Severnoj Mongolii. - Avtoref. Diss. Sankt-Peterburg, 67 S.
- GANBOLD, E. (2010): Flora severnoj Mongolii (sistematika, ekologija, geografija, istorija, razvitiija). - Biol. Res. prir. Uslov. Mongolii **53**: 254 S., Moskva.
- GERELCHULUUN, Ya. (2010): (Ecological features and distribution of the bushes from genus *Spiraea* L. [Rosaceae] in Mongolia). – In: Problems of Botany of South Siberia and Mongolia. Proc. 10. Int. scientific-pract. Conf. Barnaul: 70-74, Barnaul (russ.).
- GERMAN, D.A. (2003): K rasprostraniju vidov roda *Dontostemon* ANDRZ. ex C. A. MEY. (Cruciferae) v Zapadnoj Mongolii. - In: REVUSHKIN, A.S.; BAASANDORZH, Z.; ZVEREV, A.A.; PJAK, A.I.; TERBISH, Kh.; ZEDEV, Ch.; EBEL, A.L. (eds.): Prirodnye Uslovija, Istoria i Kultura Zapadnoj Mongolii i sopredelnych Regionov. Regionov - In: Natural Resources, History and Ethnography of western Mongolia and adjacent Regions. Tezisy Dokladov 6. Meždunar. naučnoj Konf. (18.-22. 9. 2003, Chovd, Mongolia): 78-80, Tomsk.
- GERMAN, D.A. (2009): (New data on the species composition and distribution of Mongolian Mustards [Cruciferae]). - Bot. Ž. **94** (3): 45-51 (russ.).

- GERMAN, D.A.; DJAČENKO, S.A.; KOSAČEV, P.A.; SMIRNOV, S.V.; ŠMAKOV, A.I. (2009): Dopolnenie k flore zapadnoj Mongolii. - Bot. Ž. **94**: 1583-1593.
- GERMAN, D.A.; OYUNTSETSEG, B. (2008): Cruciferae (Brassicaceae) of Mongolia updated comprehensive state of studies on taxonomy, diversity and geography Mongolian Mustards. - In: SHMAKOV, A.I.; KAMELIN, R.V.; TEREKHINA, T.A.; DYACHENKO, S.A.; SMIRNOV, S.V.; KUZEV, M.G.; GERMAN, D.A. (eds.): Problems of Botany of South Siberia and Mongolia. - Proc. 7th Int. sci.-pract. Conf. Barnaul, Oct. 2008: 42-48.
- GOLOVANOV, D.L.; GUNIN, P.D.; ARIUNBOLD, E.; BAZHA, S.N.; BATKHISHIG, O.; BAYAS-GALAN, D.; DANZHALOVA, E.V.; DROBYSHEV, Yu.I.; KONTSOV, S.V.; PETUKHOV, I.A.; SOROKINA, O.I.; KHADBAATAR, S.; TSERENKHAND, G.; ENKH-AMGALAN, S. (2010): Sovremennaja dinamika počvenno-rastitel'nogo pokrova v ekosistemach somona Erdenedalaj srednegobijskogo ajmaka. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 1: 208-211. - Ulaanbaatar.
- GOLUBEVA, L.V. (1976): Rastitelnost severo-vostočnoj Mongolii v pleistocene i golocene. - In: Struktura i dinamika osnovnych ekosistem MNR. - Biol. Res. prir. Uslov. MNR **8**: 59-71, Lenigrad.
- GOLUBEVA, E.A.; POLJANSKAJA, V.A. (1990): Pastbiščnaja digressija rastitel'nogo pokrova stepej Ubsunurskoj kotloviny. - In: Informacionnye Probl. Izuchenija Biosfery. Ubsunurskaja Kotlovina - prirodnaia model biosfery: 201-211, Puščino.
- GOMBOSÜREN, N. (1992): Vodoregulirujuščaja i počvozaščitnaja rol podtaežnych listveničnikov Vostočnogo Chenteja v Mongolii. - Avtoref. Diss. selskochozj. nauk Ulaanbaatar, 23 S.
- GÖPFERT, L.M. (2006): Vegetationsökologische Untersuchungen zum Einfluss von Beweidung in drei unterschiedlichen Steppenökosystemen der West-Mongolei. - Dipl.-Arb. Inst. f. Geogr. Univ. Hamburg.
- GÖPFERT, L.M. (2008): Vegetationsökologische Untersuchungen zum Einfluss von Beweidung in drei unterschiedlichen Steppenökosystemen der West-Mongolei. - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 109-136.
- GRUBOV, V.I. (1963): Botaniko-geografičeskoe rajonirovanie centralnoj Azii. - In: Rastenija Centralnoj Azii **1**: 10-69. - Moskva-Leningrad.
- GRUBOV, V.I. (1994): The Dzungarian yellow-flowered Species of *Limonium* (Plumbaginaceae). - Novon **4** (1): 31.
- GRUBOV, V.I. (2000): Vidoobrazovanie v gruppe *Zygophyllum fabago* s. l. (Zygophyllaceae) i gibrildizacionnye vozzrenija M. G. Popova. - Bot. Ž. **85**: 85-89.
- GRUBOV, V.I. (2002): Konspekt semejstva žimolostnych (Caprifoliaceae) Centralnoj Azii. - Novosti Sist. vysšich Rast. **34**: 179-196.
- GRUBOV, V.I. (2003): Konspekt edelvejsov (*Leontopodium* (PERS.) R. BR., Compositae) Centralnoj Azii. - Novosti Sist. vysšich Rast. **35**: 188-197.
- GRUBOV, V.I. (2004): Konspekt roda sušenica (*Gnaphalium*) Centralnoj Azii - Conspectus generis *Gnaphalium* L. (Compositae) Asiae Centralis. - Novosti Sist. vysšich Rast. **37**: 181-184.
- GRUBOV, V.I. (2004): Konspekt roda devjasil (*Inula* L., Compositae) Centralnoj Azii - Conspectus generis *Inula* L. (Compositae) Asiae Centralis. - Novosti Sist. vysšich Rast. **37**: 185-190.
- GRUBOV, V.I. (2006): Vtoroe dopolnenie k bibliografii po flore i rastitelnosti Centralnoj Azii. - In: Rastenija Centralnoj Azii **15** (Bignonievye - Kolokolčikovye): 106-124, Moskva.
- GRUBOV, V.I. (2007): Plants of Central Asia. Plant Collections from China and Mongolia. **13**. Plumbaginaceae, Oleaceae, Buddlejaceae, Gentianaceae, Menyanthaceae, Apocynaceae, Asclepiadaceae. - Editor-in-Chief: V. I. GRUBOV. - Enfield-Jersey-Plymouth, 153 S.

- GRUBOV, V.I. (2008): Mongolyn guurst urgamal tanich bičig (Zurgijn chamt) (Opredelitel sosudistych rastenij Mongolii (s atlasom). – Übersetzung aus dem Russ., Redaktor C. ŽAMSRAN. – Ulaanbaatar, 504 S. (mong.).
- GRUBOV, V.I. (2008): Zaključenie k florističeskoj svodke “Rastenija Centralnoj Azii” (reabilitacija mongolskoj flory). - In: CVELEV, N.N. (Hrsg.): Rastenija Centralnoj Azii, po materialam Botaničeskogo Instituta im. V. L. Komarova Vyp. **14b**. Složnocvetnye (Cikorievye): 187-192, Moskva.
- GRUBOV, V.I. (2010): Schlussbetrachtung zum Florenwerk “Rastenija Centralnoj Azii” [Die Pflanzen Zentralasiens] und die Begründung der Eigenständigkeit der mongolischen Flora. - Fedd. Repert. **121**: 7-13.
- GUBANOV, I.A.; HILBIG, W. (1993): Bibliographia phytosociologica: Mongolia, Pars II. - Excerpta bot. sect. B, sociol. **30**: 63-117.
- GUNDEGMAA, V. (2002): (Taxonomy, distribution, ecology and uses of the genus *Potentilla* L. to the flora of Mongolia). - Master-Thesis, Ulaanbaatar (mong.).
- GUNIN, P.D.; BAŽA, S.N.; DANŽALOVA, E.V.; CERENCHAND, G.; DROBYŠEV, Ju.I.; ARIUNBOLD, E. (2010): Sovremennaja struktura i dinamika rastitelnych soobščestv na južnoj granice suchich stepej Centralnoj Mongolii. - Aridnye Ekosistemy **16** No. 2 (42): 65-75.
- GUNIN, P.D.; BAZHA, S.N.; DANZHALOVA; E.V.; DMITRIEV, I.A.; DROBYSHEV, Yu.I.; KAZANTSEVA, T.I.; MIKLYAEVA, I.M.; OGUREEVA, G.N.; SLEMNEV, N.N.; TITOVA, S.V.; ARIUNBOLD, E.; BATTSEREN [BATCEREN], C.; JARGALSAIKHAN, L. (2012): Rasprostranenie efedry (*Ephedra sinica* STAPF.) v suchich stepjach Vostočnoj Mongolii - Expansion of *Ephedra sinica* STAPF. in the arid steppe ecosystems of Eastern and Central Mongolia. - Arid Ecosystems **2** (1): 18-33.
- GUNIN, P.D.; ENCH-AMGALAN, S.; GANBOLD, E.; DANŽALOVA, E.V.; BAJASGALAN, D.; CERENCHAND, G.; GOLOVANOV, D.L.; PETUCHOV, I.A.; DROBYŠEV, Ju.I.; KONCOV, S.V.; BAŽA, S.N.; ANDREEV, A.V.; CHADBAATAR, S.; ARIUNBOLD, E.; PUREVŽAV, G. (2009): Osobennosti degradacii i opustynivanija pastbiščnych ekosistem Mongolii (na primere sredne-gobijskogo ajmaka). - Bot. chür. Erdem šinžilg. Büteel **21**: 104-128.
- GUNIN, P.D.; ULZIYKHUTAG, N.; BAZHA, S.N.; SAANDAR, M. (2008): Ecosystem approach for nature. Conservation and evaluating degradation processes in the inner Asia. - Bot. chür. Erdem šinžilg. Büteel **18**: 108-123.
- GUNIN, P.D.; VOSTOKOVA, E.A.; SAANDAR, M.; BAZHA, S.N. (1998): The landscape-ecological principles of nature management and ecosystems conservation in the regions of Central Asia and South Siberia with extreme conditions (the exemple of Mongolia). - Ecologia (Bratislava) **17**: 265-282.
- HANELT, P. (1969): Revision der mongolischen Taxa von *Papaver* L. sect. *Scapiflorae* RCHB. sowie Studien zur Systematik und Evolution dieser Sektion. - Habil.-Schrift Univ. Halle, 211 S.
- HANELT, P. (2012): The Mongolian poppies (*Papaver* spp.) in the context of their Holarctic relatives. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 425-428.
- HARPER, M.; BROWN, N.; GRUYS, R. (eds.) (o. J.): Lake Hovsgol National Park. A Visitor's Guide. - ohne Seitenzählung.
- HARTLEIB, J.; SCHNITTNER, M.; RILKE, S.; ZEMMRICH, A.; BOBERTZ, B.; NAJMI, U.; ZÖLITZ, R.; STARKE, S. (2012): An approach to the virtual flora of Mongolia - from a data repository to an expert system. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 287-295.
- HAUCK, M. (Markus); DULAMSUREN, Ch.; BAYARTOGTOKH, B.; ULYKPAN, K.; BURKITBAEVA, U. D.; OTGONJARGAL, E.; TITOV, S. V.; ENKHBAYAR, T.; SUNDETPAEV, A. K.; BEKET, U.; LEUSCHNER, Ch. (2014) Relationships between the diversity patterns of vascular plants, lichens and invertebrates in the Central Asian forest-steppe ecotone. - Biodiversity and Conservation **23**: 1105-1117.

- HAUCK, M.; DULAMSUREN, Ch.; HEIMES, C. (2008): Effects of insect herbivory on the performance of *Larix sibirica* in a forest-steppe ecotone. - Environm. Exp. Bot. **62**: 351-356.
- HAUCK, M.; DULAMSUREN, Ch.; MÜHLENBERG, M. (2007): Lichen diversity on steppe slopes in the northern Mongolian mountain taiga and its dependence on microclimate. - Flora **202**: 530-546.
- HAUCK, M.; JAVKHLAN, S.; LKHAGVADORJ, D.; BAYARTOGTOKH, B.; DULAMSUREN, Ch.; LEUSCHNER, Ch. (2012): Edge and land-use effects on epiphytic lichen diversity in the forest-steppe ecotone of the Mongolian Altai. - Flora **207**: 450-458.
- HAUCK, M.; LKHAGVADORJ; D. (2013): Epiphytic lichens as indicators of grazing pressure in the Mongolian forest-steppe. – Ecological Indicators **32**: 82-88.
- HAUCK, M. (Michael); SOLONGO, Z. (2010): Flowers of Mongolia. - 325 S., Telgte (engl. u. mong.)
- HAVSTAD, K.M.; HERRICK, J.; TSEELEI, E.-A. (2008): Mongolia's rangelands: is livestock production the key to the future? - Front Ecol. **8**: 386-391.
- HAYASAKA, Ei. (2009): Vascular Plants of Darkhadyn Wetlands, Huvsgul, Mongolia, collected in August 2005. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. - Synthesis Investigation on Ecosystems: 273-280.
- HAYASAKA, Ei. (2009): Taxonomic Notes on *Saussurea* (Asteraceae) of Darhadyn Wetlands, Khuvsgul. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. - Synthesis Investigation on Ecosystems: 281-286.
- HAYASHI, I.; KAWADA, K.; KUROSA, M.; BATJARGAL, A.; TSENDEEKHUU, Ts.; NAKAMURA, T. (2008): Grazing effects on floristic composition and above ground plant biomass of the grassland in Northeastern Mongolian steppes. - J. Ecol. Field Biol. **31** (2): 115-123.
- HEKLAU, H.; WEHRDEN, H. von (2011): Woody anatomical traits of *Kraschenennikovia ceratoides* reflecting the distribution in steppes or semi-deserts in Eurasia and western North America. - Flora **206**: 300-309.
- HILBIG, W. (1991): Bibliographia phytosociologica: Mongolia. - Excerpta bot. sect. B, sociol. **28**: 245-309.
- HILBIG, W. (2007): Bibliographia phytosociologica Mongolia. Pars III. - Feddes Repert. **118**: 228-265.
- HILBIG, W. (2007): Die Vegetationszonen der Mongolei und ihre wichtigen Pflanzengesellschaften. - Verh. Zool.-Bot. Ges. Österreich **144**: 119-164.
- HILBIG, W. (2009): Validierung von Subassoziationen mongolischer Pflanzengesellschaften. - Feddes Repert. **120**: 91-122.
- HILBIG, W. (2013): Alexander von Bunge (1803-1890), ein bedeutender Erforscher der mongolischen Flora. - Schlechtendalia **25**: 3-12.
- HILBIG, W.; JÄGER, E. J. (2010): Valerij Ivanovič Grubov (1917-2009) und die pflanzengeographische Gliederung Zentralasiens. - Feddes Repert. **121**: 1-6.
- HILBIG, W.; OPP, Ch. (2007): Spatial Distribution of Plant Communities and Soils at non-zonal Sites. Examples from the Northern Edge of the Uvs-Nuur Basin (Republic of Tuva, Russian Federation). - In: Problemy Botaniki Južnoj Sibiri i Mongolii. Materialy 6. Meždunar. naučno-prakt. Konf. Barnaul, Okt. 2007: 220-227. - Barnaul.
- HILBIG, W.; PISTRICK, K.; NARANTUJAA, N.; SANČIR, Č. (2012): Beitrag zur Kenntnis der Flora der östlichen Mongolei (Ostmongolischer Florenbezirk und angrenzende Gebiete). - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 371-393.
- HILBIG, W.; TSCHULUUNBAATAR, S. (1989): Naturschutz in der Mongolischen Volksrepublik. - Arch. Naturschutz Landsch.forsch. **29**: 45-56.
- HILBIG, W.; WESCHE, K.; JÄGER, E. J. (2007): Die Forschungen der Mitarbeiter und Absolventen des Institutes für Geobotanik der Martin-Luther-Universität Halle-Wittenberg in der Mongolei

in Zusammenarbeit mit ihren mongolischen Fachkollegen. - Erforsch biol. Ress. Mongolei (Halle/Saale) **10**: 551-568.

HIRANO, A.; TORIYAMA, H.; KOMIYAMA, H. (2006): Spatiotemporal characterization of Mongolian grassland based on vegetation trend analysis. - In: Asian Association on Remote Sensing- Proceedings A2-A8.

HUNECK, S. (2010): 10000 Kilometer unterwegs im Herzen Asiens. Expeditionsberichte aus der Mongolei. - Jena, 112 S.

ICHIROKU, H.; KAWADA, K.; KUROSU, M.; BATJARGAL, A.; TSUNDEEKHUU [richtig: TSEN- DEEKHUU = CENDECHUU], Ts.; NAKAMURA, T. (2008): Grazing Effects on Floristic Composition and Above Ground Plant Biomass of the Grasslands in the Northeastern Mongolian Steppe. - J. Ecol. Field Biol. **31** (2): 115-123.

ILLARIONOVA, I.D. (2006): Rod *Ligularia* CASS. (Asteraceae) v Centralnoj Azii. - Novosti Sist. vysich Rast. **38**: 229-244.

ISAČENKO, E.A.; RAČKOVSKAJA, E.I. (1974): Botaniko-geografičeskie nachodki v jugo-vostočnoj časti MNR. - Izv. Vsesojuzn. geogr. Obščestva **106** (2): 111-118.

ISHII, R.; FUJITA, N. (2013): A possible future picture of Mongolian forest-steppe vegetation under climate change and increasing livestock. Results from a new vegetation transition model at the topographic scale. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 65-82. - Tokyo-Heidelberg-New York-Dordrecht-London.

IVANOV, L.A.; IVANOVA, L.A.; RONZHINA, D.A.; ZIEGLER, H.; DELGELE, K.; GUNIN, P.D.; PYANKOV, V.I. (2007): Effect of interspecific competition on functional properties of plants in mountain-steppe communities of the Gobi. - Russ. J. of Ecology **38** (3): 155-160.

IVANOVA, L.A.; IVANOV, L.A.; RONZHINA, D.A., TSERENKHAND, G.; TSOOG, S.; BAZHA; S.N. (2012): Leaf and biomass traits of Mongolian forest-steppe shrubs linking to their ecological properties. - Arid Ecosystems **2** (1): 45-53.

IZMAJLOVA, N.N. (1979): Vodnyj režim gornych rastenij aridnych oblastej. - In: Ekologija i biologija vysokogornych rastenij. - Probl. Botaniki **14** (2): 23-27.

JACKSON, D.S.; MURDOCH, J.D.; MANDAKH, B. (2006): Habitat Classification Using Landsat /ETM + imageri of the Ikh Nart Nature Reserve and Surrounding Areas in Dornogobi and Dundgobi Aimags, Mongolia. - Mong. J. biol. Sciences **4** (2): 33-40, Ulaanbaatar.

JACOBY, G.C.; BAATARBILEG, N. (2005): Results of the dendrochronological studies in Mongolia. - Mongol. J. biol. Sciences **3** (1): 69-76.

JÄGER, E.J.; HILBIG, W. (2010): Kommentare zu V.I. Grubovs pflanzengeographischer Gliederung Zentralasiens und zur englischen Übersetzung der „Rastenija Centralnoj Azii“. - Feddes Repert. **121**: 14-17.

JAMIYANDORJ, Kh.; LIGAA, U.; OTGONBILEG, Ch.; SAARAL, N. (2011): (Very rare, rare and useful plants, cultivated in Huduu aral in Herlen). - Ulaanbaatar, 623 S. (mong.).

JAMSRAN, Ts. (2009): Floristic species composition of Darkhad Valley. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 335-352.

JAMSRAN, Ts. (2013): Deforestation and reforestation of degraded forestland in Mongolia. - In: YAMAMURA, Y.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 83-98. - Tokyo-Heidelberg-New York-Dordrecht-London.

JAMSRAN, Ts.; HAYASAKA, Ei.; SUZUKI, Y.; NISHIDA, H.; SANO, T. (2009): Plant. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 47-81.

- JAMSRAN, Ts.; NYAMBAYAR, S. (2009): Water Vascular Plants in Some Lakes of Darkhadyn Khotgor Wetland. - In: NISHIDA, H. & JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 259-266.
- JAMSRAN, Ts.; NYAMBAYAR, S. (2006): Water vascular plants in some lakes of Darkhad depression. - Research Paper of Darkhad Wetland in Mongolia 3. Mongolia Ecology Information Center Mongolian State University: 67-73, Ulaanbaatar.
- JAMSRAN, Ts.; PUNSALPAAMUU, G.; MUNGUNTULGA, E. (2009): Steppe and Meadow Plants nearby of Ulgii Uul Mountain of Darkhadyn Khotgor, Renchinlkhumbe soum. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 267-272.
- JARGALSAIKHAN [ŽARGALSAJCHAN], L. (2010): Regressionnaja model dinamiki fitomassy nekotorych soobščestv stepej vostočnoj Mongolii. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 1: 133-136, Ulaanbaatar.
- JARGALSAIKHAN [ŽARGALSAJCHAN], L. (2013): Long-Term Study of the Relationship between Precipitation and Productivity in the Main Pasture Vegetation of a Steppe Ecosystem in Eastern Mongolia. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 33-42. - Tokyo-Heidelberg-New York-Dordrecht-London.
- JARMIŠKO, V.T.; DORŽSUREN, Č.; ZOEO, D.; POTOKIN, A.F.; SLEMNEV, N.N.; COGT, Z.; JARMIŠKO, M.A.; CHONGOR, C. (2007): Lesovosstanovitelnye sukcessii v podtaežnych listvenničnykh lesach chr. Chantaj v Mongolii. - Bot. chür. Erdem šinžilg. Büteel **17**: 97-109.
- JARMIŠKO, V.T.; SLEMNEV, N.N.; POTOKIN, A.F.; JARMIŠKO, M.A.; DORŽSUREN, Č.; ZOEO, D.; COGT, Z. (2008): Analiz struktury i produktivnosti podtaežnych pojmenno-dolinnych narušennych lesnykh soobščestv v severo-vostočnom Changae (Mongolija). - Rastit. Resursy **44** (4): 66-78.
- JIGJIDSUREN [ŽIGŽIDSÜREN], S.; JOHNSON, D.A. (2003): Mongol orny malyn težeelijn urgamal - Forage plants of Mongolia. - Ulaanbaatar, 563 S. (mong. u. engl.).
- JOHNSON, D.A.; JIGJIDSUREN, S.; SHEEHY, D.P.; MAJERUS, M.E.; WINSLOW, S.R.; HOLZWORTH, L.K. (2006): Collection and Evaluation of Forage Germplasm Indigenous to Mongolia. - In: Rangelands of Central Asia. Proceedings of Conf. on Transformations, Issues, and Future Challenges. - USDA Forest Service Proceed. RMRS P-39: 50-61, Fort Collins.
- JOLY, F.; SAIDI, S.; BEGZ, T.; FEH, C. (2013): Key resource areas of an arid grazing system of the Mongolian Gobi. - Mong. J. biol. Sciences **10**: 13-24.
- KACZENSKY, P.; ADIYA, Y.; WEHRDEN, H. von; MIJIDDORJ, B.; WALZER, C.; GÜTHLIN, D.; ENKHBILEG, D.; READING, R.P. (2014): Space and habitat use by wild Bactrian camels in the Transaltaï Gobi of southern Mongolia. - Biol. Conservation **169**: 311-318.
- KACZENSKY, P.; GANBAATAR, O.; WEHRDEN, H. von; WALZER, C. (2008): Resource selection by sympatric wild equids in the Mongolian Gobi. - J. of Appl. Ecol. **45**: 1762-1769.
- KACZENSKY, P.; WALZER, C.; STEINHAUER-BURKART, B. (2005): Great Gobi B Strictly Protected Area. A wild horse refuge. - 65 S., Oberaula
- KALIBERNOVA, N.M. (2008): Krupnomasštabnoe kartografirovanie rastitel'nogo pokrova stacionara Šamar. - In: Pojmennye luga severnoj Mongolii. Čast I. - Biol. Res. prir. Uslov. Mongolii **49**: 151-152.
- KALIBERNOVA, N.M. (2008): Sovremennoe sostojanie ekosistem rečnyh dolin Orchona i Selengi. - In: Globalnye i regionalnye osobennosti transformacii ekosistem Bajkalskogo regiona. Materialy 1. Ross.-Mong. Simpoz. Ulaanbator Sentjabr 2008: 78-82, Ulaanbaatar.
- KALIBERNOVA, N.M. (2008): Osobennosti struktury i dinamiki rastitelnosti rajona Šamar. - In: Pojmennye luga severnoj Mongolii. Čast I. - Biol. Res. prir. Uslov. **49**: 152-163, Moskva.

- KALIBERNOVA, N.M. (2010): Dinamika ekosistem pojmy i doliny nižnega tečenija r. Orchon (severnaja Mongolija) za 25 let (1983-2008 gg.). - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 2: 115-120, Ulaanbaatar.
- KALIBERNOVA, N.M.; BEKET, U.; CEDENDAŠ, G.; MANIBAZAR, N.; ZOEO, D.; ERDENEŽAV, G. (2008): Karta rastitelnosti Lugovogo stacionara Šamar M. 1 : 100000. - In: Pojmennye luga severnoj Mongolii. Čast I. - Biol. Res. prir. Uslov. Mongolii **49**: zwischen S. 144 u. 145.
- KALIBERNOVA, N.M.; KOROLEVA, T.M.; OGAR, N.P.; PETROVSKIY, V.V. (2000): Flora sosudistych rastenij okresnosti pos. Šamar (uste r. Orchon, Severnaja Mongolija). - In: Sravnitel'naja floristika na rubeže III tysjačletija: dostiženija, problemy, perspektivy: 170-198, Sankt-Petersburg.
- KALIBERNOVA, N.M.; KOROLEVA, T.M.; OGAR, N.P.; PETROVSKIY, V.V. (2008): Charakteristika flory nizovev r. Orchon na primere Lugovogo stacionara Šamar. - In: Pojmennye luga severnoj Mongolii. Čast I. - Biol. Res. prir. Uslov. Mongolii **49**: 79-127.
- KALIBERNOVA, N.M.; MANIBAZAR, N. (2008): Karta pojmennoj rastitelnosti Lugovogo stacionara Šamar. M. 1 : 85000. - In: Pojmennye luga severnoj Mongolii. Čast I. - Biol. Res. prir. Uslov. Mongolii **49**: zwischen S. 160 u. 161.
- KAMELIN, R.V. (1993): (Flora of Mongolia and its analysis [composition, geography and biomorphology]). - Ž. obščej Biol. **54** (1): 59-71 (russ.).
- KAMELIN, R.V. (2010): Mongolija na karte botaniko-geografičeskogo rajonirovaniya palearktiki. - Turczaninowia **13** (3): 5-11.
- KAMELIN, R.V.; DARIJMAA, Š. (2002): Novye vidy dlja flory Mongolii i otdelnych ee rajonov. - In: Biodiversity of Mongolia. Proc. Int. Conf. on Biodiversity of Mongolia: 21-23, Ulaanbaatar.
- KAMELIN, R. V.; DARIIMAA, Sh.; GANBOLD, E. (2011): (Key and brief conspectus of the genus *Viola* L. in Mongolia). - Bot. chûr. Erdem šinžilg. Büteel **23**: 26-33 (mong.).
- KAMELIN, R.V.; ISAČENKO, T.I.; KARAMYŠEVA, Z.V. (1980): Evgenij Michajlovič Lavrenko (k 80-letiju so dnya roždenija i 60-letiju naučnoj dejatelnosti). - Bot. Ž. **65** (3): 436-442.
- KAMELIN, R.V.; ŠMAKOV, A.I.; SMIRNOV, S.V. (2004): Novyj vid lјutika (*Ranunculus*) iz Mongolii. - Turczaninowia **7** (3): 5-7.
- KAMELIN, R.V.; ULZIIKHUTAG, N. (2005): Novye dannye po flore sosudistych rastenij Mongolii i perspektivy dalnejšich issledovanij. - In: Ecosystems of Mongolia and frontier areas of adjacent countries: Natural resources, biodiversity and ecological prospects. - Proc. Int. Conf. Ulaanbaatar, Sept. 2005: 104-106.
- KARAMYŠEVA, Z.V.; BUJAN-ORŠICH, Ch. (1982): Rastitelnost mežgornych kotlovin Zapadnoj Mongolii. - Bot. chûr. Erdem šinžilg. Büteel **8**: 59-68, Ulaanbaatar.
- KARAMYŠEVA, Z.V.; BUJAN-ORŠICH, Ch.; BEKET, U.; SUMERINA, I.Ju. (1984): Rastitelnost (Žargalantyn-nuru.). - BNMAU-yn Šinžlech uchaany Akad. Medee Jg. 1984 (3) (mong.).
- KARNIELI, A.; BAYARJARGAL, Y.; BAYASGALAN, M.; MANDAKH, B.; DUGARJAV, Ch.; BURGHEIMER, J.; KHUDULMUR, S.; BAZHA, S.N.; GUNIN, P.D. (2013): Do vegetation indices provide a reliable indication of vegetation degradation? A case study in the Mongolian pastures. - Internat. J. of Remote Sensing **34** (17): 6243-6262.
- KASIMOV, N.S.; KOSHELEVA, N.E.; SOROKINA, O.I.; GUNIN, P.D.; BAZHA, S.N.; ENKH-AMGALAN, S. (2011): An ecological-geochemical assessment of the state of woody vegetation in Ulaanbaatar city (Mongolia). - Arid Ecosystems **1** (4).
- KAWADA, K.; KUROKAWA, T.; TSUNODA, K.; TSENDEEKHUU, Ts. [CENDEECHUU, C.]; NAKAMURA, T. (2009): Plant community structure in the Midwest Mongolian steppe. - In: NAKAMURA, T.; SUZUKI, K. (eds.): Ecological Studies on the Steppe Vegetation in Midwestern Mongolia. Assessment of cultivation and grazing pressure on the steppe ecosystems and biodiversity conservation in Central Asia: 29-42. - Tsukuba, Japan.

- KAZANCEVA, T.I. (2003): Estestvennaja i antropogennaja dinamika rastitelnych soobščestv pustynnych stepej Severnoj Gobi (Mongolii). - In: Materialy II (XI) sezda Russk. Bot. Obšč. Novosibirsk: 373-375. - Barnaul.
- KAZANCEVA, T.I. (2005): Dinamika i produktivnost zonalnych rastitelnych soobščestv Gobijskoj časti Mongolii. - Avtoref. Diss. Sankt-Peterburg, 33 S.
- KAZANCEVA, T.I. (2009): Produktivnost zonalnych rastitelnych soobščestv stepej i pustyn Gobijskoj časti Mongolii. - Biol. Res. prir. Uslov. Mongolii **51**. - 336 S., Moskva.
- KAZANCEVA, T.I.; BAŽA, S.N.; GUNIN, P.D.; DANZALOVA, E.V.; OJUUNCECEG, O.; DROBYSEV, Ju.I.; ARIUNBOLD, E.; ERDENEEBAATAR, D. (2008): Aridizacija klimata i opustynivanie pastbiščnykh ekosistem v južnoj časti bassejna Selengi. - In: Globalnye i regionalnye osobennosti transformacii ekosistem Bajkalskogo regiona. - Materialy Ross.-Mong. Simpoz. Ulan-Bator Sentjabr 2008: 68-74. - Ulaanbaatar.
- KAZANTSEVA, T.I.; GUNIN, P.D. (2010): Monitoring i ocenka sovremennoj sostojanija kormovych ugodij aridnoj zony Mongolii. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 112-114. - Ulaanbaatar.
- KAZANTSEVA, T.I.; SLEMNEV, N.N.; GUNIN, P.D.; TSOOJ, Sh. (2012): Structure and productivity of *Haloxylon ammodendron* communities in the Mongolian Gobi. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 405-414.
- KEČAJKIN, A.A. (2013): K izučeniju *Potentilla rigidula* TH. WOLF – redkogo vo flore Azii vida. - Turczaninowia **16** (2): 44-47.
- KECHAYKIN, A.A.; SHMAKOV, A.I.; HURKA, H.; NEUFFER, B.; OYUNTSTSEG, B.; DARIHAND, D.; FRIESEN, N. (2014): New findings in the flora of Mongolia. Part 1. - Turczaninowia **17** (1): 57-65.
- KHISHIGJARGAL, M.; DULAMSUREN, Ch.; LKHAGVADORJ, D.; LEUSCHNER, Ch.; HAUCK, M. (2013): Contrasting responses of seedling and sapling densities to livestock density in the Mongolian forest-steppe. - Plant Ecology **214**: 1391-1403.
- KHONGOR, Ts.; LIN, Ch.; TSOGT, Z. (2011): Diameter structure analysis of forest stand and selection of suitable model. - Mong. J. biol. Sciences **9** (1-2): 19-22. - Ulaanbaatar.
- KINUGASA, T.; ODA, S. (2014): Effects of vehicle track formation on soil seed banks in grasslands with different vegetation in the Mongolian steppe. - Ecological Engineering **67**: 112-118.
- KNAPP, Ch.D. (1988): Mongol orny urgamalyn sudalsan tovč temdegel (Zametka izučenija rastitelnosti Mongolii). - Bot. chür. Erdem šinžilg. Büteel **12** (1986): 39-43. - Ulaanbaatar (mong./russ.).
- KNAPP, H.D. (2007): Reise in die Mongolei vom 22. August bis 3. September 2007 auf Einladung des Altai Research Centre in Ölgij und der Verwaltung des Nationalparks Altai Tavan Bogd Uul. - Vervielfältigter Computerausdruck BfN Insel Vilm, 10 S. u. Anlagen.
- KNAPP, H.D.; HILBIG, W. (1983): Vegetationsmosaik und Florenelemente am Südrand des Chentej. - In: Thesen Botanische Beitr. MVR-Symposium Halle 1983: 54-57, Halle/Saale.
- KNAPP, H.D.; TSCHIMED-OTSCHIR, B. (2001): Naturschutz in der Mongolei. - In: KONOLD, W.; BÖCKER, R.; HAMPICKE, U. (Hrsg.): Handbuch Naturschutz und Landschaftspflege, 5. Ergänzungslfg. 6/01: 1-15, Landsberg.
- KOGAN, F.; STARK, R.; GITELSON, A.; JARGALSAIKHAN, L.; DUGARJAV, C.; TSOOJ, S. [COOŽ, Š.] (2004): Derivation of pasture biomass in Mongolia from AVHRR-based vegetation health indices. - Internat. J. Remote Sensing **25**: 2889-2896.
- KONAGAYA, Y. (2013): The Impact of Agricultural Development on Nomadic Pastoralism in Mongolia. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 255-267. - Tokyo-Heidelberg-New York-Dordrecht-London.

- KÖPKE, K.; ZEMMRICH, A. (2009): Die Wüsten und Halbwüsten der Mongolei - Böden und Vegetation. - In: ZEMMRICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. - Greifswalder geogr. Studienmaterialien **9**: 92-103, Wismar.
- KOROTKOV, I.A.; KRASNOSHCHEKOV, Y.N. (1998): Relationship between forest and steppe in northern Mongolia. Translated from *Ekologiya* 1998. - Russ. J. of Ecology **29** (4): 230-235.
- KOSAČEV, P.A.; GERMAN, D.A. (2004): Novyj vid roda *Veronica* L. (Scrophulariaceae) iz zapadnoj Mongolii - Generis *Veronica* L. (Scrophulariaceae) species nova e Mongolia occidentali. - Novosti Sist. vysšich. Rast. **36**: 209-212.
- KOŽOVA, O.M.; CENDSÜREN, A.; ŠPEJZER, G.M.; ŽAMSRAN, C.; BATSÜCH, N. (1982): Prirodnye ekosistemy ozera Chubsugul. - MUIS Erdem šinžilg. Bičig No. **1 & 2** (77, 78): 129-135.
- KRASNOBOROV, I.M. (2006): Zametki po flore krajnego zapada Mongolii v predelach Mongolskogo Altaja i verchovij rek bassejna reki Kobdo. - In: Probl. Botaniki južnoj Sibiri i Mongolii. - Materialy 5. Meždunar. naučno-prakt. Konf. Barnaul, Nojabr 2006: 134-140. - Barnaul.
- KRASNOŠČEKOV, Ju.N. (1983): Nekotorye osobennosti počvozaščitnoj roli psevdotaežnych listvenničnikov. - In: Lesa Mongolskoj Narodnoj Respubliki (Listvenničnye lesa Centralnogo Changaja): 73-81, Novosibirsk.
- KRENGEL, M. (2000): Discourse on history of vegetation and climate in Mongolia – palynological report of sediment core Bayan Nuur I (NW-Mongolia). - In: WALTHER, M.; JANZEN, J.; RIEDEL, F.; KEUPP, H. (eds.): State and Dynamics of Geosciences and Human Geography of Mongolia. - Extended Abstracts Int. Sympos. Mongolia 2000. - Berliner Geo-wiss. Abh., Reihe A **205**: 80-84.
- KRETSCHMER, M. (2008): Fernerkundungsbasierte Kartierung der Vegetationstypen im nördlichen Khovd Aimag (West-Mongolei). - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 11-39, Hamburg.
- KRETSCHMER, M.; ZEMMRICH, A. (2009): Die Vegetation der Westmongolei - Vom Becken der Großen Seen zum Mongolischen Altai. - In: ZEMMRICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. Greifswalder geogr. Studienmaterialien **9**: 111-126, Wismar.
- Lesa Mongolskoj Narodnoj Respubliki (Listvenničnye lesa Centralnogo Changaja) (1983). - Novosibirsk, 149 S.
- LI, S.G.; TSUJIMURA, M.; SUGIMOTO, A.; DAVAA, G.; SUGITA, M. (2006): Natural recovery of steppe vegetation on vehicle tracks in central Mongolia. - J. of Biosciences **31**(1): 85-93.
- LIGAA, U. (1972): Vidy roda *Thermopsis* R. BR., proizrastajušcie v Mongolskoj Narodnoj Respublike, ich biologija, ekologija i chozjajstvennoe značenie. - Avtoref. Diss. Kand. biol. Nauk, 22 S., Leningrad.
- LIGAA, U. (1978): (Genus *Thermopsis* R. BR. in Mongolia). - In: BNMAU-yn urgamlyn ajmag, urgamaržiltyn sudalgaa (Issledovanija flory i rastitelnosti) **1**: 389-563, Ulaanbaatar (mong.).
- LIGAA, U. (1981): Mongol orny žims, žimsgenet urgamar (Fruit bearing plants of Mongolia). - Ulaanbaatar, 176 S. (mong.).
- LIGAA, U. (1981): (Mjata polevaja [rasprostranenie, ekologija, chimija i primenenie]). - Bot. chür. Erdem šinžilg. Büteel Jg. 1981 (5): 199-204 (mong.).
- LIGAA, U. (1982): Mongol orny ašigt urgamar (Nutzpflanzen der Mongolei). - Ulaanbaatar, 230 S. (mong.).
- LIGAA, U. (1994): Mongol orny ašigt urgamar. **2**-r bot (Useful Plants of Mongolia. **2**. Vol.). - Zochiogčijn Gerčilgeenij 19/94 (mong.).

- LIGAA, U. (1996): Medicinal plants of Mongolia used in Mongolian Traditional Medicine. - 416 S., Seoul.
- LIGAA, U.; DARIJMAA, S.; CERENNADMID, P.; ŽANČIVDORŽ, N.; SARANGEREL, U.; BAT-ENEREL, B. (2008): (Photo album of very rare plants of Mongolia.) - Ulaanbaatar, 212 S. (mong.).
- LIGAA, U.; DARIJMAA, S.; ŽANČIVDORŽ, N.; ŽAMIJANDORŽ, Ch.; BAT-ENEREL, B. (2009): (Photo album of rare plants of Mongolia.). - Ulaanbaatar, 388 S. (mong.).
- LIGAA, U.; DAVAASUREN, D.; NINJIL N. (2009): Medicinal plants of Mongolia used in Western and Eastern medicine. - Biol. Res. prir. Uslov. Mongoli **54**, Moscow, 378 S.
- LINDEMAN, G.V.; ENKHSAIKHAN, D.; ZHALBAA, K. (1994): Conditions of natural growth of Chinese elm in the deserts of Mongolia. - Lesovedenie Jg. **1994** (2): 42-53.
- LKHAGVA, A.; BOLDGIV, B.; GOULDEN, C.E.; YADAMSUREN, O.; LAUENROTH, W.K. (2013): Effects of grazing on plant community structure and aboveground net primary production of semiarid boreal steppe of northern Mongolia. - Grassland Science **59**: 135-145.
- LKHAGVADORJ, D.; HAUCK, M.; DULAMSUREN, Ch.; TSOGTBAATAR, J. (2013): Pastoral nomadism in the forest-steppe ecotone of the Mongolian Altai under a changing economy and a warming climate. - J. of Arid Environments **88**: 82-89.
- LKHAGVADORJ, D.; HAUCK, M.; DULAMSUREN, Ch.; TSOGTBAATAR, J. (2013): Twenty years after decollectivization. Mobile livestock husbandry and its ecological impact in the Mongolian forest steppe. - Human Ecology **41**: 725-735.
- LOMONOSOVA, M.; BRANDT, R.; FREITAG, H. (2008): *Suaeda corniculata* (Chenopodiaceae) and related new taxa from Eurasia. - Willdenowia **38**: 81-109.
- MAGSAR, D.; GANBAT, S. (1983): (Osnovnye dikorastuščie poleznye rastenija, proizrastajuščie v Prichubsugule i v prilegajuščich k nemy rajonach). - Möörön, 71 S. (mong.).
- MAGSAR, D.; SANČIR, Č.; ŠRETER, A. I. (1986): Mongol orny šuchertenij ovgijn urgamlijn tar-chatsjin šine nutag (New areas of plants of the family Umbelliferae in Mongolia). - Bot chür Erdem šinžilg. Büteel **8**: 47-50 (mong./engl.).
- MANDACH, B. (2008): Struktura i sostav osnovnych soobščestv i chod ich sezonnogo razvitiya stepej vostočnoj Mongoli. - Bot. chür. Erdem šinžilg. Büteel **18**: 63-70.
- MANDACH, B. (2008): Sörsön dech üriйn nööcijн sudalgaany dün (Study of seed bank in soils). - Bot. chür. Erdem šinžilg. Büteel **18**: 71-80 (mong./engl.).
- MANDACH, B. (2009): Derevger žirgerüü - *Saposhnikovia divaricata* (TURCZ.) SCHISCHK. - ijn populjacijen bütéc bürel dechüünij onclog (Peculiarity of composition and structure of the population *Saposhnikovia divaricata*). - Bot. chür Erdem šinžilg. Büteel **21**: 145-150 (mong./engl.).
- MANDAKH [= MANDACH], B. (2010): Dinamika cenopopulacij osnovnych soobščestv stepej. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **1**: 273-275, Ulaanbaatar.
- MANDACH, B.; ERÖÖLT, E. (2013): Cölijn cheerijn urgamalžlyn monitoringijn sudalgaany dün (Zu Untersuchungen des Vegetationsmonitorings in der Halbwüste). - Bot chür. Erdem šinžilg. Büteel **25** (mong.).
- MANIBAZAR, N. (2006): (Historic review of vascular flora studies in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **16**: 6-17 (mong.).
- MANIBAZAR, N. (2010): Mongol orny guurst urgamlijn zyjil zagijn latin-mongol ner tomijonij (Wörterbuch der lateinischen und mongolischen Namen von Gefäßpflanzen der Mongolei). - Ulaanbaatar, 244 S.
- MERKUŠEVA, M.G.; UBUGUNOVA, V.I.; UBUGUNOV, L.L. (1996): Biologičeskaja produktivnost, soderžanie i nakoplenie makro- i mikroelementov nadzemnoj i podzemnoj fitomassoj pojmennych nastojaščich lugov v basseine r. Selengi. - Agrochimija Jg. 1996 (12): 28-40.

- MERKUŠEVA, M.G.; UBUGUNOVA, V.I.; UBUGUNOV, L.L. (1997): Biologičeskaja produktivnost, soderžanie i nakoplenie makro- i mikroelementov nadzemnoj i podzemnoj fitomassoj pojmenykh ostepnennych lugov v bassejne r. Selengi. - Agrochimija Jg. 1997 (1): 28-35.
- Metodičeskie rekomenedacii po ekologičeskoj ocenke sostojanija prirodnoj sredy i biologičeskich resursov v MNR (1989). - Ulan-Bator, 60 S.
- MIEHE, G.; SCHLÜTZ, F.; MIEHE, S.; OPGENORTH, L.; CERMAK, J.; SAMIYA, R.; JÄGER, E.J.; WESCHE, K. (2007): Mountain forest islands and Holocene environmental changes in Central Asia: A case study from the southern Gobi Altay, Mongolia. - Palaeogeography, Palaeoclimatology, Palaeoecology **250**: 150-166.
- MINAEVA, T.Ju.; ANDREEV, A.V.; BAŽA, S.N.; BAJASGALAN, D.; VOROBEV, K.A.; GUNIN, P.D.; DOROFEJKU, N.I.; DROBÝŠEV, Ju.I.; DUGARŽAV, Č.; PRIŠČEPA, A.V.; SAANDAR, M.; SIRIN, A.A.; SLEMNEV, N.N.; SMAGIN, V.A.; SURIKOVA, P.M.; UBUGUNOV, L.L.; UBUGUNOVA, V.I.; CEDENDAŠ, G.; CECEGMAA, D.; ČERDONOVA, V.A. (2008): Bolotnye ekosistemy Mongolii - Mire Ecosystems of Mongolia. - Moskva, 187 S. (russ. u. engl.).
- MINAYEVA, T.; SIRIN, A.; DOROFEYUK, N.; SMAGIN, V.; BAYASGALAN, D.; GUNIN, P.; DUGARJAV, Ch.; BAZHA, S.; TSEDENDASH, G.; ZOYO, D. (2005): Mongolian Mires: From Taiga to Desert. - Stafia **85**: 335-352.
- MIRKIN, B.M.; KAŠAPOV, R.Š.; ALIMBEKOVA, L.M. (1988): Geobotaničeskaja i chozjajstvennaja charakteristika senokosov v pastbiš goschozo "Tevšrulech". - In: Fitocenotičeskie osnovy ulučsenija estestvенных kormovych ugodijs Mongolskoj Narodnoj Respubliki. - Biol. Res. prir. Uslov. MNR **31**: 7-44, Moskva.
- MIRKIN, B.M.; KAŠAPOV, R.Š.; MANIBAZAR, N.; NAUMOVA, L.G. (1972): Rastitelnost pojmy r. Ongijn-Gol. - In: Rastitelnost rečnych pojmy, metody ee izučenija i voprosy racionalnogo ispolzovanija. - Tezisy Dokladov Konf. Ufa 1972: 63-64, Ufa.
- MIRKIN, B.M.; KAŠAPOV, R.Š.; MANIBAZAR, N.; ONIŠČENKO, L.I. (1977): K geografii iv v pojmach MNR. - Bot. Ž. **62** (5): 699-704.
- Mongolyn urgamlyn ajmag. 10-r devter. Magnoliophyta (Magnoliopsida) Apiaceae – Cornaceae (Flora of Mongolia, Volume **10**). – Ulaanbaatar (2009), 130 S. (mong.).
- Mongolyn urgamlyn ajmag. 17-r devter. Magnoliophyta (Liliopsida) Cyperaceae (Flora of Mongolia, Volume **17**). - Ulaanbaatar (2009), 137 S. (mong.).
- Mongol Ulsyn Ündesnij Atlas (Mongolischer Staatsatlas). - Ulaanbaatar (2009), 245 S. (mong.).
- MÖNCHBAJAR, S. (1981): (Pojasnost rastitelnosti vysokogorij Changaja, kak osnova botaniko-geografičeskogo rajonirovaniya) - Bot. chür. Erdem šinžilg. Büteel Jg. 1981 (5): 80-82 (mong.).
- MÖNCHBAJAR, S. (2008): Changajn uularchag nutgijn urgamažlyn tojm (Zur Vegetation des Changai-Gebirges). - Ulaanbaatar, 90 S. (mong.).
- MÖNCHBAJAR, S.; BJAMBASUREN, S.; TÜVŠINTOGTOCH, I.; ARIUNGEREL, B (1997): (Flora und Vegetation der streng geschützten Gebiete der Ost-Mongolei). - Ulaanbaatar, 113 S. (mong.).
- MÖNCH-ERDENE, T. (2011): (The genus of *Corydalis* DC. In Mongolia). - Bot. chür. Erdem šinžilg. Büteel **23**: 33-61 (mong./engl.).
- MÖNCH-ERDENE, T.; URGAMAL, M. (2009): Mongol orny Pyrolaceae LINDL. - Turuuđajtan ((Unaganturuutan) ovgijn urgamal (Plant[s] of the family Pyrolaceae LINDL. in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **21**: 56-62 (mong./engl.).
- MÖNCHZUL, O.; CHOSBAJAR, C.; BAJARŽARGAL, B. (2012): Uulyn cheerijn üeten-alag övst bülgemdlijn chödlölzüj (Dynamik der krautreichen Bergsteppen-Zönosen). - Bot. chür. Erdem šinžilg. Büteel **24**: 78-90 (mong.).
- MÖNCHŽARGAL, B. (2008): Nen chovor, goc ašigt šargalduu lider - *Sophora flavescens* SOLAND. -ijn šine nutag (Novye mestonachoždenija redkogo i sčezajuščego i poleznogo rastenija Sofory Želtovatoj - *Sophora flavescens* SOLAND.). - Bot. chür. Erdem šinžilg. Büteel **20**: 68-70 (mong./russ.).

- MÖNCHŽARGAL, B.; BATCEREN, C. (2013): Dornogov ajmgijn nen chovor, ašigt urgamlyn tarchacyn sudalgaany düngees (Zur Verbreitung sehr seltener Nutzpflanzen im Dornogov Aimak). - Bot. chür Erdem šinžilg. Büteel **25** (mong.).
- MÜHLENBERG, M. (1998): Dynamics of the forest-steppe in Mongolia. - In: Ecological and economic problems in the boreal woodlands of Russia. - Int. Workshop Dresden 1998: 94-95, Dresden.
- MÜHLENBERG, M. (2012): Long-term research on biodiversity in West Khentey, northern Mongolia. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 27-37.
- MÜHLENBERG, M.; HONDONG, H.; DULAMSUREN, Ch.; GADOW, K.V. (2004): Large-scale biodiversity research in the southern taiga, Northern Mongolia. - In: SZABO, R. C.; PETERSON, C.E.; GADOW, K.V.; KRÄUCHLI, N.; BROGGI, M.F. (eds.): Creating a Legacy for Sustainable Science-based Forest Management: Lessons Learned from Field Experiments. - J. of Forest, Snow and Landscape Res. **78**: 93-118.
- MUNCH-BAJAR, S. (1988): Rastitelnost vysokogorij Changaja i ich chozjajstvennoe ispolzovanie. - Avtoref. Diss. Ulan-Bator, 28 S..
- MUNCHBAJAR [= MÖNCHBAJAR], S.; BANZRAGČ, D. (1978): O granicach vysokogornogo pojasa rastitelnosti v gorach Changaja. - In: Geografija i dinamika rastitelnogo i životnogo mira MNR. Biol. Res. prir. Uslov. MNR **10**: 25-29. - Leningrad.
- MUNKH-ERDENE, T.; URGAMAL, M. (2013): (Some taxonomic results of the genus *Corydalis* DC. in Mongolia). - Proc. "Khurel Togoot 2013"-Conf. Ulaanbaatar: 105-108 (mong.).
- MUNKHJARGAL, B. (2004): (Resource, distribution and biology-ecology of *Cistanche deserticola* MA.). - Bot. chür. Erdem šinžilg. Büteel **15**: 179-182 (mong.).
- MUNKHTSETSEG, E.; KIMURA, R.; WANG, J.; SHINODA, M. (2007): Pasture yield response to precipitation and high temperature in Mongolia. - J. Arid Environment **70**: 94-110.
- MUNGUNTULGA, E.; MORITA, T.; SANO, T.; NISHIDA, H. (2009): Vegetation Analysis using Air Photo Images by Motor-Paraglider. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 301-308.
- MUNGUNTULGA, E.; NISHIDA, H. (2004): Some results of study on flora and vegetation nearby of river Shishkhid of Khuvgul, Darkhad Depression. - East Asian Studies **2004** No. 6: 43-50.
- NACHINSHONHOR, G.U.; JARGALSAIKHAN, L. (2010): Sustainability of grassland ecosystems and nomadic pastoralism in Mongolia. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 124-125, Ulaanbaatar.
- NAKAMURA, T.; SUZUKI, K. (eds.) (2009): Ecological Studies on the Steppe Vegetation in Mid-western Mongolia. Assessment of cultivation and grazing pressure on the steppe ecosystems and biodiversity conservation in Central Asia. - 56 S., Tsukuba, Japan.
- NAKANO, T.; NEMOTO, M.; SHINODA, M. (2008): Environmental controls on phytosynthetic production and ecosystem respiration in semi-arid grasslands of Mongolia. - Agricultural and Forest Meteorology **148**: 1456-1466.
- NAMZALOV, B.B.; RADNAEVA, T.D. (2007): Ob osobennostjach flory i rastitelnosti r. Dzelter Džidinskogo ngorja (bassejn r. Selenga, Mongoliya). - In: Problemy botaniki južnoj Sibiri i Mongolii. Materialy 6. Meždunar. naučno-prakt. Konf. Barnaul Okt. 2007: 41-43, Barnaul.
- NAMZALOV, B.B.; TSYRENOVA, M.G.; MUNGUNTULGA, E. (2009): Structure of Vegetation Cover of the Talyn Nuur Lake (Darkhadyn Khotgor, Mongolia). - In NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 309-318.
- NANDINTSETSEG, B.; SHINODA, M. (2013): Assessment of drought frequency, duration, and severity and its impact on pasture production in Mongolia. - Natural Hazards **66**: 995-1008.
- NARANGARAV, D.; LIN, Ch. (2011): Investigation of vegetation dynamics of Mongolia using time series of NDVI in response to temperature and precipitation. - Mong. J. biol. Sciences **9** (1-2): 9-18, Ulaanbaatar.

- NARANTSETSEG, A.; KANG, S.; LKHAMSUREN, B.-E.; KO, D. (2014): Determinants of *Caragana microphylla* density distribution in the Mongolian steppe. - Ecological Res. **29** (5): 855-865.
- NARANTUJAA, N. (2008): Alas övs - üetent nugyn bulgemdljin urgamlyn ekologijn bulgijn amdralyn chelberijn charycaa öörclögdöch n (The change of plant ecological and life form groups in the forb-grass meadow plant community). - Bot. chür. Erdem šinžilg. Büteel **20**: 60-63 (mong./engl.).
- NARANTUYA, N.; KHOSBAYAR, Ch.; DAVAASUREN, D. (2010): Vegetation succession in two meadow communities under influence of grazing in forest steppe zone of Mongolia. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 126-129, Ulaanbaatar.
- NEUFFER, B.; FRIESEN, N.; OYUNTSETSEG, B.; JAMSRAN, Ts.; HURKA, H. (2012): Osnabrück botanical expeditions to Mongolia. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 307-333.
- NISHIDA, H.; JAMSRAN, Ts. (2009): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems. - Konohanacho-Kanazawa-Ishikawa, Japan, 539 S.
- NJAMBAJAR, D. (2007): Mongolyn urgamlyn ajmag dach tövöntösijn (*Eriophorum* L.) töröl (Genus *Eriophorum* L. in the flora of Mongolia). - Bot. chür. Erdem šinžilg. Büteel **17**: 34-37 (mong./engl.).
- NJAMBAJAR, D. (2009): Mongolyn urgamlyn ajmag. 17-r devter. Magnoliophyta (Liliopsida) Cyperaceae (Flora of Mongolia, Volume **17**). - Ulaanbaatar 2009, 137 S. (mong.). s.a. Mongolyn urgamlyn Ajmag Vol. **17**.
- NJAMDORŽ, Ž.; MIRKIN, B.M. (1988): Ekologičeskie i fitocenotičeskie zakonomernosti vlijanija udobrenij na senokosy i pastbišča severo-vostočnogo Changaja. - In: Fitocenotičeskie osnovy ulučšenija estestvennykh kormovych ugodij Mongolskoj Narodnoj Respubliki. Biol. Res. prir. Uslov. MNR **31**: 88-113, Moskva.
- NOVIKOVA, N.M.; VYSHIVKIN, A.A.; SHADRINA, M.B.; BUHAREVA, O.A. (2010): Vlijanie pastbiščnoj nagruzki raznoj intensivnosti na rastitelnost soloncovogo kompleksa. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **1**: 202-205, Ulaanbaatar.
- NOVOSELOVA, M. S.; SYTIN, A. K. (2004): Typovye obrascy taksonov rodov *Astragalus* L. i *Oxytropis* DC. (Fabaceae) Kitaja i Mongolii, chranjaščiesja v gerbarii Botaničeskogo Instituta im. V. L. Komarova (LE) - Specimina typica taxorum e generibus *Astragalus* L. et *Oxytropis* DC. (Fabaceae) Chinae et Mongoliae in herbario Instituti Botanici nomine V. L. Komarovii (LE) conservata. - Novosti Sist. vysšich. Rast. **36**: 263-269.
- NYAMBAYAR [NJAMBAJAR], D. (2000): Plants of the genus *Carex* L. (Cyperaceae JUSS.) in Ulaanbaatar region. - Bot. chür. Erdem šinžilg. Büteel **13**: 51-56.
- NYAMBAYAR, D. (2004): On the systematical issues of the genus *Blysmus* PANZ. in the flora of Mongolia. - Bot. chür. Erdem šinžilg. Büteel **15**: 67-68.
- NYAMBAYAR, D. (2005): Taxonomy of Mongolian bulrushes (Cyperaceae JUSS.). - Mongol J. biol. Sciences **3** (1): 47-48.
- NYAMBAYAR, D. (2009): The Genus *Kobresia* WILLD. (Cyperaceae JUSS.) in the flora of Mongolia. - Mong. J. biol. Sciences **7**: 7-13.
- NYAMBAYAR, D. (2010): Updates to the family Cyperaceae JUSS. in the flora of Mongolia. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 236-238, Ulaanbaatar.
- NYAMBAYAR, D. (2011): (Systematical investigation of the family Cyperaceae JUSS. in the flora of Mongolia). - Ph. D. Thesis, Ulaanbaatar, 113 S. (mong./engl.).
- NYAMBAYAR, D.; OYUNTSETSEG, B.; TUNGALAG, R. (2012): Mongolian Red List and Conservation Action Plans of Plants - In: JAMSRAN, Ts.; SANCHIR, Ch.; BACHMANN, S.;

- SONINKHISHIG, N.; GOMBOBAATAR, S.; BAILLIE, J.E.M.; TSENDEEKHUU, Ts. (eds.): Regional Red List Series (Part 1). - National University of Mongolia, Zoological Society of London, Ulaanbaatar-London, 183 S. (mong./engl.).
- NYAMBAYAR, D.; OYUNTSETSEG, B.; TUNGALAG, R. (2013): First Regional Red List in Mongolia. - In: Proc. Int. Sympos. on Biodiversity in North Asia. National Inst. of Biol. Resources, Republic of Korea: 80-90.
- OCHIRBAT, G. (2009): (Melliiforous and pollen plants of Mongolia). - Bot. chür. Erdem šinžilg. Büteel **21**: 252-264 (mong.).
- OGUREEVA, G.N.; MIKLJAEVA, I.M. (2010): Prostranstvennaja organizacija stepej vostočnoj Mongolii i problem ich vosstanovlenija. - In: Ecological Consequences of Biospere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **1**: 248-251, Ulaanbaatar.
- OGUREEVA, G.N.; MIKLJAEVA, I.M.; BOČARNIKOV, M.V.; DUDOV, S.; TUVŠINTOGTOCH, I. (2009): Krupnomasštabnoe kartografirovanie Dauro-Mongolskich stepej dlja celej monitoring. - Aridnye Ekosistemy **15** (2): 18-27.
- OGUREEVA, G.N.; MIKLYAEVA, I.M.; BOCHARNIKOV, M.V.; DUDOV, S.V.; TUVSHINTOGTOKH, I.; JARGALSAIKHAN, L. (2011): The Spatial Organisation and Diversity of Eastern Mongolian Steppes. - Arid Ecosystems **1** (1): 29-37.
- OJIMA, D.; CHULUUN, T. (2002): Sustainability of pastoral systems in Mongolia. - In: CHULUUN, T.; OJIMA, D. (eds.), Fundamental issues affecting sustainability of the Mongolian steppe: 19-25. - Ulaanbaatar.
- OJUMAA, Ž. (1997): Chövsgöl nuuryn orčmyн chovor bolon ustaž bolzošgúj urgamal (Rare and Endangered Plants of the Hovsgol Lake Basin). - Ulaanbaatar, 30 S. (mong.).
- OJUUNBILEG, Ch.; CERENDULAM, C.; OJUNCECEG, B. (2012): Chustajn Bajgalijn Cogcolbort Gazryñ chiag-adamsyn šariž-krylovyn chjalganat bûlgemdijin monitoringyn sudalgaany zairim dün (Einige Ergebnisse des Monitorings in der *Agropyron cristatum*-*Artemisia adamsii*-*Stipa krylovii*-Gesellschaft im Chustai-Nationalpark). - Bot. chür. Erdem šinžilg. Büteel **24**: 91-98 (mong.).
- OJUNCECEG, B. (2006): (Systematical analysis of the genus *Dontostemon* ANDRZ. ex C.A. MEY. (Brassicaceae JUSS.)). - Ph. D. Thesis Ulaanbaatar, 125 S. (mong.).
- OJUNCECEG, B. (2007): Mongol orny *Dontostemon* (ANDRZ.) C. A. MEY. (Brassicaceae JUSS.) törljin erönchij tojm (The genus *Dontostemon* (ANDRZ.) C. A. MEY. (Brassicaceae JUSS.) in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **17**: 37-46 (mong./engl.).
- OLONOVA, M.V.; BEKET, U. (2010): (Rare and endagerd plants of Mongolian Altai. The approach to the problem of their conservation). - Bot. chür. Erdem šinžilg. Büteel **22**: 76-89 (russ.).
- OPP, K. [OPP, Ch.]; CHILBIG, V. [HILBIG, W.] (2008): Počvennyj i rastitelnyj pokrov zonalnych i nezonalnych ugodij Ubsunurskoj kotloviny (Mongolija, Tuva). Soil and plant cover at zonal and non-zonal sites of the Uvs-nuur basin (Mongolia, Tuva). - In: KURBATSAYA, S.S.; KUZHUGET, S.K. (eds.): Ecosystems of Central Asia: Investigations, Conservation and Nature-Use Problems. Proceedings of 9th Int. Ubsu-Nur. Symp., Sept. 2008, Kysyl: 104-117. - Kysyl.
- OTGONSUREN, B.; LEE, M. (2010): A native arbuscular Mycorrhizal fungus, *Acaulospora scrobiculata*, stimulated growth of Mongolian crested wheatgrass (*Agropyron cristatum* (L.) GAERTN.). - Mong. J. biol. Sciences **8** (2): 33-42, Ulaanbaatar.
- OYUMAA, J. (1990): (Results of phonological study of Hovsgol Lake region). – In: Conditions and resources of Hovsgol Lake region and Selenge drainage basin: 26-29. - Ulaanbaatar (mong.).
- OYUMAA, J. [OJUMAA, Ž] (2001): Wildflowers of Northern Mongolia. - Ulaanbaatar, 46 S. (engl. u. mong.).
- OYUMAA, J.; DE PRIEST, P. (2011): (New records of the plant distributions of the phytogeographical region in Khuuvsgul.) - Bot. chür. Erdem šinžilg. Büteel **23**: 40-44. - Ulaanbaatar (mong.).

- ОYUMAA, J.; ERDENETSETSEG, B. (2004): (Results of study plant phytomass dynamic of the grass-forb mountain steppe community of the Eastern shore of Hovsgol Lake). - Proc. of Institute Meteorology and Hydrologie MAS **26**: 74-79, Ulaanbaatar (mong.).
- ОYUMAA, J.; JAMSRAN, Ts. (2007): Plant Phytomass Changes in a Larch Forest of the Lake Hövsgöl Area, Northern Mongolia. - Mong. J. biol. Sciences **5** (1-2): 45-52, Ulaanbaatar.
- ОYUNDARI, Ch.; WEHRDEN, H. von; WESCHE, K.; ОYUNTSETSEG, B.; DEJIDMAA, Ts.; NYAMBAYAR, D.; SONINKHISHIG, N. (2013): Plant communities along the altitudinal gradient of Bulgan river Basin. - Proc. Int. Conf. Plant Diversity and Ecosystem Services in Continental Asia: 42-43. - Ulaanbaatar.
- ОYUNGEREL, Sh. (2010): Water regime indices of some plants. - Bot. chür. Erdem шинжилг. Büteel **21**: 205-208.
- ОYUNSANAA, B. (2011): Fire and Stand Dynamics in Different Forest Types of the West Khentey Mountains, Mongolia. - Diss. Univ Göttingen, 117 S.
- ОYUNTSETSEG, B. (2007): (The genus *Dontostemon* [ANDRZ.] C. A. MEY. [Brassicaceae JUSS.] in Mongolia). - Bot. chür. Erdem шинжилг. Büteel **17**: 37-46 (mong.).
- ОYUNTSETSEG [OJUUNCEEG], B.; BLATTNER, F.R.; FRIESEN, N. (2012): Diploid *Allium ramosum* from East Mongolia: A missing link for the origin of the crop species *A. tuberosum*? - Erforsch. biol. Ress. Mongolei (Halle/Saale) **12**: 415-424.
- ОYUNTSETSEG, B.; FRIESEN, N.; DARIKHAND, D. (2013): *Allium carolineum* DC. a new species to the Outer Mongolia. - Turczaninowia **16** (2): 88-90 (russ.).
- ОYUNTSETSEG, B.; FRIESEN, N.; DARIKHAND, D.; NYAMBAYAR, D.; ОYUNDARI, Ch.; SONINKHISHIG, N.; DEJIDMAA, Ts.; UURIINTSOLMON, E. (2013): *Allium carolinianum* DC. - a new species in Mongolia. - In: Proc. Int. Conf. Plant Diversity and Ecosystem Services in Continental Asia, Ulaanbaatar: 73.
- ОYUNTSETSEG, B.; JAMSRAN, Ts. (2006): Distribution of the Central Asian Genus *Dontostemon* ANDRZ. ex C. A. MEY. (Brassicaceae BURNETT). – Mong. J. biol. Sciences **4** (2): 47-51.
- ОYUNTSETSEG, B.; TUNGALAG, R.; ОYUNDARI, Ch.; NYAMBAYAR, D.; SONINKHISHIG, N.; DEJIDMAA, Ts.; UURIINTSOLMON, E. (2013): Notes on the new finding - *Lythrum virgatum*. -In: Proc. Int. Conf. Plant Diversity and Ecosystem Services in Continental Asia, Ulaanbaatar: 74.
- ОYUNTSETSEG, B.; URGAMAL, M. (2014): Endemic species of Mongolia and their Conservation status. - In: Proc. Int. Sympos. on Biodiversity Conservation in North-East Asia, Inst of Biol. Resources Republic of Korea:185-195.
- ОYUNTSETSEG, B.; URGAMAL, M.; TUNGALAG, R. (2012): Contribution to the knowledge of the flora of the Transaltai Gobi in Mongolia. - Bot. chür. Erdem шинжилг. Büteel **24**: 32-44.
- ÖLZIJCHUTAG, N. (1982): Ključ dlja opredelenija vidov roda Astragala (*Astragalus* L.) vo flore MNR. - Bot. chür. Erdem шинжилг. Büteel Jg. 1982 (8): 121-154.
- ÖLZIJCHUTAG, N. (1985): Bügd Najramdach Mongol Ard Ulsyn Belčeer, chadlan dach težeelijn urgamar tanich bičig (Opredelitel kormovych rastenij pastbišč i senokosov Mongolskoj Narodnoj Respubliki). - Ulaanbaatar, 560 S. (mong.).
- ÖLZIJCHUTAG, N. (2003): Bobovye Mongolii (taksonomija, ekologija, geografija, filogenija i chozjastvennoe značenie). - Ulaanbaatar, 588 S.
- ÖLZIJCHUTAG, N.; CECEGMAA, D. (1977): (Vozmožnosti primenenija anatomičeskikh osobennostej čereškov nekotorych vidov roda astragala dlja ich sistematiceskogo analiza.). - Bot. chür. Erdem шинжилг. Büteel Jg. **1977** (3):109-129, (mong.).
- ÖLZIJCHUTAG, N.; ENCHMAA; Ö. (2013): Mongol orny urgamlyn ajmag dach Songinyn ovog (Alliaceae J. AGARDH.)-ijn bütgel bičig (Übersicht über die Familie Alliaceae in der Flora der Mongolei). - Bot. chür. Erdem шинжилг. Büteel **25**: 19-31. (mong.).
- PACYNA, A. (2003): *Deschampsia borealis* (Poaceae), a species new to the flora of Mongolia. – Polish bot. J. **48** (1): 43-45.

- PAVLOV, D.S.; GALBAATAR, T.; KAMELIN, R.V.; ULZIYKHUTAG, N.; GUNIN, P.D.; DUGARJAV, Ch. (2005): Ecosystems of Mongolia. - Atlas: 1-48, Moscow.
- PEDERSON, N.; JACOBY, G. C.; D'ARRIGO, R. D.; COOK, E. R.; BUCKLEY, B. M.; MIJIDDORJ, R. (1995): Hydrometeorological reconstructions for Northeastern Mongolia derived from tree rings. 1651-1995. - *J. Climate* **14**: 872-881.
- PODLECH, D.; ZARRE, Sh., with collaboration of EKICI, M.; MAASSOUMI, A.A.; SYTIN, A. (2013): A taxonomic revision of the genus *Astragalus* L. (Leguminosae) in the Old World. - Vol. I. Sections 1. *Annulares* - 63. *Hemiphragmium*. S. 1-822. Vol. II. Sections 64. *Leptophysa* - 101. *Onobrychoidei*. S. 823-1640. Vol. III. Sections 102. *Hololeuce* – 136. *Tragacantha*. S. 1641-2439. - 3 getrennte Bände mit fortlaufender Seitenzählung, Naturhist. Museum Wien.
- POPOVA, T.A. (1977): Biologija plotnodernovinnych lukov (*Allium polyrrhizum* TURCZ., *A. bidentatum* FISCH.) MNR. - In: Problemy ekologii, geobotaniki, botaničeskoj geografii i floristiki: 165-172, Leningrad.
- PRICE, M.P. (1912/1913): I. Observations on the Vegetation of the Siberian-Mongolian Frontier, the North-West Mongolian Plateau, and Chinese Dzungaria. - In: PRICE, M.P.; SIMPSON, N.D.: An Account of the Plants collected by Mr. M. P. Price on the Carruthers-Miller-Price Expedition through North-West Mongolia and Chinese Dzungaria in 1910. - *J. Linnean Soc. Botany* **41**: 385-398.
- PUNSALPAAMUU, G.; NAMZALOV, B.B.; GUNDEGMAA, V. (2009): Dominant Vegetation in Talyn-Nuur and other Lake's Basin in Darkhadyn Khotgor Wetland. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems.: 287-291.
- PUNSALPAAMUU, G.; SCHLUETZ, F.; GEGEENSUVD, Ts.; SAINDOVDON, D. (2012): On the importance of pollen morphology in classification of Chenopodiaceae in Mongolia. - *Erforsch. biol. Ress. Mongolei (Halle/Saale)* **12**: 429-436.
- PUREVDORJ, Ts.; TATEISHI, R.; ISHIYAMA, T.; HONDA, Y. (1998): Relationships between percent vegetation cover and vegetation indices. - *Int. J. Remote Sensing* **19**: 3519-3535.
- PYAK, A.L.; SHAW, S.C.; EBEL, A.L.; ZVEREV, A.A.; HODGSON, J.G.; WHEALER, C.D.; GASTON, K.J.; MORENKO, M.O.; REVUSHKIN, A.S.; KOTUKHOV, Y.A.; OYUNCHIMEG, D. (2008): Endemic plants of the Altai Mountain country. - Hampshire.
- PYAK, A.L.; SHAW, S.C.; EBEL, A.L.; ZVEREV, A.A.; MORENKO, M.O.; HODGSON, J.G.; OYUNCHIMEG, D.; WILLIS, A.J.; WHEELER, B.D. (2007): A new species of *Lagopsis* (Lamiaceae) from Mongolia. - *Kew Bull.* **62**: 107-111.
- RACHKOVSKAYA, E.I. (2001): Anthropogenic transformation of desert ecosystems in Mongolia. - In: BRECKLE, S.-W., VESTE, M.; WUCHERER, W. (eds.): Sustainable land use in deserts: 275-280. - Berlin.
- RAČKOVSKAJA, E.I.; EVSTIFEEV, Ju.G. (1977): K voprosu o počvopriuročennosti soobščestv s gospodstvom *Allium polyrrhizum* TURCZ. - *Bot. Ž.* **62**: 684-692.
- READING, R.P.; AMGALANBAATAR, S.; LHAGVASUREN, L. (1999): Biological assessment of the Three Beauties of the Gobi National Conservation Park, Mongolia. - *Biodiversity and Conservation* **8**: 1115-1137.
- READING, R.; KENNY, D.; WIRGARD, G.; MANDAKH, B.; STEINHAUER-BURKART, B. (2006): Ikh Nart Nature Reserve. - Oberaula, 65 S.
- RILKE, S. (2009): Vegetationsaufnahmen im Halbwüstengebiet südlich von Khovd. - In: ZEMM-RICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. - Greifswalder geogr. Studienmaterialien **9**: 175-177, Wismar.
- RILKE, S.; NAJMI, U. (2011): FloraGREIF – virtual guide and plant database as a practical approach to the flora of Mongolia. - *Willdenowia* **41**: 371-379.
- RILKE, S.; NAJMI, U.; SCHNITTNER, M. (2013): Contributions to “E-Taxonomy” – A virtual approach to the flora of Mongolia (FloraGREIF). - *Feddes Repert.* **123**: 219-232.

- RONNENBERG, K.; HENSEN, I.; WESCHE, K. (2011): Contrasting effects of precipitation and fertilization on seed viability and production of *Stipa krylovii* in Mongolia. - Basic and Applied Ecology **12**: 141-151.
- RONNENBERG, K.; PIETSCH, M.; WESCHE, K.; HENSEN, I. (2007): Seed germination of five mountain steppe species of Central Asia. - J. Arid Environment **71**: 404-410.
- RONNENBERG, K.; WESCHE, K. (2011): Effects of fertilization and irrigation on productivity, plant nutrient contents and soil nutrients in southern Mongolia. - Plant and Soil **340**: 239-251.
- RONNENBERG, K.; WESCHE, K.; HENSEN, I. (2008): Germination ecology of Central Asian *Stipa* spp: differences among species, seed provenances, and the importance of field studies. - Plant Ecol. **196**: 269-280.
- RUDAJA, N.A.; EBEL, A.L. (2002): Novye vidy *Potentilla* L. i *Anoplocaryum* LEDEB. iz vysokogorij Mongolskogo Altaja. - Turczaninowia **5** (2): 5-10.
- RUDAYA, N.A.; TARASOV, P.E.; DOROFEYUK, N.I.; KALUGIN, I.A.; ANDREEV, A.A.; DIEKMANN, B.; DARYIN, A.V. (2008): Environmental changes in the Mongolian Altai during the Holocene. - Archaeol. Ethnol. Anthropol. Eurasia **36**: 2-14.
- SAFRONOVA, I.N. (2010): O fitocenotičeskom raznoobrazii stepej Onon-Baldžinskogo chrebita (među r. Kyroj i r. Baldž-gol). - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **1**: 288-291, Ulaanbaatar.
- SANČIR, Č. (1999): Rod *Caragana* LAM. (sistematika, ekologija, geografija, istorija razvitija i chozajstvennoe značenie). - Diss. Sankt-Peterburg.
- SANČIR, Č. (2007): Valerij Ivanovič Grubov 90 nasny süüder zoogloloo (Zum 90. Geburtstag von Valerij Ivanovič Grubov). - Bot. chür Erdem šinžilg. Büteel **17**: 211-222 (mong.).
- SANCHIR, Ch. [SANČIR, Č.]; BATKHUU, J.; BOLDSAIKHAN, B.; KOMATSU, K. (2003): Illustated Guide of Mongolian Useful Plants. Vol. **1**, Vol. **2**. - Ulaanbaatar.
- SANCHIR, Ch.; ALTANTSETSEG, G. (2011): (Genus *Caragana* L. - Function and effect in grassland). - Bot. chür. Erdem šinžilg. Büteel **23**: 45-61 (mong.).
- SANCHIR, Ch.; ALTANTSETSEG, G. (2011): (*Caragana* of grassland status). - Bot. chür. Erdem šinžilg. Büteel **23**: 62-67 (mong.).
- SANČIR, Č.; BATČHÜÜ, Ž.; MÖNCHBAATAR, A. (2004): Dundad chalchyn cheerijn tojrogт šineer nemegdech urgamluud (New species in the Middle Khalkha region). - Bot. chür. Erdem šinžilg. Büteel **14**: 6-8 (mong./engl.).
- SANČIR, Č.; CHAJDAV, C. (1973): (Dva novych vida dlja flory MNR). - Biol. uchaany chür. Erdem šinžilg. Büteel **7**: 101-106 (mong./russ.).
- SANCHIR, Ch.; GANBOLD, E.; TSEGMED, Ts. (2011): (Flora and systematical Investigation in the last 30 years of Mongolia). - Bot. chür. Erdem šinžilg. Büteel **23**: 62-67 (mong.).
- SANČIR, Č.; LIGAA, U. (2005): Mongol orny ašigt urgamlyn zuragt lavlach II (Colored Illustrations of Mongolian Useful Plants). - Ulaanbaatar, 240 S. (mong./engl. Titel).
- SANČIR, Č.; MANDACH, B. (2008): Sүchbaatar ajmgijn tümençogt sumyn urgamlyn ajmgijn sudalgaany tovč dün (Study [of] Flora of the Tumentsoqt soum of Sukhbaatar Province). - Bot. chür. Erdem šinžilg. Büteel **18**: 4-12 (mong./engl.).
- SANČIR, Č.; MANDACH, B. (2008): Konspekt flory Tumençogt somona Suchebatorskogo ajmaka. - Bot. chür. Erdem šinžilg. Büteel **18**: 13-31.
- SANCHIR, Ch.; TSERENNADMID, P. (2000): (*Rosa xanthina* in Mongolian steppe). - Bot. chür. Erdem šinžilg. Büteel **10**: (1): 24-26 (mong.).
- SANKEY, T.T. (2009): 2007 Rangeland Vegetation Assessment in the Darkhad Valley, Mongolia. - In: WEBER, K.T.; DAVIS, K. (eds.): Final Report. Comparing Effects of Management Practices on Rangeland Health with Geospatial Technologies: 19-22.

- SANKEY, T.T.; MONTAGNE, C.; GRAUMLICH, L.; LAWRENCE, R.; NIELSEN, J. (2006): Lower forest-grassland ecotones and 20th century livestock herbivory effects in northern Mongolia. - Forest Ecol. and Management **233**: 36-44.
- SANO, T.; BINDERIYA, G.; MORITA, T.; NISHIDA, H. (2009): Vegetation Map of Talyn Nuur by Using Paraglider. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 325-328.
- SANO, T.; HAYASAKA, Ei.; MORITA, T.; NISHIDA, H. (2009): Vegetation Map of Tovgyn Turuu by Using Paraglider. - In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 329-334.
- SANŽID, Ž. (1980): Perezimovskyvanie gobijskikh rastenij MNR. - Bot. Ž. **65** (2): 224-230.
- SANŽID, Ž.; CEDENDAŠ, G.; DORŽSÜREN, D.; OJUUNSUVD, Ž. (2014): Toorojn tarchalbyn šine nutag (A new area of *Populus diversifolia* in Mongolia). - Bot chür. Erdem šinžilg. Büteel **14**: 145-147 (mong./engl.).
- SARUUL, N. (2009): Mongol orny chiagijn törl (Elytrigia DESV.) (Genera Quackgrass [Elytrigia DESV.] in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **21**: 63-68 (mong./engl.).
- SARUUL, N. (2010): Mongol orny Triticeae DUM. tribyn zülijn büreldechüün (Species composition of tribe Triticeae DUM. in Mongolia). - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 250-252, Ulaanbaatar (mong./engl.).
- SARUUL, N. (2012): Rod *Leymus* HOCHST. v Mongolii (Genus *Leymus* HOCHST. in Mongolia). - In: Problems of Botany of South Siberia and Mongolia. – Proc. Int. scientific-pract. Conf. Barnaul: 167-168, Barnaul (russ.).
- SASAKI, T.; OHKURO, T.; KAKINUMA, K.; OKAYASU, T.; JAMSRAN, U.; TAKEUCHI, K. (2013): Vegetation in a post-ecological threshold state may not recover after short-term livestock exclusion in Mongolian rangelands. - Arid Land Research and Management **27**: 101-110.
- SASAKI, T.; OKAYASU, T.; JAMSRAN, U.; TAKEUCHI, K. (2008): Threshold changes in vegetation along a grazing gradient in Mongolian rangelands. - J. Ecol. **96**: 145-154.
- SASAKI, T.; OKAYASU, T.; SHIRATO, Y.; JAMSRAN, U.; OKUBO, S.; TAKEUCHI, K. (2008): Can edaphic factors demonstrate landscape-scale differences in vegetation responses to grazing? - Plant Ecol. **194**: 51-66
- SASAKI, T.; OKAYASU, T.; SHIRATO, Ya.; UNDARMAA, J.; TAKEUCHI, K. (2007): Quantifying the resilience of plant communities under different grazing intensities in a degraded shrubland: a case study in Mandalgobi, Mongolia. - Grassland Science **53**: 192-195.
- SASAKI, T.; TAKEUCHI, K.; JAMSRAN, U.; JADAMBA, S. (2005): Patterns of floristic composition under different grazing intensities in Bulgan, South Gobi, Mongolia. - Grassland Science **51**: 235-247.
- SASAKI, T.; YOSHIHARA, Y. (2013): Local-scale disturbance by Siberian marmots has little influence on regional plant richness in a Mongolian grassland. - Plant Ecology **214**: 29-34.
- SATOH, T.; SUGITA, M.; YAMANAKA, T.; TSUJIMURA, M.; ISHII, R. (2013): Water Dynamics within the Soil-Vegetation-Atmosphere System in a Steppe Region Covered by Shrubs and Herbaceous Plants. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 43-63. - Tokyo-Heidelberg-New York-Dordrecht-London.
- SAVIN, E.N. (1985): Lesovosstanovenie svetlochvojnykh lesov MNR (Prirodnaia lesovozobnovlenija, lesovodstvennye meroprijatija). - Diss. Krasnojarsk, 50 S.
- SAVINA, L. N. (1984): Lesa Centralnogo Changaja (MNR) v golocene i tendencija ich pokrova Severnoj Azii. - In: Istorija rastitel'nogo pokrova Severnoj Azii: 82-92. - Novosibirsk.
- SAVINA, L.N.; KOROTKOV, I.A.; OGORODNIKOV, A.V.; SAVIN, E.N.; BURENINA, T.A. (1981): Tendencija razvitiya lesnoj rastitelnosti Mongolskoj Narodnoj Respubliki (po dannym sporovo-

- pylcevogo analiza lesnych počv). - In: Paleobotaničeskie issledovanija v lesach Severnoj Azii: 83-158, Novosibirsk.
- SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.) (2008): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**, Hamburg, 181 S.
- SCHICKHOFF, U.; OYUNCHIMEG, D.; JABZAN, J. (2008): Der Einfluss der Beweidung auf Vertikalgradienten der Phytodiversität im Mongolischen Altai. – In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.); Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 147-164, Hamburg.
- SHILOVA, G.N. (1984): To the method of the interpretation of spore-pollen spectra in mountain districts of Mongolia. - In: VOLKOVA, V.S. (ed.): Problems of modern Palynology - Problemy sovremennoj palinologii. Stati sovetskikh palinologov. k 6. Meždunar. palinologičesk. Konf. Kal-gari, Kanada 1984: 61-65, Novosibirsk.
- SCHLÜTZ, F.; DULAMSUREN, Ch.; WIECKOWSKA, M.; MÜHLENBERG, M.; HAUCK, M. (2008): Late Holocene vegetation history suggests natural origin of steppes in the northern Mongolian mountain taiga. - Palaeogeogr., Palaeoclimatol., Palaeoecol. **261**: 203-217.
- SCHMIDT, S. (2009): Die Naturräume des Khangay und des Mongolischen Altai. – In: ZEMM-RICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. - Greifswalder geogr. Studienmaterialien **9**: 104-110, Wismar.
- SERGELENKHUU, J.; OYUNTSETSEG, B. (2008): Chustajn Bajgalijn cogcolbort Gazryн цэцэг - Flowers of Hustai National Park. - Ulaanbaatar, 305 S. (mong./engl.).
- SHINCHILELT, (nicht angegeben); CHENG, Yu.; SUZUKI, K.; TSENDEEKHUU, Ts.; NAKAMURA, T. (2009): Species composition of steppe vegetation in Midwestern Mongolia. – In: NAKAMURA, T.; SUZUKI, K. (eds.): Ecological Studies on the Steppe Vegetation in Midwestern Mongolia: 17-27, Tsukuba, Japan.
- SHIREVDAMBA, Ts.; SHAGDARSUREN, O.; ERDENEJAV, G.; AMGALAN, Ts.; TSETSEG-MAA, Ts. (eds.) (1997): Mongolian Red Book. - Ulaanbaatar (engl. u. mong.).
- SHVETSOVA, N.E.; SUTKIN, A.V.; OSTROGRADSKY, P.G.; SARAЕVA, L.I. (2010): Fitocenotičeskaja ekotopičeskaja priuročennost relikta pliocena *Menispermum dauricum* DC. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 269-272, Ulaanbaatar.
- SIMPSON, N.D. (1912/1913): II. Enumeration of the Plants. - In: PRICE, M.P.; SIMPSON, N.D.: An Account of the Plants collected by Mr. M.P. Price on the Carruthers-Miller-Price Expedition through North-West Mongolia and Chinese Dzungaria in 1910. - J. Linnean Soc. Botany **41**: 399-456.
- SIRIN, A.; GUNIN, P.; MINAYEVA, T.; DUGARDJAV, Ch.; BAZHA, S.; BAYASGALAN, D.; DOROFEYUK, N.; SULERZHITSKY, L.; USPENSKAYA, O. (2005): Peatland ecosystems as desertification processes indicators: some data from central and northern Mongolia. - In: Ecosystems of Mongolia and frontier areas of adjacent countries: natural resources, biodiversity and ecological prospects. - Proc. Int. Conf. Ulaanbaatar, Sept. 2005: 230-232. - Ulaanbaatar.
- SIRIN, A.; MINAYEVA, T.; GUNIN, P.; DUGARJAV, Ch.; BAZHA, S.; BAYASGALAN, D.; DOROFEYUK, N.; SULERZHITSKY, L.; USPENSKAYA, O. (2010): Between humid and arid environment: Peatland Ecosystems indicate desertification trends in Mongolia. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **1**: 86-88, Ulaanbaatar.
- SLEMNEV, N.N.; BOLD, D. (1980): O nekotorych pokazateljach fotosinteza pustynnykh rastenij Zaaltajskoj Gobi. - Čölleri özlešdirm. Probl. – Probl. Osvoenija Pustyn Jg. 1980 (5): 52-62, Ašchabat.
- SLEMNEV, N.N.; BOLD, D. (1983): Osobennosti fotosintetičeskoj dejatelnosti edifikatorov. - In: Kompleksnaja charakteristika pustynnykh ekosistem Zaaltajskoj Gobi (na primere Pustynnogo stacionara i Bol'sogo Gobijskogo zapovednika). - S. 46-50, Puščino.

- SLEMNEV, N.N.; GUNIN, P.D.; COOŽ, Š.; ARIUNBOLD, E. (2010): Žiznennoe sostojanie podrosta ras-tenij-dominantov v ekosistemach krajnearidnoj polosy pustynnoj zony Mongolii. - Bot. Ž. **95**: 834-849.
- SLEMNEV, N.N.; KAMELIN, R.V.; GUNIN, P.D.; BAŽA, S.N. (2005): Kustarnikove soobščestva i ich rol v sukcessionnyx processach v lesostepnoj zone Mongolii. - Bot. Ž. **90**: 481-508.
- SOLONGO, Ch. (2013): Mongol orny Choltsonceceg (*Ranunculus* L.)-ijn törljin angilalzüjn sudal-gaany zarim düngees (Untersuchungen zur Systematik der Gattung *Ranunculus* L. in der Mongolei). - Bot. chür Erdem šinžilg. Büteel **25** (mong.).
- SOJÁK, J. (1986): Notes on *Potentilla* (Rosaceae) II. Some new species from Mongolia. - Will-denowia **16**: 125-142.
- SPENCE, L.; LIANCOURT, P.; BOLDGIV, B.; PETRAITIS, P.S.; CASPER, B.B. (2014): Climate change and grazing interact to alter flowering patterns in the Mongolian steppe. - Oecologia **175**: 251-260.
- STAALDUINEN, M.A. van; DURING, H.; WERGER, M.J.A. 2007: Impact of grazing regime on a Mongolian forest steppe. - Appl. Veg. Science **10**: 299-306, Uppsala.
- STAALDUINEN, M.A. van; WERGER, M.J.A.; ANTEN, N.P.R. (2005): Shift in plant species dominance by grazing in a Mongolian steppe and the role of compensatory growth. - Verh. Ges. Ökol. **35**: 104-105.
- STEFFENHAGEN, P.; STRAUSS, A. (2009): Der Khar-Us-Nuur-Nationalpark im Khovd Aimag. - In: ZEMMRICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. Greifswalder geogr. Studienmaterialien **9**: 64-69, Wismar.
- STRAUSS, A.; SCHICKHOFF, U. (2007): Influence of soil-ecological conditions on vegetation zonation in a western Mongolian lake shore- semi-desert ecotone. - Erdkunde **61** (1): 72-92.
- STRAUSS, A.; SCHICKHOFF, U. (2008): Zonierung von Vegetation und Böden entlang eines Seeufer- Halbwüsten-Ökotons im Becken der Großen Seen. Eine landschaftsökologische Studie am Khar-Us-Nuur (West-Mongolei). - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 41-67, Hamburg.
- STUBBE, M. (1997): Über Naturschutz in der Mongolei. - In: ERDMANN, K. (Hrsg.): Internationaler Naturschutz: 281-308. - Berlin-Heidelberg.
- STUBBE, M. (2007): Verzeichnis der Publikationen aus der Reihe „Ergebnisse der Mongolisch-Deutschen Biologischen Expeditionen seit 1962“. - Erforsch. biol. Ress. Mongolei (Halle/Saale) **10**: 571-584.
- STUBBE, M.; HEIDECKE, D.; WESCHE, K.; STUBBE, A. (2007): Springmaus, Amurfalke, Biber & Co. - Biodiversitätsforschung in Zentralasien - Grundlagen des Internationalen Naturschutzes. - Scientia halensis **1/07**: 26-27, Halle/Saale.
- SURAN, D. (1996): Biologija feruli meteličatoj (Biologie von *Ferula feruloides* [STEUD.] KOROV.) - Avtoref. Diss. Biol., 45 S., Ulaanbaatar.
- SURAN, D.; ŽAMSRAN, C. (1997): Čijr (Čijr, *Ferula feruloides* [STEUD.] KOROV.). - 122 S., Ulaanbaatar (mong.).
- SUVDANTSETSEG, B.; FUKUI, H.; TSOLMON, R. (2008): Saxaul forest area determination by remote sensing in Mongolia's Gobi Region. - Internat. Arch. Phytogrammetry, Remote Sensing and Spatial Information Sciences **37**: Part B 8: 1081-1086. - Beijing.
- SUVDANTSETSEG, B.; TSOLMON, R. (2006): Monitoring of saxaul forest in Gobi of Mongolia. - In: 2nd Int. Conf. Land Cover/Land use Study using Remote Sensing/GIS and the GOFC-GOLD Regional Capacity Building Meeting, Mongolia: 139-144. - Ulaanbaatar.
- SUVDANTSETSEG, D.; TSOLMON, R.; BARKUS, H. (2005): Monitoring Saxaul forest in Gobi Altai region, Mongolia. - In: First National Conf. on Remote Sensing/GIS in Mongolia: 118-124. - Ulaanbaatar.

- SUZUKI, K.; OBATA, K.; KAWADA, K.; TSENDEEKHUU, Ts. (2009): Flora of the Steppe in Midwestern Mongolia. - In: NAKAMURA, T.; SUZUKI, K. (eds.): Ecological Studies on the Steppe Vegetation in Midwestern Mongolia: 1-15. - Tsukuba, Japan.
- SVEŠNIKOVA, V.M.; BOBROVSKAJA, N.I.; IZMAJLOVA, N.N.; ČOJŽAMC, B. (1977): Osobennosti vodnogo režima pustynnych i stepnych rastenij Mongolii (Kratkie svedenija o vodnom režime rastenij). - Bot. chür. Erdem šinžilg. Büteel Jg. 1977 (2): 150-164.
- SVEŠNIKOVA, V. M.; ČOJŽAMC, B. (1980): Vodnyj režim nekotorych vidov roda *Stipa* v Mongolii. - Bot. Ž. **65** (6): 816-825.
- SVEŠNIKOVA, V. M.; IZMAJLOVA, N. N. (1977): Osmotičeskoe davlenie u rastenij Changaja. - In: Rastitelnyj i životnyj mir Mongolii. Biol. Res. prir. Uslov. MNR **7**: 143-149, Leningrad.
- SVETLOVA, A.A. (2007): Rod *Linum* L. vo flore Sibiri i Mongolii. - In: Problemy botaniki južnoj Sibiri i Mongolii. Materialy 6. Meždunar. naučno-prakt. Konf. Barnaul Okt. 2007: 54-59. - Barnaul.
- ŠČEGOLEVA, N. V. (2006): Novyj vid roda *Ranunculus* L. iz Severo-Zapadnoj Mongolii. - Sist. Zametki Gerbar. Tomsk. Univ. Vyp. **96**: 12-14, Tomsk.
- TARASOV, P.E.; WEBB, III. T.; ANDREEV, A.A.; AFANAS, E.N.B.; BEREZINA, N.A.; BEZUSKO, L.G.; BLYAKHARCHUK, T.A.; BOLIKHOVSKAYA, N.S.; CHEDDADI, R.G.A.; FILIMONOVA, L.V.; GLEBOV, F.Z.; GUIOT, J.; GUNOVA, V.S.; HARRISON, S.P.; JOLLY, D.; KHOMUTOVA, V.I.; KVAVADSE, E.V.; OSIPOVA, I.M.; PANNOVA, N.K.; PRENTICE, I.C.; SAARSE, L.; SEVASTYANOV, D.V.; VOLKOVA, V.S.; ZERNITSKAYA, V.P. (1998): Present-day and mid-Holocene biomes reconstructed from pollen and plant macrofossils from the former Soviet Union and Mongolia. - J. Biogeogr. **25**: 1029-1053.
- TSEDENDASH [= CEDENDAŠ], G. (1997): (Some results of the research of fir forests in the northern Mongolia.). – Sci. Proc. Inst. Forestry and Hunting Study **3**: 51-54. - Ulaanbaatar (mong.).
- TSEDENDASH, G.; DUGARJAV, Ch. (2004): Relict forest communities as indicators of climate change - Reliktovye lesnye soobščestva kak indicatory klimatičeskich izmenenij. - Aridnye Ekosistemy **10** (24-25): 60-66. - Moskva-Moscow.
- TSENDEEKHUU, Ts. (2011): Study on the variability of natural populations on the Mongolian Seabuckthorn (*Hippophae rhamnoides* L. ssp. *mongolica* ROUSI). - In: Proc. 5th. Int. Seabuckthorn Association Conf. Xining, Qinghai, China 2011: 45-46.
- TSENDEEKHUU, Ts.; YOUNG, S. B. (2005): Comparison of the Ericaceae family in Hovsgol's tundra-taiga region. - In: Ecosystems of Mongolia and frontier areas of adjacent countries: natural resources, biodiversity and ecological prospects. Proc. Int. Conf. Ulaanbaatar, Sept. 2005: 175-177. - Ulaanbaatar.
- TSERENBALJID, G. (1995): Antropogen new species in the Mongolian flora. - Bull. News of Mongol. Acad. of Sciences **2**: 63-70.
- TSERENDASH, S.; ERDENEEBAATAR, B. (1993): Performance and management of natural pasture in Mongolia. - Nomadic People **33**: 9-15.
- TSEVELMAA, B. (2008): Vegetation mapping of Khomiin Tal. - Magister Thesis Khovd University, Khovd, Mongolia.
- TSOGT, Z.; DUGARJAV, Ch. (2009): Forest Structure, Composion and Treering Growth of Larch Trees in Darkhadyn Depression, Mongolia. - In: NISHIDA, H.; JAMSран, Ts. (2009): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 373-379.
- TSOGT, Z.; ZOLBAYAR, D. (2009): Forest Structure and Composition of Khogorgin Zurkh Mountain in Darkhadyn Depression. - In: NISHIDA, H.; JAMSран, Ts. (2009): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 381-384.
- TSOGTBAATAR, J. (2004): Deforestation and reforestation needs in Mongolia. - Forest Ecol. Manag. **201**: 57-63.
- TSOGTBAATAR, J. (2013): Deforestation and Reforestation of Degraded Forestland in Mongolia. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network,

Environmental Issues under Climate and Social Changes: 83-98. - Tokyo-Heidelberg-New York-Dordrecht-London.

- TSYRENOVA, M.G.; NAMZALOV, B.B. (2009): Vegetation cover of Depression of the Talyr Nuur Lake (Darkhadyn Khotgor, Mongolia). . In: NISHIDA, H.; JAMSRAN, Ts. (eds.): Darhadyn Wetland in Mongolia. Synthesis Investigation on Ecosystems: 319-324.
- TULOKHONOR, A.K.; TSYDYPOV, B.Z.; VOLOSHIN, A.L.; BATUEVA, D.Zh.; CHIMEDDORJ, Ts. (2014): Spatio-Temporal Characteristics of Vegetation Cover of Arid and Semiarid Climatic Zones in Mongolia on the Basis of Vegetation Index NDVI. - Arid Ecosystems **4** (2): 61-68.
- TUNGALAG, R. (2009): Mongol orny *Salsola* L. - Budargana Törljin (Chenopodiaceae VENT.) urgamar (Plants of the genera *Salsola* L. [Chenopodiaceae VENT.] in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **20**: 16-22 (mong./engl.).
- TUNGALAG, R. (2012): Mongol orny zarim mod, söög tanich garyn avlaga - A Field Guide to the Trees and Shubs of Mongolia. - 255 S., Ulaanbaatar (engl. u. mong.).
- TÜŠIGMAA, Ž. [TUŠIGMAA, Ž., TUSHIGMAA, J.] (2001): Lesa zapadnogo Chenteja. Ochrana, vozobnovlenie i kompleksnoe polzovanie lesa. - Trudy naučno-issled. Centra Lesa i Dreveseny Ulaanbaatar No. 1 (2): 138-143.
- TUŠIGMAA, Ž. (2003): Vlijanie rubok glavnogo polzovanija na živoj napočvennyj pokrov i vozobnovlenie lesa. - Lesoekspluatacija i Lesovozobnovlenie. - Trudy Techn. Univ. Mongolii **52**: 205-209.
- TÜŠIGMAA, Ž. (2006): Baruun chentijn büs nutgijn chusan ojn tüjmrijn daraach urgamar bürchevčijn öörclögdöl (Plant cover change after fire of Birch forest in Western Khentei region). - Bot. chür. Erdem šinžilg. Büteel **16**: 147-152 (mong./engl.).
- TÜŠIGMAA, Ž. (2007): Baruun chentijn büs nutgijn tajgyn narsan ojn mod ogoltlyn daraach urgamar bürchevčijn öörclögdön (Plant cover change after clear cutting of pine forest in Western Khentei region). - Bot. chür. Erdem šinžilg. Büteel **17**: 139-143 (mong./engl.).
- TUŠIGMAA, Ž. (2009): Izmenenie rastitelnogo pokrova na vyrubke v taežnom sosnjake mochovo-raznotravno-brusnicnom v Mongolii. - Izv. Sankt-Peterburgskoj Lesotechn. Akad. **188**: 86-92.
- TUŠIGMAA, Ž. (2012): Vosstanovlenie rastitelnosti na vyrubkach sosnovych lesov v zapadnom Chente (Mongoliya). - Rastit. Resursy **48**: 35-43.
- TUSHIGMAA, J.; BATNASAN, M. (2010): Dinamika fitocenozov taežnych sosnovych lesov pod vozdejstviem splošnych rubok v zapadnom Chente. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. - Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. **2**: 140-143. - Ulaanbaatar.
- TUVŠINTOGTOCH, [TUVSHINTOGTOKH], I. (2001): Flora i rastitelnost zapovednika Numrug [Nömrög] vostočnaja Mongoliya. - Avtoref. Diss. Kazan, 25 S.
- TÜVŠINTOGTOCH, I. (2006): Mongol orny nugyn cheerijn urgamažlyn tarchac, bülgemdelzüjn šinž (Distribution and vegetation community of meadow-steppe [in] Mongolia). - Bot. chür. Erdem šinžilg. Büteel **16**: 59-80 (mong./engl.).
- TÜVŠINTOGTOCH, I.; ANCHCECEG, B.; BATBAATAR, A. (2012): Cheerijn ded chevšinžüüdijn büreldechüün, bütéc ba tedgeerijn öörclögdöl (Struktur und Veränderung in den Steppen-Untertypen). - Bot. chür Erdem šinžilg. Büteel **24**: 99-111 (mong.).
- TUVSHINTOGTOKH, I.; DORJGOTOV, A. (2013): Degradation of Mongolian Grassland Vegetation under Overgrazing by Livestock and its Recovery by Protection from Livestock Grazing. - In: YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes: 115-130, Tokyo-Heidelberg-New York-Dordrecht-London.
- TUVSHINTOGTOKH, I.; ENKHMAA, D.; BATTSEREN, Ts.; MUNGUNCHIMEG, Ch. (2010): Dornod ajmgijn urgamlan nömrögijin tölöv bajdyn ünelgee (Ocenka rastitelnogo pokrova vostočnogo ajmaka). - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone

of Southern Siberia and Central Asia. Proc. Int. Conf. Ulaanbaatar Sept. 2010 Vol. 1: 142-146 (mong./russ.).

TUVSHINTOGTOKH, I.; JIAN-XIN SUN; URGAMAL, M. (2008): Fire effect on productivity and community dynamics of eastern Mongolia grassland. - Bot chür. Erdem šinžilg. Büteel **18**: 93-107.

TÜVSHINTOGTOCH, I.; MÖNGÖNČIMEG, Č.; ŽARGALSAJCHAN, L. (2009): Tümenčogt sumyn urgamacalzlyn angilaa, tölöv bajdal (Classification and Situation of Vegetation in Tumentsoğt sum area). - Bot. chür. Erdem šinžilg. Büteel **21**: 162-178 (mong./engl.).

TUVSHINTOGTOKH, I.; URGAMAL, M. (2004): Fire effect on the steppe community of Eastern Mongolian Grassland. - Ulaanbaatar, 41 S.

TUVSHINTOGTOKH, I.; URGAMAL, M. (2007): Fire effect on Productivity and Community Dynamics of Mongolian grassland. - Int. Forest Fire News (IFFN) **36**: 67-75.

UBUGUNOVA, V.I.; UBUGUNOV, L.L.; BAJASGALAN, D. (2008): Biologičeskaja produktivnost pojmennych lugov. - In: Pojmennye luga severnoj Mongolii. Čast I. - Biol. Res. prir. Uslov. **49**: 165-178.

UKHANBAI, H.; BULGAN, E.; BEKET, U.; VERNOOY, R.; GRAHAM, J. (2004): Reversing grassland degradation and improving Herder's livelihoods in the Altai Mountains of Mongolia. - Mountain Research and Development **24**: 96-100.

ULZIJCHUTAG, N.; BANZRAGČ, D. (1977): K voprosu ob ochrane redkikh botaničeskikh obektov MNR. - Bot. chür. Erdem šinžilg. Büteel **3**: 83-92.

ULZIIKHUTAG, N.; PAVLOV, D.S.; SHAGDARSUREN, O.; KAMELIN, R.V. (2005): Stages of development, main results, and perspectives of the joint Russian-Mongolian Complex Biological Expedition RAS and MAS. - In: Ecosystems of Mongolia and frontier areas of adjacent Countries: natural resources, biodiversity and ecological prospects. - Proc. Int. Conf. Ulaanbaatar, Sept. 2005: 462-471 (engl. u. russ.).

UNGETHÜM, K.; BRAUN, U.; RÖSER, M. (2013): Databasing of the herbarium of Mongolian plants at Herbarium Universitatis Halensis (HAL). - Schlechtendalia **27**: 5-6, Halle/Saale.

URGAMAL, M. (2001): Mongol orny *Ferula* L. - Chavragijn törljin urgamljin angilalzjin tojm (Overview of taxonomy of the genus of *Ferula* L. in Mongolia). - Bull. National Univ. of Mongolia **11** (164): 67-71, Ulaanbaatar (mong.).

URGAMAL, M. (2004): Mongol orny Šüchertenij ovгijn urgamal tanich bičig (Key for determination of the family Celery Umbelliferae JUSS. or Apiaceae LINDL. in Mongolia). - Ulaanbaatar, 112 S. (mong./engl., Bestimmungsschlüssel auch engl.).

URGAMAL, M. (2004): Mongol orny šüchertenij (Umbelliferae JUSS.) ovгijn töröl tanich šine čilsen tülchüür (The new key to genera of the family Umbelliferae JUSS. in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **14**: 19-25 (mong./engl.).

URGAMAL, M. (2004): Mongol orny šüchertenij (Umbelliferae JUSS.) ovгijn urgamlyn tarchacyn šine nutguud (New areas of some species of the family Umbelliferae JUSS. in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **14**: 25-26 (mong./engl.).

URGAMAL, M. (2004): Mongol orny Unert-nogoo - *Seseli* L. (Umbelliferae JUSS.) törljin urgamljin zyjl tanich tulchuur (Key to the species of genus *Seseli* L. [Umbelliferae JUSS.] in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **15**: 58-65 (mong./engl.).

URGAMAL, M. (2006): Taxonomy of the Genus *Cnidium* CUSSON ex JUSS. (Umbelliferae JUSS.) in Mongolia. - Mong. J. biol. Sciences **4** (1): 63-66.

URGAMAL, M. (2006): Mongol orny Beriš - *Bupleurum* L. (Umbelliferae JUSS.) törljin urgamljin zyjl tanich tulchuur (Key to the species of genus *Bupleurum* L. [Umbelliferae JUSS.] in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **16**: 49-51 (mong./engl.).

URGAMAL, M. (2006): Description of species *Saposhnikovia divaricata* SCHISCHKIN (Umbelliferae JUSS.) in Mongolia. - Bot. chür. Erdem šinžilg. Büteel **16**: 51-55.

- URGAMAL, M. (2006): Taxonomy of the genus *Angelica* L. (Umbelliferae JUSS.) in Mongolia. - Bot. chür. Erdem šinžilg. Büteel **16**: 55-58.
- URGAMAL, M. (2007): Taxonomy of genus *Cnidium* CUSSON ex JUSS. (Umbelliferae JUSS.) in Mongolia. - Bot. chür. Erdem šinžilg. Büteel **17**: 58-62.
- URGAMAL, M. (2008): Mongol orny *Peucedanum* L. - Žav törljin (Umbelliferae JUSS.) urgamal (Plants of the genera *Peucedanum* L. [Umbelliferae JUSS.] in Mongolia). - Bot. chür. Erdem šinžilg. Büteel **20**: 23-29 (mong./engl.).
- URGAMAL, M. (2009): Mongolyn urgamlyn ajmag. 10-r devter. Magnoliophyta (Magnoliopsida) Apiaceae - Cornaceae (Flora of Mongolia Volume **10**). - Ulaanbaatar 2009, 130 S. (mong.). - s. auch Mongolyn urgamlyn ajmag Vol. **10**.
- URGAMAL, M. (2009): New records of plant distribution of carrot family (Umbelliferae JUSS.) in Mongolia. - Bot. chür. Erdem šinžilg. Büteel **21**: 69-73.
- URGAMAL, M. (2013): (Plants of the family Apiaceae in the Mongolian flora.) - Diss. Dr. Biol. Sciences, Ulaanbaatar, 132 S. (mong.).
- URGAMAL, M. (2013): Brief conspectus of the family Apiaceae to the flora of Mongolia. - Bot. chür. Erdem šinžilg. Büteel **25**: 38-47.
- URGAMAL, M. (2014): Additions to the vascular flora of Mongolia II. - Bot. chür. Erdem šinžilg. Büteel **26**: 12.
- URGAMAL, M.; OYUNTSETSEG, B.; NYAMBAYAR, D. (2013): Synopsis and recent additions to the flora of Mongolia. - Bot. chür. Erdem šinžilg. Büteel **25**: 53-72.
- URGAMAL, M.; OYUNTSETSEG, B.; NYAMBAYAR, D.; DULAMSUREN, Ch. (2014): Conspectus of the vascular plants of Mongolia. - Editors: SANCHIR, Ch.; JAMSRAN, Ts., Ulaanbaatar, 334 S.
- URGAMAL, M.; SANCHIR, Ch.; ZHANG MING-LI (2007): Classification and distribution of *Bupleurum* L. (Umbelliferae JUSS.) in Mongolia. - Bull. of Botanical Research (China) **27**: 20-24.
- VELSEN-ZERWECK, M. von (2002): Socio-Economic Causes of Forest loss in Mongolia. – In: Socioeconomic Studies on Rural Development. - Sozialökonomische Schriften zur Ruralem Entwicklung **132**: 21 u. 357 S., Kiel.
- VIPPER, P.B.; DOROFEJUK, N.I.; LIJVA, A.; METELCEVA, E.P.; SOKOLOVSKAJA, V.T. (1981): Paleogeografija golocena i verchnego plejstocena Centralnoj Mongolii. - Izv. AN ESSR **30**, Biol. No. 1:74-82.
- VIPPER, P.B.; DOROFEJUK, N.I.; METELCEVA, E.P.; SOKOLOVSKAJA, V.T.; SULJA, K.S. (1976): Opyt rekonstrukcii rastitelnosti Zapadnoj i Centralnoj Mongolii v golocene na osnove izuchenija dannyx otlozenij presnyx ozer. - In: Struktura i dinamika osnovnyx ekosistem MNR. - Biol. Res. prir. Uslov. **8**: 35-59, Leningrad.
- VIPPER, P.B.; DOROFÉJKU, N.I.; SOKOLOVSKAJA, V.T. (1975): Istorija formirovaniya ozera Dund-nur i dinamika rastitel'nogo pokrova Mongolskogo Altaja v golocene. - In: Istorija ozer i vnutrennyx morej aridnoj zony. - Tezisy Dokladov 4. Vsesojuzn. Konf. T. 4: 114-119. - Leningrad.
- VOLKOVA, E.A. (1982): Vysokogornaja rastitelnost chrebtov južnoj Mongolii. - In: Tezisy Dokladov Konf. Izuchenie i osvoenie flory i rastitelnosti vysokogorij. - 17 S., Sverdlovsk.
- VOLKOVA, E.A. (2008): Karta Rastitelnosti Somona Tumencogt. - Bot. chür. Erdem šinžilg. Büteel **18**: 49-62.
- VOLODJA, C.; CERENBALŽIR, D.; LAMŽAV, C. (2008): Mongol orny emijn urgamal (Medicinal Plants of Mongolia). - Ulaanbaatar, 543 S. (mong.).
- VOSTOKOVA, E.A.; CHRUTSKY, V.S. (1996): (The set of maps on land resources as the basis for monitoring of Ubsunur depression). - In: BUGROVSKY, V.V. (ed.): Global monitoring and the Ubsunur depression: 89-92. - Moskva (russ.).

- WALTER, H.; BRECKLE, S.-W. (1986): Spezielle Ökologie der Gemäßigten und Arktischen Zonen Euro-Nordasiens. Zonobiom VI-IX. Ökologie der Erde. Geo-Biosphäre. Bd. 3, Teil 6: Extrem arides Subzonobiom VII (r III) in den Zentralasiatischen Wüsten: 294-308. - Stuttgart.
- WALTHER, M. (2010): Paleo-Environmental Changes in the Uvs Nuur basin (Northwest-Mongolia). - *Erforsch. biol. Ress. Mongolei* (Halle/Saale) **11**: 267-279, Halle/Saale.
- WALTHER, M.; JANZEN, J.; RIEDEL, F.; KEUPP, H. (eds.) (2000): State and Dynamics of Geosciences and Human Geography of Mongolia. Extended Abstracts of the International Symposium Mongolia 2000. - Berliner Geowiss. Abh., Reihe A **205**, 197 S.
- WEHRDEN, H. von; HANSPACH, J.; RONNENBERG, K.; WESCHE, K. (2010): Inter-annual rainfall variability in Central Asia - A contribution to the discussion on the importance of environmental stochasticity in Drylands. - *J. Arid Environment* **74**: 1212- 1215.
- WEHRDEN, H. von; WESCHE, K. (2007): Relationship between climate, productivity and vegetation in southern Mongolian drylands. - *Basic and Appl. Dryland Research* **2**: 100-120.
- WEHRDEN, H. von; WESCHE, K. (2007): Mapping Khulan habitats - a GIS-based approach. - *Erforsch. biol. Ress. Mongolei* (Halle/Saale) **10**: 31-44.
- WEHRDEN, H. von; WESCHE, K. (2008): Mapping the vegetation of southern Mongolian protected areas. Application on GIS and remote sensing techniques. - *Arid Ecosystems* **13**, 33-34: 136-145.
- WEHRDEN, H. von; WESCHE, K.; MIEHE, G. (2008): Plant communities of the southern Mongolian Gobi. - *Phytocoenologia* **39**: 331-376.
- WEHRDEN, H. von; WESCHE, K.; REUDENBACH, C.; MIEHE, G. (2006): Mapping of large-scale vegetation pattern in southern Mongolian semi-deserts - an application of LANDSAT 7 data. - *Erdkunde* **60**: 261-272, 2006.
- WEHRDEN, H. von; WESCHE, K.; TUNGALAG, R. (2006): Plant communities of the Great Gobi B Strictly Protected Area. - *Mong. J. biol. Sciences* **4**: 3-17.
- WEHRDEN, H. von; ZIMMERMANN, H. (2009): Plant communities of the Dund Sayhan peak region, southern Mongolia. - *Candollea* **64**: 49-67.
- WEHRDEN, H. von; ZIMMERMANN, H.; HANSPACH, J.; RONNENBERG, K.; WESCHE, K. (2009): Predictive mapping of plant species and communities by using GIS and Landsat data in a southern Mongolian mountain range. - *Folia geobot.* **44**: 211-225.
- WERHAHN, G.; KNOPF, C. (2008): Vegetationskundliche Untersuchung von Beweidungsgradienten in der westlichen Mongolei. - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 95-136.
- WESCHE, K. (2007): Plant survival in southern Mongolian desert steppes - Ecology of communities, interactions and populations. - *Habil.-Schrift Univ. Halle*, 314 S.
- WESCHE, K.; NADROWSKI, K.; RETZER, V. (2007): Habitat engineering under dry conditions: The impact of pikas (*Ochotona pallasii*) on vegetation and site conditions in southern Mongolian steppes. - *J. Veg. Science* **18**: 665-674.
- WESCHE, K.; PIETSCH, M.; RONNENBERG, K.; UNDRAKH, R.; HENSEN, I. (2006): Germination of fresh and frost-treated seeds from dry Central Asian steppes. - *Seed Sci. Res.* **16** (2): 123-136.
- WESCHE, K.; RETZER, V. (2008): Die Bedeutung von Niederschlag und Beweidung für süd-mongolische Wüstensteppen - ein Beitrag zur Diskussion um die Nicht-Gleichgewichtstheorie. - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. Phys. Geogr. u. Landschaftsökol. **18**: 165-181.
- WESCHE, K.; RONNENBERG, K. (2010): Effects of NPK fertilisation in arid southern Mongolian desert steppes. - *Plant Ecology* **207**: 93-105.
- WESCHE, K.; RONNENBERG, K.; RETZER, V.; MIEHE, G. (2010): Effects of large herbivore exclusion on southern Mongolian desert steppes. - *Acta Oecologica* **36**: 234-241.

- WESCHE, K.; WALTHER, D.; WEHRDEN, H. von; HENSEN, I. (2011): Trees in the desert: Reproduction and genetic structure of fragmented *Ulmus pumila* forests in Mongolian drylands. - Flora **206**: 91-99.
- WESCHE, K.; WEHRDEN, H. von (2011): Surveying Southern Mongolia: application of multivariate classification methods in drylands with low diversity and long floristic gradients. - Applied Veg. Sc. **14**: 561-570.
- WIT, P.; VEGTER, J. K. (1998): Landscape-Human Interactions in the Hustain Nuruu Mountain Steppe Reserve, Mongolia. - In: DÖMPKE, S.; SUCCOW, M. (eds.): Cultural Landscapes and Nature Conservation in Northern Eurasia. - Proc. Symp. Wörlitz, March 1998: 20-23. - Bonn.
- WULF, K. (2009): Die Vegetationstypen der Mongolei unter besonderer Berücksichtigung der Exkursionsroute. - In: ZEMMRICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. - Greifswalder geogr. Studienmaterialien **9**: 127-132. - Wismar.
- YAMAMURA, N.; FUJITA, N.; MAEKAWA, A. (eds.) (2013): The Mongolian Ecosystem Network, Environmental Issues under Climate and Social Changes. - Tokyo-Heidelberg-New York-Dordrecht-London, 319 S.
- YARMISHKO, V.T.; DUGARJAV, Ch.; SLEMNEV, N.N.; DORJSUREN, Ch.; POTOKIN, A.Ph.; TSOGT, Z.; YARMISHKO, M.A.; ZOYO, D. (2010): Sovremennye vozobnovitelnye i sukcessionnye processy v listvennicnykh lesach Mongoli. - In: Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia. – Proc. Int. Conf. Ulaanbaatar, Sept. 2010, Vol. 1: 183-186. – Ulaanbaatar.
- YARMISHKO, V.T.; SLEMNEV, N.N. (2012): Recruitment of *Larix sibirica* LEDEB. in closed forest stands, on clear-felling sites and at fire-sites in the forests of Mongolia. - Erforsch. biol. Ress. Mongolia (Halle/Saale) **12**: 365-370.
- YOKOYAMA, R.; PUREVDORJ, Ts. (1994): NDVI in Mongolian highland derived from ground truth data and NOAA/AVHRR data. - In: Proc. Conf. of Remote Sensing Society of Japan, Hiroshima, Dec. 1994: 48-52.
- ZEMMRICH, A. (2007): Vegetation-Ecological Investigations of Rangeland Ecosystems in Western Mongolia. The Assessment of Grazing Impact at Various Spatial Scale Levels. - Diss. Univ. Greifswald, 146 S. u. Anhang.
- ZEMMRICH, A. (2007): Eqilibrium or non-equilibrium ecosystems? Scaling effects in rangeland ecosystems of western Mongolia. - Erdkunde **61**: 335-343.
- ZEMMRICH, A. (2008): The Northern Part of Khovd Province - An Ecological Introduction. - In: SCHICKHOFF, U.; KRETSCHMER, M. (Hrsg.): Weideökologische Untersuchungen in der Mongolei. - Hamburger Beitr. zur Phys. Geogr. u. Landschaftsökol. **18**: 1-10.
- ZEMMRICH, A. (2009): Die Steppengliederung der Mongolei aus Sicht der russischen und mongolischen Geobotanik. - In: ZEMMRICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.): Die Mongolei. Studien- und Exkursionsmaterialien. - Greifswalder geogr. Studienmaterialien **9**: 74-91, Wismar.
- ZEMMRICH, A.; HILBIG, W.; OYUNCHIMEG, D. (2010): Plant communities along an elevation gradient under special consideration of grazing in Western Mongolia. - Phytocoenologia **40**: 91-115.
- ZEMMRICH, A.; MANTHEY, M.; ZERBE, S.; OYUNCHIMEG, D. (2010): Driving environmental factors and the role of grazing in grassland communities. A comparative study along an altitudinal gradient in Western Mongolia. - J. Arid Environment **74**: 1271-1280.
- ZEMMRICH, A.; OEHMKE, C.; SCHNITTNER, M. (2007): A scale-depending grazing gradient in an *Artemisia*-desert steppe? - A case study from western Mongolia. - Basic and Applied Dryland Research **1**: 17-32.
- ZEMMRICH, A.; SCHMIDT, S.; RILKE, S.; ZÖLITZ, R. (Hrsg.) (2009): Die Mongolei. Studien- und Exkursionsmaterialien. - Greifswalder geogr. Studienmaterialien **9**, Wismar, 208 S.

- ZEMMRICH, A.; SCHNITTNER, M.; HARTLEIB, J.; BUSCH, M.; BOBERTZ, B.; RILKE, S.; ZÖLITZ, R. (2013): FloraGREIF - An internet-based tool for biogeographical research in Mongolia. - *Folia geobotanica* **48** (4): 523-536.
- ZIELINSKI, J. (1982): The effect of the Brandt vole (*Microtus brandtii* RADDE, 1861) colonies upon vegetation in the *Caragana* steppe of central Asia. - *Polish Ecol. Studies* **8**: 41-56.
- ZOEO, D. (1998): Poslepožarnye izmenenija fitocenoza podtaežnogo sosnjaka i učet ich roli v lesovedstve. - In: *Lesnye požáry i lesovosstanovlenie v Mongolii*, Ulan-Bator 1998: 46-52.
- ZOEO, D.; DELGERŽARGAL, D.; DORŽSUREN, Č. (1999): Dinamika rastitel'nogo pokrova i lesovozobnovlenie na garjach raznotravnogo podtaežnogo sosnjaka v Chalganate. - *Lesoeksploatacija i Lesovozobnovlenie*. - *Trudy Techn. Univ. Mongolii* **33**: 133-139.
- ZOEO, D.; NJAMBAJAR, D. (2004): Mongolyn urgamlyn ajmagt nemegdech ulalžijn züjlüüd (New sedge species in the flora of Mongolia). - *Bot. chür. Erdem šinžilg. Büteel* **14**: 17-18 (mong./engl.).
- ZOLOTOKRYLIN, A.N.; GUNIN, P.D.; VINOGRADOVA, V.V.; BAZHA, S.N.; TITKOVA, T.B.; DANZHALOVA, E.V. (2010): Klimatičeskaja aridizacija stepej centralnoj Mongolii i pastbiščnaja digressija. - In: *Ecological Consequences of Biosphere Processes in the Ecotone Zone of Southern Siberia and Central Asia*. Proc. Int. Conf. Ulaanbaatar Sept. 2010, Vol. 1: 109-112. - Ulaanbaatar.
- ZUMBERELMAA, D. (2009): (Taxonomical investigation of genus *Iris* L. of Mongolia). - *Bot. chür. Erdem šinžilg. Büteel* **21**: 51-55 (mong.).
- ZUMBERELMAA, D. (2011): (Result of taxonomical investigation of genus *Stellaria* L. in Mongolia). - *Bot. chür. Erdem šinžilg. Büteel* **23**: 22-25 (mong.).
- ŽALBAA, Ch.; ENCHSAJCHAN, Z. (1991): Zag (*Haloxylon ammodendron*). - Ulaanbaatar, 102 S. (mong.).
- ŽAMSRAN, C. (2004): Dornogov ajmgijn urgamalzilt, belgeerijin urgamlan nömrög (Vegetation und Weideland des Dornogov-Aimaks). – In: ŠARAVDORŽ, C. (Hrsg.): Dornogov aimgijn biologijn bajalag (Biologische Ressourcen des Dornogov Aimaks): 305-462, Ulaanbaatar-Sajnšand (mong.).
- ŽAMSRAN, C. (2010): Doktor V. Chilibigijn 75 nasny ojd (Doktor W. Hilbig 75 Jahre). - *Bot. chür. Erdem šinžilg. Büteel* **22**: 163-164 (mong.).
- ŽAMSRAN, C.; LIGAA, U.; ÖLZIJCHUTAG, N.; SANČIR, Č.; ERDENEŽAV, G. (1987): Urgamal (Flora). - In: Bügd Najramdash Mongol Ard Uls Ulaan Nom (Red Book of the Mongolian People's Republic): 81-181. - Ulaanbaatar (mong.).
- ŽAMSRAN, C.; OJUUNCECEG, B. (2008): Urgamal sudlalyn tol: Oros, Mongol, Angli, German, Latin (Botanisches Wörterbuch: Russisch, Mongolisch, Englisch, Deutsch, Latein). - 183 S., Ulaanbaatar,
- ŽARGALSAJCHAN, L. (2008): Dinamika pastbiščnoj rastitelnosti stepnych ekosistem Vostočnoj Mongolii. - Avtoref. Diss. Moskva, 27 S.
- ŽARGALSAJCHAN, L. (2008): Dinamika fitomassy pižmovogo soobščestva vostočnoj Mongolii. - Bot. chür. Erdem šinžilg. Büteel **18**: 81-92.
- ŽARGALSAJCHAN, L. (2009): Dinamika fitomassy kovylno-raznotravno-vostrecovogo soobščestva vostočnoj Mongolii. - Bot. chür. Erdem šinžilg. Büteel **21**: 136-144.
- ŽARGALSAJCHAN, L.; BATBAJAR, D. (2008): Prirodnye uslovija vostočno-stepnogo stacionara Tumencogt. - Bot. chür. Erdem šinžilg. Büteel **18**: 32-48.
- ŽIRNOV, L V.; GUNIN, P.D.; ADJAA, Ja.; BAŽA, S.N. (2005): Strategija sochranenija kopytnych aridnych zon Mongolii. - Biol. Res. prir. Uslov. Mongolii **45**. - 327 S., Moskva.

Aus der von der Gemeinsamen Russisch-Mongolischen Komplexen Biologischen Expedition herausgegebenen Reihe „Biologičeskie Resursy i prirodnye Uslovija Mongolii“, die nicht nur botanische Themen umfasst, können folgende in den bisherigen Folgen unserer Bibliographie nicht erfassten Bände genannt werden:

- ŽIRNOV, L.V.; GUNIN, P.D.; ADJAA, Ja.; BAŽA, S.N. (2005): Strategija sochranenija kopytnych aridnych zon Mongolii. - Biol. Res. prir. Uslov. Mongolii **45**, 327 S., Moskva
- ERDENEŽAV, G.; UBUGUNOV, L.L.; UBUGUNOVA, V.I.; KALIBERNOVA, N.M.; KUZMIN, S.L.; KOROLEVA, T.M.; OGAR, N.P.; PETROVSKIJ, V.V.; DARIJMAA, S.; CEGMID, C.; CECEGMAA, D.; CEDENDAŠ, G.; ENCHSAJCHAN, D.; BOLDBAATAR, S.; MJAGMARSUREN, D.; ULYKPAN, K.; BAATAR, R.; BEKET, U.; ZOEO, D.; MANIBAZAR, N.; BAJASGALAN, D. (2008): Pojmennye luga Severnoj Mongolii. Čast I. Struktura, sostav, produktivnost i bioraznoobrazie pojmennych ekosistem. - Otv. Red. KALIBERNOVA, N.M.; KOROLEVA, T.M.; GUNIN, P.D. - Biol. Res. prir. Uslov. Mongolii **49**, 238 S., Moskva.
- DORŽSUREN, Č. (2009): Antropogennye sukcessii v listvenničnyh lesach Mongolii. - Otv. Red. JARMIŠKO, V.T. - Biol. Res. prir. Uslov. Mongolii **50**, 260 S., Moskva.
- KAZANCEVA, T.I. (2009): Produktivnost zonalnyh soobščestv stepej i pustyn gobijskoj časti Mongolii. - Biol. Res. prir. Uslov. Mongolii **51**, 336 S., Moskva.
- CHUDJAKOV, O.I. (2009): Počvy lesostepi vnutrennej Azii. - Biol. Res. prir. Uslov. Mongolii **52**, 326 S., Moskva.
- GANBOLD, E. (2010): Flora severnoj Mongolii. - Biol. Res. prir. Uslov. Mongolii **53**, 254 S., Moskva.
- LIGAA, U.; DAVAASUREN, D.; NINJIL N. (2009): Medicinal plants of Mongolia used in Western and Eastern medicine. - Biol. Res. prir. Uslov. Mongolii **54**, 378 S., Moscow.
- CEGMED, C. (2010): Flora mchov Mongolii. - Biol. Res. prir. Uslov. Mongolii **56**, 634 S., Moskva.
- ŽIRNOV, L.V.; GUNIN, P.D.; ADJAA, Ja. (2011): Dikij dvugorbyj verbljud Centralnoj Azii. Sreda obitanija, biologičeskie osobennosti i problemy sochranenija. - Otv. Red. ŠAGDARSUREN. - Biol. Res. prir. Uslov. Mongolii **57**, 180 S., Moskva.
- DOROFEEYUK, N.I.; KULIKOVSKIY, M.S. (2012): Diatoms of Mongolia. - Biol. Res. natural Conditions Mongolia **59**, 366 S., Moskva.

Summary

In addition to the hitherto existing three parts of the bibliography of geobotanical, ecological, floristic and plant-geographical papers on Mongolia the part IV of the bibliography is given. It comprises in the main point the period from 2007 until 2014. In addition, publications on vegetation history and botanical nature protection are considered.

Anschrift: Dr. Werner Hilbig
Münchner Straße 8
D-85238 Petershausen
Germany