

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Library Philosophy and Practice (e-journal)

Libraries at University of Nebraska-Lincoln

2021

Evidence Based Medicine: The Role of the Health Sciences Librarian

Nasra Gathoni
nasragathoni@gmail.com

Follow this and additional works at: <https://digitalcommons.unl.edu/libphilprac>



Part of the [Library and Information Science Commons](#)

Gathoni, Nasra, "Evidence Based Medicine: The Role of the Health Sciences Librarian" (2021). *Library Philosophy and Practice (e-journal)*. 6627.
<https://digitalcommons.unl.edu/libphilprac/6627>

**EVIDENCE BASED MEDICINE: THE ROLE OF THE HEALTH SCIENCES
LIBRARIAN**
Gathoni, Nasra

Librarian, Aga Khan University (Kenya); PO BOX 30270 – 00100, Nairobi
nasra.gathoni@aku.edu

Abstract

Introduction: Evidence Based Medicine definitely challenges the traditional role of the Librarian thus advocating for the need to acquire necessary skills, so as to be in a position to support Evidence Based Medicine.

Objectives: To outline the steps in the Evidence Based Medicine process; to explore the role of the health sciences librarian in the Evidence Based Medicine process; and to explore the challenges and opportunities that health sciences Librarians encounter.

Methodology: The study was descriptive and qualitative summary of the data was provided. The study obtained data from the views and experiences of 20 medical librarians from various countries during an online distance education course.

Conclusion and implication: Despite the various challenges encountered, the role of the health sciences librarian is acknowledged as critical in supporting Evidence Based Medicine.

Keywords

Evidence Based Practice, Evidence Based Medicine, Health Librarian

Introduction

Evidence Based Medicine (EBM) can be looked at as a paradigm shift caused by the change in medical practice that calls for the use of “medical literature more effectively in guiding medical practice” (Evidence-Based Medicine ... 1992:2420). The foundation of the paradigm shift is generally as a result of developments in clinical research whereby clinical trials, meta analysis, randomized trials, among others have gained increased acceptance.

The former paradigm accepted use of traditional scientific authority, standard approach, personal experience, whereas the new paradigm puts much lower value on authority. The new paradigm works on the assumption that physicians will provide better and superior healthcare if their practice is based on the evidence based practice philosophy (Evidence-Based Medicine ... 1992:2421). The underlying philosophy guiding the practice of EBM includes defining a patient problem, identifying information that is required to solve that problem, conduct an efficient literature search and selecting from the studies retrieved the best relevant one.

Healthcare professionals are increasingly being encouraged to base their decisions on evidence from the literature. The evidence from the literature should therefore be part of the decision making process. Health sciences librarians play a key role in advancing EBM and their participation in EBM is “vital if it is to be adopted successfully at the local level (Falzon & Booth, 2001:65). However, EBM requires the health sciences librarian to go beyond the traditional librarian responsibility of identifying the literature, to selecting, evaluating and synthesizing literature. For this to be possible, health sciences librarians need to accept the new role and also acquire new skills. Developing and keeping their skills strong is a challenge for librarians as most are doing less mediated searching (Scherrer, 1999:324). A study on training needs of health library staff by Urguhart (2004) found that librarians acted more as intermediaries than mediated searchers. Health sciences librarians should therefore strive beyond being intermediaries i.e. acting as a link between the user and the information, but to provide assisted searching.

The information age has produced a wealth of information that can be overwhelming for the users (Chen, 1998:582). Apart from the increase of information in this information age, an additional problem is the relative decline in relevancy and specificity of documents and articles retrieved when a search is carried out (Carlson, 2003). Health providers encounter difficulties such as retrieving a lot of irrelevant material (Herma, 2006:57) and this can pose a major challenge to the implementation of Evidence Based Practice. It is important to note the importance of selecting the most relevant articles after a literature search and studies have shown this to be a major obstacle.

A study by Williamson et al (as quoted by Scherrer, 1999:324) reported 78% of practitioners having problems sorting relevant material from the irrelevant one.


Besides the overwhelming information, studies have also shown lack of time being an obstacle to health providers. Librarians should therefore come up with methods of easing access to the information. Searching for best evidence requires access to multiple resources and it is important for health sciences librarians to facilitate access to a broad range of information resources. They must also take the responsibility for mapping information resources available online. This can be done by offering various solutions such as consolidating databases and electronic full text journals under a user friendly interface and providing the appropriate linking tools (Innomed report Part 1, 2006). The problem of information overload cannot be overemphasised and therefore, due to their expertise in knowledge organization, librarians should be at the forefront in supporting EBM. This would be through creating awareness and knowledge of current, accurate and credible health information and subsequently contribute to improved quality of life for many patients

Evidence Based Medicine

The term EBM was coined in 1992 by a group of researchers in Canada from MacMaster University. The researchers aimed to redefine the practice of medicine so that information could be used more a prerequisite to better healthcare (Hamer & Collinson, 1999:5). Their main aim was to shift medical practice from personal opinions that may lead to biasness and poor results recording, to propositions which are supported by evidence. The emphasis was on the need for medicine to be based on medical evidence rather than clinical evidence. This argument should however, not lead to the assertion that clinical experience is not important. The key point is that even with clinical experience which is crucial in medicine, there “is need to record clinical experience in an unbiased and reproducible way, to enable a body of knowledge to be acquired”

(p.5). EBM requires integration of best research evidence with clinical expertise, patients' unique values and circumstances (Straus et al 2005:1).

Fig 1: Steps in the EBM process



(Schardt & Myatt, 2008:3)

Constructing a well-built clinical question using PICO

A useful and effective way of defining a topic is to plan a search strategy using PICO assessment which stands for:

Patient or problem

Intervention (treatment)

Comparison (if any)

Outcomes of interest (if any)

This is a format which was designed for clinicians to use in the EBM process. The PICO format assists the clinicians in coming up with the key concepts when carrying out a search. Formulating the clinical question and applying the PICO format is very useful in searching the literature. It is

however important to note that PICO is best applied to questions on therapy, diagnosis, prognosis and harm/etiology.

Information and Evidence Based Medicine

Availability of relevant information is critical for the success of EBM. Besides availability, the health sciences librarians should be able to locate this information using multiple sources as well as evaluate it. Studies have found that information represent a problem for many healthcare professionals. Some of the problems associated with finding information include nature of information retrieval systems and databases, information retrieval skills among others. These problems result in health professionals abandoning the search and finding it easier to pick a telephone to simply consult a colleague (Hamer & Collinson, 1999:61).

The exponential rise in the scientific literature is well documented. The information overload phenomenon is a reality that health professionals need to deal with. Besides the information overload, lack of time, lack of skills, poor organization of resources and under resourced, inaccessible libraries are some of the factors that contribute to lack of access to relevant evidence based information.

Finding high quality information is considered a daunting task and these can be resolved through:

- Identifying variety of resources and their usefulness
- Understand how to search databases using a structured approach
- Comprehend methods used for storing and managing information.

Methodology

The study was descriptive and qualitative summary of the data was provided. The data was based on the views and experiences from medical librarians on the challenges and opportunities for medical librarians in EBM. The views were obtained through an online discussion board during an online distance education course on “Evidence Based Medicine and the Medical Librarian.”

This was a course organized by the University of North Carolina (USA). A total of 20 medical librarians participated in the online course and subsequently contributed to the discussion board. The participants who were from different countries of the world to include USA, UK, Canada, Kenya, were working in various organizations such as hospitals, research institutes, and university libraries. The author who was a participant was able to access the discussion board content and obtained permission from the facilitators to use the data.

The online discussion board contained open ended questions whereby participants were required to give their views and experiences. The questions sought responses to the following areas: challenges and opportunities for medical librarians in EBM; advantages and disadvantages of PICO; teaching search strategies and the role of the medical Librarians in general.

Discussions

Challenges and Opportunities

Participants were in general agreement that though it may be challenging, medical librarians should tap into the opportunities available in way of participating in EBM. It was indicated that EBM in itself is an opportunity available for medical librarians to realize the following:

- Integrate medical Librarians as an instructor within the curriculum
- To play a more effective role. Though medical Librarians cannot provide clinical expertise they should assist in locating the evidence based information.
- Demystify literature search and make it a routine part of good patient care and not only for academic.
- Integrate EBM in the information literacy sessions.
- Provide access to numerous resources available in their respective countries. One way of doing this is by producing a handout with a description of scope and content of each resource.

Challenges

With regard to challenges, the discussion board found that one of the major challenges medical librarians encounter is to overcome the perception that information providers can only store information for retrieval and cannot critically appraise the information. Medical librarians should strive to show that they can critically appraise the information resources.

Another major challenge that was identified was the marginalization of library skills by the faculty. Faculty sees one-off library session as sufficient and which is without doubt insufficient for teaching the required skills. A participant indicated that when trying to cover everything in the one-off session, the students are unable to clearly understand what they are being taught. The ideal situation would be to structure the teaching into small lessons spread over time. Medical librarians should therefore discourage the one-off sessions as a method of teaching library skills and instead work towards having better structured lessons that integrate EBM. It was noted that medical librarians need to be patient especially when dealing with faculty who do not seem to appreciate the need to teach the EBM process. In view of this, one participant indicated that it had taken them 8 years to move from “one shot class” to a more integrated instruction that is threaded through the 4 years of medical school. A suggestion that was provided as a way of getting the faculty to appreciate the medical librarian role in the EBM process is by making informal contact with faculty and users as opposed to only having formal discussions with heads of departments or at committee levels. The need for medical librarians to establish better relationship with faculty and staff was reiterated by many of the participants.

When to teach and finding time for the exercise

When to teach or rather finding the right time was also indicated as a challenge for medical librarians. Those who had no option but to teach during a one off session usually at the beginning of the semester may be teaching students who may not know what EBM is about. Besides the timing, information providers also struggle with the choice of teaching method e.g. large groups,

small groups, face to face, online etc. One participant indicated the need to evaluate the training sessions in order to know the usefulness of the timing and the method. A suggestion based on personal experience was offered by one participant who indicated that teaching students at or near the time of an assignment increases the likelihood that what is taught will stick. This is because the students are likely to apply what they have learnt. Another participant recommended that teaching should be at the end of 2nd year. This was based on a survey at their university in 2000 to assess their EBM effort. The survey found that the time to teach at the earliest should be end of 2nd year / beginning of 3rd year just before the clinical rotations. The same survey suggested that basic introduction to information resources be offered in 1st and 2nd year.

Teaching Search Strategies

Teaching search strategies was also noted as a challenge. Participants were asked for their views on applying a search strategy using Pubmed clinical queries and Pubmed as a whole. Pubmed and specifically Pubmed clinical queries were the point of reference for applying a search strategy as the clinical queries were designed for evidence based medicine questions and are meant to make searching easier and straight forward. Clinical queries were appreciated by the participants as they simplify the searching process by applying the function of limiting the search. The limit function provides validated search strategies that are able to limit to the appropriate study methodology for the type of clinical question asked.

Pubmed is a very resourceful database as it indexes thousands of journals. Though a few participants expressed their dissatisfaction with Pubmed database it was noted that a lot of Medical Librarians use it for illustration while teaching. Participants were asked to suggest ways Pubmed can be improved and the following was indicated:

- Improving the interface for quick and efficient searches and this can be done by moving MeSH index to a screen that opens into the main Pubmed search screen instead of

navigating away from the search screen. It was indicated that integrating Pubmed with MeSH database would improve searching.

- Include an advanced search feature that is straightforward and easy to use like one that appears in Ovid.
- Making more articles available in full text.

Generally, participants appreciated the usefulness of Pubmed's unique features. These unique features may however prove to be too complicated for the novice researcher. One participant elaborated on the issue of its complexity by rightfully saying, "You can get more out of Pubmed that what you put into it, but you have to know where to look for it."

One participant however disagreed with the suggestion that the interface be simplified as this would lead to the misconception that a basic search will give you what you want. Medical Librarians should therefore learn these search strategies and teach the users for effective and efficient searching of evidence based information.

It was indicated that it is important for librarians to teach search strategies and one of the strategies to teach should be on how to select the most relevant resources. This is very important as database selection is the next step after one has formulated a good search question. In response to selection of good databases, participants suggested MDConsult, Access Medicine, Cochrane, eMedicine, Medscape, Dynamed, Infopoems, Cochrane, and Trip. A participant indicated that he would recommend Pubmed as a last resort for rare or obscure questions, or when the others are not helpful such as Infopoem, Trip. However, users need to know the advantages and disadvantages of the databases and search filters so as to apply the right search strategy to the database concerned.

The use of multiple databases for searching was recommended by many participants for reasons such as:

- BMJ clinical evidence which is a very useful resource is not indexed in Medline but is searchable in Google
- At times one is unable to retrieve Cochrane reviews via Medline
- Some resources are freely available while others require subscription and may not be available to the user.

Participants recommended searching using search engines that can retrieve EBM resources. TRIP is one search engine that includes resources that are considered evidence based and the results of each search are presented in categories such as systematic reviews, evidence based synopses, clinical questions, Medline clinical queries.

Other challenges encountered by medical librarians include:

- One participant indicated that they had encountered the challenge of teaching EBM to nurses who did not seem to be receptive to the concept like the physicians.
- Shortage of staff in the library and thus not being able to effectively and efficiently support / contribute to EBM.
- Lack of appreciation for EBM. A participant in relation to this challenge gave the following story which clearly illustrates such a scenario,

I remember a radio interview of the doctor who helped the buffalo bills football player walk again. He claimed that if he had to wait for evidence before committing to the procedure, the player would not be walking. I understand that it's about the science of medicine, but how much of it is in fact an art.

- Information literacy course not being part of the curriculum makes it hard to get users to attend.
- It is challenging for information providers to teach clinical concepts to trained health professionals.

Advantages and disadvantages of PICO

PICO being a format used in the EBM process, the question on advantages and disadvantages of PICO sought the opinions of Medical Librarians on this format and more so their experiences in developing clinical questions.

The participants were generally in agreement that PICO is limiting as it is more common for therapy questions and does not seem to work with other types of questions. This notwithstanding, participants indicated that it can be used to guide a reference interview as the identification of key concepts should work for all questions. Applying the PICO format in a reference interview can guide one to think about a question critically so as to extract the key concepts. PICO creates a focused question making it manageable for a search scenario. A participant explained this in a most interesting way by stating that PICO “trims the fat”. Since PICO seems to only cater for therapy questions it is suggested that a separate model for other type of questions needs to be developed. It is important to note that this may be the case because in EBM therapy is the most common type of question.

Participants acknowledged the challenge to teach EBM with the stimulus of real clinical scenarios. Formulating the question for the real clinical scenario may pose a challenge for the information provider. In regards to the challenge of understanding the ‘medical jargon’, one participant gave her experience,

Students have to hand in an EBM library assignment which involves forming a focused clinical question, showing us the strategy they used and choosing one article which they think answered their question. Sometimes the article they choose is too complicated and full of medical jargon for me to decide whether that article did answer their question.

Participants also felt that PICO may be a bit difficult to apply as many questions sent may not fit into PICO format. Besides being difficult participants acknowledged the importance of PICO.

It is interesting to note that few participants contributed to discussion on the advantages and disadvantages of PICO and this may indicate that Medical Librarians were not fully conversant with the PICO format and perhaps some were introduced to the format for the first time during the course.

Conclusion and Recommendations

Medical librarians should play a critical role in the EBM process especially when it comes to identifying resources that are evidence-based. Medical Librarians need to position themselves strategically so that health professionals / clinicians are aware “that they have an incredible resource at their fingertips in their local librarians” (Koestner, 2008). The onus is on medical librarians to show the value of EBM.

Since many medical librarians are not specially trained in medical librarianship the EBM process becomes very challenging. Medical librarians should therefore strive to learn the necessary skills especially in searching for EBM. This is essential as there are so many variables for searching and the Medical Librarians should be aware of these and also be able to teach the same to the users. It is critical for the information providers to have more contemporary training offered to them in terms of searching electronic resources, critical evaluation of resources, resource selection, database development and designing user friendly interfaces. The EBM course organized by the University of Carolina is one good example of search training and local institutions and associations should introduce this type of training sessions.

There is an urgent need for information providers to move away from the traditional role medical librarians have played over the years. Health information providers need to be more proactive than ever before and come up with ways of bringing information resources to those who need

them. Fulfilling users' needs is critical and health information providers need to be at the forefront.

This paper sought to find out the role of medical librarians in the EBM process and more so the challenges and opportunities. The discussion on challenges and opportunities found that there was more prominence on the challenges than opportunities. This notwithstanding, it was noted that medical librarians should tap into the available opportunities.

Many participants indicated that the discussion board was an eye opener as various librarians from various parts of the world shared their experiences. It is commendable to note that most medical librarians are putting effort in teaching users on how to search for information. More effort should however be placed to integrate the EBM process.

The discussion board suggested several ways that medical librarians can support EBM:

- Provide easy access to resources
- Train health professionals on how to search effectively
- Information literacy course should be an examinable module in a curriculum so that it can be taken more seriously by the health professionals.
- Incorporate "question building skills" in the information literacy classes
- Incorporate components of the well built clinical question into the search request form
- Develop materials .e.g. user guides that support EBM
- Partner with faculty in teaching EBM
- Restructure service such as inter library loan (ILL), document delivery, electronic full text in an effort to improve retrieval time. (Schardt and Myatt, 2008)

REFERENCES

- Carlson, CN (2003). Information overload, retrieval strategies and internet user empowerment. In: Haddon, Leslie, (Eds). *Proceedings The Good, the Bad and the Irrelevant*; 1(1):169-173. <<http://eprints.rclis.org/archive/00002248/01/information_overload.pdf >
- Chen, H, et al. (1998). Internet Browsing and searching: User evaluations of category map and concept space technique.
<<http://ai.eller.arizona.edu/go/intranet/papers/Internet-98.pdf>>
- Clinical knowledge retrieval & analysis, e-learning [Internet]..
<http://www.upol.cz/fileadmin/user_upload/LF/IC/PROJEKTYduben07/WEB-KLF/INNO2.doc>
- Cullen, RJ. (2002). In search of evidence: family practitioner's use of the internet for clinical information. *Journal of Medical Library Association*. 94(4):370-379.
- EBM – a fairytale for librarians? [internet].
<http://www.zbmed.de/fileadmin/pdf_dateien/EAHIL_2002/fabricius-proc.pdf >
- Evidence-Based Medicine Working Group. (1992). Evidence Based Medicine: a new approach to teaching the practice of medicine. *Journal of America Medical Association*. 268(17): 2420-2425.
- Falzon, L. & Booth, A. (2001). REALISE-ing their potential?: implementing local library projects to support evidence-based health care. *Health information and libraries journal*. 18: 65-74.
- Hamer, S & Collinson, G. (1999). *Achieving Evidence-based practice: a handbook for practitioners*. Edinburg: Bailliere Tindall.
- Herma, CH. (2006). How do primary care physicians seek answers to clinical question? A literature review. *Journal of Medical Library Association*, 94(1);55-60.
- Sackett, DL. (1996). Evidence-based medicine: what it is and what it isn't. *BMJ*. 12(7023):71-73.
- Schardt, C & Myatt, A. (2008). *EBM and the medical librarian: a distance education course*. University of North Carolina.
- Scherrer, CS. (1999). The evolving role of the librarian in evidence based medicine. *Bulletin of Medical Library Association*. 87(3): 322-328.
- Urquhart, C., Spink, S., Thomas, R. & Durbin, J. (2005). Systematic assessment of the training needs of health library staff. *Library and Information Research*. 29(93):35-42.