

8-2012

Papers Resulting from Research Conducted at Arapaho Prairie, Arthur County, Nebraska

Kathleen H. Keeler

University of Nebraska - Lincoln, kkeeler1@unl.edu

Sue A. Gardner

University of Nebraska - Lincoln, sgardner2@unl.edu

Scott Lyell Gardner

University of Nebraska - Lincoln, slg@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/librarianscience>



Part of the [Library and Information Science Commons](#)

Keeler, Kathleen H.; Gardner, Sue A.; and Gardner, Scott Lyell, "Papers Resulting from Research Conducted at Arapaho Prairie, Arthur County, Nebraska" (2012). *Faculty Publications, UNL Libraries*. 277.

<https://digitalcommons.unl.edu/librarianscience/277>

This Article is brought to you for free and open access by the Libraries at University of Nebraska-Lincoln at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Faculty Publications, UNL Libraries by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Papers Resulting from Research Conducted at Arapaho Prairie, Arthur County, Nebraska

Compiled by Kathleen Keeler, Sue Ann Gardner, and Scott L. Gardner

August 2012

Introduction

The Nature Conservancy owns Arapaho Prairie, a 1,298-acre property in Arthur County, in western Nebraska.

On the University of Nebraska-Lincoln, Cedar Point Biological Station, Habitats Web page (available at <http://cedarpoint.unl.edu/research/habitats/index.shtml>), Arapaho Prairie is described: "Arapaho Prairie [is] home to numerous experiments that have shaped our understanding of nature. ... Arapaho Prairie, owned by the Nature Conservancy, is two square miles of ungrazed sandhills prairie in Arthur County. It is managed by Cedar Point and was purchased expressly for our researchers and courses. There is a prep building and automated weather station on the prairie."

Topographic and soil maps of Arapaho Prairie are available at <http://go.nebraska.edu/arapaho> and http://cedarpoint.unl.edu/images/facilities/arapaho_soil_map.jpg, respectively.

Publications

- Alward, R.D., and A. Joern. 1993. Plasticity and overcompensation in grass responses to herbivory. *Oecologia* 95: 358-364. (Cited by 67)
- Arnett, A.E., and S.M. Louda. 2002. Re-test of *Rhinocyllus conicus* host specificity, and the prediction of ecological risk in biological control. *Biological Conservation* 106: 251-257. (Cited by 38)
- Ballinger, R.E., J.W. Nietfeldt, and J.K. Krupa. 1979. An experimental analysis of the role of the tail in attaining high running speed in *Cnemidophorus sexlineatus* (Reptilia: Squamata: Lacertilia). *Herpetologica* 35: 114-116. (Cited by 98)
- Ballinger, R.E., D.L. Droge and S.M. Jones. 1981. Reproduction in a Nebraska Sandhills population of the northern prairie lizard, *Sceloporus undulatus garmani*. *American Midland Naturalist* 106: 157-164. (Cited by 34)
- Ballinger, R.E., and K.S. Watts. 1995. Path to extinction: impact of vegetational change on lizard populations on Arapaho Prairie in the Nebraska Sandhills. *American Midland Naturalist* 134: 413-417. (Cited by 34)
- Barnes, P.W. 1985. Adaptation to water stress in the big bluestem-sand bluestem complex. *Ecology* 66: 1,908-1,920. (Cited by 15)
- Barnes, P.W. 1986. Variation in the big bluestem (*Andropogon gerardii*)-sand bluestem (*Andropogon hallii*) complex along a local dune/meadow gradient in the Nebraska Sandhills. *American Journal of Botany* 73: 172-184.
- Barnes, P.W., and A.T. Harrison. 1982. Species distribution and community organization in a Nebraska Sandhills mixed prairie as influenced by plant/soil-water relationships. *Oecologia* 52: 192-201. (Cited by 92)

- Barnes, P.W., A.T. Harrison, and S.P. Heinisch. 1984. Vegetation patterns in relation to topography and edaphic variation in Nebraska Sandhills prairie. *Prairie Naturalist* 16: 145-158.
- Behmer, S.T., and A. Joern. 1993. Diet choice by a grass-feeding grasshopper based on the need for a limiting nutrient. *Functional Ecology* 7: 522-527. (Cited by 23)
- Behmer, S.T., and A. Joern. 1994. The influence of proline on diet selection: sex-specific feeding preferences by the grasshoppers *Ageneotettix deorum* and *Phoetaliotes nebrascensis* (Orthoptera: Acrididae). *Oecologia* 98: 76-82. (Cited by 23)
- Belovsky, G.E., and A. Joern. 1995. The dominance of different regulating mechanisms for rangeland grasshoppers. In: N. Cappuccino and P.W. Price (editors), *Population Dynamics: New Approaches and Synthesis*, p. 359-386. San Diego: Academic Press.
- Berger, J.C., and S.M. Louda. 1994. Indirect vs. direct effects of grasses on growth of cactus (*Opuntia fragilis*): insect herbivory vs. competition. *Oecologia* 99:79-87. (Cited by 42)
- Berger, J.C., and S.M. Louda. 1995. Interaction of diffuse competition and insect herbivory in limiting brittle prickly pear cactus, *Opuntia fragilis* (Cactaceae). *American Journal of Botany* 82: 1,558-1,566. (Cited by 32)
- Berry, J.S., G. Belovsky, A. Joern, W.P. Kemp, and J. Onsager. 1993. Object-oriented simulation model of rangeland grasshopper population dynamics. *Proceedings of the Fourth Conference on AI Simulation and Planning in High-Autonomy Systems*. IEEE Computer Society Press. (Cited by 11)
- Bomberger, M.L., S.L. Shields, A.T. Harrison, and K.H. Keeler. 1983. Comparison of old field succession on a tallgrass prairie and a Nebraska Sandhills prairie. *Prairie Naturalist* 15: 9-15.
- Bradley, K.L., E.I. Damschen, L.M. Young, D. Kuefler, S. Went, G. Wray, N.M. Haddad, J.M.H. Knops, and S.M. Louda. 2003. Spatial heterogeneity, not visitation bias, dominates variation in herbivory. *Ecology* 84: 2,214-2,221. (Cited by 12)
- Burger, J.C., and S.M. Louda. 1995. Interaction of diffuse competition and insect herbivory in limiting brittle prickly pear cactus, *Opuntia fragilis* (Cactaceae). *American Journal of Botany* 82: 1,558-1,566. (Cited by 32)
- Droge, D.L., S.M. Jones, and R.E. Ballinger. 1982. Reproduction of *Holbrookia maculata* in western Nebraska. *Copeia* 1982: 356-362. (Cited by 13)
- Ewel, J.J., D.J. O'Dowd, J. Bergelson, C.C. Daehler, C.M. D'Antonio, L. Diego Gomez, D.R. Gordon, R.J. Hobbs, A. Holt, K.R. Hopper, C.E. Hughes, M. LaHart, R.R.B. Lakey, W.G. Lee, L.L. Loope, D.H. Lorence, S.M. Louda, A.E. Lugo, P.B. McEvoy, D.M. Richardson, and P.M. Vitousek. 1999. Deliberate introductions of species: research needs. *BioScience* 49: 619-630. (Cited by 191)
- Gassmann, A., and S.M. Louda. 2001. *Rhinocyllus conicus*: evaluation and subsequent ecological impacts in North America. In: E. Wajnberg, J. K. Scott, and P.C. Quimby (editors), *Evaluating Indirect Ecological Effects of Biological Control*, p. 147-183. UK: CABI Science. (Cited by 46)

- Heidorn, T.J., and A. Joern. 1984. Differential herbivory on C₃ versus C₄ grasses by the grasshopper *Ageneotettix deorum* (Orthoptera: Acrididae). *Oecologia* 65: 19-25. (Cited by 26)
- Heidorn, T.J., and A. Joern. 1987. Feeding preference and spatial distribution of grasshoppers (Acrididae) in response to nitrogen fertilization of *Calamovilfa longifolia*. *Functional Ecology* 1: 369-375. (Cited by 28)
- Joern, A. 1981. Importance of behavior and coloration in the control of body temperature by *Brachystola magna* Girard (Orthoptera: Acrididae). *Acrida* 10: 117-130. (Cited by 11)
- Joern, A. 1982. Distributions, densities and relative abundances of grasshoppers (Orthoptera: Acrididae) in a Nebraska Sandhills prairie. *Prairie Naturalist* 14: 37-45. (Cited by 39)
- Joern, A. 1982. Vegetation structure and microhabitat selection in grasshoppers (Orthoptera: Acrididae). *Southwestern Naturalist* 27: 197-209. (Cited by 65)
- Joern, A. 1983. Host plant utilization by grasshoppers (Orthoptera: Acrididae) from a Sandhills prairie. *Journal of Range Management* 36: 793-797. (Cited by 39)
- Joern, A. 1983. Small-scale displacements of grasshoppers (Orthoptera: Acrididae) within arid grasslands. *Journal of the Kansas Entomological Society* 56: 131-139. (Cited by 21)
- Joern, A. 1985. Expanding our horizons in grasshopper ecology. In: D.A. Nickle (editor). *Third Triennial Proceedings of the Pan American Acridological Society*, p. 93-96. Ann Arbor, Mich.: Edward Bros.
- Joern, A. 1985. Grasshopper dietary (Orthoptera: Acrididae) from a Nebraska Sandhills prairie. *Transactions of the Nebraska Academy of Science* 8: 21-32. (Cited by 37)
- Joern, A. 1986. Experimental study of avian predation on coexisting grasshopper populations (Orthoptera: Acrididae) in a Sandhills grassland. *Oikos* 46: 243-249. (Cited by 83)
- Joern, A. 1986. Resource partitioning by grasshopper species from grassland communities. In: D.A. Nickle (editor). *Proceedings of the Fourth Triennial Meeting of the Pan American Acridological Society*, p. 75-100. PAAS. (Cited by 10)
- Joern, A. 1987. Behavioral responses underlying ecological patterns: resource use in grasshoppers. In: J.C. Capinera (editor). *Rangeland Pest Management: A Shortgrass Prairie Perspective*, p. 137-161. Boulder, Colo.: Westview Press.
- Joern, A. 1988. Foraging behavior and switching by the grasshopper sparrow, *Ammodramus savannarum*: searching for multiple prey in a heterogeneous environment. *American Midland Naturalist* 119: 225-234. (Cited by 21)
- Joern, A. 1992. Variable impact of avian predation on grasshopper assemblies in Sandhills grassland. *Oikos* 64: 458-463. (Cited by 33)
- Joern, A., and R. Alward. 1988. Effects of nitrogen fertilization on choice among grasses by the grasshopper *Phoetaliotes nebrascensis* (Orthoptera: Acrididae). *Annals of the Entomological Society America* 81: 240-244. (Cited by 4)

- Joern, A., and S.B. Gaines. 1990. Population dynamics and regulation in grasshoppers. *In*: R.F. Chapman and A. Joern (editors). *Biology of Grasshoppers*, p. 415-482. New York: Wiley. (Cited by 137)
- Joern, A., and G. Klucas. 1993. Intra- and interspecific competition in adults of two abundant grasshopper (Orthoptera: Acrididae) from a Sandhills grassland. *Environmental Entomology* 22: 352-361. (Cited by 29)
- Joern, A., and L.R. Lawlor. 1981. Guild structure in grasshopper assemblages based on food and microhabitat resources. *Oikos* 37: 93-104. (Cited by 47)
- Joern, A., R. Mitschler, and H. O'Leary. 1986. Activity and time budgets in common Sandhills prairie grasshoppers. *Journal of the Kansas Entomological Society* 59: 1-6.
- Joern, A., and K.P. Pruess. 1986. Temporal constancy in grasshopper assemblies (Orthoptera: Acrididae). *Ecological Entomology* 11: 379-385. (Cited by 41)
- Joern, A., and N. Rudd. 1982. Impact of predation by the robber fly, *Proctacanthus milbertii* (Diptera: asilidae), on grasshopper (Orthoptera: acrididae) populations. *Oecologia* 55: 42-46. (Cited by 37)
- Jones, S.M., and R.E. Ballinger. 1985. Ecological disturbance in a Sandhills prairie: impact and importance to the lizard community on Arapaho Prairie. *Prairie Naturalist* 17: 91-100.
- Jones, S.M., and R.E. Ballinger. 1987. Comparative life histories of *Holbrookia maculata* and *Sceloporus undulatus* in western Nebraska. *Ecology* 68: 1,828-1,838. (Cited by 58)
- Jones, S.M., R.E. Ballinger, and W.P. Porter. 1987. Physiological and environmental sources of variation in reproduction: prairie lizards in a food rich environment. *Oikos* 48: 325-335. (Cited by 50)
- Kaspari M.E. 1990. Prey preparation and the determinants of handling time. *Animal Behaviour* 40: 118-126. (Cited by 38)
- Kaspari M.E. 1991. Central place foraging in the grasshopper sparrow: opportunism or optimal foraging in a variable environment? *Oikos* 60: 307-312. (Cited by 17)
- Kaspari M.E. 1991. Preparation as a strategy to maximize nutrient concentration in prey. *Behavioral Ecology* 2: 234-241. (Cited by 11)
- Kaspari, M.E., and A. Joern. 1993. Prey choice by three insectivorous grassland birds: reevaluating opportunism. *Oikos* 68: 414-430. (Cited by 48)
- Kaul, R.B., D. Sutherland, and S. Rolfsmeier. 2012. *Flora of Nebraska: Keys, Descriptions, and Distributional Maps of All Native and Introduced Species That Grow Outside Cultivation: With Observations about Their Past, Present, and Future Status*, 2nd edition, 966 p. Lincoln, Neb.: University of Nebraska.
- Keeler, K.H. 1980. Distribution of plants with extrafloral nectaries in temperate ecosystems. *American Midland Naturalist* 104: 274-280. (Cited by 18)
- Keeler, K.H. 1980. Extrafloral nectaries of *Ipomoea leptophylla* (Convolvulaceae). *American Journal of Botany* 67: 216-222. (Cited by 36)

- Keeler, K.H. 1981. Function of *Mentzelia nuda* (Loasaceae) postfloral nectaries in seed defense. *American Journal of Botany* 68: 295-299. (Cited by 46)
- Keeler, K.H. 1987. Survivorship and fecundity of the polycarpic perennial *Mentzelia nuda* (Loasaceae) in Nebraska Sandhills prairie. *American Journal of Botany* 74: 785-791. (Cited by 3)
- Keeler, K.H. 1991. Survivorship and recruitment in a long-lived perennial, *Ipomoea leptophylla* (Convolvulaceae). *American Midland Naturalist* 126: 44-60. (Cited by 6)
- Keeler, K.H., and M.S. Fredricks. 1979. Nocturnal pollination of *Abronia fragrans* (Nyctaginaceae). *Southwestern Naturalist* 24: 692-693. (Cited by 2)
- Keeler, K.H., A.T. Harrison, and L.S. Vescio. 1980. The flora and Sandhills prairie communities of Arapaho Prairie, Arthur County, Nebraska. *Prairie Naturalist* 12: 65-78.
- Louda, S.M. 1998. Population growth of *Rhinocyllus conicus* (Coleoptera: Curculionidae) on two species of native thistles in prairie. *Environmental Entomology* 27: 834-841. (Cited by 55)
- Louda, S.M. 2000. Negative ecological effects of the musk thistle biocontrol agent, *Rhinocyllus conicus* Fröl. In: P.A. Follett and J.J. Duan (editors). *Nontarget Effects of Biological Control*, p. 215-243. Dordrecht: Kluwer Academic.
- Louda, S.M. 2000. *Rhinocyllus conicus*: insights to improve predictability and minimize risk of biological control of weeds. In: N.R. Spencer (editor), *Proceedings of the Tenth International Symposium on Biological Control of Weeds*, p. 187-193. Sydney, Mont.: USDA, ARS. (Cited by 15)
- Louda, S.M., and A.E. Arnett. 2000. Predicting non-target ecological effects of biological control agents: evidence from *Rhinocyllus conicus*. In: N.R. Spencer (editor), *Proceedings of the Tenth International Symposium on Biological Control of Weeds*, p. 551-567. Sydney, Mont.: USDA, ARS. (Cited by 28)
- Louda, S.M., A.E. Arnett, T.A. Rand, and F.L. Russell. 2003. Invasiveness of some biological control insects and adequacy of their ecological risk assessment and regulation. *Conservation Biology* 17: 73-82. (Cited by 92)
- Louda, S.M., D. Kendall, J. Connor, and D. Simberloff. 1997. Ecological effects of an insect introduced for the biological control of weeds. *Science* 277: 1,088-1,090. (Cited by 388)
- Louda, S.M., and C.W. O'Brien. 2002. Unexpected ecological impacts of redistributing the exotic weevil, *Larinus planus* (F.), for the biological control of Canada thistle. *Conservation Biology* 16: 717-727. (Cited by 49)
- Louda, S.M., R.W. Pemberton, M.T. Johnson, and P.A. Follett. 2003. Non-target effects—the Achilles' heel of biological control? Retrospective analyses to reduce risk associated with biocontrol introductions. *Annual Review of Entomology* 48: 365-396. (Cited by 305)
- Louda, S.M., and M.A. Potvin. 1995. Effect of inflorescence-feeding insects on the demography and lifetime fitness of a native plant. *Ecology* 76: 229-245. (Cited by 269)

- Louda, S.M., M.A. Potvin, and S.K. Collinge. 1990. Seed predation and seedling competition in the recruitment and population dynamics of Platte thistle in Sandhills prairie. *American Midland Naturalist* 124: 105-113. (Cited by 60)
- Louda, S.M., M.A. Potvin, and S.K. Collinge. 1992. Predispersal seed predation in the limitation of a native thistle. *In: S.B.J. Menken, J.H. Visser and P. Harrewijn (editors), Insect-Plant Relationships*, p. 30-32. Dordrecht: Kluwer.
- Louda, S.M., and T.A. Rand. 2002. Native thistles: expendable or integral to ecosystem: resistance to invasion? *In: P. Kareiva and S. Levin (editors). The Importance of Species*, p. 5-15. Princeton, N.J.: Princeton University Press. (Cited by 17)
- Louda, S.M., T.A. Rand, A.E. Arnett, A.S. McClay, K. Shea, and A.K. McEachern. 2005. Evaluation of ecological risk to populations of a threatened plant from an invasive biocontrol insect. *Ecological Applications* 15: 234-349. (Cited by 33)
- Louda, S.M., T.A. Rand, F.L. Russell, and A.E. Arnett. 2005. Assessment of ecological risks in biocontrol: input from retrospective ecological analyses. *Biological Control* 35: 253-264. (Cited by 32)
- Louda, S.M., F.L. Russell, and T.A. Rand. 2003. Caution needed in biological control efforts. *Conservation in Practice* 4: 45-46.
- Louda, S.M., D. Simberloff, G. Boettner, J. Connor, D. Kendall, and A.E. Arnett. 1998. Insights from data on the nontarget effects of the flowerhead weevil. *Biocontrol News and Information* 26: 70N-71N.
- Louda, S.M., and P. Stiling. 2004. The double-edged sword of biological control in conservation and restoration. *Conservation Biology* 18: 50-53. (Cited by 71)
- Maron, J.L., J.K. Combs, and S.M. Louda. 2002. Insect herbivory on thistles: congruent interaction strengths in coastal vs. continental dunes. *Ecology* 83: 3,382-3,392.
- Mole, S., and A. Joern. 1993. Foliar phenolics of Nebraska Sandhills prairie graminoids: between-years, seasonal and interspecific variation. *Journal of Chemical Ecology* 19: 1,861-1,874. (Cited by 13)
- Mole, S., and A. Joern. 1994. Feeding behavior of graminivorous grasshoppers in response to host-plant extracts, alkaloids and tannins. *Journal of Chemical Ecology* 20: 3,097-3,109. (Cited by 10)
- Mole, S., A. Joern, M.H. O'Leary, and S. Madhavan. 1994. Spatial and temporal variation in carbon isotope discrimination in prairie graminoids. *Oecologia* 97: 316-321. (Cited by 25)
- Niewiarowski, P.H., and W. Roosenburg. 1993. Reciprocal transplant reveals sources of variation in growth rates of the lizard *Sceloporus undulatus*. *Ecology* 74: 1,992-2,002. (Cited by 130)
- Rand, T.A., and S.M. Louda. 2004. Exotic weed invasion increases the susceptibility of native plants to attack by a biocontrol herbivore. *Ecology* 85: 1,548-1,554. (Cited by 52)
- Rand, T.A., and S.M. Louda. 2006. Invasive insect abundance varies across the biogeographic distribution of a native host plant. *Ecological Applications* 16: 877-890. (Cited by 9)

- Rand, T.A., and S.M. Louda. 2006. Predator spillover across the agricultural-natural interface: implications for insects in fragmented landscapes. *Conservation Biology* 20: 1,720-1,729. (Cited by 37)
- Rand, T.A., F.L. Russell, and S.M. Louda. 2004. Local vs. landscape scale indirect effects of an invasive weed on native plants. *Weed Technology* 82: 1,250-1,257. (Cited by 14)
- Rose, K.E., S.M. Louda, and M. Rees. 2005. Demographic and evolutionary impacts of native and invasive insect herbivores: a case study with Platte thistle, *Cirsium canescens*. *Ecology* 86: 453-465. (Cited by 70)
- Russell, F.L., and S.M. Louda. 2004. Phenological synchrony affects interaction strength of an exotic weevil with Platte thistle, a native host plant. *Oecologia* 139: 525-534. (Cited by 23)
- Russell, F.L., and S.M. Louda. 2005. Indirect interaction between two native thistles mediated by an invasive exotic floral herbivore. *Oecologia* 146: 373-384. (Cited by 20)
- Russell, F.L., S.M. Louda, T.A. Rand, and S.D. Kachman. 2007. Variation in herbivore-mediated indirect effects of an invasive plant on a native plant. *Ecology* 88: 413-429. (Cited by 11)
- Steward, J.L., and K.H. Keeler. 1988. Are there tradeoffs among antiherbivore defenses in *Ipomoea* (Convolvulaceae)? *Oikos* 53: 79-86. (Cited by 53)
- Weller, S.G., K.H. Keeler, and B.A. Thomson. 2000. Clonal growth of *Lithospermum caroliniense* (Boraginaceae) in contrasting sand dune habitats. *American Journal of Botany* 87: 237-242. (Cited by 9)

Note: The “Cited by” numbers were provided by Google Scholar August 27, 2012.