

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Bird Review

Nebraska Ornithologists' Union

3-1991

Fall 1990 Occurrence Report

Follow this and additional works at: <https://digitalcommons.unl.edu/nebbirdrev>



Part of the Poultry or Avian Science Commons, and the Zoology Commons


"Fall 1990 Occurrence Report" (1991). *Nebraska Bird Review*. 404.

<https://digitalcommons.unl.edu/nebbirdrev/404>

This Article is brought to you for free and open access by the Nebraska Ornithologists' Union at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Bird Review by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Fall 1990 Occurrence Report

During the period from 1 July to 31 December 1990, 284 species were recorded in the state. This compares with 291 species in the second half of 1989, 282 species in 1988, 296 in 1987, and 293 in 1986. The map below gives a representation of the frequency of reports within the state:



LEGEND

- Occurrence and Christmas Count Reports Received
- ▨ Occurrence Reports Received
- ▩ Christmas Count Report Received
- ▩ Field Trip Reports Received
- Miscellaneous Sighting Reports Received

The report which follows gives information on reporting counties in a rough west-to-east order. Counties of similar longitude are dealt with in a north-to-south fashion with some consideration for keeping counties along river valleys together. Those counties whose data is found within the occurrence tables are denoted in capital letters. One change to note: species recorded by observers as NR (not observed during count period but birds which observer is sure were present) are listed in the county-by-county report rather than the occurrence tables.

Corrections to the 1989 Spring Occurrence Report: in Lancaster County, the dates for Franklin's Gull should be March 22 to April 2 (*NBR* 58:69), and those for Great Crested Flycatcher should read May 9 to June 8 (58:71).

COUNTY-BY-COUNTY REPORT

SIOUX COUNTY—133 species. Reporters: David and Helen Hughson. Observers: Vonie Hatch and Stephen Kerr.

Helen Hughson reports: Townsend's Warbler is seen occasionally at their ranch. The bird observed this fall was feeding on the insects it found on the leaves of their box elder tree. Helen was able to watch the bird for 10 minutes. The MacGillivray's Warbler was observed on their lower fence wire and kept hopping back and forth in the weeds. She has seen all three of the grey-headed warblers [*Oporornis*] in the area, and did note the broken eyering on this bird. The Broad-tailed Hummingbird, a male, was identified using the metallic wing sound that it made in flight. This bird fed on her hanging geranium plant on the front porch. Hughson spent about an hour watching it from a lawn chair on the porch, and at one point the bird came within 6 inches of her face. She suspects that it must have seen the geranium reflection in her glasses.

Two other birds which were firsts for the Hughsons' ranch were the Great Crested Flycatcher and the Eastern Phoebe. The Flycatcher sat on a wire over their garden and was viewed for an entire morning while Helen Hughson worked in the yard. The Phoebe she at first thought was a late Pewee, but the bird looked odd. Closer observation with field guide and binoculars in hand revealed that the bird was an Eastern Phoebe, and she then watched it on and off for the rest of the day.

Kerr's report on the Swainson's Hawk migration (see page 34), including the sighting of three accipiters during this incident, has been added to the report submitted by the Hughsons.

SCOTTS BLUFF COUNTY—133 species. Reporter: Alice Kenitz. Observers: Felix Koenig, Lucy Koenig, Nora Mae Vance, and Christmas Count participants.

The Barrow's Goldeneye was sighted at the Gering sewage lagoons; it was a life bird for Alice Kenitz, and she has submitted a report on it to the NOURC. Nora Mae Vance saw 4 Whooping Cranes in a flock of Sandhill Cranes near Lake Minatare on October 21; this sighting was not reported to Game and Parks or USF&W, so it is not included in the Whooping Crane Report found later in this issue. The Sanderlings and Stilt Sandpipers were reported by personnel of the North Platte NWR. Kenitz also notes that she does not recall having American White Pelicans in the area for the entire summer previous to 1990. Species listed as NR: Northern Bobwhite, Eastern Screech-Owl, Burrowing Owl.

DAWES COUNTY—62 species. Reporter: Jim Minyard. Observer: Hope Minyard.

Future documentation on the summer occurrences of American Tree Sparrows has been requested. Johnsgard (1982) lists this species as a migrant and winter visitor with dates of occurrence between October and May, and summer records would be outstanding.

Cherry County—89 species. A list of species recorded by members during the NOU Fall Field Days, 7 to 9 September 1990, can be found in *NBR* 58:97-98 by following the V and C columns within the accompanying table. The only additional sighting received was of Whooping Crane (see page 32).

Thomas County—89 species. A list of species recorded by members during the NOU Fall Field Days, 7 to 9 September 1990, can be found in *NBR* 58:97-98 by following the T and F columns within the accompanying table. An appeal for further information on the Northern Shrike was made in the NOU Newsletter and is repeated here; conservatively counting this as a Shrike sp. does not change the number recorded as the only other shrike mentioned was also a Shrike sp. An *Empidonax* sp. was also recorded.

Keith County—Whooping Crane was the only species recorded (see page 32).

LINCOLN COUNTY—126 species. Reporters: Margaret Morton and Mrs. Howard Wyman. Observers: Mr. and Mrs. Harold Cunningham, members of the Tout Bird Club of North Platte, and Christmas Count participants.

Both Mrs. Wyman and Morton reported that the sparrow population in Lincoln County was significantly lower during the entirety of this period. Species listed as NR: Chipping Sparrow (Further communication on sparrow occurrence this summer led to designation).

Frontier County—Whooping Crane was the only species recorded (see page 32).

Brown County—28 species. A list of species recorded by members during the NOU Fall Field Days, 7 to 9 September 1990, can be found in *NBR* 58:97-98 by following the B column within the accompanying table.

Rock County—21 species. Reporters: Jim Ducey and Jerry Schoenenberger. An article by Ducey and Schoenenberger, containing data on sightings around Pony Lake, has been accepted for publication in the June *NBR*. A complete listing of dates and species will be given there. The number given above is a conservative estimate using the dates provided and noting species recorded as "permanent"; this includes the following species (some species may be added later): American White Pelican, Cattle Egret, Canada Goose, Bald Eagle, Red-tailed Hawk, American Kestrel, Ring-necked Pheasant, Greater Prairie-Chicken, Sharp-tailed Grouse, Wild Turkey, Great Horned Owl, Common Nighthawk, Blue Jay, American Crow, Black-capped Chickadee, American Robin, Loggerhead Shrike, Common Yellowthroat, Northern Oriole, American Goldfinch, House Sparrow.

The Trumpeter Swans reported in *NBR* 58:106 were probably in this county at times, though no direct mention of this was made (they are not included in the total above).

Loup County—On 16 September 1990 Loren Blake found one White-faced Ibis and about 100 Sanderlings at Calamus Dam near Burwell.

PHELPS COUNTY—114 species. Reporter: Robin Harding. Observer: Lanny Randolph.

This report is mostly made up of sightings from Funk Marsh, but also includes sightings from the Sacramento Game Management Area. Species Listed as NR: Western Grebe, American Bittern, Green-backed Heron, Common Goldeneye, Bufflehead, Turkey Vulture, Bald Eagle, Merlin, Peregrine Falcon, Solitary Sandpiper, Spotted Sandpiper, Stilt Sandpiper, Forster's Tern, Rock Dove, Barn Owl,

Short-eared Owl, Red-bellied Woodpecker, Downy Woodpecker, Hairy Woodpecker, Purple Martin, Red-breasted Nuthatch, White-breasted Nuthatch, Golden-crowned Kinglet, Eastern Bluebird, Gray Catbird, Cedar Waxwing, Rose-breasted Grosbeak, Chipping Sparrow, Clay-colored Sparrow, Dark-eyed Junco, Lapland Longspur.

BUFFALO AND KEARNEY COUNTIES—97 species. Reporter: Robin Harding. Observer: Lanny Randolph and US F &W (Whooping Crane).

These two counties are combined because much of Harding and Randolph's birding was done along the Platte River, which is the county border. Along the river, bird sightings were recorded at Fort Kearny State Park, Bassway Strip, Audubon's Rowe Sanctuary, and the sandpits behind Grandpa's Steakhouse. Away from the river, sightings were recorded at the reporter's home (northeast of Kearney), the Kearney City Cemetery, the Kearney State College campus, Kearney Lake, along back roads in Kearney County, and at a marsh two miles east of Funk Marsh. Also includes data from Whooping Crane Report. Species Listed as NR: Double-crested Cormorant, Turkey Vulture, Swainson's Hawk, Wild Turkey, Franklin's Gull, Yellow-billed Cuckoo, Purple Martin.

Hall County—76 species. The only reports from Hall County have been the Christmas Count and the Whooping Crane (see page 32). The Pine Grosbeak noted on the Christmas Count was the only one recorded in the state during the period, and further information has been requested.

HOLT COUNTY—147 species. Reporter: Loren Blake. Observers: Clyde Blake and Jim Boettcher.

Blake notes that this report covers only southern Holt County. He is not as familiar with birds which would be expected in the northern half. See page for several spring dates for this region. A photograph of the Sprague's Pipit has been provided by Blake for future publication. Species Listed as NR: Horned Grebe, Eared Grebe, American Bittern, Black-crowned Night-heron, Greater White-fronted Goose, Snow Goose, Turkey Vulture, Merlin, Peregrine Falcon, Virginia Rail, Black-bellied Plover, Piping Plover, American Avocet, Greater Yellowlegs, Willet, Long-billed Curlew, Marbled Godwit, Red-necked Phalarope, Bonaparte's Gull, Black-billed Cuckoo, Olive-sided Flycatcher, Say's Phoebe, Great Crested Flycatcher, Tree Swallow, Brown Creeper, Swainson's Thrush, Wood Thrush, Nashville Warbler, American Redstart, Ovenbird, Northern Waterthrush, Yellow-breasted Chat, Northern Cardinal, Lazuli Bunting, Indigo Bunting, Field Sparrow, Common Redpoll (in some years).

KNOX COUNTY—144 species. Reporter: Mark A. Brogie. Observers: Ellen L. Brogie and Ed M. Brogie.

Clay County—Craig Faanes' sighting of 15 White-faced Ibis at Harvard Marsh was reported in the *NOU Newsletter*.

POLK COUNTY—94 species. Reporter: Norris Alfred. Observers: Lee Morris and Swede Lind.

This report was compiled by R. G. Cortelyou, who is in correspondence with the reporter. Species Listed as NR: Wild Turkey (note: this species was not seen during Fall 1990, but a flock of 119 birds was seen on 1 January 1991).

CUMING COUNTY—61 species. Reporter: Larry Einemann.

Einemann took two trips to West Point and areas south and southeast of that town. One trip was made on 4 and 5 August (designation in table: Au 4), and the other on 3 and 4 November (designation: No 3). He reports the following nesting activity from the August trip:

Yellow-billed Cuckoo—nest with 3 eggs in a pine on a farm SE of W. Point;
Mourning Dove—a nest with 2 eggs in same windbreak as cuckoo nest;
Eastern Bluebird—one box with several young on a farm SE of West Point;
Dickcissel—3 downy young in an uncut, wet prairie.

Seward County—In a widely noted report, Joe Gubanyi spotted a Broad-tailed Hummingbird at his feeder on 18 October 1990 in Seward. Further notes on this sighting have been requested.

Saline County—The only report was the 8 American Kestrels sighted by John Nygren, noted in *The NOU Newsletter*.

SAUNDERS COUNTY—101 species. Reporters: Fr. Thomas Hoffman and Larry Einemann.

Fr. Hoffman reports: The territory covered in Saunders Co. is the same as always, in the northwest corner, an area of about 2 square miles centered on a sand and gravel operation. I thought the dry conditions of this fall limited cedar berry and hackberry production greatly and cut into numbers and species considerably. Einemann's coverage of this county consisted of two trips to the new Czechland Lake just northwest of Prague, one on 4 August, the other on 19 September.

LANCASTER COUNTY—174 species. Reporters: Larry Einemann, Thomas Labedz, Mabel Ott, and Babs and Loren Padelford. Observers: Doug Fritz, Joe Gubanyi, and Norma Johnson-Mueller.

The Mississippi Kite is a subject within the Notes section (see page 34). The White-winged Scoter sighted by Norma Johnson-Mueller was reported in the *NOU Newsletter*; further documentation has been requested. The Scissor-tailed Flycatchers, one adult male and one bird with a shorter tail, were reported by NGPC personnel John Sweet and Margo Ems, via Jon Dinan, to Tom Labedz. Ott's records, which included the only mention of Hermit Thrush in the entire table, are from her banding records. According to Daryl Giblin's Christmas Count report, the Peregrine Falcon has been living in Lincoln for about 15 months; however, no other reporter recorded the bird's presence beyond the nebulous date of "during the Christmas Count week." Given Giblin's note, "J1" was recorded as an initial date.

DAKOTA COUNTY—104 species. Reporter: Bill Huser.

Huser notes that his time in the field during the fall was reduced, so this report should be examined in light of this. The highlight of the period was the

Snowy Egret sighting: 2 Snowys were seen in the company of up to 13 Great Egrets and were present for about a month.

Washington County—10 species. News from this oft-visited county was rare this fall. R.C. Hoover of Pullman, Washington, visited DeSoto NWR on November 23 and observed Snow Geese and Bald Eagles. Hoover also reported ducks and gulls, but he is not a birder and was not positive on what kinds of birds he saw beyond this sketch. The Gull sp., however, is the only one recorded in the county this fall and is included above. This represents the only report I received to which a definite date can be affixed.

R.C. Korpi and Ruth Green did visit the Interpretative Center after a Snow Goose count one day during November. Korpi reported the following list, which he admits is not complete: Snow Goose, Greater White-fronted Goose, Canada Goose, Bufflehead, Mallard, Green-winged Teal, and Bald Eagle.

The Tundra Swan (only one noted this fall) and Sandhill Crane were reported in Ruth Green's "Notes from Nature" column in the Audubon Society of Omaha newsletter. Both birds apparently visited DeSoto NWR in late November. No identifying details or names of observers were given in the column including these reports. Documentation on either bird, or any other observations from DeSoto NWR or Washington County, would be appreciated.

DOUGLAS AND SARPY COUNTIES—205 species. Reporters: Tanya E. Bray, R.G. Cortelyou, Kathleen Crawford-Rose, Ruth C. Green, Alan G. Grenon, Clyde E. Johnson, and Babs and Loren Padelford. Observers: Russ Benedict, Carr Heaney, Dawn Holt, Emma Johnson, Raymond C. Korpi, Raymond T. Korpi, Lorraine Lienemann, Gail Roebuck, B.J. Rose, Robert Rose, Alice Rushton, Del Stites, and Ione Werthman.

Several sightings were gleaned from Green's "Notes from Nature" column. One sighting for which further documentation is desired by the NBR and NOURC is the Henslow's Sparrows found by Carr Heaney on October 13 and 20. Efforts by Green and R.C. Korpi to locate these birds later was unsuccessful. The sparrows were found at Cunningham Lake, Douglas County, and Heaney reported seeing them there in 1987 through 1989. This species' status in Nebraska is one of much debate, and documentation of any Henslow's Sparrow in the state is highly desired by the NOURC.

Other sightings and dates gleaned from Green's column are as follows: Snowy Owl (Holt), Golden Eagle (Lienemann), first occurrence of Red-breasted Nuthatch (Roebuck). The Connecticut and Kentucky Warblers reported by Green were both banded, the Connecticut in her backyard and the Kentucky in Fontenelle Forest. Green also notes these other banding records: 76 Nashville Warblers, 18 House Finches, and the reported Wood Thrush.

The November 4 Black-legged Kittiwake at Carter Lake, Douglas County, was reported by several people as was the Pacific Loon on November 10. The Golden-winged Warbler—a hatching-year bird, probably male—was seen by R.T. Korpi in Fontenelle Forest. 2 Purple Finches and a Carolina Wren were coming to the feeders of Del Stites, who lives adjacent to the eastern border of Schramm State Park. R.G. Cortelyou notes that the last Burrowing Owl report in Douglas County, occurring in 1979, happened during a meeting of the Wilson Ornithological Society and therefore caused much more of a stir than Russ Benedict's September 25

sighting of a Burrowing Owl, a bird which was temporarily trapped in a South Omaha auto garage.

CASS COUNTY—136 species. Reporters: Gertrude Wood. Observers: Kevin DeGarmo and Donald Wood.

Gertrude Wood notes: the House Finches nested in our yard; there were four young. They all left by December 3 and have not been seen since this date. The only designation with Whip-poor-will was "S"; dates will be reported in a later issue.

Otoe County—31 species. Larry Einemann reports the following species on a field trip to Nebraska City on 15 and 16 September: Double-crested Cormorant, Red-tailed Hawk, Mourning Dove, Yellow-billed Cuckoo, Chimney Swift, Belted Kingfisher, Red-headed Woodpecker, Red-bellied Woodpecker, Downy Woodpecker, Hairy Woodpecker, Northern Flicker, Eastern Wood-Pewee, Northern Rough-winged Swallow, Barn Swallow, Blue Jay, American Crow, Black-capped Chickadee, Tufted Titmouse, White-breasted Nuthatch, House Wren, Eastern Bluebird, American Robin, Cedar Waxwing, European Starling, Solitary Vireo, Orange-crowned Warbler, Nashville Warbler, Cardinal, Chipping Sparrow, American Goldfinch, House Sparrow.

Some of the Tristate Christmas Count birds could have been from Otoe County, but no differentiation of Nebraska species was made in data provided.

References

- Green, R.C. (Nov. 1990). Notes from nature. *A bird's eye view*, p. 7.
 Green, R.C. (Dec. 1990). Notes from nature. *A bird's eye view*, p. 7.
 Green, R.C. (Jan. 1991). Notes from nature. *A bird's eye view*, p. 7.
 Johnsgard, P. J. (1982). *A revised list of the birds of Nebraska and adjacent Plains states*.
 (1980). NOU Occasional Paper No. 6, Lincoln, NE.
 Johnson-Mueller, N.G. (Nov./Dec. 1990). Bird sightings. *The Nebraska Ornithologists' Union newsletter*, p. 3.

TABLE 1. County-by county listing of those birds identified to genus only.

	Sioux	Phelps	Buffalo Kearney	Polk	Cuming	Lancaster	Douglas Sarpy
Accipiter sp.	Sp 29						
Yellowlegs sp.				Au 11			
Dowitcher sp.	Au 20 Au 22	Au 4 Ot 28					Ot 14 Ot 25
Cuckoo sp.				Au 11			
Shrike sp.		Au 18 No 17					
Meadowlark sp.		Au 4 No 17	Ot 5 Dm 31	Ot 7 Dm 7	No 3	Jl 1 Dm 30	Jl 2 Dm 31

Those is denoted in bold here were the only members of that group seen in that particular county during the count period. Therefore, they are included in the species totals previously presented. Not all counties are represented.

	Sioux Bluff	Scouts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas Savvy	Cass
Pacific Loon														No 10	
Common Loon	Jl 6 Or 31	Jl 6 Sp 13												Au 4 No 10	No 4 No 17
Pied-billed Grebe	S Sp	Jl 6 No 13	Sp 2 Or 13	Au 21 Or 3	Sp 20 No 23	S Or 12	Jl 16 Or 21	Sp 30			Sp 19 No 24	Au 17 No 12	Au 6 No 4	Or 20 Or 18 No 11	No 4 No 4 No 4
Horned Grebe															
Eared Grebe		Jl 19 Or 31		Sp 1 Sp 15	Sp 26 Or 3										
Western Grebe	Sp 28	Jl 6 No 13				Sp 29						No 12			
American White Pelican	Jl 12 Or 31	Jl 31 Sp 20	Au 4 Ot 28	Sp 28	S	Or 5 Or 9	Or 5 Or 21				Jl 29 No 1	Au 16 Sp 10	Sp 8 Sp 8	Or 20 Or 24	
Double-crested Cormorant	Sp 10 Or 31	Jl 20 Or 27	Au 18 Or 5	S No 15	Au 25 Or 21	Sp 9					Jl 13 No 23	Jl 14 Dm 16	Sp 1 Sp 1	Sp 11 No 17	
American Bittern			Au 15		Au 15									Au 18	
Least Bittern			Au 22												
Great Blue Heron	Or 1 Dm 15	Jl 16 Jl 20	Jl 1 Dm 15	Au 4 Or 5	Sp 5 Dm 31	S Or 20	Jl 16 Dm 16	Jl 7 Dm 7	Au 4 Dm 7		Jl 14 W	Jl 1 Dm 16	S No 17	Jl 11 No 24	Jl 20 No 14
Great Egret				Au 18	Sp 21										
Snowy Egret				Or 5											
Little Blue Heron				Au 22											
Cattle Egret															
Green-backed Heron		Jl 15													
Black-crowned Night Heron		Au 20		Au 30		Au 19	Jl 7								
Yellow-crowned Night Heron			Sp 2	Sp 5		Sp 1	Au 11								
White-faced Ibis			Au 5	Au 19		Au 19	Sp 9								
Trumpeter Swan			Au 28	Or 5		Au 25									
Greater White- fronted Goose				Sp 28											

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July;
 Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux Scouts Bluff	Dawes	Lincoln	Phelps	Buffalo Kearney	Holt	Knox	Cuming	Saunders	Lancaster	Dakota	Douglas Sarpy	Cass
Snow Goose	No 11 Or 27		Or 29 No 10		No 3		Sp 19 Dm 1	No 1		Or 6 Dm 17	Or 9 Dm 28		
Canada Goose	P Dm 31	Jl 1 Dm 31	Jl 1 Dm 31	Au 26 Dm 16	No 23 Dm 31	S Sp 28	Sp 30 Or 7	Au 4 W	P	S Dm 29	Jl 4 Dm 30	Or 18 Dm 29	
Wood Duck	S Au 28 Dm 30	Jl 6 Or 31	Jl 1 Or 27	Au 25 Sp 29	Au 20 Sp 21	S Or 26	Jl 16 Or 21	Au 4 Sp 15	Sp 19 Au 17	Jl 1 Or 29	Jl 1 Sp 30		
Green-winged Teal	S Au 14 Dm 30		Sp 22 Or 20	Sp 3 Or 22	Sp 21 Or 11	Or 9 No 11	Or 5 Sp 16		Or 9 Dm 16	Or 20 Dm 2	Or 20 Dm 9		
Blue-winged Teal	S Sp 10 Or 31	Jl 6 Or 13	Sp 20 Or 20	Au 4 Sp 21	Sp 20 Sp 29	S Or 21	Au 19 Or 28	Au 11 Sp 1	Sp 19 Or 13	Au 15 Au 26	Au 20 No 6	Or 25 No 1	
Cinnamon Teal	S Sp 10	Sp 29											
Mallard	P Dm 31	Jl 6 Dm 31	Au 22 No 3	Sp 21 Dm 31	S No 29	Au 19 No 11	Au 11 Dm 7		P Sp 9	P No 23	Jl 18 Or 13	Jl 5 Dm 29	Or 25 Dm 28
Northern Pintail	S Sp 10 Dm 15	Au 11 No 15	Or 20 Or 20	Au 25 Sp 21	S Or 31	Or 21 Or 28				Or 27	Dm 29		Or 25
Northern Shoveler	S Sp 29 Dm 15	Sp 3 Dm 2	Or 13 Or 25	Sp 20 Sp 20	S No 11								
Gadwall	S Sp 10 Dm 15	Sp 3 Dm 15		Au 25 Or 20	Sp 20 Sp 21	S Or 11	Or 5 No 11		Dm 15 Dm 29	Or 9 No 11	Or 21 Dm 29	Jl 5 No 4	Or 25 Dm 28
American Wigeon	S No 10 Dm 15	Sp 3 Dm 15	Or 30 Dm 15	Sp 3 Sp 30	Sp 20 Sp 21	Or 5 Or 11	Or 5 Or 31			Or 27 Dm 16	Au 26 No 9	Or 20 Dm 16	Or 20 No 9
Canvasback	Jl 19 No 13				Or 12 Or 21	No 11 No 11							
Redhead	Sp Dm	Jl 6 Dm 14		Or 14 Or 5	Or 20 Or 21	Or 5 No 5			Dm 15 Dm 16	Or 9 Dm 16	Or 21 No 11	No 4 Dm 29	No 4 Or 29
Ring-necked Duck	Sp Or	Sp 29 No 13		Or 3 Or 5	Or 20 Or 21	Or 3 No 5	Au 4 Or 21						
Greater Scaup													
Lesser Scaup	Or 4 No 13		Sp 22	No 5 No 29	Or 21 No 11								
White-winged Scoter													
Common Goldeneye	No 13 Dm 15			Dm 14 Dm 15	No 12 No 29	No 11			Dm 16 Dm 29	No 4 W	No 25 Dm 29		
Barrow's Goldeneye		Or 30											
Bufflehead	Sp 19 No 13		Or 13	Dm 15	No 11 No 21	No 11	Or 20 Dm 16		Or 27 Dm 16	No 4 Dm 2	No 20 Dm 2		
Hooded Merganser	Or 31 Dm 11				No 21			No 3	Or 22	No 4 No 24			

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July;
 Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Common Merganser	Jl 6	No 10	No 10	No 15	No 15	No 11						No 10	Dm 29	No 17	No 29	
Red-breasted Merganser	Dm 11	Dm 15	Dm 15	No 29	Dm 8							Dm 16	W		Dm 29	Dm 30
Ruddy Duck	Au 8	Au 24	Sp 22		Sp 6									No 4	Dm 30	
Turkey Vulture	S Au 29	Jl 3 Sp 20	Jl 1 Sp 30		Au 5	Jl 1						Or 18		No 24	Or 29	
Mississippi Kite	Dm 18 W	No 13	Dm 17	Dm 31	No 24	No 14	Sp 1	Dm 7				Sp 15	Dm 16	Dm 1	Or 26	Or 19
Bald Eagle	Dm 15	Jl 7	Or 7	Dm 31	Dm 28	Dm 8	Dm 8	W				Dm 15	Dm 15	Dm 1	Dm 29	Dm 30
Northern Harrier	P Dm 15	Sp 1	Or 7	Au 4	Sp 21	Au 25	Sp 30	Dm 8	Sp 7	Sp 15	Au 11	Dm 2		Sp 9	P	
Sharp-shinned Hawk		Dm 15	Dm 15	Dm 16	Dm 8	Dm 8	Dm 8	Dm 8	Or 7	No 3	Sp 15	Or 14		Sp 5	Jl 28	
Cooper's Hawk				Or 13	No 22	Au 25	Au 11		Or 7	No 24	Sp 15	No 18	Dm 30	Dm X	Dm 30	
Red-shouldered Hawk				No 23	Or 6	Or 6	Or 6			Or 6	Sp 19	Sp 19	Dm X	Sp 1	Au 29	
Broad-winged Hawk														Sp 23	Dm 24	
Swainson's Hawk	S Sp 29	Jl 14	Au 4	Au 22	Or 13	Jl 16	Jl 4	Sp 30						Sp 24	No 25	
Red-tailed Hawk	S Sp 29	Au 24 Sp 29	Jl 1 Dm 25	P Dm 25	Au 4 Dm 16	Sp 8 Dm 15	P Dm 9	Sp 16						Or 21	Or 21	
Ferruginous Hawk	Sp 10		Or 7	Or 21		Or 7								Sp 14	Sp 25	
Rough-legged Hawk	Sp 29	Dm 15 W	No 5	No 17	No 25	Or 24	No 22	Dm 7						Or 18		
Golden Eagle	P	Jl 15 Dm 15	Jl 21 No 15	Sp 25 Dm 15		Dm 22 Dm 30										Dm 3
Opprey	Sp 3		Or 15	No 15	Sp 8											
American Kestrel	P	Jl 1 Dm 15	Jl 1 Dm 25	P Dm 16	Au 25 Dm 31	P Dm 8	Jl 4 Dm 8	Sp 30 W	Au 4 No 3			Au 4 Sp 19	Sp 3 P	Sp 8	Or 13	
Merlin				Dm 15	Dm 8	Dm 3	Or 5 Dm 3		Sp 9			Au 19 Sp 29	Dm 16	Or 22		
Peregrine Falcon			Or 27									Jl Dm X		Au 25 Sp 13		

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Cass
Prairie Falcon	S No 3	Jl 15 Or 8			Sp 15 No 17	Sp 18 Dm 31	Or 4 No 4				Or 25 Dm 31		Dm 29	
Gray Partridge	P	Jl 1 Dim 15	Jl 6 Dim 28	P	Au 25 Or 28	Sp 14 Dim 8	P Dm 20	Jl 4 Dm 7	Au 11 No 3	P	P	Jl 2 Dm 31	P	
Ring-necked Pheasant														
Greater Prairie-Chicken				P										
Sharp-tailed Grouse	P	Sp 20 Sp 28	P			P								
Wild Turkey	P De 15	Jl 23 Jl 1 Dim 20	P		P	Au 27 Or 27	P Sp 13	Jl 4 Dm 7	Au 4 Au 5	P	Sp 3 De 29	Jl 2 De 20	P	
Northern Bobwhite														
Virginia Rail					Sp 15		Au 19							
Sora					Sp 30		Au 25	Au 11			Au 17	Sp 30		
American Coot	S Sp 10	Jl 6 No 13	Jl 1 Or 1	Au 18 Or 28	Sp 20 Sp 21	Sp 14 Sp 28	Or 5 No 11	Or 28			Or 9 No 1	Sp 3 No 1	Or 5 No 30	Or 20
Sandhill Crane	Oc 8	Or 1 Or 21	Sp 26 Dim 10	Or 20 No 1	Sp 28 Or 28	Or 30 No 16	Or 18 No 15							
Whooping Crane		Or 21				Or 23	No 1							
Black-bellied Plover					Sp 22					Or 13				
Lesser Golden-Plover					Sp 23		Sp 14			Or 20	Sp 10			
Semipalmated Plover					Sp 22 Sp 23	Au 25 Sp 6					Or 14	Au 10	Au 18 Sp 25	
Piping Plover												Jl 1 Au 2		
Killdeer	S Sp 29	Jl 6 Or 4	Jl 1 Sp 10	Au 4 No 17	Sp 01 Or 21	S Or 20	Jl 4 Or 28	Au 4		S Or 6	Jl 2 Or 15	Jl 1 No 22	Jl 1 No 20	
American Avocet	S Sp 10	Jl 19		Sp 16										
Greater Yellowlegs	Au 18	Sp 29		Au 26	Sp 9 Or 14	Or 5 Or 20	Au 4	Sp 19		Jl 16 Au 26	Or 5 Or 22	No 8		

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Class
Lesser Yellowlegs	Au 18	Au 14	Au 26	Au 4	Jl 26	Sp 14	Or 7	Au 4	Sp 19	Jl 15	Jl 16	Au 6	No 19			
Solitary Sandpiper	Au 20				Au 26	Au 8	Sp 27	Au 11	Au 4	Jl 15	Or 9	Sp 10	Or 25			
Spoon-billed Sandpiper		Au 8	Sp 4		Sp 5	Sp 23			Sp 7		Jl 28	Sp 13				
Upland Sandpiper	S				Au 27	Jl 25	Au 17	Au 4	Au 4	S	Or 1	Jl 13	Au 2			
Long-billed Curlew	Au 17	S	Au 14		Sp 1	Au 10	Au 25	Sp 9	Sp 19	Au 26	Sp 29					
Marbled Godwit	Au 17			Jl 1	Au 5	Au 22	Jl 4	Jl 29		Au 11	Au 8	Jl 6	Jl 15			
Sanderling		Jl 6		Au 26		Sp 14										
Semipalmated Sandpiper				Sp 3		Sp 16										
Western Sandpiper					Sp 22	Au 12										
Least Sandpiper					Or 28	Sp 6										
White-rumped Sandpiper					Sp 29	Sp 14										
Baird's Sandpiper	Au 17	Sp 4	Or 30		Or 14	Or 12										
Pectoral Sandpiper					Sp 22	Jl 26	Au 4		Jl 14	Jl 18						
Dunlin					Or 20	Sp 14			Or 9	Au 17						
Stilt Sandpiper																
Buff-breasted Sandpiper																
Short-billed Dowitcher																
Long-billed Dowitcher																
Common Snipe	S	Or 9	Dm 15	Au 26	Sp 15	Sp 15	Or 5	Or 7	S	Or 5	Or 9	Or 13	Sp 13			
	Oc 8	Dm 15	Dm 15	Or 15	Dm 15	Or 28	Dm 22	Or 21	Or 28							

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux Scouts Bluff	Dawes	Lincoln	Phelps	Buffalo Kearney	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas Sarpy	Cass
Wilson's Phalarope	Au 17 Au 20	Sp 4 Sp 22		Au 18 Sp 6	Au 25 Sp 6									Sp 27 Sp 29
Red-necked Phalarope														
Franklin's Gull	Jl 6 Sp 29		Sp 15 Or 20	Sp 6 Sp 14	Or 5 Or 20				Jl 14 No 1	Au 19 Or 9	Sp 14 Dm X			Sp 20 No 12 No 11
Bonaparte's Gull														
Ring-billed Gull	S Oc 6	Jl 6 Dm 14	Jl 1 Dm 15	Sp 15 No 17	No 22 Dm 15	Sp 14 Sp 16	Au 19 Dm 8	Or 28	Sp 22 Jl 29	Au 12 Dm 16	Jl 14 Dm 15	Sp 21 Dm 3		
Herring Gull			Jl 1 Dm 15							Dm 16	No 17 Dm 15			No 29
Black-legged Kittiwake														
Caspian Tern						Au 19								
Common Tern									Jl 29 Or 9		Sp 9			
Forster's Tern														
Least Tern														
Black Tern														
Rock Dove	P	Jl 1 Dm 31	P	Or 21 Dm 15	P	Jl 4 Dm 9	P	No 3	No 23 Au 19	P	Jl 1 Dm 31	P		
Mourning Dove	S Sp 29	Jl 1 Dm 27	Jl 1 Or 4	Au 4 Dm 15	Au 27 Or 13	S No 5	Au 4 No 3	Au 4 Or 7	S Or 13	Dm 31 Au 19	S Or 11	Jl 1 Dm 31	Jl 1 No 8	
Black-billed Cuckoo														
Yellow-billed Cuckoo														
Barn Owl	S Sp 16													
Eastern Screech- Owl	Dm 20													
Great Horned Owl	P	Jl 19 Dm 25	Jl 4 Dm 29	Au 5 Dm 30	Sp 9 No 25	Jl 31 Dm 11	P	Sp 17 Dm 11	No 3 Dm 11	P	No 8 Dm 16 (p)	Jl 13 Dm 31	P	
Snowy Owl														
Burrowing Owl	S Sp 9					Jl 1 Sp 2						Dm 2		
												Sp 25		

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July;
 Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux Bluff	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Barred Owl													Dm 16	Jl 2		P
Long-eared Owl													Dm 16			
Short-eared Owl	Au 21												Dm 30			Dm X
Northern Saw- whet Owl													Dm 16			
Common Nighthawk	S Sp 4	Jl 20	Jl 1	Au 22	Au 29	S	Jl 4						Sp 15	S	Jl 1	Jl 1
Common Poorwill	Au 2 Sp 6	Or 10	Sp 2	Sp 14	Sp 4			Au 17					Or 2	Or 8		Sp 16
Chuck-will's- widow																
Whip-poor-will																
Chimney Swift	S Sp 9	Jl 1	Jl 1	Sp 29	Sp 1	S	Jl 4	Jl 1	Au 4	Jl 14	S				Au 23	
White-throated Swift	S Sp 9	Jl 4	Jl 1	Sp 10	Sp 8	Au 28	Sp 16	Jl 29	Au 25	Or 10	Or 2		Jl 1	No 5	Or 6	
Ruby-throated Hummingbird	Au 9															
Broad-tailed Hummingbird	Au 13															
Belted Kingfisher	S Sp 29	Jl 19	Au 5	P	Au 18	Sp 1	Au 28	Jl 16	Jl 1	No 18	Dm 31		S	Jl 3	Jl 1	No 3
Red-headed Woodpecker	S Sp 9	Jl 19	Jl 1	Dm 15	Au 4	Au 27	S	Jl 4	Jl 1	Au 4	S				Dm X	
Red-bellied Woodpecker		Or 18	Dm 15	Au 25	Au 25	Or 27	Sp 20	Sp 16	Au 11	Sp 22	Dm 31		Jl 2	Jl 1	Dm 31	Dm 14
Yellow-bellied Sapsucker	Sp 22							Sp 14	Sp 1	No 3	P		P	Or 13	Dm 31	P
Downy Woodpecker	P	Jl 19	Jl 3	Jl 5	Au 30	P	Jl 4	P	Au 4	No 3	Dm 31		Dm 16	Or 13	Sp 30	
Hairy Woodpecker	P	Jl 24	No 7	Or 20	No 10	P	No 10	P	No 3	P	Dm 31		Jl 1	P	Dm 31	
Northern Flicker	P	Jl 1	Jl 1	P	Au 4	Au 27	P	Jl 4	Jl 29	Au 4	P		S-Or 13	Jl 1	P	
Olive-sided Flycatcher													(p)		Dm 31	
Western Wood- Pewee	S Sp 16	Jl 15	Jl 6	Sp 5										Au 18		
														Sp 5		

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Eastern Wood-Pewee							Au 25 Sp 1			S	Jl 1	Au 26	Jl 1	Jl 1	
Yellow-bellied Flycatcher												Or 3			Or 1
Acadian Flycatcher															Jl 14 Jl 21
Alder Flycatcher															Au 19
Willow Flycatcher											Jl 30				
Least Flycatcher	Jl 10 Sp 29	Sp 22 Sp 14					Au 25 Au 12	Jl 7		S	Au 18	Or 10			Jl 20
Eastern Phoebe	Sp 29 Sp 30									S			Jl 19	Jl 1	Or 13
Say's Phoebe	S Sp 9	Jl 22 Jl 16	Jl 1 Au 20							Au 5					
Great Crested Flycatcher	Au 22 Au 24														Jl 2 Sp 20
Western Kingbird	S Sp 6	Jl 1 Sp 12	Jl 1 Sp 8	Au 4 Au 25	Au 29 Sp 1	S	Jl 4 Sp 9	Jl 1 Sp 1	Au 11			Sp 22	Au 15	Jl 1	Jl 2
Eastern Kingbird	S Sp 14	Jl 1 Sp 4	Jl 1 Sp 14	Au 4 Sp 2	Au 27 Sp 3	S	Jl 4 Sp 10	Jl 1 Sp 1	Au 11	Au 4		Sp 9	S	Jl 1	Jl 1
Scissor-tailed Flycatcher	P Dm 15	Jl 3 Dm 10	P Au 19	Or 28 Sp 23	Dm 31 Au 28	P Au 28	Jl 4 Jl 4	Dm 16 Au 11				Au 16			Sp 12
Horned Lark													P	P	Jl 9 Dm 31
Purple Martin													S	Au 13	Jl 1
Tree Swallow													S	Au 12	Sp 23 Sp 12
Violet-green Swallow	Jl 26 Au 2	Jl 9 Au 10	Au 4							Jl 15			Jl 2 No 4		Sp 1
Northern Rough-winged Swallow	S Sp 16	Jl 1 Au 4	Au 18 Sp 23	Sp 21 Au 10	S	Jl 7	Au 4			Jl 8	Au 17		Jl 2 Or 12	Jl 1	
Bank Swallow		Jl 1 Au 29	Au 4 Sp 15		Au 28		Au 4			Jl 1	Au 5	Jl 29	Au 17	Jl 1	Jl 1
Cliff Swallow	S Au 29	Jl 1 Sp 29	Au 4 Sp 23	Sp 20 Sp 21	S	Jl 16 Au 12	Jl 29 Au 25	Au 4 Au 11		Jl 1	S		Sp 17		
Barn Swallow	S Sp 29	Jl 1 Or 4	Au 20 Sp 3	Au 4 Or 3	Au 27 Sp 21	S	Jl 4 Or 5	Jl 1 Sp 16	Au 4 Sp 30		Sp 22	Or 10	Au 17	Jl 1 Or 11	Jl 1 Sp 19

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Blue Jay	P	Jl 4 Dm 15	Jl 1 Sp 18	P	Au 4 Or 20	Au 27 Dm 31	P	Jl 4 Dm 23	Jl 7 W	Au 4 No 3	P	Jl 1 Dm 31	P	Jl 1 Dm 31	P	
Pinyon Jay	P	Sp 5 Dm 31	Jl 10 Dm 20	P												
Black-billed Magpie	P	Jl 1 Dm 15	P		Sp 1 Dm 15	No 14 W	Sp 22 De 9	Au 11 W		Sp 22 No 24	Or 5 Dm 16					
American Crow	P	Jl 1 Dm 15	Jl 1 Dm 28	P	Sp 25 Dm 16	Sp 8 Dm 31	P	Au 17 Dm 23	Jl 7 W	Au 4 No 3	P	P	Jl 1 Dm 31	P		
Black-capped Chickadee	P	Jl 1 Dm 15	Jl 1 Dm 31	P	Au 4 Au 25	Au 27 Dm 31	P	Jl 4 Dm 22	Au 4 W	Au 4 No 3	P	Jl 1 Dm 31	P	Jl 1 Dm 31	P	
Tufted Titmouse																
Red-breasted Nuthatch	Sp 14 W	Sp 29 Dm 15	Jl 1 Dm 15	No 6 Dm 30		Dm 15		Dm 1			Or 9 Dm 16		Or 16 Dm 9			
White-breasted Nuthatch	P	Sp 29 Dm 15	Jl 1 Dm 30	Or 15 Dm 31		Au 27 Dm 15	P	Jl 4 Dm 22	Sp 30 W	No 3	P	P	Jl 1 Dm 31	P		
Pygmy Nuthatch		Sp 29 Or 28	Jl 14 Au 20													
Brown Creeper		Dm 15		Or 21 Dm 29		Or 8		Or 28 Dm 8			Or 9 Dm 30		Sp 27 Dm 31	No 4		
Rock Wren	S Sp 22	Jl 25														
Carolina Wren											Dm 16		Jl 1 Dm 31	Or 1		
House Wren	S Sp 15	Jl 1 Sp 15	Jl 1 Au 30	Jl 1 Sp 16	Au 18 Sp 8	Au 27 Or 5	Jl 4 Or 9	Au 4	S Or 6	Or 16	S Or 8	Or 16	Jl 1 Or 20	Jl 1 Sp 11		
Winter Wren						Or 11										
Sedge Wren							Jl 29 Au 22	Jl 16 Au 25	Au 4		Or 4 Or 11					
Marsh Wren							S Or 9	Jl 16 Au 25			Sp 19					
Golden-crowned Kinglet	Sp 10 Dm 15				Sp 3 Or 5	Or 29 Dm 15	Or 16 Or 5	Or 9 Dm 9	No 3	Or 27 Dm 30	Or 9	No 20	Sp 28 Dm 31	Or 6		
Ruby-crowned Kinglet	Sp 22 Sp 29				Or 13	No 10 No 22	Sp 25 Or 13	Sp 16 Or 3		Sp 29 Or 13	Sp 17 Or 15	Or 9	Sp 16 Dm 9	Or 8		
Blue-gray Gnatcatcher													Jl 7 Au 30	Jl 2 Dm 29	P	
Eastern Bluebird	Jl 4	Jl 1 Sp 28	Sp 26 Dm 31		No 23 Dm 15	S Dm 30	Jl 4 Dm 9	Jl 7 W	Au 4	P	Dm 16					

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Ot—October; No—November; Dm X—seen in Xmas Count Week.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Kearney	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Mountain Bluebird	No 1	Jl 8 Or 17	Jl 10 Sp 15	Or 27 Sp 15										Dm 16			
Townsend's Solitaire	Sp 14 W	Sp 16 Dm 15	No 18 Dm 15	No 18 Dm 15										Or 5			
Gray-cheeked Thrush																	
Swanson's Thrush	Sp 2 Oc 18			Sp 20 Or 10										Sp 10 Sp 19		Sp 15 Or 12	
Hermit Thrush														Or 9			
Wood Thrush								Jl 16			Sp 15				Jl 14 Sp 18		
American Robin	S Dm 10	Jl 1 No 20	P Dm 15	Au 4 Or 28	Au 27 Dm 31	P Dm 16	Jl 1 W	Au 4 No 3	Jl 1 W						Jl 1 Dm 31		Jl 1 Dm 28
Gray Catbird	S Sp 29	Jl 10 Au 20	Or 2	Sp 2	S No 10	Jl 4 Sp 16	Jl 7 Au 11	Au 4 Sp 29							Jl 2 Or 3		Jl 1 Or 7
Northern Mockingbird				Jl 1 Or 27										Sp 19			
Brown Thrasher	S Sp 29	Jl 4 Sp 29	Jl 1 Au 10	Jl 1 Sp 10	Au 25 Sp 9	Au 27 Sp 8	Jl 4 Sp 16	Jl 1 Or 6	Au 4 Jl 29						Jl 2 Sp 8		Jl 1 Sp 20
American Pipit					Sp 30 Or 30		Sp 14 Or 14	Sp 22	Or 7								No 7
Sprague's Pipit						Sp 30											
Cedar Waxwing	Or 12 Dm 15	Jl 10 Au 15	Or 7 Dm 15	Au 20 Dm 20	No 8 No 25	Jl 2 Dm 30	Or 7 W	Au 4 Dm 2	Au 18 Dm 17						Jl 27 Or 13	Jl 4 Dm 30	P
Northern Shrike	No 1 W	No 19 Dm 15	No 6 Dm 20	No 25 Dm 30	No 11 W	No 22 Dm 2	No 11 Dm 2							No 12			
Loggerhead Shrike	S Sp 9	Au 13 Au 20	Jl 1 Au 30	Au 18 Au 25	S Sp 6	Au 17 Or 9	Or 7 W							Dm 30			
European Starling	P Jl 1 Dm 31	Jl 10 Sp 1	P Or 28	Au 4 Dm 31	Sp 8 Dm 9	Jl 4 Dm 9	Jl 7 W	Au 4 No 3								Au 8 Or 25	Jl 20 Dm 11
Bell's Vireo								Au 25 Sp 1									
Solitary Vireo														Sp 7 Or 16		Sp 5 Sp 29	
Yellow-throated Vireo															Jl 7 Sp 24		

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Warbling Vireo		Jl 15						\$	Jl 4						Jl 1	
Philadelphia Vireo								Sp 3	Sp 16						Sp 17	
Red-eyed Vireo	\$	Au 15														Sp 3
Golden-winged Warbler															Jl 5	
Tennessee Warbler															Sp 18	
Orange-crowned Warbler	Sp 9	Sp 29	Oc 8					Sp 15	Or 1						Sp 10	
Nashville Warbler								Or 2	Or 9						Sp 26	
Northern Parula																Sp 4
Yellow Warbler	\$	Jl 1	Au 22	Sp 21	Jl 1	Sp 16	Sp 2	\$	Jl 4						Sp 15	
Chestnut-sided Warbler								Sp 3	Sp 1						Or 16	
Magnolia Warbler															Au 31	
Yellow-rumped Warbler	\$	Sp 29	Oc 8	Sp 19	Jl 1	Sp 11	Sp 25	Or 11	Sp 19	Sp 27	Or 7				Or 12	Or 13
Townsend's Warbler	Au 23							Or 13	Or 14	Or 24						
Black-throated Green Warbler																
Yellow-throated Warbler																
Bay-breasted Warbler																
Cerulean Warbler																
Black-and-white Warbler																
American Redstart	\$	Sp 9														
Prothonotary Warbler		Ju 1														
Ovenbird		Au 29														

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July;
 Au—August; Sp—September; Or—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo Kearney	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas Sargent	Cass
Northern Waterthrush	Au 25													Sp 2	
Louisiana Waterthrush	Au 27													Jl 14	
Kentucky Warbler														Au 20	
Connecticut Warbler														Sp 15	
Mourning Warbler														Sp 19	
MacGillivray's Warbler	Au 15													Sp 28	
Common Yellowthroat	S Jl 18	Jl 1	Sp 16		S	Jl 4	Jl 29	Au 4	S	S				Jl 1	
Wilson's Warbler	Sp 16 Au 20	Au 19	Sp 23		Sp 19	Ot 5	Au 11	Sp 15	Sp 15	Or 9	Sp 8			Sp 8	
Canada Warbler	Au 25 Sp 29				Sp 8	Sp 23	Sp 16		Sp 1	Sp 5				Au 25	Or 1
Yellow-breasted Chat	S Jl 4		Au 20											Sp 21	
Scarlet Tanager							Jl 16							Sp 3	
Western Tanager		Jl 1												Sp 8	
Northern Cardinal		Sp 4	P	Au 18	Au 27	Au 17	Jl 7	Au 4	P	Jl 1	P			Jl 1	P
Rose-breasted Grosbeak					Dm 31	Or 9	Or 28	No 3		Dm 31				Dm 31	
Black-headed Grosbeak	S Au 20	Jl 3	Sp 10		Sp 15	Sp 16			S					Jl 1	Jl 1
Blue Grosbeak	S Sp 16	Jl 1	Sp 10	Jl 15	Au 4		Jl 4	S		Sp 19				Sp 24	
Lazuli Bunting	Jl 22	Au 2	Jl 28												
Indigo Bunting		Jl 14													
Dickcissel		Jl 1		Au 4		S	Jl 4	Jl 1	Au 4	S	S			Jl 2	Jl 2
Rufous-sided Towhee	S Sp 29	Jl 4	Sp 8	Or 6	Or 5	Sp 3	Au 17	Au 11	Au 4	Au 5	Au 19			Or 1	Jl 1
American Tree Sparrow	Sp 29 W	Or 1	Sp 30	Or 13	No 10	Or 13	Or 2	Or 20	Or 7		Sp 25	Dm 8		Jl 8	Sp 28
		No 6	Jl 1	Or 20	Or 6	Or 21	Or 18	Or 13	Or 28	No 3	Or 27	Or 27	No 4	Dm 15	No 3
		Dm 31	No 18	Dm 15	Dm 16	Dm 31	W	No 3	W	W	Dm 30	W	Dm 31		

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July.

	Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas	Sarpy	Cass
Chipping Sparrow	S Sp 8	Jl 4 Sp 29	Jl 1 Sp 16			Or 19 No 10	Au 11 Or 18	Jl 16 Or 9	Au 11 Or 13	Au 4 Or 19	Au 19 Or 30	S Jl 1	Jl 1 Or 24			
Clay-colored Sparrow	Sp 9	Jl 10 Sp 4	Au 24			Sp 23 Or 5	Sp 1 Sp 16				Sp 17					
Brewer's Sparrow	S															
Field Sparrow						Or 6 Or 14	Au 27 Au 30	Jl 4 Or 9	Or 7	Au 4	S Or 13	S Or 16	Au 29 Or 22	Jl 2 Or 1	Jl 1 Or 1	
Vesper Sparrow	S Oc 8	Sp 13 Sp 29	Au 15 Sp 30			Sp 16 Or 5	Sp 16					Or 5 Or 14		Sp 24	Sp 20	
Lark Sparrow	S Sp 4	Jl 1 Sp 13	Jl 1 Sp 14	Jl 1 Sp 15			S Sp 1	Jl 16		Au 4	S Au 4		Au 29 Jl 19	Jl 19 Jl 7		
Lark Bunting	S Sp 5	Jl 27 Sp 30	Jl 4 Sp 15	Jl 1 Sp 15		Sp 6 Sp 7										
Savannah Sparrow	Au 29 Sp 8					Or 7	Au 19 Or 14	Sp 16 Or 9			Sp 30 Or 28				Or 22 Sp 18	
Grasshopper Sparrow	S Sp 8	Jl 1 Au 3	Jl 1 Jl 30	Au 4		S Sp 9	Jl 4 Sp 9	S Au 5			Jl 7 Jl 29	S Au 17			Jl 4 Au 8	
Henslow's Sparrow															Or 13 Or 20	
Le Conte's Sparrow															Sp 30 Or 22	
Fox Sparrow						Or 27	Sp 28	Or 27				No 1				
Song Sparrow	Dm 15 Oc 14	Dm 15 Sp 29	Sp 1 Dm 9	S Or 3	Jl 16 No 3	P		Jl 29 Dm 7							Or 6 Or 29	Or 20
Lincoln's Sparrow			Sp 16 Or 14	Sp 14 Or 12	Sp 16 Or 9	Sp 29 Or 27		Sp 30 Or 7	Dm 8 Or 13		Sp 30 No 1				S Or 13	Au 20
Swamp Sparrow			Or 13	S Or 2	Sp 16 Or 6	Or 13		Sp 19 No 11			Sp 19 No 11				Sp 17 Or 23	No 3
White-throated Sparrow			Or 13	Or 19 Or 27	Sp 15 Or 14	Or 1 Or 20	Sp 22 Dm 8	Or 7 Or 7	Or 3 Or 9	Or 3 Or 9	Or 13 Dm 16				Sp 17 Dm 31	Dm 29
White-crowned Sparrow	Sp 29 W	Sp 29 Dm 15	Jl 8 Or 10	Or 27 No 17	Sp 29 Dm 31	Or 9 Dm 31	Sp 16 Or 22	Sp 16 Or 6								Sp 17 Or 3
Harris' Sparrow			Sp 15	Or 7 No 17	Sp 1 Dm 31	Sp 1 No 4	Or 3 Or 22	Sp 29 No 24	No 3 Dm 7	Or 28 Or 9	Or 13 Dm 16				Sp 17 Or 29	
Dark-eyed Junco	Sp 28 W	Or 19 Dm 31	Jl 1 Dm 31	Or 21 Dm 31	Or 17 Dm 31	Or 2 W	Or 21 Dm 23	No 3 W	Dm 7	Or 5 Dm 31	Or 13 W				Sp 28 Dm 31	No 2
McCown's Longspur	S Lapland Longspur	Sp 15													No 7 Dm 15	

Key: P—permanent resident; (p)—probably permanent resident; S—summer resident; W—winter resident; Jl—July; Au—August; Sp—September; Ot—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.

Sioux	Scotts Bluff	Dawes	Lincoln	Phelps	Buffalo Kearney	Holt	Knox	Polk	Cuming	Saunders	Lancaster	Dakota	Douglas Sarpy	Cass	
Chesnut-colored Longspur Bobolink	Sp 20			Jl 1 Au 10	P No 17	Au 4 Dm 15	Sp 21 Dm 15	Jl 4 No 11	Sp 13 Dm 5	Jl 4 No 3	Au 4 Dm 2	Dm 31	No 15	Jl 2 Dm 21 Dm 2	
Red-winged Blackbird	P Dm 15	Jl 1 Au 4	Jl 1 Ot 1				Sp 19			Au 4 Sp 30	Au 5 No 18	Dm 16		Jl 21 P Ot 30	
Eastern Meadowlark	P Sp 29	Jl 1 Ot 20	Jl 1 Dm 15				No 12	Jl 4 No 3	Jl 1 Sp 30	Au 4 Au 11				Jl 2 Dm 29	
Western Meadowlark	Au 29 Sp 5	Jl 19	Jl 1 Dm 15	Au 4 No 17	Sp 20 Sp 21	Sp 20 Au 27	Jl 16 No 11								
Yellow-headed Blackbird				No 17		No 9						Jl 1	Jl 15	Jl 4 Au 13	
Rusty Blackbird											Dm 16		Or 20		
Brewer's Blackbird		Jl 10 No 3	Jl 30 Sp 30		Sp 26 Or 28	Sp 23 No 14	Or 20	Jl 29			Sp 23 Or 9		Or 14		
Great-tailed Grackle					Au 4 Or 14		Or 12						Or 22 Dm X		
Common Grackle	Ot 14	Jl 1 Dm 15	Jl 15 Au 10	Jl 1 Sp 15	Au 4 No 17	Sp 8 Or 23	Jl 4 Or 28	Sp 7 Dm 7	Au 4 Dm 6					Jl 1 Dm 22 Or 30	
Brown-headed Cowbird	Sp 15	Jl 4 Jl 25	Jl 1 Au 22	Jl 1 Sp 3	Au 4 No 3	Sp 21 Au 20	Jl 4 Jl 16	Jl 4 Or 28	Au 4 Au 4					Jl 2 Dm 15 Dm 5	
Orchard Oriole	Au 20	Jl 19 Jl 27	Jl 15 Au 26		Au 30	Sp 6 Au 27	Jl 4 Jl 1	Jl 4 Au 4			Jl 14 Sp 1	No 12 Au 19	Jl 2 Au 18		
Northern Oriole	Au 29	Jl 13 Au 3	Jl 1 Au 20	Au 18	Au 27 Sp 8	Jl 4 Sp 6	Jl 1 Au 11	Au 4 Sp 6			Jl 1 Sp 9	Au 26 Sp 14	Jl 1 Sp 20		
Purple Finch				Sp 16	No 23						Or 27 Dm 15	No 1 Dm 16		Or 28	
House Finch	P Dm 31		P	Au 18	Sp 2 Dm 15	Jl 12 Dm 31	Dm 7				P	P	Jl 1 Dm 29	Jl 8 Dm 3	
Red Crossbill	Ot 14	Jl 1 No 16			Dm 15 Dm 15	Jl 11 Jl 21	Jl 16 Dm 1			Dm 16			Or 20		
Pine Siskin	Ot 10 Dm 15	Jl 1 Dm 30	Or 27 No 30	No 1	Sp 23 Dm 9						No 17 Dm 16		Or 22 Dm 9	Jl 20	
American Goldfinch	P Dm 15	Jl 1 No 20	P Or 20	Au 4 Dm 15	Au 27 Dm 23	P Dm 7	Jl 4 Dm 7	Au 4 No 3						Jl 1 Dm 31	P
Evening Grosbeak	No 7		Or 20												
House Sparrow	P Dm 31		P	Au 4 Au 18	Or 5 Dm 31	P Dm 31	Jl 4 Dm 31	P	Au 4 No 3		Jl 1 Or 13	P	Jl 1 Dm 31	P	

Key: P—permanent resident; (p)—probably permanent resident; S—summer residents; W—winter residents; Jl—July; Au—August; Sp—September; Ot—October; No—November; Dm—December; Dm X—seen in Xmas Count Week.