

4-7-2005

# TRUMPETER SWAN SURVEY of the ROCKY MOUNTAIN POPULATION WINTER 2005

James A. Dubovsky  
*Migratory Birds and State Programs*


Follow this and additional works at: <http://digitalcommons.unl.edu/usfwspubs>

---

Dubovsky, James A., "TRUMPETER SWAN SURVEY of the ROCKY MOUNTAIN POPULATION WINTER 2005" (2005). *US Fish & Wildlife Publications*. 513.  
<http://digitalcommons.unl.edu/usfwspubs/513>

This Article is brought to you for free and open access by the US Fish & Wildlife Service at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in US Fish & Wildlife Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

**TRUMPETER SWAN SURVEY**  
**of the**  
**ROCKY MOUNTAIN POPULATION**  
**WINTER 2005**



**TRUMPETER SWAN SURVEY  
of the  
ROCKY MOUNTAIN POPULATION  
WINTER 2005**

U.S. Fish and Wildlife Service  
Migratory Birds and State Programs  
Mountain-Prairie Region  
Lakewood, Colorado

April 7, 2005

Prepared by: James A. Dubovsky  
James A. Dubovsky, Wildlife Biologist  
Migratory Birds and State Programs

Reviewed by: John E. Cornely  
John E. Cornely, Chief, Division of Migratory Bird Coordination  
Migratory Birds and State Programs

Approved: Paul E. Gertler  
Paul E. Gertler, Assistant Regional Director  
Migratory Birds and State Programs

For Richard A. Coleman  
Richard A. Coleman, Regional Chief  
National Wildlife Refuge System

*Abstract.*— Observers counted 5,361 swans (white birds and cygnets) in the Rocky Mountain Population of trumpeter swans during February 2005, an increase of 17% from the 4,584 counted in February 2004 and the second consecutive record-high count for the Mid-winter Survey. The numbers of white birds (4,206) and cygnets (1,155) increased 10% and 53%, respectively, from counts last year. In the tri-state area, increases in total swans occurred in Idaho (+20%) and Wyoming (+25%), but decreased slightly in Montana (-7%). The number of birds wintering in areas near restoration flocks was higher than counts in recent years, largely due to more complete survey coverage in the Summer Lake WMA this winter. However, counts at Malheur NWR remained near historic lows, and the count at Ruby Lake NWR was the lowest since 1995. Drought conditions persisted in much of the tri-state area, and reservoir levels in early February remained among the lowest recorded for that time of year. Generally, temperatures during winter 2004-05 were slightly warmer than average, with short periods of cool temperatures in December. Temperatures were colder than average in western Wyoming and southern Idaho during February, but warmer than average in Montana. Precipitation in primary winter areas was well below average from December 2004 through February 2005.

---

The Rocky Mountain Population (RMP) of trumpeter swans (*Cygnus buccinator*) consists of birds that nest primarily from western Canada southward to Nevada and Wyoming (Fig. 1). The population is comprised of several flocks that nest in different portions of the overall range. The RMP/Canadian Flocks consist of birds that summer primarily in southeastern Yukon Territory, southwestern Northwest Territories, northeastern British Columbia, Alberta, and western Saskatchewan. The RMP/Tri-state Area Flocks summer in areas at the juncture of the boundaries of Montana, Wyoming, and Idaho (hereafter termed the tri-state area) and nearby areas (Fig. 2). The Canadian and Tri-state Area flocks winter sympatrically primarily in the tri-state area. In addition, efforts have been made to establish several RMP restoration flocks, such as those at Ruby Lake National Wildlife Refuge (NWR) in Nevada (i.e., Nevada flock) and those at Malheur NWR and Summer Lake Wildlife Management Area (WMA) and vicinity (i.e., Oregon flock), by translocating adult swans and cygnets from other portions of the RMP. These birds tend to winter in areas near those where they nest. These terms for the various groups of swans are consistent with the RMP Trumpeter Swan Implementation Plan (Pacific Flyway Study Committee 2002).

Although counts of swans wintering in the tri-state area have been conducted since at least the 1950s (Banko 1960), many early efforts were not well-coordinated and were variable. In an attempt to better coordinate the survey, in 1972 the U.S. Fish and Wildlife Service (Service) began the annual Mid-winter Trumpeter Swan Survey in the tri-state region. During the next decade, the area surveyed increased substantially, and by 1981 it was believed all known occupied wintering sites were included (Gale et al. 1988). Recent attempts to expand the wintering range of RMP trumpeter swans has resulted in the inclusion of yet more areas to the survey. Also, some areas may not be surveyed in a particular year due to weather or resource limitations (e.g., staff, money). Such survey modifications make individual counts from year-to-year less comparable, but the data are sufficient to reasonably depict trends in abundance.



Fig. 1. Approximate ranges of trumpeter swans during summer (from Caithamer 2001).






Fig. 2. Map showing the 'core' tri-state area of southeast Idaho, southwest Montana, and northwest Wyoming (provided by the Greater Yellowstone Coalition, Bozeman, Montana).

The Mid-winter Trumpeter Swan Survey is conducted annually in February. The survey is conducted cooperatively by several administrative entities and is intended to provide an annual assessment of the number of RMP trumpeter swans. Only data from 1972 to present, the time frame during which the Service has coordinated the survey, were analyzed for this report.

## METHODS

The survey generally is conducted within a relatively short time frame (i.e., 1 week) to reduce the possibility of counting swans more than once due to movements of birds among areas. Aerial cruise surveys are used to count numbers of swans in the tri-state area, Nevada, and in the Summer Lake WMA and vicinity; ground surveys are used to count the number of swans at Malheur NWR and in isolated pockets of habitat not covered by aerial surveys. During aerial surveys, data are collected by observers seated in a single-engine, fixed-winged aircraft. Flying altitude varies with changes in terrain and surface winds, but generally averages 30-60 m above ground level, and flight speed is between 135-155 kph. One to two observers and the pilot count white (i.e., adults and subadults) and gray (i.e., cygnets) swans in known or suspected habitats. Counts are not adjusted for birds present but not seen by aerial crews, and have an unknown and unmeasured sampling variance associated with them. Ground surveys are used to verify species composition of some swan flocks, because trumpeter and tundra (*C. columbianus*) swans are difficult to differentiate during aerial surveys. Efforts are made to identify and exclude tundra swans from the survey counts.

Survey coverage of the Summer Lake WMA was more complete than in the last few years. Counts for this area in some years have been low due to abbreviated surveys, but the few birds counted there (<1% of totals) have little influence on total RMP results. Although the incomplete surveys cause a slight downward bias in the total counts, we included them for analyses of total RMP counts.

Estimates of abundance for Canadian Flocks are determined by subtracting the count of the RMP/U.S. Breeding Segment in the previous fall (e.g., U.S. Fish and Wildlife Service 2004a) from the Mid-winter count. For the estimate of the size of the Canadian Flocks to be accurate, several conditions must be met. First, all swans must be correctly identified to species. Second, the Mid-winter count and the fall count of swans in the RMP/U.S. Breeding Segment must be accurate. Additionally, we must assume that mortality in the RMP/U.S. Breeding Segment between the time of the fall and winter surveys is negligible. Because of problems inherent in surveying biological populations, these conditions probably are seldom met. Thus, this methodology for estimating the size of the RMP/Canadian Flocks likely leads to somewhat biased estimates of the composition of the RMP. However, we assume that these possible inaccuracies, if they occur, are random. We believe the estimates provided in this report are reasonable indices to flock-specific abundances.

To assess production for the RMP, we calculated the percentage of annual total swan counts that were cygnets. However, surveys in Nevada and Oregon did not separate counts into white birds and cygnets until 1992. Therefore, to allow an assessment over a longer time frame with data that are relatively comparable from year-to-year, we used only information from birds counted in the tri-state

region. This subset contained a large majority (range = 87%-99%,  $\bar{x}$  = 95%) of the total RMP counts during 1972-2004. Counts used for analyses in this report are provided in Appendix A.

## RESULTS AND DISCUSSION

The 2005 Mid-winter survey was conducted between 25 January and 7 February; the tri-state portion of the survey was completed between 31 January and 4 February. Weather conditions during surveys were favorable in all areas. Generally, skies were clear to slightly overcast with light winds and good-to-excellent visibility. Approximately 30 h of flight time and additional ground survey time were required to complete the survey. Most of the areas typically visited during the Mid-winter survey were surveyed this year.

Habitats continued to be quite dry during winter, and much of the tri-state area remained in a drought. Water levels at 5 reservoirs (American Falls, Island Park, Jackson Lake, Palisades, and Minidoka Dam/Lake Walcott) cumulatively were at only 40% of storage capacity on February 1 (data from U.S. Bureau of Reclamation 2005a), among the lowest levels recorded during the 34-year period of surveys (Fig. 3). Together, these reservoirs comprise about 97% of the reservoir capacity for reservoirs listed in the Snake River Basin in eastern Idaho and extreme western Wyoming (U.S. Bureau of Reclamation 2005b). Precipitation was below-average in much of the tri-state area during winter 2004-05, and snowpack as of 1 February was about 50-89% of normal (U.S. Department of Agriculture 2005).

The average streamflow below Island Park Reservoir during 15 January to 15 February was only 194 cfs, 51% below the 1972-2004 average for that recording station (U.S. Bureau of Reclamation 2005a). Generally, temperatures in the tri-state area during winter were slightly warmer than average (Fig. 4), although intermittent cool periods occurred in December. During February, temperatures in western Wyoming and southern Idaho were colder than average, but were much warmer than average in Montana (Joint Agricultural Weather Facility 2005).

### Historical Trends

Methods used to estimate trends in rates of change in RMP abundance were detailed in a previous report (U.S. Fish and Wildlife Service 2003), and will not be reiterated here. Briefly, however, we used least-squares regression on log-transformed counts to assess rates of change in counts of swans over time. Counts from the current Mid-winter survey (2005) were compared to results from 1972-2004, a practice used in Service survey reports for other waterfowl (e.g., Wilkins and Otto 2004, U.S. Fish and Wildlife Service 2004b). Because Nevada and Oregon did not separate total counts of swans into white birds and cygnets prior to 1992 (see above), analyses to assess trends for white birds and cygnets used only counts from the tri-state area.

The counts for total swans of the RMP suggested an increase ( $P < 0.01$ ) of about 5.9% per year during 1972-2004 (Table 1, Fig. 5). The number of white birds (+6.0% per year) and cygnets (+5.8% per year) counted in the tri-state region increased ( $P < 0.01$ ) at similar rates. Counts of birds






Fig. 3. Water storage for 5 reservoirs (see text) in the tri-state region on 1 February.




Fig. 4. Departure of temperatures from normal during winter 2004-05 (Joint Agricultural Weather Facility 2005).

in Montana (white birds + cygnets) increased slightly (+1.7% per year,  $P [\beta > 0] = 0.01$ ), whereas rates of growth for birds wintering in Idaho and Wyoming were much higher (+7.5% per year for each state)(Table 2, Fig. 6). Although the number of birds wintering in each of the 3 states in the tri-state region generally have increased since 1972, the distribution of birds among the states has changed substantially. Whereas during the 1970s and early 1980s about 36% of wintering swans were counted in Montana, only about 13% of the birds wintering in the tri-state area have been counted there during the last decade (Fig. 7). In contrast, the percentage of birds in Idaho has increased from about 53% to about 68% during that same time period. The percentage of birds counted in Wyoming during winter also has increased slightly, from about 11% to 19%.

Counts of total swans wintering in Nevada have fluctuated over time, but suggest an increase ( $P = 0.03$ ) of about 1.4% per year during 1972-2004 (Table 2, Fig. 8). Counts in Nevada since 2000 generally have been near historic highs. Trumpeter swans in Oregon primarily occur in 2 areas, Malheur NWR and the Summer Lake WMA and vicinity. Introductions of trumpeter swans to Malheur NWR began in the late 1930s, whereas birds were not translocated to Summer Lake WMA until the winter of 1992. Analyzing trends for the Oregon Flock as a whole (Table 2) could lead to inappropriate inferences. Therefore, we analyzed data for Malheur NWR (1972-2004) separate from those for Summer Lake WMA. Results suggest a decline (-2.6% per year,  $P = 0.05$ ) for birds wintering at Malheur NWR (Fig. 8, Appendix A). At Summer Lake WMA, most birds were translocated to the area during winter, and generally remained in the area for only a few months after being translocated (M. St. Louis, personal communication). Thus, in 1997, the winter following the termination of translocations to Summer Lake WMA, the number counted during the survey dropped sharply (Fig. 8). From 1997-2004, an average of about 25 birds have been observed during winter surveys (excluding years with incomplete surveys).

The percentage of the entire RMP estimated to be comprised of Canadian Flocks increased from about 19% during February of 1972 to almost 91% during February 2004 (Table 3). The data fit a 2nd-order logarithm model ( $P < 0.01$ , adjusted  $R^2 = 0.96$ ), suggesting that the percentage may be approaching a plateau value near 90% (Fig. 9). The number of swans estimated to be from Canadian Flocks exhibited a fairly steady increase since the early 1980s, and was nearly 4,200 birds in 2004 (Table 3, Fig. 9).

### **Results from the 2005 survey**

During February 2005, observers counted 5,361 trumpeter swans in the RMP, an increase of 17% from the count of last February (4,584) and the second consecutive record-high count for the Mid-winter Survey (Table 1). The number of white birds and cygnets increased 10% and 53%, respectively, from counts last year. The number of swans wintering in the tri-state area increased 17%, which also was the second consecutive record-high count. Increases of total swans from counts in 2004 occurred in Idaho (+20%) and Wyoming (+25%), but a slight decrease occurred in Montana (-7%) (Table 2). In Idaho and Wyoming, the number of birds this year were record-high counts. Of the birds wintering in the tri-state area during February 2005, about 12% were in Montana, 71% were in Idaho, and 17% inhabited Wyoming.

Table 1. Counts of trumpeter swans of the Rocky Mountain Population during winter, 1972-2005.

| Year              | Tri-state area |         |                  | Oregon and Nevada <sup>a</sup> |                 |       | Total RMP                |                      |       |
|-------------------|----------------|---------|------------------|--------------------------------|-----------------|-------|--------------------------|----------------------|-------|
|                   | White birds    | Cygnets | Total            | White birds                    | Cygnets         | Total | White birds <sup>b</sup> | Cygnets <sup>b</sup> | Total |
| 1972              | c              | c       | 616              |                                |                 | 91    |                          |                      | 707   |
| 1973              | c              | c       | 581 <sup>d</sup> |                                |                 | 60    |                          |                      | 641   |
| 1974              | 553            | 156     | 709              |                                |                 | 61    |                          |                      | 770   |
| 1975              | 595            | 128     | 723              |                                |                 | 40    |                          |                      | 763   |
| 1976              | 623            | 102     | 725              |                                |                 | 55    |                          |                      | 780   |
| 1977              | 839            | 178     | 1017             |                                |                 | 46    |                          |                      | 1063  |
| 1978              | 695            | 179     | 874              |                                |                 | 27    |                          |                      | 901   |
| 1979              | 743            | 123     | 866              |                                |                 | 62    |                          |                      | 928   |
| 1980              | 767            | 172     | 939              |                                |                 | 86    |                          |                      | 1025  |
| 1981              | 1000           | 247     | 1247             |                                |                 | 98    |                          |                      | 1345  |
| 1982              | 952            | 266     | 1218             |                                |                 | 105   |                          |                      | 1323  |
| 1983              | 1025           | 207     | 1232             |                                |                 | 90    |                          |                      | 1322  |
| 1984              | 1128           | 332     | 1460             |                                |                 | 98    |                          |                      | 1558  |
| 1985              | 1326           | 190     | 1516             |                                |                 | 82    |                          |                      | 1598  |
| 1986              | 1304           | 299     | 1603             |                                |                 | 59    |                          |                      | 1662  |
| 1987              | 1196           | 386     | 1582             |                                |                 | 77    |                          |                      | 1659  |
| 1988              | 1314           | 408     | 1722             |                                |                 | 51    |                          |                      | 1773  |
| 1989              | 1452           | 291     | 1743             |                                |                 | 54    |                          |                      | 1797  |
| 1990              | 1591           | 416     | 2007             |                                |                 | 38    |                          |                      | 2045  |
| 1991              | 1589           | 342     | 1931             |                                |                 | 49    |                          |                      | 1980  |
| 1992              | 1642           | 397     | 2039             | 99                             | 58              | 157   | 1741                     | 455                  | 2196  |
| 1993              | 1659           | 419     | 2078             | 121                            | 36              | 157   | 1780                     | 455                  | 2235  |
| 1994              | 1753           | 543     | 2296             | 127                            | 101             | 228   | 1880                     | 644                  | 2524  |
| 1995              | 2012           | 668     | 2680             | 93                             | 30              | 123   | 2105                     | 698                  | 2803  |
| 1996              | 2129           | 580     | 2709             | 163                            | 64              | 227   | 2292                     | 644                  | 2936  |
| 1997              | 2179           | 407     | 2586             | 77                             | 18              | 95    | 2256                     | 425                  | 2681  |
| 1998 <sup>e</sup> | 1756           | 307     | 2063             | 64                             | 29              | 93    | 1820                     | 336                  | 2156  |
| 1999              | 2698           | 772     | 3470             | 45 <sup>f</sup>                | 10 <sup>f</sup> | 71    | 2743 <sup>f</sup>        | 782 <sup>f</sup>     | 3541  |
| 2000              | 2694           | 746     | 3440             | 50 <sup>f</sup>                | 15 <sup>f</sup> | 84    | 2744 <sup>f</sup>        | 761 <sup>f</sup>     | 3524  |
| 2001              | 3198           | 719     | 3917             | 47 <sup>f</sup>                | 11 <sup>f</sup> | 90    | 3245 <sup>f</sup>        | 730 <sup>f</sup>     | 4007  |
| 2002              | 3814           | 546     | 4360             | 48 <sup>f</sup>                | 7 <sup>f</sup>  | 67    | 3862 <sup>f</sup>        | 553 <sup>f</sup>     | 4427  |
| 2003 <sup>g</sup> | 3365           | 532     | 3897             | 62                             | 15              | 77    | 3427                     | 547                  | 3974  |
| 2004 <sup>g</sup> | 3785           | 746     | 4531             | 46                             | 7               | 53    | 3831                     | 753                  | 4584  |
| 2005              | 4147           | 1143    | 5290             | 59                             | 12              | 71    | 4206                     | 1155                 | 5361  |

<sup>a</sup> Total counts not separated into white birds and cygnets prior to 1992.

<sup>b</sup> Not calculated prior to 1992 because of no counts for Oregon and Nevada.

<sup>c</sup> Not provided because counts for Yellowstone National Park not separated into white birds and cygnets.

<sup>d</sup> In Wyoming only Yellowstone National Park surveyed.

<sup>e</sup> 1998 counts for the Tri-state area and Total RMP are biased low because aerial survey of Yellowstone National Park not conducted due to hazardous weather; counted by snowmobile with incomplete coverage.

<sup>f</sup> Counts biased low because white-bird and cygnet counts for Malheur NWR not available.

<sup>g</sup> Oregon/Nevada and Total RMP counts biased low due to incomplete surveys at Summer Lake WMA.




Fig. 5. Rates of change for counts of swans in the RMP during the Mid-winter Trumpeter Swan Survey, 1972-2005 (dotted and solid lines depict trends for white birds and cygnets, respectively, for swans counted in the tri-state region [see text]; dashed line depicts total RMP swans).




Fig. 6. Rates of change for counts of total swans in states of the tri-state region during the Mid-winter Trumpeter Swan Survey, 1972-2005 (solid, dotted, and dashed lines represent trends for Montana, Idaho, and Wyoming, respectively).

Table 2. Counts of trumpeter swans of the Rocky Mountain Population in individual states during winter, 1972-2005.

| Year | Montana     |         |       | Idaho       |         |       | Wyoming          |                 |                  | Oregon <sup>a</sup> |                |                 | Nevada <sup>a</sup> |         |       |
|------|-------------|---------|-------|-------------|---------|-------|------------------|-----------------|------------------|---------------------|----------------|-----------------|---------------------|---------|-------|
|      | White birds | Cygnets | Total | White birds | Cygnets | Total | White birds      | Cygnets         | Total            | White birds         | Cygnets        | Total           | White birds         | Cygnets | Total |
| 1972 | 209         | 14      | 223   | 303         | 14      | 317   | b                | .b              | 76               |                     |                | 50              |                     |         | 41    |
| 1973 | 212         | 28      | 240   | 222         | 58      | 280   | .b               | b               | 61 <sup>c</sup>  |                     |                | 32              |                     |         | 28    |
| 1974 | 233         | 40      | 273   | 282         | 109     | 391   | 38               | 7               | 45               |                     |                | 36              |                     |         | 25    |
| 1975 | 192         | 32      | 224   | 333         | 94      | 427   | 70               | 2               | 72               |                     |                | 15              |                     |         | 25    |
| 1976 | 253         | 34      | 287   | 308         | 67      | 375   | 62               | 1               | 63               |                     |                | 30              |                     |         | 25    |
| 1977 | 315         | 43      | 358   | 395         | 126     | 521   | 129              | 9               | 138              |                     |                | 17              |                     |         | 29    |
| 1978 | 194         | 68      | 262   | 392         | 96      | 488   | 109              | 15              | 124              |                     |                | 7               |                     |         | 20    |
| 1979 | 304         | 26      | 330   | 353         | 81      | 434   | 86               | 16              | 102              |                     |                | 41              |                     |         | 21    |
| 1980 | 374         | 80      | 454   | 250         | 70      | 320   | 143              | 22              | 165              |                     |                | 65              |                     |         | 21    |
| 1981 | 352         | 36      | 388   | 370         | 110     | 480   | 278              | 101             | 379              |                     |                | 77              |                     |         | 21    |
| 1982 | 390         | 90      | 480   | 429         | 137     | 566   | 133              | 39              | 172              |                     |                | 65              |                     |         | 40    |
| 1983 | 363         | 59      | 422   | 493         | 122     | 615   | 169              | 26              | 195              |                     |                | 52              |                     |         | 38    |
| 1984 | 389         | 109     | 498   | 503         | 162     | 665   | 236              | 61              | 297              |                     |                | 63              |                     |         | 35    |
| 1985 | 393         | 31      | 424   | 701         | 144     | 845   | 232              | 15              | 247              |                     |                | 51              |                     |         | 31    |
| 1986 | 380         | 73      | 453   | 744         | 183     | 927   | 180              | 43              | 223              |                     |                | 33              |                     |         | 26    |
| 1987 | 314         | 63      | 377   | 690         | 255     | 945   | 192              | 68              | 260              |                     |                | 49              |                     |         | 28    |
| 1988 | 438         | 153     | 591   | 694         | 209     | 903   | 182              | 46              | 228              |                     |                | 24              |                     |         | 27    |
| 1989 | 342         | 90      | 432   | 817         | 141     | 958   | 293              | 60              | 353              |                     |                | 36              |                     |         | 18    |
| 1990 | 319         | 38      | 357   | 1025        | 300     | 1325  | 247              | 78              | 325              |                     |                | 23              |                     |         | 15    |
| 1991 | 385         | 70      | 455   | 918         | 211     | 1129  | 286              | 61              | 347              |                     |                | 31              |                     |         | 18    |
| 1992 | 438         | 114     | 552   | 892         | 249     | 1141  | 312              | 34              | 346              | 67                  | 56             | 123             | 32                  | 2       | 34    |
| 1993 | 168         | 70      | 238   | 1020        | 246     | 1266  | 471              | 103             | 574              | 91                  | 36             | 127             | 30                  | 0       | 30    |
| 1994 | 199         | 48      | 247   | 1164        | 397     | 1561  | 390              | 98              | 488              | 114                 | 94             | 208             | 13                  | 7       | 20    |
| 1995 | 153         | 61      | 214   | 1391        | 475     | 1866  | 468              | 132             | 600              | 72                  | 27             | 99              | 21                  | 3       | 24    |
| 1996 | 319         | 82      | 401   | 1336        | 390     | 1726  | 474              | 108             | 582              | 140                 | 49             | 189             | 23                  | 15      | 38    |
| 1997 | 204         | 30      | 234   | 1555        | 272     | 1827  | 420              | 105             | 525              | 46                  | 9              | 55              | 31                  | 9       | 40    |
| 1998 | 290         | 68      | 358   | 1200        | 200     | 1400  | 266 <sup>d</sup> | 39 <sup>d</sup> | 305 <sup>d</sup> | 31                  | 7              | 38              | 33                  | 22      | 55    |
| 1999 | 335         | 153     | 488   | 1754        | 500     | 2254  | 609              | 119             | 728              | 16 <sup>e</sup>     | 2 <sup>e</sup> | 34              | 29                  | 8       | 37    |
| 2000 | 519         | 155     | 674   | 1881        | 513     | 2394  | 294              | 78              | 372              | 15 <sup>e</sup>     | 6 <sup>e</sup> | 40              | 35                  | 9       | 44    |
| 2001 | 373         | 96      | 469   | 2404        | 549     | 2953  | 421              | 74              | 495              | 16 <sup>e</sup>     | 7 <sup>e</sup> | 55              | 31                  | 4       | 35    |
| 2002 | 600         | 104     | 704   | 2636        | 357     | 2993  | 578              | 85              | 663              | 7 <sup>e</sup>      | 5 <sup>e</sup> | 24              | 41                  | 2       | 43    |
| 2003 | 375         | 58      | 433   | 2490        | 382     | 2872  | 500              | 92              | 592              | 28 <sup>f</sup>     | 8 <sup>f</sup> | 36 <sup>f</sup> | 34                  | 7       | 41    |
| 2004 | 583         | 92      | 675   | 2591        | 563     | 3154  | 611              | 91              | 702              | 8 <sup>f</sup>      | 0 <sup>f</sup> | 8 <sup>f</sup>  | 38                  | 7       | 45    |
| 2005 | 508         | 119     | 627   | 2954        | 828     | 3782  | 685              | 196             | 881              | 27                  | 10             | 37              | 32                  | 2       | 34    |

<sup>a</sup> Counts for Oregon and Nevada were not separated into white birds and cygnets until 1992.

<sup>b</sup> Not provided because counts for Yellowstone National Park not separated into white birds and cygnets.

<sup>c</sup> Counts for Yellowstone National Park only; remainder of Wyoming not surveyed.

<sup>d</sup> Counts for Wyoming biased low because aerial survey of Yellowstone National Park not conducted due to hazardous weather; counted by snowmobile with incomplete coverage.

<sup>e</sup> Counts biased low because white-bird and cygnet counts for Malheur NWR not available.

<sup>f</sup> Counts biased low due to incomplete surveys at Summer Lake WMA.




Fig. 7. Proportions of total swans counted in each of the states comprising the tri-state region during the Mid-winter Trumpeter Swan Survey, 1972-2004.




Fig. 8. Rates of change in counts of total swans in Nevada (stars and solid line) and Oregon (Malheur NWR [closed circles and dashed line] and Summer Lake WMA [open circles]) during the Mid-winter Trumpeter Swan Survey, 1972-2005. Data for Summer Lake WMA in 2002 and 2003 are from incomplete surveys.



Table 3. Estimates of swan abundance for flocks comprising the Rocky Mountain Population of Trumpeter swans, 1972-2005.

| Year | Mid-winter count | U.S. Breeding Flocks <sup>a</sup> | Canadian Flocks | Percent Canadian Flocks |
|------|------------------|-----------------------------------|-----------------|-------------------------|
| 1972 | 707              | 572                               | 135             | 19.1                    |
| 1975 | 763              | 581                               | 182             | 23.9                    |
| 1978 | 901              | 544                               | 357             | 39.6                    |
| 1981 | 1345             | 582                               | 763             | 56.7                    |
| 1984 | 1558             | 547                               | 1011            | 64.9                    |
| 1985 | 1598             | 563                               | 1035            | 64.8                    |
| 1986 | 1662             | 575                               | 1087            | 65.4                    |
| 1987 | 1659             | 452                               | 1207            | 72.8                    |
| 1988 | 1773             | 611                               | 1162            | 65.5                    |
| 1989 | 1797             | 659                               | 1138            | 63.3                    |
| 1990 | 2045             | 598                               | 1447            | 70.8                    |
| 1991 | 1980             | 626                               | 1354            | 68.4                    |
| 1992 | 2196             | 555                               | 1641            | 74.7                    |
| 1993 | 2235             | 563                               | 1672            | 74.8                    |
| 1994 | 2524             | 354                               | 2170            | 86.0                    |
| 1995 | 2803             | 454                               | 2349            | 83.8                    |
| 1996 | 2936             | 427                               | 2509            | 85.5                    |
| 1997 | 2681             | 458                               | 2223            | 82.9                    |
| 1998 | 2156             | 427                               | 1729            | 80.2                    |
| 1999 | 3541             | 469                               | 3072            | 86.8                    |
| 2000 | 3524             | 417                               | 3107            | 88.2                    |
| 2001 | 4007             | 481                               | 3526            | 88.0                    |
| 2002 | 4427             | 487                               | 3940            | 89.0                    |
| 2003 | 3974             | 371                               | 3603            | 90.7                    |
| 2004 | 4584             | 417                               | 4167            | 90.9                    |
| 2005 | 5361             | 417                               | 4944            | 92.2                    |

<sup>a</sup> From U.S. Fish and Wildlife Service 2004a. Counts are from the previous calendar year (e.g., the 2005 value is from the Fall 2004 survey).




Fig. 9. Percent (bars and solid line) and counts (solid dots) of the entire RMP estimated to be comprised of Canadian Flocks during the Mid-winter Trumpeter Swan Survey, 1972-2005.




Fig. 10. Proportion of cygnets counted in the tri-state region during the Mid-winter Trumpeter Swan Survey, 1974-2005. The solid line depicts the 1974-2004 average.

The number of swans in Nevada (34) was lower than counts in recent winters (Table 2). The count for cygnets was very low, due in part to the lack of local production the previous summer. Nonetheless, the total count was 10% above the long-term average. Weather conditions were normal during the survey, providing limited open water in several areas. Swans usually arrive at Ruby Lake NWR in December, but for the second consecutive year these early winter counts have been well-below average. The number of swans counted at Malheur NWR (8) was the same as last year, which was the lowest recorded in 25 years (Appendix A).

Our index suggested about 92% of the RMP counted in February 2005 was comprised of swans from Canadian Flocks (Table 3, Fig. 9). This value is slightly higher than those from the last few years (~90%). The estimated number of swans from Canadian Flocks was 4,944 birds, a value dramatically higher (+19%) than that of 2004. With the exception of 2003, successive estimates for the size of the Canadian Flocks since 1998 have been record-high counts.

The proportion of cygnets for swans counted in the tri-state region during February 2005 was 0.2161. This value was 15% above the 1974-2004 average (0.1887) (Fig. 10). The 2005 Mid-winter proportion was the first year since 2000 suggesting above-average production for the RMP.

In summary, RMP trumpeter swans appeared to increase by about 5.9% annually between 1972 and 2004. Most of the increase over that time was attributable to increases in the number of birds in the Canadian Flocks, which estimates suggest comprise more than 90% of the population. However, the estimates are not derived from a survey of swans in Canada, but rather from subtracting the winter count from the previous fall count of RMP swans summering in the U.S. During fall 2005, the 5-year range-wide survey of trumpeter swans will be conducted (e.g., Caithamer 2001). This survey is conducted during fall in all areas within the breeding range of trumpeter swans, providing counts for specific summering areas in the U.S. and Canada. Results from that survey will provide an opportunity to compare actual survey counts for the birds in Canada to our index.

The number of RMP swans appeared to increase 17% between the winters of 2003-04 and 2004-05. Although such an increase may be biologically possible, it is not typical of a species with a long life span and relatively low recruitment rate. The production rate for the entire RMP during spring and summer 2004 appeared to be much improved from recent years, and the index was above the long-term average for the first time since 2000. The production rate of birds nesting in the U.S. in 2004 was similar to that from 2003, but below average (U.S. Fish and Wildlife Service 2004a). Production appeared to be good during summer 2004 in Canada (correspondence from G. Beyersbergen [Canadian Wildlife Service] to C. Mitchell [Gray's Lake NWR]), but likely was insufficient to account for the entire increase suggested from the winter survey. Also, although tundra swans have been observed inhabiting the same areas as trumpeter swans during this survey, ground observations in Idaho (where the largest numbers of swans and largest aggregations are encountered) found few tundra swans mixed with trumpeter swans. Thus, the increase probably was not influenced greatly by counting tundra swans as trumpeter swans during the survey. Although survey biologists are experienced and the survey crews are very similar from year to year, problems inherent to this type of survey (i.e., cruise survey with no correction for visibility bias) potentially can influence

estimates. Perhaps a combination of these issues resulted in the apparent increase. However, we cannot rule out the possibility that the increase was real. Improvements to survey methodology would be necessary to resolve some of these issues.

Counts in restoration areas were lower than those from last year, and the count at Malheur NWR tied the lowest recorded since 1978. Data for Ruby Lake NWR suggest that birds may be exhibiting changing migration patterns, although the birds may simply be responding to relatively dry winters in the region. Additional years of information would be needed to determine whether a permanent alteration has occurred.

## **ACKNOWLEDGMENTS**

We would like to especially thank the personnel who conducted the surveys, a list of whom is provided in Appendix C. The survey is a collaborative effort among Red Rock Lakes NWR, Migratory Birds and State Programs -- Mountain-Prairie Region of the U.S. Fish and Wildlife Service, Southeast Idaho Refuge Complex, National Elk Refuge, Harriman State Park, Idaho Department of Fish and Game, Grand Teton National Park, Yellowstone National Park, Wyoming Game and Fish Department, Ruby Lake NWR, Malheur NWR, and the Shoshone-Bannock Tribes. J. Cornely, T. McEneaney, J. Mackay, C. Mitchell, S. Patla, R. Roy, M. St. Louis, and J. Warren provided comments and helpful suggestions on previous drafts of this document.

## **LITERATURE CITED**

- Banko, W.E. 1960. The trumpeter swan: Its history, habits, and population in the United States. North American Fauna, No. 63. U.S. Fish and Wildlife Service, Washington, D.C. 214pp.
- Caithamer, D.F. 2001. Trumpeter swan population status, 2000. U.S. Fish and Wildlife Service, Division of Migratory Bird Management, Laurel, MD. 14pp.
- Gale, R.S., E.O. Garton, and I.J. Ball. 1988. The history, ecology and management of the Rocky Mountain Population of trumpeter swans. Unpublished report. U.S. Fish and Wildlife Service, Montana Cooperative Wildlife Research Unit, Missoula. 532pp.
- Joint Agricultural Weather Facility. 2005. Weekly Weather and Crop Bulletin. Vol. 92, No. 11. URL:<http://www.usda.gov/oce/waob/jawf/wwcb/wwcb.pdf>.
- Pacific Flyway Study Committee. 2002. RMP Trumpeter Swan Implementation Plan. U.S. Fish and Wildlife Service, Portland, OR. 27pp.
- U.S. Bureau of Reclamation. 2005a. Pacific Northwest Region hydromet historical data access. URL:<http://www.usbr.gov/pn/hydromet/arcread.html>.

- U.S. Bureau of Reclamation. 2005*b*. Pacific Northwest Region end-of-month water conditions. URL:<http://www.usbr.gov/pn/hydromet/denver.html>.
- U.S. Department of Agriculture. 2005. Mountain snowpack as of February 1, 2005. URL:<ftp://ftp.wcc.nrcs.usda.gov/support/water/westwide/snowpack/wy2005/snow0502.gif>.
- U.S. Fish and Wildlife Service. 2003. Trumpeter swan survey of the Rocky Mountain Population, Winter 2003. Division of Migratory Birds and State Programs, Denver, CO. 28pp.
- U.S. Fish and Wildlife Service. 2004*a*. Trumpeter swan survey of the Rocky Mountain Population, U.S. Breeding Segment, Fall 2004. Division of Migratory Birds and State Programs, Denver, CO. 28pp.
- U.S. Fish and Wildlife Service. 2004*b*. Waterfowl population status, 2004. U.S. Department of the Interior, Washington, D.C. 53pp.
- Wilkins, K.A., and M.C. Otto. 2004. Trends in duck breeding populations, 1955-2004. U.S. Fish and Wildlife Service Administrative Report, Division of Migratory Bird Management, Laurel, MD. 19pp.

Appendix A. Counts of trumpeter swans of the Rocky Mountain Population during winter, 1972-2005.

| Year | Montana     |         |       | Idaho       |         |       | Wyoming (outside Yellowstone NP) |         |       |
|------|-------------|---------|-------|-------------|---------|-------|----------------------------------|---------|-------|
|      | White birds | Cygnets | Total | White birds | Cygnets | Total | White birds                      | Cygnets | Total |
| 1972 | 209         | 14      | 223   | 303         | 14      | 317   | 16                               | 4       | 20    |
| 1973 | 212         | 28      | 240   | 222         | 58      | 280   | a                                | a       | a     |
| 1974 | 233         | 40      | 273   | 282         | 109     | 391   | 7                                | 0       | 7     |
| 1975 | 192         | 32      | 224   | 333         | 94      | 427   | 40                               | 2       | 42    |
| 1976 | 253         | 34      | 287   | 308         | 67      | 375   | 30                               | 1       | 31    |
| 1977 | 315         | 43      | 358   | 395         | 126     | 521   | 86                               | 0       | 86    |
| 1978 | 194         | 68      | 262   | 392         | 96      | 488   | 63                               | 4       | 67    |
| 1979 | 304         | 26      | 330   | 353         | 81      | 434   | 15                               | 3       | 18    |
| 1980 | 374         | 80      | 454   | 250         | 70      | 320   | 63                               | 6       | 69    |
| 1981 | 352         | 36      | 388   | 370         | 110     | 480   | 37                               | 10      | 47    |
| 1982 | 390         | 90      | 480   | 429         | 137     | 566   | 76                               | 19      | 95    |
| 1983 | 363         | 59      | 422   | 493         | 122     | 615   | 81                               | 12      | 93    |
| 1984 | 389         | 109     | 498   | 503         | 162     | 665   | 87                               | 11      | 98    |
| 1985 | 393         | 31      | 424   | 701         | 144     | 845   | 78                               | 8       | 86    |
| 1986 | 380         | 73      | 453   | 744         | 183     | 927   | 91                               | 25      | 116   |
| 1987 | 314         | 63      | 377   | 690         | 255     | 945   | 85                               | 18      | 103   |
| 1988 | 438         | 153     | 591   | 694         | 209     | 903   | 115                              | 28      | 143   |
| 1989 | 342         | 90      | 432   | 817         | 141     | 958   | 197                              | 39      | 236   |
| 1990 | 319         | 38      | 357   | 1025        | 300     | 1325  | 169                              | 46      | 215   |
| 1991 | 385         | 70      | 455   | 918         | 211     | 1129  | 225                              | 47      | 272   |
| 1992 | 438         | 114     | 552   | 892         | 249     | 1141  | 204                              | 30      | 234   |
| 1993 | 168         | 70      | 238   | 1020        | 246     | 1266  | 293                              | 64      | 357   |
| 1994 | 199         | 48      | 247   | 1164        | 397     | 1561  | 253                              | 74      | 327   |
| 1995 | 153         | 61      | 214   | 1391        | 475     | 1866  | 327                              | 91      | 418   |
| 1996 | 319         | 82      | 401   | 1336        | 390     | 1726  | 344                              | 84      | 428   |
| 1997 | 204         | 30      | 234   | 1555        | 272     | 1827  | 346                              | 102     | 448   |
| 1998 | 290         | 68      | 358   | 1200        | 200     | 1400  | 109                              | 15      | 124   |
| 1999 | 335         | 153     | 488   | 1754        | 500     | 2254  | 317                              | 71      | 388   |
| 2000 | 519         | 155     | 674   | 1881        | 513     | 2394  | 207                              | 65      | 272   |
| 2001 | 373         | 96      | 469   | 2404        | 549     | 2953  | 368                              | 63      | 431   |
| 2002 | 600         | 104     | 704   | 2636        | 357     | 2993  | 447                              | 72      | 519   |
| 2003 | 375         | 58      | 433   | 2490        | 382     | 2872  | 354                              | 58      | 412   |
| 2004 | 583         | 92      | 675   | 2591        | 563     | 3154  | 462                              | 58      | 520   |
| 2005 | 508         | 119     | 627   | 2954        | 828     | 3782  | 561                              | 166     | 727   |

<sup>a</sup> Counts not available.

<sup>b</sup> Total counts not separated into white birds and cygnets prior to 1992.

<sup>c</sup> Swans first translocated to Summer Lake WMA in 1992.

<sup>d</sup> Count biased low because aerial survey not conducted due to hazardous weather; snowmobile count with incomplete coverage only.

<sup>e</sup> Count biased low due to incomplete survey coverage.



Appendix A. (cont.)

| Year | Yellowstone NP   |                 |                  | Malheur NWR <sup>b</sup> |         |       | Summer Lake WMA <sup>c</sup> |                |                 | Nevada <sup>b</sup> |         |       |
|------|------------------|-----------------|------------------|--------------------------|---------|-------|------------------------------|----------------|-----------------|---------------------|---------|-------|
|      | White birds      | Cygnets         | Total            | White birds              | Cygnets | Total | White birds                  | Cygnets        | Total           | White birds         | Cygnets | Total |
| 1972 | a.               | a.              | 56               |                          |         | 50    |                              |                |                 |                     |         | 41    |
| 1973 | a                | a               | 61               |                          |         | 32    |                              |                |                 |                     |         | 28    |
| 1974 | 31               | 7               | 38               |                          |         | 36    |                              |                |                 |                     |         | 25    |
| 1975 | 30               | 0               | 30               |                          |         | 15    |                              |                |                 |                     |         | 25    |
| 1976 | 32               | 0               | 32               |                          |         | 30    |                              |                |                 |                     |         | 25    |
| 1977 | 43               | 9               | 52               |                          |         | 17    |                              |                |                 |                     |         | 29    |
| 1978 | 46               | 11              | 57               |                          |         | 7     |                              |                |                 |                     |         | 20    |
| 1979 | 71               | 13              | 84               |                          |         | 41    |                              |                |                 |                     |         | 21    |
| 1980 | 80               | 16              | 96               |                          |         | 65    |                              |                |                 |                     |         | 21    |
| 1981 | 241              | 91              | 332              |                          |         | 77    |                              |                |                 |                     |         | 21    |
| 1982 | 57               | 20              | 77               |                          |         | 65    |                              |                |                 |                     |         | 40    |
| 1983 | 88               | 14              | 102              |                          |         | 52    |                              |                |                 |                     |         | 38    |
| 1984 | 149              | 50              | 199              |                          |         | 63    |                              |                |                 |                     |         | 35    |
| 1985 | 154              | 7               | 161              |                          |         | 51    |                              |                |                 |                     |         | 31    |
| 1986 | 89               | 18              | 107              |                          |         | 33    |                              |                |                 |                     |         | 26    |
| 1987 | 107              | 50              | 157              |                          |         | 49    |                              |                |                 |                     |         | 28    |
| 1988 | 67               | 18              | 85               |                          |         | 24    |                              |                |                 |                     |         | 27    |
| 1989 | 96               | 21              | 117              |                          |         | 36    |                              |                |                 |                     |         | 18    |
| 1990 | 78               | 32              | 110              |                          |         | 23    |                              |                |                 |                     |         | 15    |
| 1991 | 61               | 14              | 75               |                          |         | 31    |                              |                |                 |                     |         | 18    |
| 1992 | 108              | 4               | 112              | 25                       | 13      | 38    | 42                           | 43             | 85              | 32                  | 2       | 34    |
| 1993 | 178              | 39              | 217              | 44                       | 15      | 59    | 47                           | 21             | 68              | 30                  | 0       | 30    |
| 1994 | 137              | 24              | 161              | 30                       | 7       | 37    | 84                           | 87             | 171             | 13                  | 7       | 20    |
| 1995 | 141              | 41              | 182              | 9                        | 1       | 10    | 63                           | 26             | 89              | 21                  | 3       | 24    |
| 1996 | 130              | 24              | 154              | 11                       | 3       | 14    | 129                          | 46             | 175             | 23                  | 15      | 38    |
| 1997 | 74               | 3               | 77               | 11                       | 5       | 16    | 35                           | 4              | 39              | 31                  | 9       | 40    |
| 1998 | 157 <sup>d</sup> | 24 <sup>d</sup> | 181 <sup>d</sup> | 13                       | 6       | 19    | 18                           | 1              | 19              | 33                  | 22      | 55    |
| 1999 | 292              | 48              | 340              | a                        | a       | 16    | 16                           | 2              | 18              | 29                  | 8       | 37    |
| 2000 | 87               | 13              | 100              | a                        | a       | 19    | 15                           | 6              | 21              | 35                  | 9       | 44    |
| 2001 | 53               | 11              | 64               | a                        | a       | 32    | 16                           | 7              | 23              | 31                  | 4       | 35    |
| 2002 | 131              | 13              | 144              | a                        | a       | 12    | 7 <sup>e</sup>               | 5 <sup>e</sup> | 12 <sup>e</sup> | 41                  | 2       | 43    |
| 2003 | 146              | 34              | 180              | 19                       | 5       | 24    | 9 <sup>e</sup>               | 3 <sup>e</sup> | 12 <sup>e</sup> | 34                  | 7       | 41    |
| 2004 | 149              | 33              | 182              | 8                        | 0       | 8     | a                            | a              | a               | 38                  | 7       | 45    |
| 2005 | 124              | 30              | 154              | 8                        | 0       | 8     | 19                           | 10             | 29              | 32                  | 2       | 34    |

<sup>a</sup> Counts not available.

<sup>b</sup> Total counts not separated into white birds and cygnets prior to 1992.

<sup>c</sup> Swans first translocated to Summer Lake WMA in 1992.

<sup>d</sup> Count biased low because aerial survey not conducted due to hazardous weather; snowmobile count with incomplete coverage only.

<sup>e</sup> Count biased low due to incomplete survey coverage.

Appendix B. Site-specific counts of trumpeter swans of the Rocky Mountain Population during the Mid-winter Trumpeter Swan Survey, 2005.

| State or Area                               | White birds | Cygnets   | Total      | Pilot/observer/notes                       |
|---|-------------|-----------|------------|--|
| <b>Montana</b>                              |             |           |            |  |
| <i>Hebgen Lake area</i>                     |             |           |            | P: R. Stradley, O: T. McEneaney; 1/31/2005 |
| Cougar Creek                                | 0           | 0         | 0          |  |
| Between Quake Lake and Hebgen Lake          | 0           | 0         | 0          |  |
| Madison River Arm                           | 217         | 33        | 250        |  |
| North Spring (Grayling Arm)                 | 26          | 14        | 40         |  |
| South Fork Arm                              | 124         | 25        | 149        |  |
| <b>Subtotal</b>                             | <b>367</b>  | <b>72</b> | <b>439</b> |  |
|   |             |           |            |  |
| <i>Madison River Valley</i>                 |             |           |            | P: D. Chapman, O: J. Warren; 2/3/2005      |
| Odell Creek Area                            | 0           | 0         | 0          |  |
| Walsh Ponds (south)1                        | 0           | 0         | 0          |  |
| Walsh Ponds (north)1                        | 3           | 4         | 7          |  |
| Madison River, south of Ennis               | 10          | 8         | 18         |  |
| Ennis Lake                                  | 91          | 29        | 120        |  |
| <b>Subtotal</b>                             | <b>104</b>  | <b>41</b> | <b>145</b> |  |
|   |             |           |            |  |
| <i>Chain of Lakes</i>                       |             |           |            |  |
| Cliff Lake                                  | 2           | 0         | 2          |  |
| Wade Lake                                   | 0           | 0         | 0          |  |
| Goose Lake                                  | 0           | 0         | 0          |  |
| Smith Creek (Hidden Lake outlet)            | 0           | 0         | 0          |  |
| <b>Subtotal</b>                             | <b>2</b>    | <b>0</b>  | <b>2</b>   |  |
|   |             |           |            |  |
| <i>Centennial Valley/Red Rock Lakes NWR</i> |             |           |            |  |
| Red Rock River below Lower Lake Dam         | 0           | 0         | 0          |  |
| MacDonald Pond                              | 11          | 0         | 11         |  |
| Culver Pond                                 | 6           | 0         | 6          |  |
| Elk Springs Creek                           | 0           | 0         | 0          |  |
| Swan Lake                                   | 0           | 0         | 0          |  |
| Shambow Pond                                | 0           | 0         | 0          |  |
| Red Rock River, Lima                        | 0           | 0         | 0          |  |
| <b>Subtotal</b>                             | <b>17</b>   | <b>0</b>  | <b>17</b>  |  |
|   |             |           |            |  |
| <i>Paradise Valley</i>                      |             |           |            | P: R. Stradley, O: T. McEneaney; 1/31/2005 |
| Armstrong's Spring Creek                    | 0           | 0         | 0          |  |
| Bailey's                                    | 0           | 0         | 0          |  |
| Brockway                                    | 0           | 0         | 0          |  |
| DePuys                                      | 4           | 0         | 4          |  |
| Brandis                                     | 4           | 1         | 5          |  |
| Nelson's Spring Creek                       | 0           | 0         | 0          |  |

## Appendix B. (cont.)

|   |            |           |            |                                     |
|---|------------|-----------|------------|-------------------------------------|
| Sacagawea Park  | 0          | 0         | 0          |                                     |
| Yellowstone River 1 mile north of Emigrant              | 5          | 0         | 5          |                                     |
| Beaver Creek  | 4          | 3         | 7          |                                     |
| Yellowstone River - 6 mile                              | 0          | 0         | 0          |                                     |
| Yellowstone River - Pray                                | 0          | 0         | 0          |                                     |
| Dana's  | 1          | 2         | 3          |                                     |
| <b>Subtotal</b>   | <b>18</b>  | <b>6</b>  | <b>24</b>  |                                     |
|   |            |           |            |                                     |
| <b>Wyoming</b>  |            |           |            |                                     |
| <i>Upper Snake River (Flagg Ranch to Wilson Bridge)</i> |            |           |            | P: G. Lust, O: S. Patla; 2/1-2/2005 |
| Polecat Creek   | 5          | 3         | 8          | Cygnets by themselves               |
| Flagg Ranch to Jackson Lake                             | 6          | 0         | 6          | 3 separate pairs                    |
| Jackson Lake  | 4          | 0         | 4          | Pilgrim Creek area                  |
| Jackson Lake to Moran Junction                          | 25         | 7         | 32         |                                     |
| Moran Junction to Deadman's                             | 5          | 0         | 5          |                                     |
| Deadman's to Moose                                      | 18         | 3         | 21         |                                     |
| Moose to Gros Ventre Junction                           | 9          | 3         | 12         |                                     |
| Gros Ventre Junction area                               | 20         | 4         | 24         | Ponds and spring creeks             |
| Gros Ventre Junction to Wilson Bridge                   | 10         | 6         | 16         | Main river channel                  |
| Gros Ventre River, Highway 89 to Snake River            | 0          | 0         | 0          | River frozen 50%                    |
| <b>Subtotal</b>   | <b>102</b> | <b>26</b> | <b>128</b> |                                     |
|   |            |           |            |                                     |
| <i>Gros Ventre River upriver of Kelly</i>               |            |           |            |                                     |
| Kelly Warm Springs, Grand Teton National Park           | 0          | 0         | 0          |                                     |
| Lower Slide Lake  | 0          | 0         | 0          | Ground check                        |
| Upper Gros Ventre                                       | 0          | 0         | 0          | Ground check                        |
| <b>Subtotal</b>   | <b>0</b>   | <b>0</b>  | <b>0</b>   |                                     |
|   |            |           |            |                                     |
| <i>Lower Snake River (Wilson Bridge to Alpine)</i>      |            |           |            |                                     |
| Wilson Bridge to South Park Bridge                      | 58         | 9         | 67         |                                     |
| Evan's Gravel pit ponds                                 | 0          | 0         | 0          | 90% frozen                          |
| South Park Bridge to Hoback                             | 7          | 0         | 7          |                                     |
| North Wilson  | 6          | 3         | 9          | Fish Creek and ponds west of river  |
| Fish Creek, Wilson to Snake River                       | 55         | 13        | 68         | Includes Spring Creek complexes     |
| Boyles Hill area  | 4          | 5         | 9          | Ground count - Bill Long            |
| Spring Creek  | 24         | 13        | 37         |                                     |
| Crane Creek   | 15         | 10        | 25         | Includes "Ford's" previous surveys  |
| Lower Flat Creek, Snake River to Jackson                | 21         | 9         | 30         |                                     |
| Rafter J Ponds  | 4          | 0         | 4          |                                     |
| Valley Springs, Captive Swan Pond/Pen Highway 89        | 0          | 0         | 0          | 90% frozen                          |
| Hoback to Astoria Bridge                                | 3          | 0         | 3          |                                     |
| Astoria Bridge-Elbow                                    | 18         | 3         | 21         | Includes Canyon Club wetlands       |
| Elbow to Alpine/Palisades Reservoir                     | 3          | 0         | 3          |                                     |
| Baily Lake  | 3          | 1         | 4          | New site 2005                       |

Appendix B. (cont.)

|   |            |           |            |  |
|---|------------|-----------|------------|--|
| Bondurant pond near Hoback River                        | 0          | 0         | 0          | Few swans earlier in the winter            |
| <b>Subtotal</b>   | <b>221</b> | <b>66</b> | <b>287</b> |  |
|   |            |           |            |  |
| <i>National Elk Refuge</i>                              |            |           |            |  |
| Flat Creek main marsh                                   | 24         | 8         | 32         |  |
| Gros Ventre River, Kelly to Highway 89                  | 14         | 7         | 21         | Bill's Bayou, NER                          |
| Romney pond area  | 0          | 0         | 0          |  |
| Lost Spring   | 6          | 2         | 8          | Added category 2005                        |
| <b>Subtotal</b>   | <b>44</b>  | <b>17</b> | <b>61</b>  |  |
|   |            |           |            |  |
| <i>Salt River (Alpine to Afton)</i>                     | 3          | 0         | 3          | Pair on Alpine Wetland                     |
| Palisades Reservoir, WY Alpine                          | 20         | 0         | 20         |  |
| Palisades Reservoir to Freedom Road                     | 7          | 0         | 7          |  |
| Freedom Road to Narrows                                 | 2          | 0         | 2          | Flat Creek Pond                            |
| Thayne area   | 35         | 12        | 47         |  |
| Narrows to Grover/Auburn Highway                        | 35         | 23        | 58         |  |
| Grover/Auburn Highway to Swift Creek                    | 0          | 0         | 0          | Frozen                                     |
| Swift Creek to Headwaters                               | 0          | 0         | 0          | Frozen                                     |
| <b>Subtotal</b>   | <b>102</b> | <b>35</b> | <b>137</b> |  |
|   |            |           |            |  |
| <i>Pinedale</i>   |            |           |            |  |
| New Fork Boulder to Pinedale                            | 0          | 0         | 0          |  |
| Daniel Fish Hatchery/Forty Rod Creek                    | 5          | 0         | 5          |  |
| <b>Subtotal</b>   | <b>5</b>   | <b>0</b>  | <b>5</b>   |  |
|   |            |           |            |  |
| <i>Green River (Warren Bridge to Highway 28 Bridge)</i> |            |           |            |  |
| Fontenelle Dam-CCC Bridge                               | 0          | 0         | 0          |  |
| CCC Bridge to Pilot Farm                                | 39         | 12        | 51         |  |
| Pilot Farm-Refuge Headquarters                          | 8          | 0         | 8          |  |
| Refuge to Big Sandy                                     | 3          | 3         | 6          |  |
| Big Sandy to Big Island                                 | 6          | 5         | 11         |  |
| Flaming Gorge Reservoir                                 | a          |           |            | Surveyed by air 22 Jan; no swans           |
| <b>Subtotal</b>   | <b>56</b>  | <b>20</b> | <b>76</b>  |  |
|   |            |           |            |  |
| <i>Dubois area</i>                                      |            |           |            |  |
| Wind River and spring ponds, Dubois                     | 0          | 0         | 0          | Local observer's report                    |
| Dinwoody Lake   | 22         | 2         | 24         | Ground survey, Pat Hnilinka, FWS           |
| Bull Lake   | 9          | 0         | 9          | Including yellow collar Y93                |
| Wind River, Crowhart to Burris                          | 0          | 0         | 0          |  |
| <b>Subtotal</b>   | <b>31</b>  | <b>2</b>  | <b>33</b>  |  |
|   |            |           |            |  |
| <i>Yellowstone National Park</i>                        |            |           |            | P: R. Stradley, O: T. McEneaney; 1/31/2005 |
| Slough Creek  | 1          | 0         | 1          |  |
| Tern Lake   | 9          | 0         | 9          |  |
| Beach Springs Lagoon                                    | 2          | 0         | 2          |  |

## Appendix B. (cont.)

|   |            |           |            |  |
|---|------------|-----------|------------|--|
| Shoshone Geyser Basin                       | 0          | 0         | 0          |  |
| Lewis River                                 | 4          | 1         | 5          |  |
| Buela Lake                                  | 2          | 0         | 2          |  |
| Yellowstone River                           | 28         | 1         | 29         |  |
| Shoshone Geyser Basin                       | 0          | 0         | 0          |  |
| Lewis - Shoshone Channel                    | 10         | 1         | 11         |  |
| Shoshone Lake                               | 0          | 1         | 1          |  |
| Bechler Lake                                | 27         | 5         | 32         |  |
| Firehole River                              | 5          | 3         | 8          |  |
| Madison River                               | 30         | 16        | 46         |  |
| Gibbon Meadow                               | 2          | 2         | 4          |  |
| Nymph Lake                                  | 0          | 0         | 0          |  |
| Elk Park                                    | 2          | 0         | 2          |  |
| North Twin Lake                             | 2          | 0         | 2          |  |
| <b>Subtotal</b>                             | <b>124</b> | <b>30</b> | <b>154</b> |  |
|   |            |           |            |  |
| <b>Idaho</b>                                |            |           |            | P: G. Lust, O: C. Mitchell; 2/2-4/2005 |
| <i>Island Park Area</i>                     |            |           |            |  |
| Warm Springs (west side of Henrys Lake)     | 0          | 0         | 0          | 100% frozen                            |
| Henrys Lake flats                           | 14         | 15        | 29         |  |
| Big Springs, North Fork, Mack's Inn Area    | 28         | 9         | 37         |  |
| Mack's Inn to Island Park Reservoir         | 20         | 3         | 23         | Microwave tower                        |
| Island Park Reservoir                       | 0          | 0         | 0          |  |
| Island Park Reservoir inlet                 | 44         | 2         | 46         |  |
| Trude Ranch Pond                            | 0          | 0         | 0          | 100% frozen                            |
| Icehouse Reservoir                          | 0          | 0         | 0          | 100% frozen                            |
| Sheridan Creek, mouth to Sheridan Reservoir | 0          | 0         | 0          | 100% frozen                            |
| Sheridan Reservoir                          | 9          | 5         | 14         | 90% frozen                             |
| Sheridan Creek cabin and pond               | 0          | 0         | 0          | 95% frozen                             |
| <b>Subtotal</b>                             | <b>115</b> | <b>34</b> | <b>149</b> |  |
|   |            |           |            |  |
| <i>Buffalo River Area</i>                   |            |           |            |  |
| Buffalo River                               | 8          | 5         | 13         |  |
| Tom's Creek                                 | 0          | 0         | 0          |  |
| Elk Creek/Trudes Siding pond                | 12         | 1         | 13         |  |
| <b>Subtotal</b>                             | <b>20</b>  | <b>6</b>  | <b>26</b>  |  |
|   |            |           |            |  |
| <i>Harriman State Park (HSP) Area</i>       |            |           |            |  |
| Island Park Dam through Box Canyon          | 1          | 1         | 2          |  |
| Box Canyon - HSP north boundary             | 194        | 32        | 226        |  |
| HSP north bounday - Osborne bridge          | 36         | 15        | 51         |  |
| Golden Lake                                 | 38         | 4         | 42         | 80% frozen                             |
| Thurmon Creek                               | 0          | 0         | 0          |  |
| Silver Lake                                 | 33         | 3         | 36         | At outlet; lake 99% frozen             |
| Osborne Bridge - Pinehaven                  | 100        | 23        | 123        |  |

Appendix B. (cont.)

|  |            |            |            |                                |
|--|------------|------------|------------|--------------------------------|
| Pinehaven  | 54         | 5          | 59         |                                |
| Fish Pond  | 0          | 0          | 0          | 90% frozen                     |
| Henrys Fork below Pinehave - Forest boundary       | 12         | 16         | 28         |                                |
| <b>Subtotal</b>                                    | <b>468</b> | <b>99</b>  | <b>567</b> |                                |
|  |            |            |            |                                |
| <i>Henrys Fork, HSP to Warm River</i>              |            |            |            |                                |
| Warm River   | 0          | 0          | 0          |                                |
| <b>Subtotal</b>                                    | <b>0</b>   | <b>0</b>   | <b>0</b>   |                                |
|  |            |            |            |                                |
| <i>Lower Henrys Fork Area</i>                      |            |            |            |                                |
| Forest boundary to Ashton Dam                      | 4          | 2          | 6          | River frozen ~1 mile above dam |
| Ashton Dam to Chester Dam                          | 95         | 41         | 136        | Tower                          |
| Chester Dam to Highway 33                          | 160        | 64         | 224        | 4 swans in field               |
| Highway 33 - Menan Buttes                          | 170        | 65         | 235        | 8 swans in field               |
| Ashton Ponds                                       | 0          | 0          | 0          | 100% frozen                    |
| Willow Creek Area farmstead ponds                  | 0          | 0          | 0          | 100% frozen                    |
| Mikesell Reservoir 1 & 2                           | 0          | 0          | 0          | 100% frozen                    |
| Arcadia Reservoir, Upper                           | 0          | 0          | 0          | 100% frozen                    |
| Arcadia Reservoir, Lower                           | 0          | 0          | 0          | 100% frozen                    |
| Sand Creek WMA and area                            | 0          | 0          | 0          |                                |
| Singleton Ponds                                    | 0          | 0          | 0          | 100% frozen                    |
| Texas Slough                                       | 0          | 0          | 0          | 100% frozen                    |
| Bannock Jim Slough                                 | 0          | 0          | 0          |                                |
| Mud Lake WMA                                       | 0          | 0          | 0          | 100% frozen                    |
| Camas NWR  | 0          | 0          | 0          | 100% frozen                    |
| Camas Creek  | 0          | 0          | 0          | 90% frozen                     |
| <b>Subtotal</b>                                    | <b>429</b> | <b>172</b> | <b>601</b> |                                |
|  |            |            |            |                                |
| <i>Teton River Basin</i>                           |            |            |            |                                |
| Teton River to Wilford Dam                         | 98         | 18         | 116        |                                |
| Wilford Dam to Newdale Bridge                      | 282        | 71         | 353        | 223 swans in field             |
| Newdale Bridge to Teton Dam site                   | 26         | 12         | 38         | Powerlines                     |
| Teton River Canyon                                 | 77         | 6          | 83         | Powerlines                     |
| Teton Basin  | 131        | 29         | 160        |                                |
| North Fork Teton River                             | 4          | 4          | 8          | ~50% frozen                    |
| South Fork Teton River                             | 2          | 2          | 4          |                                |
| <b>Subtotal</b>                                    | <b>620</b> | <b>142</b> | <b>762</b> |                                |
|  |            |            |            |                                |
| <i>South Fork of the Snake River</i>               |            |            |            |                                |
| Swan Valley (Palisades Reservoir to Conant Valley) | 313        | 84         | 397        | 317 swans in field             |
| Canyon (Conant to Heise)                           | 41         | 10         | 51         | Powerlines                     |
| Delta (Heise to Menan Buttes)                      | 15         | 4          | 19         | Powerlines                     |
| <b>Subtotal</b>                                    | <b>369</b> | <b>98</b>  | <b>467</b> |                                |
|  |            |            |            |                                |
| <i>Main Stem of the Snake River</i>                |            |            |            |                                |
| Menan Buttes to Idaho Falls                        | 370        | 118        | 488        |                                |



Appendix B. (cont.)

|  |            |            |            |   |
|--|------------|------------|------------|---|
| Dry Bed  | 2          | 1          | 3          | Powerlines                                      |
| Idaho Falls to Fort Hall (Ferry Butte)               | 9          | 3          | 12         | Idaho Falls and Blackfoot airports              |
| Blackfoot Marsh                                      | 0          | 0          | 0          | Mostly dry and 100% frozen                      |
| <b>Subtotal</b>                                      | <b>381</b> | <b>122</b> | <b>503</b> |   |
|  |            |            |            |   |
| <i>Fort Hall Bottoms to American Falls Reservoir</i> |            |            |            | Powerlines; Pocatello Airport                   |
| American Falls Reservoir shoreline                   | 0          | 0          | 0          |   |
| Kinney Creek   | 0          | 0          | 0          |   |
| Mouth of Portneuf River                              | 204        | 57         | 261        |   |
| Spring Creek to American Falls Reservoir             | 0          | 0          | 0          |   |
| Snake River - Tilden Bridge                          | 0          | 0          | 0          |   |
| Clear Creek and Ross Fork                            | 1          | 0          | 1          |   |
| Diggie Creek   | 1          | 0          | 1          |   |
| Flying Y oxbows                                      | 1          | 0          | 1          |   |
| <b>Subtotal</b>                                      | <b>207</b> | <b>57</b>  | <b>264</b> |   |
|  |            |            |            |   |
| <i>Fort Hall Bottoms to American Falls Reservoir</i> |            |            |            |   |
| Springfield Reservoir                                | 0          | 0          | 0          |   |
| American Falls Reservoir (except Fort Hall)          | 253        | 60         | 313        | All in northwest corner                         |
| American Falls Dam - Minidoka NWR                    | 0          | 0          | 0          | Powerlines                                      |
| Minidoka Dam - C.J. Strike Reservoir                 |            |            |            |   |
| Bruneau Dunes State Park                             |            |            |            |   |
| Bruneau Dunes - C.J. Stike Reservoir                 |            |            |            |   |
| Faulkner Pond  |            |            |            |   |
| White Arrow Pond (Bliss)                             |            |            |            |   |
| Pioneer Reservoir (King Hill)                        |            |            |            |   |
| Silver Creek (Picabo area)                           | 12         | 2          | 14         | Data from B. Sturges, personal communication    |
| <b>Subtotal</b>                                      | <b>265</b> | <b>62</b>  | <b>327</b> |   |
|  |            |            |            |   |
| <i>Grays Lake NWR Area</i>                           |            |            |            |   |
| Big Springs  | 0          | 0          | 0          | 100% frozen                                     |
| Shorty's Homestead                                   | 0          | 0          | 0          | 100% frozen                                     |
| Blackfoot Reservoir                                  | 32         | 6          | 38         | 99% frozen except small strip on northeast side |
| Chub Springs, southwest of refuge                    | 0          | 0          | 0          |   |
| Chesterfield   | 0          | 0          | 0          | 100% frozen                                     |
| <b>Subtotal</b>                                      | <b>32</b>  | <b>6</b>   | <b>38</b>  |   |
|  |            |            |            |   |
| <i>Soda Springs Area</i>                             |            |            |            |   |
| Woodall Springs                                      | 2          | 1          | 3          |   |
| Alexander Reservoir and Siding                       | 10         | 3          | 13         | 99% frozen except at mouth of Soda Creek        |
| Miller Ponds   | 6          | 0          | 6          | Powerlines                                      |
| Government Dam                                       | 9          | 4          | 13         | Powerlines                                      |
| Soda Creek   | 0          | 0          | 0          | Powerlines                                      |
| Soda Canal   | 0          | 0          | 0          |   |
| <b>Subtotal</b>                                      | <b>27</b>  | <b>8</b>   | <b>35</b>  |   |

Appendix B. (cont.)

|  |           |           |           |   |
|--|-----------|-----------|-----------|---|
| <b><i>Bear River Reaches</i></b>                   |           |           |           |   |
| Alexander Reservoir - Bear Lake NWR                | 0         | 0         | 0         | All frozen except 1-mile strip west of Georgetown |
| Alexander Reservoir - Gentile Valley Bridge        | 12        | 3         | 15        |   |
| Gentile Valley Bridge - old cheese factory         | 0         | 0         | 0         |   |
| Gentile Valley Bridge to Oneida Dam                | 8         | 7         | 15        |   |
| Oneida Narrows                                     | 0         | 0         | 0         | Powerlines  |
| Oneida Narrows to Riverdale Bridge                 | 1         | 12        | 13        |   |
| Riverdale Bridge to Utah border                    | 0         | 0         | 0         |   |
| <b>Subtotal</b>                                    | <b>21</b> | <b>22</b> | <b>43</b> |   |
|  |           |           |           |   |
| <b><i>Bear Lake National Wildlife Refuge</i></b>   |           |           |           | Powerlines  |
| West Canal Unit                                    | 0         | 0         | 0         | Frozen  |
| Rainbow Unit                                       | 0         | 0         | 0         | Frozen  |
| Outlet Canal                                       | 0         | 0         | 0         | Frozen  |
| <b>Subtotal</b>                                    | <b>0</b>  | <b>0</b>  | <b>0</b>  |   |
|  |           |           |           |   |
| <b>Nevada</b>                                      |           |           |           | J. Mackay, 1/25/2005                              |
| Ruby Lake NWR                                      | 32        | 2         | 34        |   |
|  |           |           |           |   |
| <b>Oregon</b>                                      |           |           |           |   |
| <b><i>Malheur NWR</i></b>                          |           |           |           | R. Roy, 2/7/2005                                  |
| Benson Pond  | 4         | 0         | 4         |   |
| Knox Swamp   | 2         | 0         | 2         |   |
| Mud Creek Pond                                     | 2         | 0         | 2         |   |
|  |           |           |           |   |
| <b><i>Summer Lake Wildlife Management Area</i></b> |           |           |           | M. St. Louis, J. Journey 2/2/2005                 |
| Summer Lake WMA                                    | 17        | 10        | 27        |   |
| Crooked River                                      | 2         | 0         | 2         |   |

<sup>a</sup>Blank denotes area not surveyed.

Appendix C. Personnel who conducted the 2005 Mid-winter Trumpeter Swan Survey.

---

Montana (Red Rock Lakes NWR, Centennial Valley, Madison Valley)

Observers: J. Warren (Red Rock Lakes NWR)  
Pilot: D. Chapman (Montana Aircraft, Inc.)

Montana (Hebgen Lake Area and Paradise Valley)

Observer: T. McEneaney (Yellowstone National Park)  
Pilot: R. Stradley (Yellowstone National Park)

Idaho

Observer: C. Mitchell (Southeast Idaho Refuge Complex)  
Pilot: G. Lust (Mountain Air Research)

Wyoming

Observer: S. Patla (Wyoming Game and Fish Department)  
Pilot: G. Lust (Mountain Air Research)

Wyoming (Yellowstone National Park)

Observer: T. McEneaney (Yellowstone National Park)  
Pilot: R. Stradley (Yellowstone National Park)

Ruby Lake NWR and vicinity

J. Mackay (Ruby Lake NWR)

Malheur NWR

R. Roy (Malheur NWR)

Summer Lake WMA

M. St. Louis, J. Journey (Oregon Department of Fish and Wildlife)

---