

January 1949

## Test 411: Minneapolis-Moline U-Standard

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Applied Mechanics Commons](#)

---

"Test 411: Minneapolis-Moline U-Standard" (1949). *Nebraska Tractor Tests*. 489.  
<https://digitalcommons.unl.edu/tractormuseumlit/489>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 411

Dates of Test: May 31, 1949 to June 8, 1949  
 Name and model of tractor: MINNEAPOLIS-MOLINE U-STANDARD  
 Manufacturer: MINNEAPOLIS-MOLINE CO., MINNEAPOLIS, MINNESOTA  
 Manufacturer's rating: None

HORSEPOWER SUMMARY

	DRAWBAR	BELT
1. Sea level (calculated maximum horsepower based on 60° F. and 29.92" Hg.)	43.03	48.76
2. Observed maximum horsepower (tests F & B)	41.05	46.87
3. Seventy-five per cent of calculated maximum drawbar horsepower and eighty-five per cent of calculated maximum belt horsepower (formerly ASAE and SAE ratings)	32.27	41.45

REMARKS

No repairs or adjustments

FUEL, OIL, and TIME

Fuel Propane                      Octane 97.1 \*                      Weight per gallon 4.25 lb.  
Oil SAE 20                      To Motor 2.719 gal.                      Drained from motor 2.506 gal.  
Total time motor was operated 47 hours

\* Octane rating taken from oil company's typical inspection data.

We, the undersigned, certify that this is a true and correct report of official tractor test No. 411

L. F. Larsen  
 Engineer in Charge

C. W. Smith

L. W. Hurlbut

F. D. Yung

BOARD OF TRACTOR TEST ENGINEERS

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 411

All results shown on pages 2 and 3 of this report were determined from observed data and without allowances, additions, or deductions. Tests B and F were made with carburetor set for 100% maximum belt horsepower and data from those tests were used in determining the horsepower to be developed in tests D and H, respectively. Tests C, D, E, G, H, J and K were made with an operating setting of the carburetor (selected by the manufacturer) of 98.7% of maximum belt horsepower.

B E L T H O R S E P O W E R T E S T S

Horsepower	Crank shaft speed rpm	Fuel Consumption			Water used gal per hr	Temperature		Barometer Inches of Mercury
		gal per hr	hp-hr per gal	lb per hp hr		Cooling med °F.	Air °F.	

TEST B - 100% MAXIMUM LOAD - TWO HOURS

46.87	1275	5.380	8.71	0.488	0.00	171	66	28.922
-------	------	-------	------	-------	------	-----	----	--------

TEST C - OPERATING MAXIMUM LOAD - ONE HOUR

46.17	1274	5.113	9.03	0.471	0.00	171	68	28.935
-------	------	-------	------	-------	------	-----	----	--------

\*TEST D - ONE HOUR

41.51	1274	4.805	8.64	0.492	0.00	171	70	28.970
-------	------	-------	------	-------	------	-----	----	--------

TEST E - VARYING LOAD - TWO HOURS (20 minute runs; last line average)

41.61	1277	4.864	8.55	0.497	- - -	171	71	- - - -
2.53	1361	1.673	1.51	2.810	- - -	152	71	- - - -
21.50	1319	3.176	6.77	0.628	- - -	157	72	- - - -
43.81	1209	4.864	9.01	0.472	- - -	179	74	- - - -
11.23	1354	2.336	4.81	0.884	- - -	155	74	- - - -
31.50	1296	3.854	8.17	0.520	- - -	157	76	- - - -
25.36	1303	3.461	7.33	0.580	0.00	162	73	28.970

\* Formerly called RATED LOAD, see HORSEPOWER SUMMARY 3, page 1.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 411

D R A W B A R H O R S E P O W E R T E S T S

Horse- power	Draw bar pull lb	Speed mph	Crank shaft speed rpm	Slip on drive wheels %	Fuel Consumption			Water used gal per hr	Temperature		Barometer Inches of Mercury
					gal per hr	hp-hr per gal	lb per hp-hr		Cool- ing med °F.	Air °F.	

TEST F - 100% MAXIMUM LOAD - 3rd GEAR

41.05	3977	3.87	1278	8.64	-----Not Recorded-----				173	76	28.980
-------	------	------	------	------	------------------------	--	--	--	-----	----	--------

TEST G - OPERATING MAXIMUM LOAD

27.63	4781	2.17	1276	15.23	-----Not Recorded-----				164	78	28.980
39.60	4629	3.21	1277	11.35	-----Not Recorded-----				172	77	28.980
40.94	3941	3.90	1279	8.11	-----Not Recorded-----				169	78	28.980
39.12	2547	5.76	1275	5.27	-----Not Recorded-----				171	77	28.980
32.64	884	13.85	1277	2.27	-----Not Recorded-----				173	85	28.900

\*TEST H - TEN HOURS - 3rd GEAR

32.56	3089	3.95	1281	6.89	4.309	7.56	0.563	0.00	162	75	29.027
-------	------	------	------	------	-------	------	-------	------	-----	----	--------

TEST J - OPERATING MAXIMUM LOAD - 3rd GEAR

29.78	3126	3.57	1278	15.90	-----Not Recorded-----				174	86	28.900
-------	------	------	------	-------	------------------------	--	--	--	-----	----	--------

TEST K - OPERATING MAXIMUM LOAD - 3rd GEAR

Lightest weight wheels and smallest tires suggested by manufacturer. All added weight removed from tractor (liquid, cast iron, or any other added forms.)

31.42	3068	3.84	1276	14.68	-----Not Recorded-----				179	87	28.900
-------	------	------	------	-------	------------------------	--	--	--	-----	----	--------

\* Formerly called RATED LOAD; see POWER SUMMARY 3, page 1.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 411

TIRES, WHEELS, and WEIGHT

	Tests F, G, & H	Test J	Test K
Rear Wheel: Type (each)	Cast Iron	Cast Iron	Cast Iron
Liquid Ballast	593 lb.	None	None
Added Cast Iron	660 lb.	None	None
Rear Tires: No. Size & Ply	2 14-30 4 ply	2 14-30 6 ply	2 12-38 6 ply
Type of Tread	Sure-Grip	Suro-Grip	Champion Ground Grip
Make	Goodyear	Goodyear	Firestone
Air Pressure	14 lb.	12 lb.	12 lb.
Front Wheel: Type (each)	Pressed Steel	Pressed Steel	Pressed Steel
Liquid Ballast	None	None	None
Added Cast Iron	40 lb.	None	None
Front Tires: No. Size & Ply	2 7.50-16 6 ply	2 7.50-16 6 ply	2 7.50-16 6 ply
Type	Guide Grip	Guido Grip	Guide Grip
Make	Firestone	Firestone	Firestone
Air Pressure	28 lb.	28 lb.	28 lb.
Height of Drawbar	13 inches	13 1/2 inches	17 inches
Static Weight: Rear End	6447 lb.	3941 lb.	3970 lb.
Front End	1953 lb.	1863 lb.	1860 lb.
Total Weight as Tested (with Operator)	8575 lb.	5979 lb.	6005 lb.

