

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

Nebraska Tractor Tests

Tractor Test and Power Museum, The Lester F.  
Larsen

---

January 1949

## Test 409: Massey-Harris Model 30-RT

Tractor Museum

University of Nebraska-Lincoln, TractorMuseumArchives@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Applied Mechanics Commons](#)

---

Museum, Tractor, "Test 409: Massey-Harris Model 30-RT" (1949). *Nebraska Tractor Tests*. 982.  
<https://digitalcommons.unl.edu/tractormuseumlit/982>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 409

Dates of test: May 12, 1949 to May 25, 1949  
 Name and model of tractor: MASSEY-HARRIS 30 RT  
 Manufacturer: THE MASSEY-HARRIS CO., RACINE, WISCONSIN  
 Manufacturer's rating: Not rated

HORSEPOWER SUMMARY

	DRAWBAR	BELT
1. Sea level (calculated maximum horsepower based on 60° F. and 29.92 " Hg.)	27.23	35.28
2. Observed maximum horsepower (tests F & B)	26.24	34.18
3. Seventy-five per cent of calculated maximum drawbar horsepower and eighty-five per cent of calculated maximum belt horsepower (formerly ASAE and SAE ratings)	20.42	29.99

REMARKS

No repairs or adjustments.

FUEL, OIL and TIME

Fuel Gasoline      Octane 74 \*      Weight per gallon 6.101  
Oil SAE 20      To motor 1.208 gal.      Drained from motor 0.947 gal.  
Total time motor was operated 47 hours

\* Octane rating taken from oil company's typical inspection data.

We, the undersigned, certify that this is a true and correct report of official tractor test No. 409.

L. F. Larsen  
 Engineer in Charge

C. W. Smith

L. W. Hurlbut

F. D. Yung  
 Board of Tractor Test Engineers

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 409

All results shown on pages 2 and 3 of this report were determined from observed data and without allowances, additions, or deductions. Tests B and F were made with carburetor set for 100% maximum belt horsepower and data from these tests were used in determining the horsepower to be developed in tests D and H, respectively. Tests C, D, E, G, H, and J were made with an operating setting of the carburetor (selected by the manufacturer) of 96.7% of maximum belt horsepower.

B E L T   H O R S E P O W E R   T E S T S

Horse- power	Crank shaft speed  rpm	Fuel Consumption			Water used  gal per hr	Temperature		Barometer  Inches of Mercury
		gal per hr	hp-hr per gal	lb per hp--hr		Cool- ing med °F.	Air  °F.	

TEST B - 100% MAXIMUM LOAD - TWO HOURS

34.18	1800	3.262	10.48	0.582	0.00	165	57	28.900
-------	------	-------	-------	-------	------	-----	----	--------

TEST C - OPERATING MAXIMUM LOAD - ONE HOUR

33.03	1799	2.978	11.09	0.550	0.00	163	58	28.928
-------	------	-------	-------	-------	------	-----	----	--------

\*TEST D - ONE HOUR

30.09	1803	2.775	10.84	0.563	0.00	157	59	28.938
-------	------	-------	-------	-------	------	-----	----	--------

TEST E - VARYING LOAD - TWO HOURS (20 minute runs; last line average)

30.22	1806	2.793	10.82	0.564	- - -	158	60	- - - -
1.39	1957	1.101	1.26	4.835	- - -	140	59	- - - -
15.87	1895	1.898	8.36	0.730	- - -	146	60	- - - -
30.97	1654	2.734	11.33	0.539	- - -	166	61	- - - -
8.08	1928	1.480	5.46	1.118	- - -	142	62	- - - -
23.39	1869	2.355	9.93	0.614	- - -	151	62	- - - -
16.32	1851	2.060	8.89	0.686	0.00	150	60	28.950

\* Formerly called RATED LOAD, see HORSEPOWER SUMMARY 3, page 1.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 409

D R A W B A R   H O R S E P O W E R   T E S T S

Horse- power	Draw bar pull lb	Speed mph	Crank shaft speed rpm	Slip on drive wheels %	Fuel Consumption			Water used gal per hr	Temperature		Barometer Inches of Mercury
					gal per hr	hp-hr per gal	lb per hp--hr		Cool- ing mod °F.	Air °F.	

TEST F - 100% MAXIMUM LOAD - 3rd GEAR

26.24	2333	4.21	1505	6.00	-----Not Recorded-----			173	67	29.030
-------	------	------	------	------	------------------------	--	--	-----	----	--------

TEST G - OPERATING MAXIMUM LOAD

19.04	3273	2.18	1500	14.95	-----Not Recorded-----			151	59	28.965
24.79	2814	3.30	1504	8.06	-----Not Recorded-----			171	65	29.000
24.98	2214	4.23	1504	5.63	-----Not Recorded-----			168	65	29.000
24.51	1529	6.01	1498	3.99	-----Not Recorded-----			170	65	29.000
20.10	612	12.32	1505	2.15	-----Not Recorded-----			160	63	28.965

\*TEST H - TEN HOURS - 3rd GEAR

20.64	1817	4.26	1498	4.60	2.124	9.72	0.628	0.00	150	58	28.940
-------	------	------	------	------	-------	------	-------	------	-----	----	--------

TEST J - OPERATING MAXIMUM LOAD - 3rd GEAR

21.70	2108	3.86	1504	14.38	-----Not Recorded-----			169	77	28.965
-------	------	------	------	-------	------------------------	--	--	-----	----	--------

\* Formerly called RATED LOAD; see POWER SUMMARY 3, page 1.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT  
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 409

TIRES, WHEELS, and WEIGHT

	Test F, G, & H	Test J
Rear Wheel: Type	Pressed Steel	Pressed Steel
(each)		
Liquid Ballast	199 lb.	None
Added Cast Iron	600 lb.	None
Rear Tires: No. Size & Ply	2 10-38 4 ply	2 10-38 4 ply
Type of Tread	Champion Ground Grip	Champion Ground Grip
Make	Firestone	Firestone
Air Pressure	14 lb.	12 lb.
Front Wheel: Type	Pressed Steel	Pressed Steel
(each)		
Liquid Ballast	None	None
Added Cast Iron	None	None
Front Tires: No. Size & Ply	2 5.00-15 4 ply	2 5.00-15 4 ply
Type of Tread	Guido Grip	Guido Grip
Make	Firestone	Firestone
Air Pressure	28 lb.	28 lb.
Height of Drawbar	16 1/2 inches	17 1/2 inches
Static Weight: Rear End	3980 lb.	2380 lb.
Front End	1120 lb.	1122 lb.
Total Weight as Tested (with Operator)	5265 lb.	3667 lb.

