

2018

The Trichoptera of Panama VII. Additional new country records for caddisflies from the Republic of Panama

Brian J. Armitage

Gorgas Institute, Panama, tobikera89@gmail.com

Roger J. Blahnik

University of Minnesota, blahn003@umn.edu

Steven C. Harris

Clarion University, sharris@clarion.edu

Aydeé Cornejo

Gorgas Institute, Panama, aydcornejo@gmail.com

Tatiana I. Arefina-Armitage

Trichoptera, Inc., Columbus, OH, tobikera@gmail.com

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>



Part of the [Ecology and Evolutionary Biology Commons](#), and the [Entomology Commons](#)

Armitage, Brian J.; Blahnik, Roger J.; Harris, Steven C.; Cornejo, Aydeé; and Arefina-Armitage, Tatiana I., "The Trichoptera of Panama VII. Additional new country records for caddisflies from the Republic of Panama" (2018). *Insecta Mundi*. 1134.

<https://digitalcommons.unl.edu/insectamundi/1134>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

INSECTA MUNDI

A Journal of World Insect Systematics

0614

The Trichoptera of Panama VII.
Additional new country records for caddisflies
from the Republic of Panama

Brian J. Armitage

Instituto Conmemorativo Gorgas de Estudio de la Salud
Ave. Justo Arosemena y Calle 35
Apartado Postal N° 0816-02593
Panamá, Republic of Panamá

Roger J. Blahnik

Department of Entomology
University of Minnesota
St. Paul, MN 55108 USA

Steven C. Harris

Department of Biology and Geosciences
Clarion University
Clarion, PA 16214 USA

Aydeé Cornejo

Instituto Conmemorativo Gorgas de Estudios de la Salud
Entre Justo Arosemena y Calle 35
Ciudad de Panamá, Republic of Panamá

Tatiana I. Arefina-Armitage

Instituto Conmemorativo Gorgas de Estudio de la Salud
Ave. Justo Arosemena y Calle 35
Apartado Postal N° 0816-02593
Panamá, Republic of Panamá

Date of issue: March 30, 2018

Brian J. Armitage, Roger J. Blahnik, Steven C. Harris, Aydeé Cornejo and Tatiana I. Arefina-Armitage

The Trichoptera of Panama VII. Additional new country records for caddisflies from the Republic of Panama

Insecta Mundi 0614: 1–7

ZooBank Registered: urn:lsid:zoobank.org:pub:D843C68D-E2E7-4BA6-9DE8-1F5A62D10F81

Published in 2018 by

Center for Systematic Entomology, Inc.

P.O. Box 141874

Gainesville, FL 32614-1874 USA

<http://centerforsystematicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. *Insecta Mundi* will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. *Insecta Mundi* publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources, including the Zoological Record and CAB Abstracts. *Insecta Mundi* is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Guidelines and requirements for the preparation of manuscripts are available on the *Insecta Mundi* website at <http://centerforsystematicentomology.org/insectamundi/>

Chief Editor: David Plotkin, insectamundi@gmail.com

Assistant Editor: Paul E. Skelley, insectamundi@gmail.com

Head Layout Editor: Robert G. Forsyth

Editorial Board: J. H. Frank, M. J. Paulsen, Michael C. Thomas

Review Editors: Listed on the *Insecta Mundi* webpage

Printed copies (ISSN 0749-6737) annually deposited in libraries

CSIRO, Canberra, ACT, Australia

Museu de Zoologia, São Paulo, Brazil

Agriculture and Agrifood Canada, Ottawa, ON, Canada

The Natural History Museum, London, UK

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn:resolver.pl?urn:nbn:de:hebis:30:3-135240>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Layout Editor for this article: Robert G. Forsyth

The Trichoptera of Panama VII. Additional new country records for caddisflies from the Republic of Panama

Brian J. Armitage

Instituto Conmemorativo Gorgas de Estudio de la Salud
Ave. Justo Arosemena y Calle 35
Apartado Postal N° 0816-02593
Panamá, Republic of Panamá
tobikera89@gmail.com

Roger J. Blahnik

Department of Entomology
University of Minnesota
St. Paul, MN 55108 USA
blahn003@umn.edu

Steven C. Harris

Department of Biology and Geosciences
Clarion University
Clarion, PA 16214 USA
sharris@clarion.edu

Aydeé Cornejo

Instituto Conmemorativo Gorgas de Estudios de la Salud
Entre Justo Arosemena y Calle 35
Ciudad de Panamá, Republic of Panamá
aydcornejo@gmail.com

Tatiana I. Arefina-Armitage

Instituto Conmemorativo Gorgas de Estudio de la Salud
Ave. Justo Arosemena y Calle 35
Apartado Postal N° 0816-02593
Panamá, Republic of Panamá
tobikera@gmail.com

Abstract. The Republic of Panama currently has 358 recorded species of Trichoptera. Herein we add 25 new country records for Panama. The newly recorded taxa increase Panama's total known caddisfly fauna to 383 species, distributed among 15 families and 52 genera. These results are part of an ongoing effort to characterize the caddisfly fauna of Panama, and to evaluate that country's major watersheds (cuencas).

Key words. Philopotamidae, Ecnomidae, Polycentropodidae, Glossosomatidae, Xiphocentronidae, Hydropsychidae, Hydroptilidae, Leptoceridae, new country record, cuenca.

Introduction

Until the last 25 years, the insect order Trichoptera (caddisflies) was poorly known in Panama, both in terms of diversity and distribution. In general, repeated collections were made in a relatively few locations. Aguila (1992) published the first list of caddisflies from Panama, listing 168 species in 39 genera and 13 families. Through 2014, six genera and 78 additional species were recorded by a cadre of researchers, bringing the total to 246 species distributed among 13 families and 45 genera. Beginning in 2015 and continuing through early 2018, Armitage et al. (2015), Harris and Armitage (2015), Muñoz-Quesada and Holzenthal (2015), Bueno-Soria and Barba-Álvarez (2015), Armitage et al. (2016), Armitage and Harris (2018), and Thomson and Armitage (2018) have added two families, seven genera,

and 112 new species and new country records of caddisflies.

Based on specimens collected recently, we herein add 25 new country records for Panama. Thus, the new total of known caddisflies from the Republic of Panama is now 383 species.

Materials and Methods

Single-night collections were made using UV-light and alcohol traps (Calor and Mariano 2012). Multiple-night collections were made employing Malaise traps, as indicated. Specimens listed in this publication will be deposited in the Zoological Collection Dr. Eustorgio Méndez (**COZEM**), or the first author's reference collection (**BJA**). The order of families below follows the classification presented by Holzenthal et al. (2015).

Results

Family Philopotamidae

Chimarra (C.) *cascada* Blahnik, 1998

Material examined—Chiriquí Province: **Cuenca 102**, afluyente Río Colorado, Mount Totumas Cloud Forest and Biological Reserve, 8.88472°N and 82.68408°W, 1920 m, Malaise trap, 5–10.viii.2016, B. and T. Armitage, 1 male.

Distribution: Costa Rica, Panama.

Chimarra (C.) *limon* Blahnik, 1998

Material examined—Bocas del Toro Province: **Cuenca 093**, Quebrada Rambala, nr Rambala Jungle Lodge, 8.91627°N and 82.15469°W, 120 m, Malaise trap, 15–20.xi.2016, E. Carlson, 1 male.

Distribution: Costa Rica, Panama.

Chimarra (C.) *paraortiziana* Blahnik and Holzenthal, 1992

Material examined—Veraguas Province: **Cuenca 132**, Río Mulabá-Primer Brazo, PSPSCD-PNSF-C132-2017-009, 8.52560°N and 81.12956°W, 623 m, Malaise trap, 19–23.iv.2017, E. Álvarez, T. Ríos, and E. Pérez, 2 males.

Distribution: Costa Rica, Nicaragua, Panama.

Chimarra (C.) *xus* Blahnik, 1998

Material examined—Chiriquí Province: **Cuenca 093**, afluyente Río Guarumo, nr Continental Divide, 8.77761°N and 82.20175°W, 1068 m, UV-light trap, 21.i.2017, B. and T. Armitage, 1 male.

Distribution: Columbia, Ecuador, Panama.

Chimarrhodella *tapanti* Blahnik and Holzenthal, 1992

Material examined—Chiriquí Province: **Cuenca 91**, Río Holcon, PSPSCD-PILA-CO91-2017-024, 8.87616°N and 82.48667°W, 1804 m, UV-light trap, 31.viii.2017, E. Álvarez, T. Ríos, and E. Pérez, 1 male.

Distribution: Costa Rica, Panama.

Family Ecnomidae***Austrotinodes doublesi* Muñoz and Holzenthal, 1993**

Material examined—Veraguas Province, Cuenca 097, Río Calovebora, PSPSCD-PNSF-C097-2017-006, 8.55038°N and 81.1648623°W, 461 m, Malaise trap, 27.iv.2017, E. Álvarez, T. Ríos, and C. Nieto, 1 male.

Distribution: Costa Rica, Nicaragua, Panama.

Family Polycentropodidae***Polycentropus fasthi* Holzenthal and Hamilton, 1988**

Material examined—Chiriquí Province: Cuenca 093, afluyente Río Guarumo, nr Continental Divide, 8.77761°N and 82.20175°W, 1068 m, UV-light trap, 21.i.2017, B. and T. Armitage, 1 male; Veraguas Province: Cuenca 097, Río Llanito, PSPSCD-PNSF-097-2017-012, 8.56553°N and 81.18817°W, 340 m, UV-light trap, 20.iv.2017, A. Cornejo, E. Álvarez, T. Ríos, and C. Nieto, 1 male; Cuenca 132, Lago cabaña Alto de Piedra, PSPSCD-PNSF-132-2017-013, 8.51423°N and 81.11679°W, 859 m, UV-light trap, 20.iv.2017, E. Álvarez, T. Ríos, and C. Nieto, 1 male.

Distribution: Costa Rica, Panama.

***Polycentropus nebulosus* Holzenthal and Hamilton, 1988**

Material examined—Chiriquí Province: Cuenca 102, Afluente Río Colorado, Mount Totumas Cloud Forest and Biological Reserve, 8.88472°N and 82.68408°W, 1920 m, Malaise trap, 31.viii. 2016, J. Dietrich, B. Armitage, and Y. Aguirre, 1 male.

Distribution: Costa Rica, Panama.

Family Xiphocentronidae***Xiphocentron (Antillotrichia) insulare* (Ulmer, 1913)**

Material examined—Veraguas Province, Cuenca 097, Afluente Río Calovebora, PSPSCD-PNSF-097-2017-005, 8.54318°N and 81.16398°W, 536 m, Malaise trap, 19–23.iv.2017, E. Álvarez, T. Ríos, and C. Nieto, 1 male.

Distribution: Panama, Trinidad.

***Xiphocentron (Spahgnocentron) julus* Schmid, 1982**

Material examined—Chiriquí Province: Cuenca 102, Río Candela, nr Jurutungo-Finca Felix, PSPSCD-PILA-C102-2017-021, 8.90614°N and 82.72882°W, 1799 m, Malaise trap, 1–5.ix.2017, E. Álvarez, T. Ríos, and E. Pérez, 1 male.

Distribution: Mexico, Panama.

Family Hydropsychidae***Centromacronema apicale* (Walker, 1852)**

Material examined—Bocas del Toro Province: Cuenca 093, Quebrada Rambala, nr Rambala Jungle Lodge, 8.91627°N and 82.15469°W, 120 m, Malaise trap, 7–9.x.2016, E. Carlson, 1 male.

Distribution: Colombia, Costa Rica, Panama, Peru, Venezuela.

***Smicridea (Rhyacophylax) nemorosa* Holzenthal and Blahnik, 1995**

Material examined—Chiriquí Province: **Cuenca 108**, Quebrada Cascante, PSPSCD-PNVB-108-2017-018, 8.84939°N and 82.49349°W, 1947 m, Malaise trap, 5–8.vi.2017, E. Álvarez, E. Pérez, and T. Ríos, 2 males. **Veraguas Province: Cuenca 097**, Afluente Río Calovebora, PSPSCD-PNSF-097-2017-005, 8.54318°N and 81.16398°W, 536 m, Malaise trap, 19–23.iv.2017, E. Álvarez, T. Ríos, and C. Nieto, 1 male; *ibid.*, Río Calovebora, PSPSCD-PNSF-C097-2017-006, 8.55038°N and 81.1648623°W, Malaise trap, 19–23.iv.2017, E. Álvarez, T. Ríos, and C. Nieto, 1 male; **Cuenca 132**, Lago cabaña Alto de Piedra, PSPSCD-PNSF-132-2017-013, 8.51423°N and 81.11679°W, 859 m, UV-light trap, 20.iv.2017, E. Álvarez, T. Ríos, and E. Pérez, 1 male.

Distribution: Costa Rica, Panama.

***Smicridea (Rhyacophylax) tapanti* Holzenthal and Blahnik, 1995**

Material examined—Chiriquí Province: **Cuenca 91**, Río Holcon, PSPSCD-PILA-CO91-2017-024, 8.87616°N and 82.48667°W, 1804 m, UV-light trap, 31.viii.2017, E. Álvarez, T. Ríos, and E. Pérez, 2 males.

Distribution: Costa Rica, Panama.

***Smicridea (S.) polyfasciata* Martynov, 1912**

Material examined—Veraguas Province: **Cuenca 097**, Río Calovebora, PSPSCD-PNSF-C097-2017-006, 8.55038°N and 81.1648623°W, Malaise trap, 19–23.iv.2017, E. Álvarez, T. Ríos, and C. Nieto, 1 male.

Distribution: Bolivia, Colombia, Ecuador, Peru, Panama.

Family Glossosomatidae***Mortoniella akantha* Blahnik and Holzenthal, 2008**

Material examined—Chiriquí Province: **Cuenca 102**, Río Candela, nr Jurutungo-Finca Felix, PSPSCD-PILA-C102-2017-021, 8.90614°N and 82.72882°W, 1799 m, UV-light trap, 4.ix.2017, E. Álvarez, T. Ríos, and E. Pérez, 1 male.

Distribution: Costa Rica, Panama.

***Mortoniella falcicula* Blahnik and Holzenthal, 2008**

Material examined—Chiriquí Province: **Cuenca 91**, Río Holcon, PSPSCD-PILA-CO91-2017-024, 8.87616°N and 82.48667°W, 1804 m, UV-light trap, 31.viii.2017, E. Álvarez, T. Ríos, and E. Pérez, 1 male.

Distribution: Mexico, Panama.

***Protoptila boruca* Flint, 1974**

Material examined—Veraguas Province: **Cuenca 132**, Río Mulabá-Primer Brazo, Isleta, PSPSCD-PNSF-C132-2017-015, 8.52560°N and 81.12956°W, 623 m, Malaise trap, 24–28.iv.2017, C. Rodríguez, 1 male.

Distribution: Costa Rica, Panama.

Family Hydroptilidae***Bredinia sucrensis* Harris, Holzenthal, and Flint, 2003**

Material examined—Cocle Province, Cuenca 134, Quebrada La Yaya, La Pintada, El Harino, PSPSCD-PNOTHC134-2017-004, 8.66168°N and 80.59522°W, 586 m, Malaise trap, 22–26.iii.2017, E. Álvarez, T. Ríos, and E. Pérez, 2 males.

Distribution: Panama, Venezuela.

***Leucotrichia extraordinaria* Bueno-Soria, Santiago-Fragoso, and Barba-Álvarez, 2001**

Material examined—Bocas del Toro Province, Cuenca 093, Quebrada Rambala, nr Rambala Jungle Lodge, 8.91627°N and 82.15469°W, 120 m, Malaise trap, 31.iii–11.iv.2015, E. Carlson, 3 males; *ibid.*, 7–9.x.2016, 59 males; *ibid.*, 15–20.xi.2016, 18 males; *ibid.*, 21–31.xii.2016, 13 males, *ibid.*, 6–12.ii.2017, 6 males.

Distribution: Mexico, Panama.

***Leucotrichia mutica* Flint, 1991**

Material examined—Bocas del Toro Province, Cuenca 093, Quebrada Rambala, nr Rambala Jungle Lodge, 8.91627°N and 82.15469°W, 120 m, Malaise trap, 31.iii–11.iv.2015, E. Carlson, 2 males; *ibid.*, 7–9.x.2016, 17 males; *ibid.*, 15–20.xi.2016, 10 males; *ibid.*, 21–31.xii.2016, 6 males, *ibid.*, 6–12.ii.2017, 6 males.

Distribution: Colombia, Panama.

***Rhyacopsyche ramphisa* Wasmund and Holzenthal, 2007**

Material examined—Cocle Prov, Cuenca 134, Quebrada La Yaya, La Pintada, El Harino, PSPSCD-PNOTH-C134-2017-004, 8.66168°N and 80.59522°W, 586 m, Malaise trap, 22–26.iii.2017, E. Álvarez, T. Ríos, and E. Pérez, 7 males.

Distribution: Colombia, Costa Rica, Peru, Panama.

***Rhyacopsyche torulosa* Flint, 1971**

Material examined—Bocas del Toro Province, Cuenca 093, Río Changuinola, WNW of Ceiba, 9.01537°N and 82.50616°W, 438 m, UV-light trap, 7.ii.2017, I. Kingsley, 20 males.

Distribution: Costa Rica, Guatemala, Panama.

***Rhyacopsyche turrialbae* Flint, 1971**

Material examined—Bocas del Toro Province, Cuenca 093, Río Changuinola, WNW of Ceiba, 9.01537°N and 82.50616°W, 438 m, UV-light trap, 7.ii.2017, I. Kingsley, 3 males.

Distribution: Costa Rica, Panama.

Family Leptoceridae***Atanatolica moselyi* Denning and Holzenthal, 1988 [in Holzenthal 1988]**

Material examined—Chiriquí Province, Cuenca 102, Río Candela, PSPSCD-PILA-C102-2017-020, 8.89968°N and 82.73786°W, 1728 m, UV-light trap, 18.vi.2017, E. Álvarez, E. Pérez, and T. Ríos, 1 male; *ibid.* Quebrada Cascada, PSPSCD-PILA-C102-2017-022, 8.90124°N and 82.61817°W, 2354 m, Malaise trap, 17–21.vi.2017, E. Álvarez, E. Pérez, and T. Ríos, 1 male.

Distribution: Costa Rica, Panama.

***Nectopsyche tuanis* Holzenthal, 1995**

Material examined—Chiriquí Province: Cuenca 108, Río Chirigagua, SSE Guayabal, 8.64102°N and 82.55780°W, 737 m, UV-light trap, 19.vi.2015, C. Nieto, M. Molinar, and A. Tuñón, 1 male.

Distribution: Costa Rica, Nicaragua, Panama.

Discussion

The number of new country records, in this third paper of that topic, is lower than the first two papers (Armitage et al. 2015, 2016; $n = 32$ and $n = 42$, respectively). However, we feel that this is the result of a reduction in our time for identifications during 2017, and not the beginning of a downtrend. For example, Panama's microcaddisfly fauna at the species level compared to that of Costa Rica and Mexico indicates that the percent similarity is less than 10% and 7%, respectively (Armitage and Harris, in press). Thus, there is still great potential for finding in Panama species that are currently known from these and other countries in the northern Neotropical Region. It should be noted that six of the 25 species recorded here are also known from northern South America. This area and the Caribbean are two more rich sources for caddisflies that might occur in Panama.

By the end of 2018, we anticipate an increase in Panama's recorded caddisfly fauna to well over 400 species. Based on the number of new country records and new species to science that we are finding in most of the samples we have on hand, we project a total recorded fauna in excess of 500 species within three years.

Acknowledgments

We are grateful to the Ministry of Environment, who through the Sustainable Production System and Biodiversity Conservation Project (PSPSCB), financed the collections in the Omar Torrijos Herrera General National Park (PNOTH), Santa Fe National Park (PNSF), Volcan Baru National Park (PNVB), and La Amistad International Park (PILA). We are also grateful to COZEM of the Gorgas Memorial Institute of Health Studies, who led the aquatic macroinvertebrate field component of the PSPSCB project and which serves as the formal depository of the collected samples. We express our appreciation to Jeffrey Dietrich of Mount Totumas Cloud Forest and Biological Reserve, Eric Carlson of Rambala Jungle Lodge, and Ian Kingsley for collecting and/or for facilitating our research. Finally, we thank Dr. Robin E. Thomson, University of Minnesota, and an anonymous reviewer for reviewing this manuscript.

Literature Cited

- Aguila, Y. 1992. Systematic catalogue of the caddisflies of Panamá (Trichoptera). p. 532–548. *In*: D. Quintero and A. Aiello (eds.). *Insects of Panamá and Mesoamerica: Selected Studies*. Oxford University Press; Oxford, England. 714 p.
- Armitage, B. J., and S. C. Harris. 2018. The Trichoptera of Panama V. New species descriptions, new country records, and a synonymy. *Insecta Mundi* 0604: 1–11.
- Armitage, B. J., and S. C. Harris. In press. The Trichoptera of Panama VIII. The Hydroptilidae of Panama: current status, biodiversity comparisons, projections, and needs. *Aquatic Insects*.
- Armitage, B. J., S. C. Harris, R. J. Blahnik, R. E. Thomson. 2016. The Trichoptera of Panama IV. New records for caddisflies (Insecta: Trichoptera) from the Republic of Panama. *Insecta Mundi* 0511: 1–13.
- Armitage, B. J., S. C. Harris, and R. W. Holzenthal. 2015. The Trichoptera of Panama. I. New records for caddisflies (Insecta: Trichoptera) from the Republic of Panama. *Insecta Mundi* 0435: 1–10.
- Bueno-Soria, J., and R. Barba-Álvarez. 2015. New species of *Plectropsyche* Ross 1947 (Trichoptera: Hydropsychidae: Hydropsychinae). *Zootaxa* 4040: 421–432.

- Calor, A. R., and R. Mariano. 2012.** UV light pan traps for collecting aquatic insects. *EntomoBrasilis* 5: 164–166.
- Harris, S. C., and B. J. Armitage. 2015.** The Trichoptera of Panama. II. Ten new species of micro-caddisflies (Trichoptera: Hydroptilidae). *Insecta Mundi* 0437: 1–17.
- Holzenthal, R. W., R. E. Thompson, and B. Ríos-Touma. 2015.** Order Trichoptera. p. 965–1002. *In: J. Thorp and D. C. Rogers (eds.). Ecology and General Biology: Thorp and Covich's Freshwater Invertebrates. Volume I. Fourth Edition. Academic Press; New York, NY. 1148 p.*
- Muñoz-Quesada, F., and R. W. Holzenthal. 2015.** Revision of the Neotropical species of the caddisfly genus *Wormaldia* McLachlan (Trichoptera: Philopotamidae). *Zootaxa* 3998: 1–138.
- Thomson, R. E., and B. J. Armitage. 2018.** The Trichoptera of Panama VI. Seven new species of microcaddisflies (Insecta: Trichoptera) from Mount Totumas Cloud Forest and Biological Reserve. *Insecta Mundi* 0613: 1–13.

Received December 18, 2017; accepted February 12, 2018.

Review editor David E. Bowles.

