


1939

Index to Volume VII

Follow this and additional works at: <http://digitalcommons.unl.edu/nebbirdrev>

 Part of the [Ornithology Commons](#), [Poultry or Avian Science Commons](#), and the [Zoology Commons](#)

"Index to Volume VII" (1939). *Nebraska Bird Review*. 1276.
<http://digitalcommons.unl.edu/nebbirdrev/1276>

This Article is brought to you for free and open access by the Nebraska Ornithologists' Union at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Bird Review by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

"Index to Volume VII," for *Nebraska Bird Review* January-June 1939 7(1) and July-December 1939 7(2). Copyright 1939 Nebraska Ornithologists' Union. Used by permission.

NEBRASKA BIRD REVIEW

INDEX TO VOLUME VII

- Aechmophorus occidentalis*, 30.
Aristonetta valisneria, 1.
 Avocet, 18, 31, 39, 47.
 Baldpate, 1, 14, 35, 37, 47.
 Bittern, American, 4, 36, 37, 47; Eastern Least, 36.
 Blackbird, Brewer (subsp.), 7, 41, 47; Red-winged, 41; Rusty, 41; Thick-billed Red-winged, 7, 18, 23, 29, 30, 32, 34, 47; Yellow-headed, 14, 29, 30, 32, 35, 41, 47.
 Bluebird, Eastern Common, 8, 15, 18, 20, 23, 28, 30, 31, 35, 40, 47; Mountain, 40.
 Bobolink, 7, 29, 32, 36, 41, 47.
 Bob-white, Eastern, 5, 14, 15, 20, 29, 30, 47.
 Brooking Bird Club, article by, 31-32.
 Bufflehead, 21, 35, 37.
 Bunting, Eastern Snow, 32, 42; Indigo, 9, 14, 23, 36, 42; Lark, 7, 42, 48; Lazuli, 42.
Buteo swainsoni, 10, 11.
 Button, Mrs. Lily Ruegg, articles by, 20, 28.
 Callaway, Misses Agness and Susie, article by, 29.
 Canvasback, 1, 2, 3, 14, 26, 37.
 Cardinal, Eastern, 9, 16, 18, 20, 21, 23, 30, 32, 48.
 Catbird, 9, 16, 17, 23, 30, 31, 36, 40, 47.
 Chat (subsp.), 41; Long-tailed, 6, 47; Yellow-breasted, 9, 14, 30, 36.
 Chickadee, Long-tailed Black-capped, 6, 9, 10, 11, 16, 18, 20, 21, 23, 30, 31, 32, 47.
Coccyzus erythrophthalmus 12.
 Cormorant, Northern Double-crested, 15.
 Cook, Harold J., article by, 13.
 Coot, Northern American, 14, 29, 31, 34, 35, 38, 47.
 Cowbird, Eastern, 9, 14, 29, 30, 32, 35, 42, 47.
 Crane, Brown (subsp.), 38; Little Brown, 30; Sandhill Brown, 30; Whooping, 30, 38.
 Creeper, Brown (subsp.), 11, 15, 17, 18, 20, 21, 32; Eastern Brown, 40.
 Crossbill, Red, 19, 25, 28, 34, 42.
 Crow (subsp.), 6; Eastern, 9, 17, 20, 21, 30, 31, 47.
Cryptoglaux acadica acadica, 12.
 Cuckoo, Black-billed, 5, 9, 12, 31, 36, 39; Eastern Yellow-billed, 5, 9, 14, 22, 29, 31, 36, 39.
 Curlew, 3; Long-billed, 3, 26, 38; Southern Long-billed, 5, 47.
Cygnus columbianus, 12.
 Day, Miss Marian, article by, 20.
Dendroica virens virens, 12.
 Dickcissel, 7, 9, 14, 22, 30, 32, 36, 42, 43.
 Dove, Western Mourning, 5, 9, 16, 17, 19, 20, 22, 23, 28, 29, 31, 32, 35, 39, 47.
 Dowitcher, Long-billed, 29, 38, 47.
 Duck, Black (subsp.), 34; Northern Ruddy, 3, 14, 35, 37, 47; Ring-necked, 14, 37; Wood, 36.
 Ducks, article, 1-4.
 Eagle, American Golden, 5, 38; Bald subsp.), 15, 38.
 Egret, American White, 15.
Empidonax minimus, 12.
 Fairbury Field Day, 29-30.
Falco columbarius columbarius, 13; *columbarius bendirei*, 13; *columbarius richardsonii*, 13.
 Falcon, Prairie, 5, 38.
 Fichter, Edson, article by, 11.
 Fleming, Mrs. Ruth M., article by, 22-23.
 Flicker, Common Red-shafted, 5, 12, 21, 28, 39, 47; Northern Yellow-shafted, 17, 18, 19, 20, 21, 23, 28, 29, 31, 34, 35, 47; Yellow-shafted (migrants), 39.
 Flycatcher, Acadian, 36; Alder Trail, 9, 39, 47; Least, 9, 12, 31, 39, 47; Northern Crested, 9, 18, 29, 31, 36, 39, 47; Scissor-tailed, 33.
 Gadwall, 3, 35, 37, 47.
 Gates, Mr. and Mrs. L. M., article by, 18.
 Glandon, Earl W., articles by, 13-14, 31; Mr. and Mrs. Earl W., 12.
Glaucionetta clangula americana, 13; *islandica*, 13.
 Gnatcatcher, Eastern Blue-gray, 30, 36, 40.
 Godwit, Marbled, 39.
 Golden-eye, American Common, 13, 37; Barrow, 13.
 Goldfinch, American, 7, 15, 16, 20, 21, 48; Eastern American, 9, 16, 30, 32; Pale American, 29.
 Goose, Blue, 14, 15, 35, 37; Canada (subsp.), 14, 15, 35, 37; Lesser Canada, 37; Lesser Snow, 14, 15, 35, 37; White-fronted, 35, 37.
 Grackle, Bronzed, 7, 16, 17, 20, 21, 28, 29, 30, 32, 34, 41, 47.
 Grebe, American Eared, 37; Common Pied-billed, 14, 31, 35, 37, 47; Western, 30.
 Grosbeak, Evening, 11, 21, 28, 33, 42; Rocky Mountain Black-headed, 7, 22, 30, 32, 33, 42, 48; Rose-breasted, 9, 16, 17, 22, 23, 30, 32, 33, 35, 42; Western Blue, 7, 8, 32, 42.

- Grouse, 3; Sharp-tailed, 3.
Grus americana, 30.
 Gull, American Herring, 35, 39, 47; Franklin, 14, 16, 29, 31, 35, 39, 47; Ring-billed, 39, 47.
 Haecker, Frederick W., articles by, 9, 14-16, 33.
 Hawk, American Duck, 15, 38; American Rough-legged, 18, 21, 38; Broad-winged, 24; Cooper, 14, 21, 35, 37, 47; Desert Sparrow, 5; Eastern Pigeon, 13, 16, 34, 38; Eastern Red-tailed, 9, 18, 34, 38; Eastern Sparrow, 29; Ferruginous Rough-legged, 34, 38; Krider Red-tailed, 5; Marsh, 18, 20, 29, 35, 38, 47; Northern Broad-winged, 14, 19, 34, 38; Northern Red-shouldered, 38; Northern Sharp-shinned, 14, 37; Richardson Pigeon, 5, 13; Sparrow, 17, 19, 20, 31, 34, 38, 47; Swainson, 5, 10, 11, 24, 33, 38, 47; Western Pigeon, 13.
 Heineman, Mrs. Paul T., articles by, 9-10, 18.
 Heizer, Mrs. H. L., article by, 28-29.
 Heron, American Black-crowned Night, 4, 14, 15, 31, 36, 37; Eastern Great Blue, 9, 14, 15, 23, 29, 34, 36, 37; Eastern Green, 31, 36, 37; Great Gray, 25, Little Blue, 18, 33, 37; Treganza (?) Great Blue, 4, 47; Yellow-crowned Night, 28, 37.
Hesperiphona vespertina (subsp.), 11.
 Hilton, David C., article by, 12-13.
 Horsky, L. O., article by, 18-20.
 Hudson, George E., article by, 4-7.
 Hummingbird, Ruby-throated, 9, 36, 39.
Hylocichla minima aliciae, 12.
 Jay, Blue (subsp.), 6, 28; Northern Blue, 9, 10, 16, 17, 18, 20, 21, 23, 30, 31, 34, 35, 40, 47; Pinyon, 6.
 Johnston, Mrs. H. C., and Mrs. L. H. McKillip, article by, 30.
 Jones, Mrs. A. H., and Mrs. A. M., article by, 28; Mrs. A. H., 11, 21, 27-28, 33.
 Junco, Eastern Slate-colored, 11, 14, 15, 16, 17, 18, 20, 21, 23, 32, 42; Pink-sided, 42; Shufeldt Oregon, 16, 21, 42; White-winged, 7.
 Keller, F. J., article by, 8.
 Killdeer, Northern, 5, 15, 28, 29, 31, 35, 38, 47.
 Kingbird, Arkansas, 14, 16, 17, 22, 23, 29, 31, 32, 39, 47; Cassin, 6; Eastern, 5, 9, 14, 22, 23, 29, 31, 36, 39, 47.
 Kingfisher Belted, 5; Eastern Belted, 9, 14, 15, 20, 29, 31, 35, 39, 47.
 Kinglet, Eastern Golden-crowned, 20, 21, 35, 40; Eastern Ruby-crowned, 16, 20, 40.
 Lark, Horned (subsp.), 15, 20, 21, 32, 34, 40; Hoyt Horned, 34, 40; Saskatchewan Horned, 6, 29, 30, 31, 47.
 Longspur, Chestnut-collared, 42; Lapland (subsp.), 17, 21, 34, 42.
 Magpie, American, 6, 15, 21, 31, 40, 47.
 Mallard, Common, 3, 19, 22, 26, 34, 37, 47.
Mareca americana, 1.
 Martin, Northern Purple, 9, 14, 28, 30, 32, 35, 40.
 Meadowlark, Eastern Common, 7, 20, 28, 30, 35, 41, 47; Western Albino, 7; Western, 17, 18, 19, 20, 21, 23, 28, 29, 30, 32, 34, 41, 47.
 Merganser, American Buff-breasted, 18, 19, 34, 37; Hooded, 34, 37; Red-breasted, 37.
 Mockingbird (subsp.), 18, 30, 31, 40; Eastern, 32, 35; Western, 28, 47.
Myadestes townsendi, 12.
Nettion carolinense, 1.
 Nighthawk, 14, 39; Eastern, 9, 31, 36; Sennett, 5, 18.
 Nuthatch, Eastern White-breasted, 9, 18, 20, 23, 30, 31, 47; Red-breasted, 17, 21, 40.
Nyctanassa violacea, 28.
Nyroca americana, 1.
 Omaha Nature Study Club (by L. O. Horsky), article by, 34-36.
 Oriole, Baltimore, 7, 9, 14, 16, 17, 23, 29, 30, 32, 36, 41, 47; Bullock, 7, 33, 41, 47; Orchard, 7, 9, 14, 23, 30, 32, 36, 41, 47.
 Osprey, American, 15, 18, 36.
 Ovenbird, 6, 9, 23, 32, 41.
 Owl, American Barn, 47; Barn, 29; Eastern Saw-whet, 12; Great Horned (subsp.), 21, 31, 33, 34, 39; Nebraska Screech, 16, 20, 21, 29, 31; Northern Barred, 5; Northern Short-eared, 22, 39; Western Burrowing, 5, 18, 31, 39, 47; Western Great Horned, 5, 33.
 Patton, Mrs. F. J., article by, 18.
 Pelican, White, 14, 15, 31, 35, 37.
 Pewee, Eastern Wood, 14, 22, 29, 36, 39; Western Wood, 6, 22, 40, 47; Wood, 6, 9.
 Phalarope, Northern, 39; Wilson, 5, 29, 39.
 Pheasant, 3; Ring-necked Common, 5, 20, 29, 31.
 Phoebe, Eastern, 6, 9, 14, 23, 25, 29, 31, 35, 36, 39; Rocky Mountain Say, 6, 8, 31, 39, 47.
 Pintail, American, 3, 14, 19, 29, 30, 31, 34, 37, 47.
Pipilo erythrophthalmus erythrophthalmus, 12.
 Pipit, American Common, 31, 40.
Pisobia melanotos, 12.
 Plover, American Golden, 38; Belted Piping, 5, 38, 47; Black-bellied, 15; Semipalmated, 29, 38; Upland, 3, 5, 16, 22, 29, 30, 33, 35, 38, 47.
 Poorwill, Nuttall, 5, 18.
 Rail, King, 36.
 Redhead, 2, 3, 14, 26, 35, 37, 47.
 Redstart, American, 9, 16, 30, 32, 36, 41, 47.

- Robin, Albino, 8; Eastern, 6, 9, 15, 16, 17, 19, 20, 21, 22, 28, 30, 31, 32, 34, 40, 47.
- Sanderling, 39.
- Sandpiper, Baird, 29, 38, 47; Least, 29, 36, 38, 47; Pectoral, 12, 31, 38, 47; Red-backed, 38; Semipalmated, 29, 31, 39, 47; Solitary, 29, 38, 47; Spotted, 14, 31, 36, 38; Stilt, 38; White-rumped, 38.
- Sapsucker, Eastern Yellow-bellied, 16, 21, 27, 36, 39; Williamson, 27, 28, 39.
- Sayornis phoebe*, 31.
- Scaup, Lesser, 14, 19, 26, 35, 37, 47.
- Sharp, Ward M., article by, 8.
- Sheldon, Mr. and Mrs. Addison E., article by, 13.
- Shoveler, 3, 14, 19, 29, 31, 35, 37, 47.
- Shrike, Migrant Loggerhead, 30, 31-32, 35, 40, 47; Northern (subsp.), 18, 20, 21, 34, 40; White-rumped Loggerhead, 29.
- Siskin, Northern Pine, 15, 17, 19, 20, 21, 28, 31, 32, 33, 34, 42, 48.
- Snipe, Wilson, 14, 15, 29, 31, 38.
- Solitaire, Townsend, 12, 20, 21, 33, 40.
- Sora, 29, 38.
- Sparrow, Clay-colored, 30, 32, 36, 42, 48; Common Lincoln, 28, 30, 32, 42, 48; Dakota Song, 16; Eastern Chipping, 14, 30, 32, 35, 42, 48; Eastern Field, 9, 14, 30, 35, 42; Eastern Fox, 35; Eastern Lark, 9, 14, 18, 30, 32, 42; Eastern White-crowned, 36, 42, 48; English House, 6, 7, 9, 19, 32, 34; Gambel, 17, 30, 42, 48; Harris, 14, 15, 17, 20, 21, 26, 28, 30, 32, 34, 35, 42, 48; Leconte, 42; Savannah, 32, 42, 48; Song, 14, 18, 21, 35, 42, 48; Swamp, 42; Tree, 15, 20, 21, 42; Vesper (subsp.), 14, 32, 36, 42; Western Chipping, 7; Western Field, 48; Western Grasshopper, 30, 32, 36, 42, 48; Western Henslow, 42; Western Lark, 7, 48; Western Vesper, 7; White-throated, 14, 15, 36, 42, 48.
- Sphyrapicus thyroideus*, 27.
- Sprecher, G. T., article by, 8-9.
- Starling, European, 8, 9, 12, 17, 18, 19, 20, 21, 30, 32, 34, 41.
- Sturnella neglecta*, 7.
- Sturnus vulgaris vulgaris*, 8, 9, 12.
- Swallow, Barn, 14, 30, 31, 35, 40, 47; Common Bank, 9, 29-30, 31, 36, 40, 47; Eastern Cliff, 6, 23, 36, 40, 47; Northern Rough-winged, 6, 31, 35; Northern Violet-green, 6, 40; Rough-winged, 40, 47; Tree, 14, 23, 29, 31, 35, 40.
- Swan, Whistling, 12, 26.
- Swenk, Myron H., articles by, 10-11, 21-22, 22; Mrs. Jane B., 11, 16-17; Mr. and Mrs. Myron H., 22.
- Swift, Chimney, 9, 14, 29, 31, 35, 39; white-throated, 3.
- Tanager, Scarlet, 7, 30, 31, 36, 42, 47.
- Teal, Blue-winged, 3, 14, 19, 29, 31, 35, 37, 47; Cinnamon, 37, 47; Green-winged, 1, 3, 20, 21, 34, 37, 47.
- Tern, American Black, 9, 31, 36, 39, 47; Common, 39; Eastern Least, 5, 14, 39; Forster, 39.
- Thrasher, Brown, 13, 28, 30, 40, 47; Eastern Brown, 9, 14, 16, 17, 23, 30, 31, 35; Western Brown, 6.
- Thrush, Alma Swainson, 6; Hermit, 40; Northern Gray-cheeked, 12, 31, 40, 47; Olive-backed Swainson, 14, 16, 30, 31, 40, 47; Willow, 9, 14, 47; Wood, 6, 9, 14, 17, 23, 31, 35, 40, 47.
- Titmouse, Tufted, 9, 18, 30.
- Tout, Wilson, article by, 31.
- Towhee, Arctic Spotted, 7, 18, 42, 48; Red-eyed Eastern, 9, 12, 14, 16, 20, 23, 30, 35, 42.
- Toxostoma rufum*, 13.
- Trine, Mrs. George W., articles by, 11, 31-32.
- Turdus migratorius migratorius*, 8.
- Turnstone, Ruddy, 31, 38.
- Valentine Migratory Waterfowl Refuge, article by, 1-4.
- Veery (subsp.), 40.
- Vireo, Blue-headed Solitary, 12, 20; Eastern Warbling, 9, 14, 16, 17, 22, 30, 32, 35, 41, 47; Northern Bell, 6, 14, 17, 30, 32, 36, 41; Northern White-eyed, 36; Red-eyed, 6, 9, 30, 32, 36, 41, 47; Yellow-throated, 29, 30, 36, 41, 47.
- Vireo flavifrons*, 29; *solitarius solitarius*, 12.
- Vulture, Northern Turkey, 4, 14, 15, 37.
- Warbler, Blackburnian, 36, 41, 47; Black-poll, 23, 30, 32, 36, 41, 47; Black and White, 9, 23, 32, 36, 41; Black-throated Green, 12; Cerulean, 36; Chestnut-sided, 41; Eastern Myrtle, 14, 23, 30, 35, 41, 47; Eastern Nashville, 41, 47; Eastern Orange-crowned, 16, 41; Eastern Yellow, 6, 9, 14, 17, 23, 30, 32, 35, 41, 47; Hooded, 36; Interior Palm, 41; Kentucky, 36; Macgillivray, 33, 41; Magnolia, 32, 41, 47; Mourning, 32, 41; Northern Audubon, 6, 41, 47; Northern Black-throated Green, 36; Prothonotary, 33, 36; Tennessee, 30, 32, 41; Wilson Pileolated, 41.
- Water-Thrush, Grinnell Common, 30, 41; Louisiana, 9, 32, 36, 41.
- Waxwing, American Bohemian, 21, 30, 33, 40; Cedar, 14, 18, 20, 21, 30, 36, 40.
- Weakly, Harry E., articles by, 8, 25-27, 30.
- Whip-poor-will, 18, 33, 35.
- Widgeon, American, 1.
- Willet, Western, 31, 38, 47.
- Woodpecker, Batchelder Downy, 5; Eastern Hairy, 16, 18, 20, 21, 23, 28, 29, 31, 32, 47; Eastern Red-headed, 22, 23, 28, 29, 31, 36; Lewis, 5; Northern Downy, 9, 16, 20, 21, 23, 29, 31, 32, 47; Red-bellied, 14, 18, 19, 20, 21, 28, 29, 31, 34, 39; Red-headed, 5, 9, 18, 19, 39, 47; Rocky Mountain Hairy, 5; Western Red-headed, 5, 28.

- Wren, Common Rock, 6, 40, 47; Eastern Carolina, 36; Eastern Winter, 19, 20, 34; Long-billed Marsh, 35; Western House, 6, 9, 10, 14, 16, 17, 23, 30, 31, 32, 35, 40, 47.
- Wren, 14, 15, 29, 31, 35, 38, 47.
- Yellowlegs, Greater, 35, 38, 47; Lesser, 14, 15, 29, 31, 35, 38, 47.
- Yellow-throat, Northern Maryland, 9, 14, 17, 23, 30, 32, 36, 41; Western Maryland, 47.
- Youngworth, Wm., article by, 8.