

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

USDA National Wildlife Research Center - Staff
Publications

U.S. Department of Agriculture: Animal and Plant
Health Inspection Service

2013

Index from Landslide Ecology

Lawrence R. Walker

University of Nevada, walker@unlv.nevada.edu

Aaron B. Shiels

USDA/APHIS/WS National Wildlife Research Center, Aaron.B.Shiels@aphis.usda.gov

Follow this and additional works at: https://digitalcommons.unl.edu/icwdm_usdanwrc



Part of the [Life Sciences Commons](#)

Walker, Lawrence R. and Shiels, Aaron B., "Index from Landslide Ecology" (2013). *USDA National Wildlife Research Center - Staff Publications*. 1633.

https://digitalcommons.unl.edu/icwdm_usdanwrc/1633

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Animal and Plant Health Inspection Service at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in USDA National Wildlife Research Center - Staff Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Index

- Abies balsamea*, 104
Acacia mearnsii, 167
Acer, 124
adaptive management. *See* restoration
aerial photos, 173
Africa, 21, 121, 167, 198
Agathis australis, 107, 160
agriculture, 15, 195–199
Agrostis, 113
air space, 59
 role in destruction, 12
Alaska, 22, 25, 27, 30, 52, 163, 165, 208,
 Plate 10
 Anchorage, 30
 earthquake, 28
 earthquake of 1964, 30
 herbivory, 163
 soil nutrients, 75
 soil pH, 74
 Valdez, 25, 30
Alces alces, 135, 163
algae, 178
allelopathy, 156
Alnus, 122, 124
Alnus acuminata, 188
Alnus nepalensis, 152, 220
Alnus rubra, 123, 152, 156
alpine, 130
Amelanchier alnifolia, 119
amphibians, 133
amphitheater, 55, Plate 5
Amyntas rodericensis, 129
Anaphalis margaritacea, 118
Andes, 183, 229, Plate 12
Andropogon, 86, 108, 111
angiosperms, 105. *See* grasses, woody
 angiosperms
animal adaptations, 90
animals 90. *See* amphibians; invertebrates;
 reptiles; vertebrates
 nocturnal activity, 93
Anthospermum herbaceum, 121
anthropology, 58
ants, 88, 93, 127, 128, 166. *See also* fire
 ants
 seeds, 128
aphids, 126
Aral Sea, 31
Araucaria araucana, Plate 12
archaeology, 58
Arctostaphylos uva-ursi, 120
Argentina, 14, 31, 107, Plate 12
 Nothofagus, 124
arthropods, 59, 126
Arundina graminifolia, 117
Arundo formosana, 158
aspect, 36
Astelia nervosa, 115
Aster acuminatus, 118
Asteraceae, 85, 118, 166
Atlantic Ocean, Plate 4
atmospheric chemistry, 80
Australia, 168
Austria, 130, Plate 7
Austrocedrus chilensis, 140
avalanche
 dirty, 16
 rock, 12
 snow, 12, 178, 207
Azores, 102, 107, 119
 forbs, 115
 grasses, 113
 gymnosperms, 107
 life form, 161
 non-native species, 167
 tree ferns, 103
 trees, 140
Baccharis, 119
Baccharis latifolia, 118

- Baccharis scoparia*, 118
 bacteria, 93–99
 bamboo, 113, 219
 barnacles, 178
 bats, 88, 133
 bears, 135, 178
 beavers, 133
 bedrock, 52, 54, 60, 73
 beetles, 126, 128
Betula, 122, 178
Betula pendula, 123
Bidens, 118
Bidens shrevei, 118
 biodiversity. *See* diversity
 bioerosion, 22
 biological legacy, 2, 170, 180
 birds, 88, 165, 178, 179
 behavior, 131
 dispersal, 174
 perch, 89, 128, 131, 174, 220
 restoration, 220
Blechnum, 102
Blechnum spicant, 102
 Bolivia, 102, 118, 156, 160
 bamboo, 113
 ferns, 103
Bombus californicus, 129
Bombus occidentalis, 129
 Brazil, 21, 185, 194
 bromeliads, 118
 bryophytes, 87, 90, 99–101
 bumblebees, 128

 calcium, 74, 80
 California, 23, 33, 36, 68, 179, 185
 earthquake, 35
Calyptogena kilmeri, 130
 Canada, 172, 178
 Alnus, 122
 British Columbia, 25, 104
 Frank Slide, 53, 191
 Kenamu River delta, 66
 Lake Melville, 188
 Niagara Escarpment, 126
 population densities, 236
 Turtle Mountain, 53
 Canary Islands, 41
 canopy structure
 restoration, 218
Capra hircus, 135

Caraculus caracolla, 129
 carbon, 173
 carbon fluxes, 78
 carbon isotope ratios, 173
 Carboniferous Period, 101
Carex, 108
Castor canadensis, 133
Cecropia, 91, 121
Cecropia schreberiana, 76, 88, 99, 121, 128, 152, 157, 163, 166
 Central America, 31, 141. *See also* by country
Cervus elaphus, 135
Chamaesyce, 121
 Chihuahuan Desert, 92
 Chile, 94, 97, 119, 178
 bryophytes, 100
 grasses, 113
 horsetails, 101
 Nothofagus, 124
 old-growth forests, 178
 China, 21, 29, 30, 191, Plate 5
 glacial retreat, 233
 mining, 193
 mitigation, 212
 Pearl River, 23
 Yangtze River, 23
 Yellow River, 23
Chondrina clienta, 129
 chronosequence, 55, 72, 79, 80, 98, 156, 173
Chusquea, 111–113
Cibotium glaucum, 103, 168
Circopithecus I'hoesti, 88, 135
Cirsium purpuratum, 115
Cissus sicyoides, 115
 clams, 130, 178
 clay, 49, 54, 60, 63, 71
 liquifaction of, 63
Clematis stans, 115
 Clements, 141
Clethra occidentalis, 151
 cliff, 16, 19, 61, 178, 185, 195
 bird watchers, 188
 climate change, 230–233
Clitoria ternatea, 220
Clusia, 121
Clusia rosea, 128
 coarse woody debris, 76
 coastal erosion, Plate 3
 colluvium, 47

- Colombia, 197
 mitigation, 212
 colonization, 92–93, 138
 definition, 90
 Colorado, 201
 insect herbivory, 163
 Columbia River, 23
 competition, 153–159
 displacement, 153
 inhibition, 153
 intraspecific, 158
 light, 158
 self-thinning, 160
 thickets, 155, 156
 tree ferns, 168
 construction
 earthquake, 193
Coprosma, 119, 120
 corals, 178
Cornus stolonifera, 119
 Costa Rica, 80, 94, 113, 121, 188
 fungi, 98
 Cowles, 141
 crabs, 130, 131
Crataegus monogyna, 161
 crops, 196, 229
Culcita macrocarpa, 103
 cyanobacteria, 93, 100
Cyathea arborea, 76, 87, 104, 157
 cyclone, 23, 39, 144, 167
 cyclone frequency
 climate change, 230
 Czech Republic
 invertebrates, 126
 dam, 15, 68, 209
 fatalities, 192
 debris avalanche, 43
 debris dam, 2
 debris fan, 23, 27
 debris flow, 30, 183
 decomposition, 75, 76
 deer, 135
 deforestation, 15, 141, 182, 196, 229
 Denmark, 27
Denstaedtia punctilobula, 102
 deposition zone, 12
Deschampsia cespitosa, 114
Deschampsia foliosa, 113
Desmodium, 90
Desmodium nicaraguensis, 167
Dicranopteris curranii, 102
Dicranopteris linearis, 103
 digital elevation model, 21
Diplopterygium bancroftii, 103
 disease, 140
 dispersal, 37, 84–90, 161, 174
 by animals, 88
 by invertebrates, 85
 by spores, 87
 by wind, 85
 epizoochory, 90
 exogenous particles, 84
 gymnosperms, 104
 plant propagules, 85
 transport mechanisms, 85
 zoochory, 88
 disturbance, 7. *See also* cyclone, flood, fire,
 landslide type, volcano
 anthropogenic, 230
 characteristics, 7
 disturbance regime, 15
 diversity, 178, 179, 180, 228
 fish, 179
 functional, 180
 habitat, 179
 restoration, 222
 types, 176
Dodonaea viscosa, 119
 Dominican Republic, 156
 drainage, 67
 drilling, 67
 seafloor, 67
Drosera rotundifolia, 117
 earthquake, 15, 22, 23, 25, 28, 37, 41, 50,
 51, 208. *See also* Alaska
 landslide volume, 68
 magnitude, 65
 New Madrid, 33
 New Zealand, 62
 Panama, 122
 earthworms, 47, 59, 88, 129, 130
 ecological services, 2
 Ecuador, 28, 62, 88, 97, 108
 Asteraceae, 118
 bamboo, 113
 life form, 160
 mitigation, 212
 orchids, 117
 El Niño Southern Oscillation
 climate change, 230

- El Salvador, 182, 195
Elephantopus mollis, 118
 England, 19, Plate 3
Epidendrum radicans, 117
Epilobium ciliatum, 169
Epilobocera sinuatifrons, 130
 epiphytes, 179
Equisetum, 101
Erigeron karvinskianus, 118
 erosion, 7, 39, 42. *See also* landslide
 movement
 road, 190
Eucalyptus maidenii, 167
Eupatorium, 118
Euphorbia, 121
 Europe, 103
Evadorhagidia oblikensis, 126
 explosives, 15, 66
- facilitation, 151–153. *See also* succession
 direct, 151
 evidence, 152–153
 ferns, 152
 indirect, 151
 mosses, 161
 thickets, 152
 ferns, 87, 88, 90, 91, 101–104, 157
 bracken, 101
 club mosses, 101
 horsetails, 101
 scrambling ferns, 101, 102, 156, 188
 tree ferns, 87, 103, 156, 160, 169,
 Plate 11
 types, 101
 fertilizer
 restoration, 217
Festuca francoi, 113
 fire, 12, 158, 167, 199–200, 229
 non-native species, 168
 fire ants, 127
 firewood, 188
 fish, 178
Fitzroya cupressoides, 140
 fjord. *See* submarine landslide
 flies, 126, 128
 flood, 2, 15, 27, 63
 food web, 137
 forbs, 114–118. *See also* vines
 forestry, 195–199
 France, 25
 Frank Slide, 53, 191
Frankia, 94, 122
Fraxinus platypoda, 160
 freshwater landslide, 25–31
 dam failure, 30
 river bank erosion, 25
 river dam, 30
 frictional resistance, 50
 fungi, 88, 93–99, 100
- Galium*, 121
 gametophyte, 90
 gap, 81, 91. *See also* landslide; treefall
 birds, 131
 gap specialists, 92
 gas hydrates. *See* submarine landslide
 geological context, 52–56
 geology, 2, 174
 geomorphology, 22
 Germany, 205
 germination
 facilitation, 161
 glacial moraine, 152
 glacial retreat, 232
 climate change, 230
 glacier, 2, 15
 Peru, 183
 Glacier National Park, 114
Gleichenella pectinata, 103
Gleichenia jamaicensis, 103
Gnaphalium americanum, 118
 gnats, 128
 gneiss, 54
 goats, 135, 188
 gradients, 140
 physical, 151
 graminoids, 85, 110. *See also* grasses, sedges
 Grand Banks, Nova Scotia, 23
 granite, 36, 60
 grass restoration, 218
 grasses, 91, 109, 107–114, 198. *See also*
 photosynthesis grasses
 dispersal, 108
 fire, 158
 non-native species, 114, 168
 pollination, 108
 post-fire restoration, 220
 roots, 108
 grazing, 198, 212, 239
 Great Britain, 27
 Greece, 193
 Greenland, 27

- Gulf of Mexico, 25
 gulls, 163
Gunnera, 94, 114
Gunnera monoica, 115
 gymnosperms, 104–107, 121
- habitat creation, 2
 hares, 163
 Hawaii, 23, 25, 31, 33, 41, 56, 57, 61, 109, 201
 chronosequence, 55
 ferns, 102, 103
 grasses, 108, 109
 landslide depth, 60
 non-native grasses, 114, 230
 non-native species, 168
 orchids, 117
 rainfall intensity, 64
 rats, 134
 sediment production, 68
 shrubs, 119
 vines, 116
 hazard management, 2, 46, 201–225, 235
 hazards
 global, Plate 2
Helichrysum bellidoides, 115
 herbivory, 161–166, 178
 heterogeneity, 140, 228. *See also* spatial heterogeneity
Heteromys goldmani, 134
Hieracium, 118
 Himalayan Mountains, 69, 72, 80, 107, 152, 188
 competition, 155
 forbs, 115
 life history characteristics, 160
 prediction, 205
 shrubs, 119
 soil nutrients, 79
Holcus lanatus, 113
 Honduras, 197
 Hong Kong, 43, 213
 human safety, 46
 humans. *See also* landslides–human interactions
 culture, 238
 fatalities, 182, 185, 187, 195
 population densities, 182, 184, 229
 use of landslides, 187–188
 vulnerability, 185–187
- hurricane. *See* cyclone
Hyparrhenia rufa, 109, 114, 158, 167, 198
- ibex, Plate 13
 Iceland, 165, Plate 16
 deforestation, 199
 fatalities, 207
 grazing, 198
 Idaho, 26
 India, 21, 75, 76, 188, 205
 crops, 197
 horsetails, 101
 microbial biomass, 98
 road, 190
 shrubs, 119
 soil development, 81
 Indonesia, 21
Inga vera, 99, 128, 166
 insects, 85, 92, 99, 128, 163
 invertebrates, 126–131, 178
 aquatic, 130
 as dispersers, 85
 dispersal, 126
 establishment, 126
Ipomea, 115
 Irian Jaya, 68. *See* New Guinea
 islands, 166. *See also by country*
 Italy, 182
 mitigation, 212
- Jamaica, 60, 73, 151
 bamboo, 113
 bryophytes, 100
 club mosses, 101
 ferns, 102, 103
 Hurricane Gilbert, 167
 lichens, 97
 non-native species, 167
 orchids, 117
 shrubs, 119
 soil nutrients, 75
 Japan, 21, 30, 68, 85, 160
 crops, 197
 early human interactions, 184
 forbs, 115
 life form, 160
 mitigation, 212
 retention, 210
Salix, 124
 soil texture, 178

- Juncus*, 108
Juniperus brevifolia, 107, 140
 Jurassic, 92
- Kasatochi Volcano, 163, 164, 165, Plate 8,
 Plate 10
 kauri trees, 107, 160, 205, 223
 Kentucky, 193
 Korea, 54
 K-selected species, 92
- lakes, 178
 land degradation, 21
 land use, 69, 229
 urbanization, 194
 landscape scales, 174–179
 landslide. *See also* freshwater landslide;
 submarine landslide
 definition, 1, 7, 12
 distribution, 18
 edge, 71, 73
 fatalities, 186
 human interactions, 2–6, 181–226, 228,
 229–234, 235
 predictive models, 65
 return interval, 31
 landslide cause, 46–47. *See also* prediction
 abiotic, 12
 anthropogenic, 15, 21, 67, 182
 biotic, 12
 construction, 189–195
 driving forces, 49, 50
 environmental correlates, 36, 47
 proximal. *See* landslide trigger
 resisting forces, 50
 slip plane, 49
 ultimate, 12, 18
 landslide community, 37
 landslide consequence
 biological, 83–84
 geochemical, 73–81
 physical, 67–73
 landslide density, 33
 landslide destruction
 fatalities, 30
 harbor facilities, 25
 offshore drilling platforms, 25
 telegraph cables, 25
 landslide detection
 acoustic signal, 25
 aerial photography, 21
 geographical information system, 21
 laser altimetry, 21
 scan sonar, 25
 swath-bathymetry system, 25
 synthetic aperture radar, 21
 landslide distribution, 19–37
 global scale, 19–31
 local scale, 36–37
 regional scale, 31–36
 landslide edge, 77
 landslide gradient, 37
 landslide movement
 acceleration, 12
 degree of, 12
 rate of, 12, 19
 landslide population, 37
 landslide shape, 39, 40–44, 77. *See also*
 amphitheater
 landslide specialists, 90, 91
 landslide trigger, 12, 15, 18, 33, 47, 81. *See*
 also freshwater landslide; submarine
 landslide
 landslide type, 7–16
 avalanche, 12
 complex, 12
 creep, 9, 68
 fall, 9
 flow, 9, 68
 rotational, 9, 52, 60
 slide, 9
 slump, 9
 spread, 12
 translational, 9, 52, 60
 landslide zone, 40
 carbon flow, 77
 chute, 40
 deposition, 40
 slip face, 40
Lantana trifolia, 167
Lapsana communis, 118
 lava, 23, 54, 55
 leaf litter. *See* litter
 legacy. *See* biological legacy
Leptecophylla, 119
Leptospermum scoparium, 119, 124, 151
Lepus arcticus, 163
 lichens, 75, 88, 93–99, 129, Plate 9
 life cycle, 140
 life form, 160
 life history characteristics, 144, 159–161
 life stage, 161

- light levels, 39, 156
- light quality, 39, 174
- limestone, 49, 59
- liquifaction, 66
- litter, 129, 170
 - restoration, 217
- logging, 15, 69, 139, 195. *See also* forestry
 - Lonicera japonica*, 115
 - Los Angeles, 194
 - Lupinus latifolius*, 128
 - Lupinus lepidus*, 163
 - Lupinus nootkatensis*, 163, Plate 14
 - Luzula*, 108
 - Lycopodiella cernua*, 101
 - Lyonia octandra*, 120
- macrofauna
 - as dispersers, 85
- magnesium, 74, 80, 171
- Malaysia, 69, 70, 201
 - ferns, 103
- Mars, 50
- mass movement, 9, 15
- mass transport, 12
- mass wasting, 7
- matrix, 44
- medicinal plants, 188
- Melinis minutiflora*, 117
- methane, 23
- Metrosideros*, 124
- Metrosideros polymorpha*, 168
- Metrosideros umbellata*, 164
- Mexico, 31
 - ferns, 102
 - rodents, 134
- Miconia*, 119
- Miconia calvescens*, 88, 167
- midges, 128
- mining, 53, 66, 192
 - dam, 193
- Miscanthus sinensis*, 160
- Mississippi River, 23, 33
- Missouri, 33
- mites, 126
- mitigation, 208–213
 - community support, 212
 - diversion, 210
 - fatalities, 212
 - retention, 208
 - slope stabilization, 210
 - warning, 212
- moa, 131, 132
- monkeys, 88, 135, 179
- moose, 135, 163
- mosses, 88, Plate 10
 - facilitation, 161
- Mount St. Helens, 43, 62, 104, 163
 - debris flow, 42
- mountains, 25, 31, 36, 40, 53, 60, 62, 79, 96, 102, 155, 167. *See also* Andes, Himalayan Mountains, Rocky Mountains
- mudstone, 54
- mulch
 - restoration, 217
- mycorrhizae, 88, 99, 108, 117, 120, 124, 140
 - restoration, 217
- Nardostachys grandiflora*, 188
- Nauru
 - phosphate extraction, 198
- Nepal, 54
 - glacial retreat, 233
 - mitigation, 212
 - road, 190
- Nephrolepis*, 102
- Nephrolepis multiflora*, 160
- Nepsera aquatica*, 115
- Nesospingus speculiferus*, 132
- New Guinea, 43, 68, 107, 133, 141
- New Hampshire, 100, 113
 - Betula*, 123
- forbs, 115, 117
- gymnosperms, 104
- New Zealand, 21, 30, 31, 33, 58, 62, 90, 94, Plate 15
 - bryophytes, 100
 - club mosses, 101
 - dating of landslides, 173
 - deforestation, 141
 - earthquake, 38
 - earthquake magnitude, 65
 - facilitation, 151, 152
 - fatalities, 192
 - ferns, 102
 - forbs, 115
 - geology, 178
 - grasses, 113
 - grazing, 198, 239
 - gymnosperms, 107

- New Zealand (*cont.*)
 kauri trees. *See* kauri trees
 landslide slope, 61
 lichens, 97
 mammalian herbivory, 163
 moa. *See* moa
 non-native mammals, 135
 non-native species, 167
Nothofagus. *See* *Nothofagus*
 risk model, 204
 sediment loading in rivers, 68
 sediment production, 68
 shrubs, 119, 120
 tree ferns, 156
- Nicaragua, 11, 13, 59, 102, 113
 fire, 158, 199
 forbs, 114, 115
 grasses, 109
 human use, 188
 mitigation, 212
 non-native grasses, 114
 non-native species, 167
Trema, 122
- niche, 140
- nitrogen, 80, 93, 144, 171
 immobilization, 156
- nitrogen fixation, 75, 94, 95, 152, 163
 non-native species, 167
- non-native species, 134, 163, 166–170, 229
 fire ant, 128
 mammals, 135
- North America, 21
- North Atlantic Ocean, 22, 25
- Norway, 25, 27, 41
 submarine landslide, 26
- Nostoc*, 94
- Nothofagus*, 140, 164, 178, 196
- Nothofagus dombeyi*, 124
- novel communities, 166
- novel ecosystems, 229–230
- nutrient cycling, 75–80, 228
- nutrients, 173
- Ochotona princeps*, 91, 133
- Odontosoria aculeata*, 102
- Odontosoria chinensis*, 160
- orchids, 117, 118
 non-native species, 168
- Oreamnos americanus*, 135
- Oregon, 70, 104, 120, 123, 152, 156
 horsetails, 101
 non-native species, 167
 vertebrates, 133
- organic matter
 restoration, 217
- overland flow, 69
- Pacific Ocean, 21. *See also* Hawaii, Japan,
 New Zealand
- Pakistan, 188, 200
- Palicourea*, 120
- Panama, 92, 122, 141
- parent material, 61. *See also* bedrock
- parthenogenesis, 136
- Paspalum conjugatum*, 86, 111, 114
- Paspalum millegrana*, 113
- Patagonia, 140
- patchiness. *See* spatial heterogeneity
- pathogens, 161–166
 fungal, 163
- perch. *See* birds
- permafrost, 16, 233
- Peromyscus guatemalensis*, 134
- Peru, 183
- Phaius tancaurvilleae*, 117
- Phaseolus vulgaris*, 167
- Philippines, 21
- phosphorus, 28, 74, 80, 81, 171
 immobilization, 156
- photosynthesis, 92, 117, 121
 grasses, 107, 109
- Phytolacca*, 116
- Phytolacca rivinoides*, 99, 113
- Picea engelmannii*, 163
- Picea glehnii*, 178
- Picea rubens*, 104
- Picea sitchensis*, 104, 122
- pikas, 91, 133, 178, 222
- Pinus halepensis*, 161
- Pinus radiata*, 196, 239
- Pinus roxburghii*, 107, 155
- pioneer species, 92. *See also* r-selected
 species
- Piper*, 88
- Pitiosporum undulatum*, 167
- Pityrogramma calomelanos*, 102
- plant adaptations, 92
- Poa pratensis*, 113
- Poland, 124, 200
- pollination, 129, 221
- Polytrichum*, 100
- Pontoscolex corethrurus*, 129

- Populus balsamifera*, 163
Populus tremuloides, 123, 178
 pore pressure, 50, 52, 61, 63, 66, 210
 possums, 135, 163
 post-landslide erosion, 69–73, 80, 179
 potassium, 74, 80, 171
 predation, 140
 prediction, 18, 201–208
 aerial photographs, 202
 biological parameters, 205
 field measurements, 202
 regional risk, 202
 risk models, 204, 236
 satellite images, 202
 severity, 207
 site-specific risk, 202
 submarine landslides, 208
 susceptibility maps, 202
 topography, 202
 vegetation cover, 203
 primary succession, 2, 138. *See also* glacier, landslide, volcano
 property damage, 1
Pseudotsuga menziesii, 104, 107
Psychotria, 120
Psychotria berteriana, 121
Pteridium aquilinum, 101
 Puerto Rico, 10, 26, 31, 33, 36, 49, 52, 78, 89, 147
 birds, 93, 131
 carbon flow, 78
 club mosses, 101
 crabs, 130
 ferns, 103
 forbs, 115
 fungi, 98
 grasses, 108
 Hurricane Hugo, 33, 36, 131
 land use, 69
 landslide depth, 61
 landslide edge, 39
 life forms, Plate 9
 microbial biomass, 98
 orchids, 117
 post-landslide erosion, 70
 prediction, 205
 rainfall intensity, 64
 rainfall triggers, 62
 reforestation, 199
 re-sliding, 72
 road, 67, 191
 seed dispersal, 86
 soil development, 80
 soil nutrients, 75
 soil pH, 74
 tree ferns, 87, 157, Plate 11

Quercus leucotrichophora, 156

 rabbits, 222
 railroad, 189
 rain thresholds, 203
 rainfall, 7, 36, 37, 43, 62
 intensity, 63
 predictive models, 63
 splash, 70
 rainforest, 69, 70
 rats, 88, 134, 134, 163, 222
Rattus rattus, 163
 remote sensing, 18, 27, 237
 reptiles, 133
 reservoir, 63
 re-sliding, 21, 72. *See also* post-landslide erosion
 restoration, 225, 213–225
 acid test, 238
 adaptive management, 224
 assisted succession, 223
 biological stabilization, 214
 ecosystem services, 214
 functional diversity, 222
 grasses, 108
 physical amelioration, 214
 rehabilitation, 217
 roots, 218
 scale, 225
 slope re-contouring, 2
 soil organisms, 217
 species diversity, 222
 strategies, 215
 succession, 224
 types, 214
 retrogression, 154
 revegetation, 69. *See also* restoration
Rheum moorcroftianum, 188
Rhizobium, 94, 128
Rhododendron arboreum, 120
Rhynchospora, 86, 113
 ridge, 37
 risk assessment, 184

- river, 178
 - nutrient enrichment, 2
 - sediment deposition, 72
- road, 31, 81, 182, 189, 190
 - construction, 15, 66, 67
 - cut, 50, 58
 - maintenance, 191
 - stabilization, 209
- road closure
 - restoration, 223
- rock fall, Plate 1. *See also* landslide type
- Rocky Mountains, 26
- rodents, 133, 134, 178
- Romania, 193
- roots, 12, 50, 70, 165, 195, 196, 197, 209
 - depth, 61
 - exudates, 59
 - restoration, 214
- r-selected species, 92, 121, 166. *See also*
 - pioneer species
- Rubia cordifolia*, 121
- Rubus*, 115, 119
- Rubus argutus*, 168
- Russia, 21
- Rwanda, 88, 135

- Sadleria pallida*, 103
- Salix*, 163, 178
- Salix bebbiana*, 124
- San Francisco, 68
- sand, 60, 71
- sandstone, 36, 54
- saprolite, 60, 73
- Sauvagesia erecta*, 115
- Schizachyrium condensatum*, 114
- Scotland, 25
- scrambling ferns. *See* ferns
- sea salt, 80
- seafloor, 22, 69
- sedges, 90, 113
- sediments, 191, 195
 - measurement, 71
 - production, 68
- seed predation, 163
- seed rain, 86
- seeds, 6, 71, 85, 88, 98, 108, 114, 121, 133, 156. *See also* dispersal
- Selaginella*, 88
- semi-arid ecosystems, 63
- sere, 139
- severity, 15, 207
- shale, 54
- shear strength, 50, 63
- sheep, 188
- shrubs. *See* woody angiosperms
- silt, 60
- slip plane, 50, 52, 81
- slope, 43
 - hydrology, 15
- slope failure, 7. *See also* landslide cause, landslide trigger
- slugs, 129
- Smilax melastomifolia*, 116
- snails, 129
- soil, 47
 - bulk density, 73
 - chemistry, 73–75
 - depth, 61
 - development, 61, 80
 - formation, 59
 - microbial biomass, 98
 - nitrogen, 75
 - nutrients, 73
 - organic matter, 73, 75
 - organisms, 59
 - pH, 74, 75
 - phosphorus, 75
 - water-holding capacity, 60
- soil carbon, 76, 81
- soil cohesion, 14, 50, 63
- soil context, 57–61
- soil development, 80–81, 219
- soil fauna, 76
- soil profile, 70
- soil type
 - entisol, 59
 - inceptisol, 59
- solar radiation, 80
- Solidago graminifolia*, 118
- solifluction, 15
- Solomon Islands, 107
- Sorghum vulgare*, 167
- South Africa, 41
- South America, 21, 42
- Spain, 161, 162, 193, 196, Plate 13
 - prediction, 203
- Spathoglottis plicata*, 118
- spatial heterogeneity, 19, 44, 174, 179, 234
 - gaps, 37–40
- species interactions, 144, 146. *See also* competition, dispersal, facilitation, herbivory, predation, pollination
- species pool, 140

- Sphaopteris cooperi*, 168
Sphagnum, 100
 spiders, 126, 128
Spindalis zena, 132
Sporobolus indicus, 109
 springtails, 126
Stelis micrantha, 117
Stereocaulon, 91
Stereocaulon virgatum, 75, 97
Sticherus bifidus, 103
 Storegga landslide, 25, 27
 stress, 90
 submarine landslide, 15, 21, 26, 41, 56, Plate 4
 Africa, 24
 biological factors, 22, 23
 canyon, 23
 change in sea level, 23
 continental margins, 23
 detection. *See* landslide detection
 fjord, 22
 gas hydrates, 23, 66, 67
 pore pressure, 65
 risk to humans, 187
 river delta, 23
 size, 69
 tidal changes, 65
 triggers, 65
 turbidity current, 21, 22
 volcano, 23
 succession, 98, 139, 143, 172, 141–174, 237. *See also* chronosequence
 convergence, 171
 disturbance effects, 143
 divergence, 171, 173
 factors affecting, 143
 forbs, 114
 gymnosperms, 107
 herbivory, 163
 initial floristics model, 159
 life stage, 161
 local conditions, 143
 predictability, 144
 primary. *See* primary succession
 rates, 180
 re-setting, 174
 retrogression, 173
 secondary, 139
 stages, 173
 tolerance model, 159
 trajectories, 144, 170–174
 turnover rates, 174
 Sumatra, 198
 Sweden, 129
 Switzerland, 104, 123, 175, 191
 prediction, 203
Tabebuia heterophylla, 152
 Tahiti, 167
 Taiwan, 36, 122, 127, 128, 233
 grass, 158
 Tajikistan, 31, 43
 glacial retreat, 233
 talus slope, 175
 Tanzania, 72, 76, 97, 120, 156, 167
 bracken, 102
 bryophytes, 101
 grasses, 109
 horsetails, 101
 technology, 236
 ecological response, 237
 temperature, 59, 61
 thicket effects, 159
 thickets, 39, 153
 Rubus, 120
 scrambling ferns, 156
 tree ferns, 156
Tiaris bicolor, 132
 Tibet, 21
Tithonia rotundifolia, 115
 topography, 43, 46, 55, 61, 67, 140, 175, 234
 tourism, 200–201
 trade winds, 37
 trajectories, 145, 171, 170–174. *See also* succession
 transpiration, 70
 tree ferns. *See* ferns
 tree rings, 173
 treefall, 39
 trees, 123. *See also* gymnosperms, woody
 angiosperms
 dominance, 105
 insect herbivory, 163
 removal, 195
Trema micrantha, 91, 92, 122, 152, 158
 firewood, 188
Trichosurus vulpecula, 135, 163
Tsuga heterophylla, 104, 122, 156
 tsunami, 15, 22, 25, 30, 187
 tundra, 178
 turbidity current, 27, 42. *See also* submarine landslide

- Turkey, 68, 191, 201
Tyrannus dominicensis, 132
- Ulex parviflorus*, 161
Uncinia, 90
 undisturbed matrix, 37
 urban, 229
 expansion, 182
 mitigation, 212
 urbanization, 182, 194, 229
Ureia baccifera, 117
Ureia caracasana, 163
Urtica dioica, 117
- Vaccinium cylindraceum*, 120
Vaccinium meridionale, 120
 valley, 37
 vegetation, 59, 69, 174, 178, 203, 206, 229
 promotion of slope stability, 51
 removal, 195
 restoration, 220, 236
 Venezuela, 68, 185, 213
 Venus, 50
Veratrum viride, 116
- Vernonia patens*, 118
Vernonia pluvialis, 118
 vertebrates, 131–136
 behavior, 131
Vetiveria zizanioides, 218
 vines, 114, 115, 116
 volcano, 2, 15, 23, 25, 43, 152
 fatalities, 191, 192
 Mount St. Helens, 42
- Washington, 104
 vertebrates, 133
 warning, 213
Wasmannia auropunctata, 91, 127
 wasps, 88
 water, 12, 47, 62
 diversion, 70
 infiltration, 70
 water table, 62, 81
 weathering, 47, 52, 55, 57–59
 chemical, 73, 74
 West Virginia
 mining, 193
 wolverines, 178
 woody angiosperms, 118–126