

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

Other Publications in Zoonotics and Wildlife  
Disease

Wildlife Disease and Zoonotics

---

December 1999

## Appendices, Glossary, and Index (Field Manual of Wildlife Diseases)

Follow this and additional works at: <http://digitalcommons.unl.edu/zoonoticspub>



Part of the [Veterinary Infectious Diseases Commons](#)

---

"Appendices, Glossary, and Index (Field Manual of Wildlife Diseases)" (1999). *Other Publications in Zoonotics and Wildlife Disease*. 11.  
<http://digitalcommons.unl.edu/zoonoticspub/11>

This Article is brought to you for free and open access by the Wildlife Disease and Zoonotics at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Other Publications in Zoonotics and Wildlife Disease by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# Appendix A

---

## Sample specimen history form

Submitter's name:

Affiliation:

Address:

Telephone:

E-mail:

Date collected:

Method of collection: [found dead, euthanized (describe method) etc.]

Collector's name:

Specific die-off location:

State:

County:

Latitude/longitude:

Environmental factors: (Record conditions such as storms, precipitation, temperature changes, or other changes that may contribute to stress.)

Disease onset: (The best estimate of when the outbreak started.)

Species affected: (The diversity of species affected may provide clues to the disease involved.)

Age/sex: (Any selective mortality related to age and sex.)

Morbidity/mortality: (Ratio of sick animals to dead animals.)

Known dead: (Actual pickup figures.)

Estimated dead: (Consider removal by scavengers or other means.)

Clinical signs: (Any unusual behavior and physical appearance.)

Population at risk: (Number of animals in the area that could be exposed to the disease.)

Population movement: (Recent changes in the number of animals on the area and their source or destination, if known.)

Problem area description: (Land use, habitat types, and other distinctive features.)

Comments: (Additional information/observations that may be of value such as past occurrences of disease in area.)

# Appendix B

---

## Sources of wildlife diagnostic assistance in the United States

Assistance in obtaining a diagnosis of wildlife illness or death is available from a variety of sources. However, it is advisable to make inquiries before the need arises about available services, the estimated response time for completing work, and who to contact when assistance is required.

The following wildlife disease programs can offer information, assistance, and services.

### *Wildlife Disease Programs*

1. U.S. Department of Interior, U.S. Geological Survey, Biological Resources Division National Wildlife Health Center 6006 Schroeder Road Madison, WI 53711 Telephone (608) 270-2400 Web site: <http://www.emtc.usgs.gov/nwhchome.html>
2. State fish and game agencies. Several States have wildlife disease programs. Among those are Alaska, California, Colorado, Florida, Idaho, Michigan, New Jersey, New York, Wisconsin, and Wyoming. Contact the State fish and game agency headquarters to inquire about assistance.
3. Regional wildlife disease programs. Two regional programs are presently affiliated with universities:
  - Southeastern Cooperative Wildlife Disease Study College of Veterinary Medicine University of Georgia Athens, GA 30602 Telephone (706) 542-1741
  - Northeastern Research Center for Wildlife Diseases University of Connecticut Department of Pathobiology Storrs, CT 06269-3089 Telephone (860) 486-4000
4. University programs. Several other universities, for example, the University of Florida—Gainesville and Virginia Polytechnical Institute and State University—Blacksburg, are involved in wildlife disease activities. Inquiries at schools of veterinary medicine and departments of veterinary or animal science at universities throughout the United States will reveal additional sources of wildlife disease diagnostic assistance.
5. Private sector. Some private consultants also deal with wildlife disease problems.

### *Domestic Animal Disease Programs*

1. U.S. Department of Agriculture, Animal and Plant Health Inspection Service National Veterinary Services Laboratories P.O. Box 844, Ames, Iowa 50010 Telephone (515) 239-8600.

This facility accepts diagnostic specimens that have been referred to it through appropriate State or Federal channels.

2. State departments of agriculture. Animal disease diagnostic laboratories exist to serve domestic animal needs, but will often accept wildlife specimens.
3. Private sector. Veterinarians in private practice often have both interest and expertise in wildlife diseases and may become involved with these problems.

## **Additional sources of assistance for investigating wildlife mortality events when chemical toxins are suspected.**

### *Federal Government*

#### *U.S. Fish and Wildlife Service (FWS)*

The Division of Environmental Contaminants (DEC) is the FWS focal point for issues associated with chemical toxins. Information on contaminants can be obtained from the Central Office in Washington, D.C.

Telephone: (703) 358-2148

Web site: <http://www.fws.gov/~r9dec/ecprog.html> and from DEC staff in the seven FWS Regional Offices.

DEC biologists are assigned to field offices throughout the FWS Regions. They work on specific contaminant issues in each Region and are available to provide information and assistance regarding mortality event investigations.

Toxic spill coordinators are located in each Regional Office, providing a focal point for response actions.

FWS Regional Offices are located in:

Portland, Ore.; Albuquerque, N. Mex.; Fort Snelling, Minn.; Atlanta, Ga.; Hadley, Mass.; Denver, Colo.; and Anchorage, Alaska.

### *U.S. Geological Survey, Biological Resources Division (BRD)*

The National Wildlife Health Center, which is the BRD Science Center in Madison, Wis., provides information about and assists in investigating wildlife mortality events.

Telephone: (608) 270-2400

Web site: <http://www.emtc.usgs.gov/nwhchome.html>

Research on chemical toxins is carried out at several BRD Science Centers. Those Centers maintain in-depth technical knowledge regarding the fate and impacts of chemicals in the environment. The Patuxent Wildlife Research Center in Laurel, Md. is an internationally recognized source of information on the effects of contaminants, particularly on avian species.

Telephone: (301) 497-5500

Web site: <http://www.pwrc.usgs.gov/>

### *U.S. Environmental Protection Agency (EPA)*

Office of Solid Waste and Emergency Response

Telephone: (703) 308-8413

Web site: <http://www.epa.gov/epaoswer/>

*The Office of Pollution Prevention and Toxics (OPPT)* assesses the hazards and risks posed by industrial chemicals to human health and the environment. The Environmental Effects Branch in OPPT can provide information on the toxicity of chemicals to aquatic and terrestrial organisms.

Telephone: (202) 260-1268

*Office of Pesticide Programs* maintains the Ecological Incident Information System, which is a data base on mortality of non-target organisms caused by pesticides.

Telephone: (703) 305-5392

### **State Government**

Many State natural resource agencies have environmental contaminant programs that provide a mechanism to report suspected chemical toxin problems. Some States have groups that investigate mortality events associated with chemicals, and that may be able to provide field assistance and chemical analysis.

Natural resource agencies in several States maintain wildlife health programs, which respond to wildlife mortality events.

State veterinary diagnostic laboratories often have toxicologists on staff who have specific knowledge of toxic problems within the region.

### **Poison Control Centers**

*The National Animal Poison Control Center* at the University of Illinois College of Veterinary Medicine provides a fee-based service directed to prevention and treatment of adverse effects of chemical exposures in animals. This service is staffed by veterinary health professionals who have access to a wide range of information specific to animal poisoning.

Telephone (800) 548-2423, (900) 680-0000

Web site: <http://www.cvm.uiuc.edu/NAPCC/NAPCC.html>

*The American Association of Poison Control Centers (AAPCC)* has certified about 40 regional poison information centers throughout the U.S. that focus on human exposure to chemical toxins. These centers function to provide poison information, telephone management and consultation, collect pertinent data, and deliver professional and public education. The national AAPCC office is in Washington, D.C.

Telephone: (202) 362-7217. A directory of the regional centers is available at Web site: <http://www.pitt.edu/~martint/pages/rpiclist.htm>

### **Colleges of Veterinary Medicine**

Most colleges of veterinary medicine have toxicology departments staffed with experts in the area of animal toxicology.

### **Analytical Laboratories**

Choosing an analytical laboratory requires attention to methods used, quality assurance/quality control (QA/QC), and cost. Laboratories should be using methods that are appropriate to the analysis required in the matrix (material being analyzed) that is submitted. Minimum quality control data provided by the laboratory should include:

- (1) The results of analysis of spiked samples, or recovery. A known amount of the compound being analyzed for is added to the appropriate matrix. The recovery is the amount of the compound that was recovered in the analysis, and it is expressed as a percentage of the amount of compound added.
- (2) A replication of results, or an agreement of analyses of duplicate samples.
- (3) The results of blank samples, or an absence of the compound being analyzed for in a "clean" sample of the appropriate matrix.
- (4) The results of analysis of standard reference samples. A sample with a known quantity of the compound is prepared by an independent laboratory, and this sample is then analyzed by the laboratory being evaluated. Although good QA/QC adds to the expense of analytical work, the alternative may be an incorrect diagnosis.

Some of the analytical laboratories that have been used by the FWS DEC and others include:

*For inorganic analyses:*

Environmental Trace Substance Laboratory  
University of Missouri - Rolla  
101 USBM Bldg., 1300 North Bishop Ave.  
Rolla, MO 65409-0530  
Telephone: (314) 341-6607

Research Triangle Institute  
3040 Cornwallis Road, Bldg. 6  
Research Triangle Park, NC 27709-2194  
Telephone: (919) 541-6896

Geochemical & Environmental Research Group  
833 Graham Road  
College Station, TX 77845  
Telephone: (409) 690-0095

*For organic analyses:*

Geochemical & Environmental Research Group (see above)

Mississippi State Chemical Laboratory  
Mississippi State University  
Hand Chemical Lab, Rm 201, Morrill Road  
Mississippi State, MS 39762  
Telephone: (601) 325-3251

The above listing is not intended to be comprehensive, nor does it constitute endorsement by the Federal government. Rather, it illustrates the diversity of possible sources of assistance. Individual circumstances and events dictate which of these sources will be most useful in specific situations.

# Appendix C

## Sources of supplies used for collecting, preserving, and shipping specimens

Company	Address and telephone	Item
Scientific Products	319 West Ontario Chicago, IL 60610 Tel: (800)323-4515	Whirl-Pak® bags, formalin, wide-mouth, plastic jars, indelible markers
Curtis Matheson Scientific, Inc.	P.O. Box 1546 Houston, TX 77251 Tel: (713)820-9898	Whirl-Pak® bags, wide-mouth, plastic jars, indelible markers
Fisher Scientific Co.	711 Forbes Ave. Pittsburgh, PA 15219 Tel: (800)766-7000	Whirl-Pak® bags, formalin, indelible markers
Thomas Scientific	P.O. Box 99 Swedesboro, NJ 08095 Tel: (609)467-2000	Whirl-Pak® bags, wide-mouth, plastic jars, indelible markers
VWR Scientific	P.O. Box 66929 O'Hare Amp Chicago, IL 60666 Tel: (800)932-5000	Whirl-Pak® bags, indelible markers
Local hospital and medical supply businesses		Whirl-Pak® bags, wide-mouth, plastic jars
Some pharmacies		formalin
Freund Can Co.	167 W. 84th Street Chicago, IL 60620 Tel: (312)224-4230	metal paint cans with lids
U.S. General Services (gov't agencies only)	GSA Customer Supply Center Administration (GAS) 5619 W. 115th St. Worth, IL 60482 Tel: (800)262-0570	filament strapping tape, plastic bags, indelible markers
GSA Federal Supply Service	1500 E. Bannister Rd. Kansas City, MD 64131 Tel: (816)926-7315	filament strapping tape, plastic bags, indelible markers

Company	Address and telephone	Item
Local hardware, sports, and discount stores		Styrofoam <sup>®</sup> , shipping coolers, indelible markers, ice packs, filament strapping tape
Polyfoam Packers Corp.	2320-T Foster Avenue Wheeling, IL 60090 Tel: (800)225-7443	biomedical shippers and mailers

Protective clothing, gloves, and disinfectants can also be obtained from many of the sources listed above. The above list is not intended to be comprehensive, nor does it constitute endorsement by the Federal government.

# Appendix D

## Normal brain cholinesterase activity values

Species	Mean <sup>1</sup>	Standard deviation	Sample size
Avocet, American	19.4	2.9	5
Blackbird, Red-winged	24.5	1.2	5
Bobwhite, Northern	16.3	2.1	7
Brant, Black	14.4	0.8	5
Coot, American	20.5	5.0	12
Cormorant, Double-crested	29.3	2.4	5
Cowbird, Brown-headed	19.7	2.6	5
Crane, Mississippi Sandhill	16.6	2.3	15
Crane, Sandhill	17.5	1.4	8
Crane, Whooping	15.1	1.5	9
Dove, Mourning	22.8	3.3	11
Duck, American Wigeon	10.5	1.0	12
Duck, Blue-winged Teal	19.5	3.6	6
Duck, Green-winged Teal	13.5	2.0	17
Duck, Kola	11.0	1.2	9
Duck, Mallard	11.0	1.6	75
Duck, Muscovy	11.6	3.5	8
Duck, Northern Shoveler	14.7	1.2	5
Duck, Pintail	11.6	1.3	24
Duck, Ruddy	13.4	1.4	8
Duck, Wood	10.2	1.5	9
Eagle, Bald	16.0	2.6	156
Eagle, Golden	16.0	2.2	57
Egret, Common	17.4	1.9	5
Egret, Snowy	25.0	1.3	5
Falcon, Peregrine	18.6	3.2	27
Goldfinch, American	17.8	1.5	10
Goose, Canada	11.9	2.0	36
Goose, Canada (Aleutian)	14.0	3.6	8
Goose, Ross	14.2	2.3	9
Goose, Snow	13.6	2.6	42
Goose, White-fronted	12.1	1.2	9
Grebe, Eared	14.7	1.4	17
Grosbeak, Evening	20.3	3.1	5
Gull, Ring-billed	23.9	6.5	8
Hawk, Red-tailed	17.5	1.4	7
Hawk, Sharp-shinned	21.5	2.0	6
Heron, Black-crowned Night	15.6	3.0	5
Heron, Great Blue	13.3	2.1	8
Loon, Common	17.3	4.4	5
Owl, Great-horned	15.5	2.0	7
Owl, Screech	18.7	1.4	5
Owl, Spotted	14.6	2.0	9



Species	Mean <sup>1</sup>	Standard deviation	Sample size
Parrot, Puerto Rican	19.4	2.0	6
Pelican, American White	13.0	1.3	13
Pelican, Brown	11.2	1.2	16
Sandpiper, Semipalmated	14.1	1.1	5
Siskin, Pine	16.9	2.3	16
Stork, Wood	18.7	4.2	8
Swan, Trumpeter	11.3	1.3	10
Swan, Tundra	11.6	1.7	14
Tern, Least California	44.1	9.1	5
Woodcock, American	16.8	1.1	5
Woodpecker, Red-cockaded	38.4	4.8	5

<sup>1</sup> Cholinesterase activity is expressed as micromoles acetylthiocholine hydrolyzed per minute per gram of wet weight brain tissue (Hill, E.F. and Fleming, W.J., 1982, Environmental toxicology and chemistry 1:27-38).

*Milton Smith*

# Appendix E

---

## Common and scientific names of birds in text

### Albatrosses, shearwaters, and petrels (Order Procellariiformes)

#### Albatrosses (Family Diomedidae)

Black-footed albatross (*Diomedea nigripes*)

Laysan albatross (*Diomedea immutabilis*)

#### Shearwaters and petrels (Family Procellariidae)

Northern fulmar (*Fulmarus glacialis*)

Petrels (*Pterodroma* sp, *Oceanodroma* sp, *Oceanites* sp)

Sooty shearwater (*Puffinus griseus*)

### Cormorants, pelicans, and tropicbirds (Order Pelecaniformes)

#### Cormorants and Shags (Family Phalacrocoracidae)

Brandt's cormorant (*Phalacrocorax penicillatus*)

Cape cormorant (*Phalacrocorax capensis*)

Double-crested cormorant (*Phalacrocorax auritus*)

Great cormorant (*Phalacrocorax carbo*)

Shags (*Phalacrocorax* sp)

#### Gannets and boobies (Family Sulidae)

Gannet (*Morus bassanus*)

#### Pelicans (Family Pelecanidae)

Brown pelican (*Pelecanus occidentalis*)

White pelican (*Pelecanus erythrorhynchos*)

#### Tropicbirds (Family Phaethontidae)

Red-tailed tropicbird (*Phaethon rubricauda*)

White-tailed tropicbird (*Phaethon lepturus*)

### Cranes, coots, and rails (Order Gruiformes)

#### Cranes (Family Gruidae)

Brolga crane (*Grus rubicunda*)

Common crane (*Grus grus*)

Demoiselle crane (*Anthropoides virgo*)

East African crowned crane (*Balearica regulorum gibbericeps*)

Greater sandhill crane (*Grus canadensis tabida*)

Hooded crane (*Grus monacha*)

Lesser sandhill crane (*Grus canadensis canadensis*)

Manchurian crane (red-crowned crane) (*Grus japonensis*)

Mississippi sandhill crane (*Grus canadensis pulla*)

Sarus crane (*Grus antigone*)

Stanley crane (blue crane) (*Anthropoides paradisea*)

White-naped crane (*Grus vipio*)

Whooping crane (*Grus americana*)

#### Rails, coots, and gallinules (Family Rallidae)

American coot (*Fulica americana*)

Common moorhen (*Gallinula chloropus*)

Sora (*Porzana carolina*)

### Emus and ostriches (Order Struthioniformes)

Emu (Family Casuariidae, *Dromaius novaehollandiae*)

Ostrich (Family Struthionidae, *Struthio camelus*)

### Grebes (Order Podicipediformes, Family Podicipedidae)

Eared grebe (*Podiceps nigricollis*)

Western grebe (*Aechmophorus occidentalis*)

- Grouse, quail, and partridges (Order Galliformes, Family Phasianidae)
  - Grouse (Subfamily Tetraoninae)
    - Blue grouse (*Dendragapus obscurus*)
    - Ptarmigan (*Lagopus* sp)
    - Red grouse (*Lagopus lagopus scoticus*)
    - Ruffed grouse (*Bonasa umbellus*)
    - Sage grouse (*Centrocercus urophasianus*)
    - Sharp-tailed grouse (*Tympanuchus phasianellus*)
  - Quail (Subfamily Odontophorinae)
    - Bobwhite quail (Northern) (*Colinus virginianus*)
    - California quail (*Callipepla californica*)
    - Coturnix quail (*Coturnix coturnix*)
    - Japanese quail (*Coturnix japonica*)
    - Scaled quail (*Callipepla squamata*)
  - Partridges and pheasants (Subfamily Phasianinae)
    - Chukar partridge (*Alectoris chukar*)
    - Gray partridge (Hungarian partridge) (*Perdix perdix*)
    - Common peafowl (*Pavo cristatus*)
    - Ring-necked pheasant (*Phasianus colchicus*)
  - Turkeys (Subfamily Meleagridinae)
    - Wild turkey (*Meleagris gallopavo*)
  - Guinea fowl (Subfamily Numidinae, *Numida* sp)
- Hawks, falcons, and vultures (Order Falconiformes)
  - Hawks, eagles, and kites (Family Accipitridae)
    - Eurasian sparrowhawk (*Accipiter nisus*)
    - Bald eagle (*Haliaeetus leucocephalus*)
    - Booted eagle (*Hieraaetus pennatus*)
    - Cooper's hawk (*Accipiter cooperii*)
    - Common buzzard (*Buteo buteo*)
    - Ferruginous hawk (*Buteo regalis*)
    - Golden eagle (*Aquila chrysaetos*)
    - Northern goshawk (*Accipiter gentilis*)
    - Imperial eagle (*Aquila heliaca*)
    - Northern harrier (marsh hawk) (*Circus cyaneus*)
    - Red-shouldered hawk (*Buteo lineatus*)
    - Red-tailed hawk (*Buteo jamaicensis*)
    - Rough-legged hawk (*Buteo lagopus*)
    - Sharp-shinned hawk (*Accipiter striatus*)
    - Steppe eagle (*Aquila nipalensis*)
    - White-tailed eagle (*Haliaeetus albicilla*)
    - Osprey (*Pandion haliaetus*)
  - Falcons and caracaras (Family Falconidae)
    - American kestrel (sparrowhawk) (*Falco sparverius*)
    - Gyr falcon (*Falco rusticolus*)
    - Peregrine falcon (*Falco peregrinus*)
    - Prairie falcon (*Falco mexicanus*)
    - Red-headed falcon (*Falco chicquera*)
    - Saker falcon (*Falco cherrug*)
  - Vultures (Family Cathartidae)
    - California condor (*Gymnogyps californianus*)
    - King vulture (*Sarcoramphus papa*)
    - Turkey vulture (*Cathartes aura*)
- Herons, ibises, and storks (Order Ciconiiformes)
  - Flamingos (Family Phoenicopteridae)

Greater flamingo (*Phoenicopterus ruber*)

Herons, egrets, and bitterns (Family Ardeidae)

Bitterns (*Botaurus* sp, *Ixobrychus* sp)

Black-crowned night heron (*Nycticorax nycticorax*)

Great blue heron (*Ardea herodias*)

Great egret (common or american egret) (*Casmerodius albus*)

Snowy egret (*Egretta thula*)

Ibises and spoonbills (Family Threskiornithidae)

Glossy ibis (*Plegadis falcinellus*)

White ibis (*Eudocimus albus*)

White-faced ibis (*Plegadis chihi*)

Storks (Family Ciconiidae)

Wood stork (*Mycteria americana*)

Loons (Order Gaviiformes, Family Gaviidae)

Common loon (*Gavia immer*)

Pacific loon (*Gavia pacifica*)

Red-throated loon (*Gavia stellata*)

Owls (Order Strigiformes)

Typical owls (Family Strigidae)

Barred owl (*Strix varia*)

Eagle owl (*Bubo bubo*)

Eastern screech owl (*Otus asio*)

Great-horned owl (*Bubo virginianus*)

Long-eared owl (*Asio otus*)

Short-eared owl (*Asio flammeus*)

Snowy owl (*Nyctea scandiaca*)

Spotted owl (*Strix occidentalis*)

Barn-Owls (Family Tytonidae)

Barn owl (*Tyto alba*)

Parrots, parakeets, and macaws (Order Psittaciformes)

Parrots (Family Psittacidae)

Budgerigar (*Melopsittacus undulatus*)

Cockatiel (*Nymphicus hollandicus*)

Hawk-headed parrot (*Deroptryus accipitrinus*)

Lories (*Lorius* sp)

Lorikeets (*Trichoglossus* sp)

Lovebirds (*Agapornis* sp)

Macaws (*Ara* sp)

Puerto Rican parrot (*Amazona vittata*)

Rosellas (*Platycercus* sp)

Yellow-naped parrot (*Amazona auropalliata*)

Perching birds (Order Passeriformes)

Finches (Family Fringillidae)

American goldfinch (*Carduelis tristis*)

Apapane (*Himatione sanguinea*)

Cassin's finch (*Carpodacus cassinii*)

Eurasian bullfinch (*Pyrrhula pyrrhula*)

Evening grosbeak (*Coccothraustes vespertinus*)

Goldfinches (*Carduelis* sp)

House finch (*Carpodacus mexicanus*)

Pine siskin (*Carduelis pinus*)

Purple finch (*Carpodacus purpureus*)

Wood-warblers, tanagers, grosbeaks, sparrows, and blackbirds (Family Emberizidae)

Brown-headed cowbird (*Molothrus ater*)

Chipping sparrow (*Spizella passerina*)  
 Common grackle (*Quiscalus quiscula*)  
 Dusky seaside sparrow (*Ammospiza nigrescens*)  
 Northern cardinal (*Cardinalis cardinalis*)  
 Orioles (*Icterus* sp)  
 Red-winged blackbird (*Agelaius phoeniceus*)  
 Rufous-sided towhee (*Pipilo erythrophthalmus*)  
 Chickadees ( Family Paridae)  
     Chestnut-backed chickadee (*Parus rufescens*)  
 Crows, jays, and magpies (Family Corvidae)  
     American Crow (*Corvus brachyrhynchos*)  
     Blue jay (*Cyanocitta cristata*)  
     Eurasian jay (*Garrulus glandarius*)  
     Jackdaw (*Corvus monedula*)  
     Magpie (*Pica* sp)  
     Raven (*Corvus corax*)  
     Rook (*Corvus frugilegus*)  
     Steller's jay (*Cyanocitta stelleri*)  
 Waxwings (Family Bombycillidae)  
     Cedar waxwing (*Bombycilla cedrorum*)  
 Weavers (Family Ploceidae, *Ploceus* sp)  
 Old world sparrows (Passeridae)  
     House sparrow (English sparrow) (*Passer domesticus*)  
 Larks (Family Alaudidae)  
     Horned lark (*Eremophila alpestris*)  
 Mockingbirds and thrashers (Family Mimidae)  
     Northern mockingbird (*Mimus polyglottos*)  
     Thrashers (*Toxostoma* sp)  
 Nuthatches (Family Sittidae, *Sitta* sp)  
 Shrikes (Family Laniidae, *Lanius* sp)  
 Starlings (Family Sturnidae)  
     European starling (*Sturnus vulgaris*)  
     Mynas (*Acridotheres* sp, *Gracula* sp)  
 Swallows (Family Hirundinidae, *Hirundo* sp, *Tachycineta* sp, *Riparia* sp, *Stelgidopteryx* sp)  
     Martins (*Progne* sp)  
 Thrushes, solitaires, and bluebirds (Family Muscicapidae)  
     American robin (*Turdus migratorius*)  
     Bluebirds (*Sialia* sp)  
     Eurasian blackbird (*Turdus merula*)  
     Thrushes (*Turdus* sp, *Ixoreus* sp, *Hylocichla* sp, *Catharus* sp)  
 Estrildid finches (Family Estrildidae)  
     Java finch (*Padda oryzivora*)  
 Penguins (Order Sphenisciformes, Family Spheniscidae)  
     Blackfooted penguin (*Spheniscus demersus*)  
 Pigeons and doves (Order Columbiformes, Family Columbidae)  
     Band-tailed pigeon (*Columba fasciata*)  
     Mourning dove (*Zenaida macroura*)  
     Ringed turtle dove (*Streptopelia risoria*)  
     Rock dove (common pigeon) (*Columba livia*)  
     White-winged dove (*Zenaida asiatica*)  
     Wood pigeon (*Columba palumbus*)  
 Shorebirds (Order Charadriiformes)  
     Gulls, terns, skuas, and skimmers (Family Laridae)  
         California gull (*Larus californicus*)

Common tern (*Sterna hirundo*)  
 Franklin's gull (*Larus pipixcan*)  
 Glaucous-winged gull (*Larus glaucescens*)  
 Herring gull (*Larus argentatus*)  
 Kittiwakes (*Rissa* sp)  
 Laughing gull (*Larus atricilla*)  
 Least California tern (*Sterna antillarum*)  
 Ring-billed gull (*Larus delawarensis*)  
 Royal tern (*Sterna maxima*)  
 Skua (*Catharacta skua*)  
 Auks, murres, and puffins (Family Alcidae)  
   Common murre (*Uria aalge*)  
   Guillemots (*Cephus* sp)  
   Murres (*Uria* sp)  
   Puffins (*Fratercula* sp)  
   Razorbill (*Alca torda*)  
 Plovers (Family Charadriidae, *Charadrius* sp, *Pluvialis* sp)  
 Sandpipers, turnstones, surfbirds, and phalaropes (Family Scolopacidae)  
   American woodcock (*Scolopax minor*)  
   Curlews (*Numenius* sp)  
   Long-billed dowitcher (*Limnodromus scolopaceus*)  
   Marbled godwit (*Limosa fedoa*)  
   Pectoral sandpiper (*Calidris melanotos*)  
   Ruddy turnstone (*Arenaria interpres*)  
   Semipalmated sandpiper (*Calidris pusilla*)  
   Spotted sandpiper (*Actitis macularia*)  
   Western sandpiper (*Calidris mauri*)  
 Stilts and avocets (Family Recurvirostridae)  
   American avocet (*Recurvirostra americana*)  
   Black stilt (*Himantopus novaezelandiae*)  
   Black-necked stilt (*Himantopus mexicanus*)  
 Waterfowl (Order Anseriformes, Family Anatidae)  
   Dabbling ducks  
     American wigeon (*Anas americana*)  
     American black duck (*Anas rubripes*)  
     Blue-winged teal (*Anas discors*)  
     Gadwall (*Anas strepera*)  
     Green-winged teal (*Anas crecca*)  
     Koloa duck (*Anas wyvilliana*)  
     Laysan duck (*Anas laysanensis*)  
     Mallard (*Anas platyrhynchos*)  
     Mottled duck (*Anas fulvigula*)  
     Muscovy duck (*Cairina moschata*)  
     Northern pintail (*Anas acuta*)  
     Northern shoveler (*Anas clypeata*)  
     White Pekin duck (*Anas platyrhynchos*)  
     Wood duck (*Aix sponsa*)  
   Diving ducks  
     Bufflehead (*Bucephala albeola*)  
     Canvasback (*Aythya valisineria*)  
     Common goldeneye (American goldeneye) (*Bucephala clangula*)  
     Greater scaup (*Aythya marila*)  
     Harlequin duck (*Histrionicus histrionicus*)  
     Lesser scaup (*Aythya affinis*)

Oldsquaw (*Clangula hyemalis*)  
Redhead (*Aythya americana*)  
Ring-necked duck (*Aythya collaris*)  
Ruddy duck (*Oxyura jamaicensis*)

Sea ducks

Black scoter (common scoter) (*Melanitta nigra*)  
Common eider (*Somateria mollissima*)  
Common merganser (*Mergus merganser*)  
Mergansers (*Mergus* sp, *Lophodytes* sp)  
Red-breasted merganser (*Mergus serrator*)  
Spectacled eider (*Somateria fischeri*)  
Surf scoter (*Melanitta perspicillata*)  
White-winged scoter (*Melanitta fusca*)

Geese (Tribe Anserini)

Aleutian Canada goose (*Branta canadensis leucopareia*)  
Bean goose (*Anser fabalis*)  
Black brant (*Branta bernicla nigricans*)  
Brant (*Branta bernicla*)  
Canada goose (*Branta canadensis*)  
Hawaiian goose (nene goose) (*Nesochen sandvicensis*)  
Ross' goose (*Chen rossii*)  
Snow goose (*Chen caerulescens*)  
White-fronted goose (*Anser albifrons*)

Swans (Tribe Cygnini)

Bewick's swan (*Cygnus columbianus bewickii*)  
Black swan (*Cygnus atratus*)  
Mute swan (*Cygnus olor*)  
Trumpeter swan (*Cygnus buccinator*)  
Tundra swan (whistling swan) (*Cygnus columbianus*)  
Whooper swan (*Cygnus cygnus*)

Whistling ducks (Tribe Dendrocygnini)

Fulvous whistling duck (*Dendrocygna bicolor*)

Woodpeckers (Order Piciformes, Family Picidae)

Red-cockaded woodpecker (*Picoides borealis*)

## Sources

- American Ornithologists' Union. 1983. Check-list of North American birds, (6<sup>th</sup> ed.): Lawrence, Kansas, Allen Press, 877 p.
- Howard, R. and Moore, A. 1991. A complete checklist of the birds of the world, (2<sup>nd</sup> ed.): San Diego, California, Academic Press, 622 p.
- Monroe, B. L. Jr., and Sibley, C. G. 1993. A world checklist of birds: New Haven, Connecticut, Yale University Press, 393 p.

# Appendix F

---

## Common and scientific names other than birds

### Mammals

African lion (*Panthera leo*)  
Bears (*Ursus americanus*; *U. arctos*; *U. maritimus*)  
Beaver (*Castor canadensis*)  
Bighorn sheep (*Ovis canadensis*)  
Bison (*Bison bison*)  
Bobcat (*Felis rufus*)  
Caribou (New World and Siberia) (*Rangifer tarandus*)  
Chipmunks (*Tamias striatus* and *Eutamias* sp.)  
Cottontail rabbit (*Sylvilagus floridanus*)  
Coyote (*Canis latrans*)  
Deer (*Odocoileus* sp.)  
Elk (*Cervus elaphus*)  
Foxes (*Vulpes* sp., *Urocyon* sp., and *Alopex lagopus*)  
Fur seal (*Callorhinus ursinus*)  
Jackrabbits (*Lepus* sp.)  
Lynx (*Felis lynx*)  
Mink (*Mustela vison*)  
Muskrat (*Ondatra zibethicus*)  
Nutria (*Myocaster coypus*)  
Pronghorn antelope (*Antilocapra americana*)  
Puma (Mountain lion) (*Felis concolor*)  
Raccoon (*Procyon lotor*)  
Rats (*Rattus* sp.)  
Reindeer (Old World and Greenland) (*Rangifer tarandus*)  
Sea lions (*Zalophus californianus* and *Eumetopias jubata*)  
Voles - small, mouse-like mammals primarily of the genera *Clethrionomys* and *Microtus*.  
Weasels (*Mustela* sp.)

### Invertebrates

Asian tiger mosquito (*Aedes albopictus*)  
Black widow spider (*Latrodectus mactans*)  
Caecal worm (*Heterakis gallinarum*)

### Fish

Rainbow trout (*Salmo gairdneri*)

### Plants

Choke cherry (*Prunus virginiana*)



# Appendix G

## Chemical names

Common Names	Chemical Names
1080	Sodium monofluoroacetate
2-PAM	Pralidoxime chloride
Alachlor (Lasso®)	2-Chloro-N-(2,6-diethylphenyl)-N-(methoxymethyl)acetamide
Aldicarb (Temik®)	2-Methyl-2-(methylthio)propanal O-[(methylamino)carbonyl]oxime
Aldrin	1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene
Antimycin	3-Methylbutanoic acid 3-[3-(formylamino)-2-hydroxybenzoyl]amino-8-hexyl-2,6-dimethyl-4,9-dioxo-1,5-dioxonan-7-yl ester
Aroclor®	Group of polychlorinated biphenyls
Atrazine	6-Chloro-N-ethyl-N'-(1-methylethyl)-1,3,5-triazine-2,4-diamine
Avitrol®	4-Aminopyridine
Bayluscide®	5-Chloro-N-(2-chloro-4-nitrophenyl)-2-hydroxybenzamide compound respectively with 2-aminoethanol(1:1)
Beuthanasia-D-Special®	Sodium pentobarbital
Bomyl®	3-[(Dimethoxyphosphinyl)oxy]-2-pentenedioic acid dimethyl ester
Brodifacoum (Talon®)	3-[3-(4'-Bromo[1-1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one
Captan	3a,4,7,7a-Tetrahydro-2- [(trichloromethyl)thio]-1H-isoindole-1,3(2H)-dione
Carbofuran	2,3-Dihydro-2,2-dimethyl-7-benzofuranol methylcarbamate
Chlorophacinone	2-[(4-Chlorophenyl)phenylacetyl]-1H-indene-1,3(2H)-dione
Chlorpyrifos	Phosphorothioic acid O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) ester
Chlordane	1,2,4,5,6,7,8,8-Octachloro-2,3,3a,4,7,7a-hexahydro-4,7-methano-1H-indene
Clophens®	Group of polychlorinated biphenyls
Coumaphos	Phosphorothioic acid O-(3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl) O,O-diethyl ester
DDD	Dichlorodiphenyl dichloroethane
DDE	Dichlorodiphenyldichloroethylene
DDT	Dichloro diphenyl trichloroethane
Demeton (Systox®)	Phosphorothioic acid O,O-diethyl O-[2-(ethylthio)ethyl] ester mixture with O,O- diethyl S-[2-(ethylthio)ethyl]phosphorothioate
Diazinon	Phosphorothioic acid O,O-diethyl O-[6-methyl-2-(1-methylethyl)-4-pyrimidinyl] ester
Dicrotophos	Phosphoric acid 3-(dimethylamino)-1-methyl-3-oxo-1-propenyl dimethyl ester
Dieldrin	(1 $\alpha$ ,2 $\beta$ ,2 $\alpha$ ,3 $\beta$ ,6 $\beta$ ,6 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-3,4,5,6,9,9-Hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-2,7:3,6-dimethanonaphth[2,3-b]oxirene

Common Names	Chemical Names
Dimethoate	Phosphorodithioic acid O,O-dimethyl S-[2-(methylamino)-2-oxoethyl] ester
Diphacinone	1,3-Inandione, 2-diphenylacetyl
Diquat®	Dipyrido(1,2-a:2',1'-c)pyrazinedium, 6,7-dihydro
Disulfoton	Phosphorodithioic acid O,O-diethyl S-[2-(ethylthio)ethyl] ester
EDTA	Ethylenediaminetetraacetic acid
Endosulfan	6,7,8,9,10,10-Hexachloro-1,5,5a,6,9,9a-hexahydro-6,9-methano-2,4,3-benzodioxathiepin 3-oxide
Endrin	(1 $\alpha$ ,2 $\beta$ ,2a $\beta$ ,3 $\alpha$ ,6 $\alpha$ ,6a $\beta$ ,7 $\beta$ ,7a $\alpha$ )-3,4,5,6,9,9-Hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-2,7:3,6-dimethanonaphth[2,3-b]oxirene
Enflurane	2-Chloro-1-(difluoromethoxy)-1,1,2-trifluoroethane
Famphur	Phosphorothioic acid O-[4-[(dimethylamino)sulfonyl]phenyl] O,O-dimethyl ester
Fenamiphos	(1-Methylethyl)phosphoramidic acid ethyl 3-methyl-4-(methylthio)phenyl ester
Fenbendazole	[5-(Phenylthio)-1H-benzimidazol-2-yl]carbamic acid methyl ester
Fenclores®	Group of polychlorinated biphenyls
Fensulfotion	Phosphorothioic acid O,O-diethyl O-[4-methylsulfinyl]phenyl] ester
Fenthion	Phosphorothioic acid O,O-dimethyl O-[3-methyl-4-(methylthio)phenyl] ester
Fonofos	Ethylphosphonodithioic acid O-ethyl S-phenyl ester
Formalin	Formaldehyde solution
Halothane	2-bromo-2-chloro-1,1,1-trifluoroethane
HCN	hydrogen cyanide gas
Heptachlor	1H-1,4,5,6,7,8,8-Heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene
Hexaconazole	(RS)-2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)-hexan-2-ol
Hexane	C <sub>6</sub> H <sub>14</sub>
Isazophos (Triumph®)	Phosphorothioic acid O-[5-chloro-1-(1-methylethyl)-1H-1,2,4-triazol-3-yl] O,O-diethyl ester
Isoflurane	2-Chloro-2-(difluoromethoxy)-1,1,1-trifluoroethane
Ivermectin	22,23-Dihydroabamectin
Kanechlor®	Group of polychlorinated biphenyls
Lindane	(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,4 $\alpha$ ,5 $\alpha$ ,5 $\beta$ )-1,2,3,4,5,6-Hexachlorocyclohexane
Methamidophos	Phosphoramidothioic acid O,S-dimethyl ester
Methiocarb	3,5-Dimethyl-4-(methylthio)phenyl methylcarbamate
Methoxyflurane	2,2-Dichloro-1,1-difluoro-1-methoxyethane
Mirex	1,1a,2,2,3,3a,4,5,5,5a,5b,6-Dodecachlorooctahydro-1,3,4-metheno-1H-cyclobuta[cd]pentalene
Monocrotophos	(E)-Phosphoric acid dimethyl [1-methyl-3-(methylamino)-3-oxo-1-propenyl] ester
Nitrapyrin	2-Chloro-6-(trichloromethyl)pyridine
OC	Organochlorine
OP	Organophosphate

Common Names	Chemical Names
Oxamyl	2-(Dimethylamino)-N-[[[(methylamino)-carbonyl]oxy]-2-oxoethanimidothioic acid methyl ester
PAH	Polycyclic aromatic hydrocarbon
Parathion	Phosphorothioic acid O,O-diethyl O-(4-nitrophenyl) ester
PCB	Polychlorinated biphenyl
Permethrin	3-(2,2-Dichloroethenyl)-2,2-dimethylcyclopropanecarboxylic acid (3-phenoxyphenyl)methyl ester
Phenoclor®	Group of polychlorinated biphenyls
Phenol	C <sub>6</sub> H <sub>6</sub> O
Phorate	Phosphorodithioic acid O,O-diethyl S- [(ethylthio)methyl] ester
Phosmet	Phosphorodithioic acid S-[(1,3-dihydro-1,3- dioxo-2H-isoindol-2-yl)methyl] O,O-dimethyl ester
Phosphamidon	Phosphoric acid 2-chloro-3-(diethylamino)-1- methyl-3-oxo-1-propenyl dimethyl ester
Pyralenes®	Group of polychlorinated biphenyls
Rotenone	[2R-(2 $\alpha$ ,6 $\alpha$ ,12 $\alpha$ )]-1,2,12,12a-Tetrahydro-8,9-dimethoxy-2-(1-methylethenyl)[1]benzopyrano[3,4-b]furo[2,3-h]benzopyran-6(6aH)-one
Sleepaway®	Sodium pentobarbital
Starlicide®	3-Chloro-p-toluidine hydrochloride
Strychnine	C <sub>21</sub> H <sub>22</sub> N <sub>2</sub> O <sub>2</sub>
Terbufos (Counter®)	Phosphorodithioic acid S-[[[(1,1-dimethylethyl)thio]methyl] O,O-diethyl ester
Thiabendazole	2-(4-Thiazoyl)-1H-benzimidazole
Thiram	Tetramethylthioperoxydicarbonic diamide
Toxaphene	Chlorinated camphene
Warfarin	4-Hydroxy-3-(3-oxo-1-phenylbutyl)-2H-1-benzopyran-2-one
Zectran®	4-(Dimethylamino)-3,5-dimethylphenol methylcarbamate (ester)
Ziram	(T-4)-Bis(dimethylcarbamodithioato-S,-S')zinc

## Sources

- Howard, P.H., and Neal, M., 1992, Dictionary of chemical names and synonyms: Boca Raton, Florida, Lewis Publishers, 1,394 p.
- Budavari, S., O'neil, M.J., Smith, A., and others, (eds.), 1996, The Merck index, 12th ed.): Whitehouse Station, New Jersey, Merck and Co., 1,741 p.
- Meister, R.T. (ed.), 1996, Farm chemicals handbook '96: Willoughby, Ohio, Meister Publishing Co., 446 p.

# Appendix H

---

## Conversion table

The units of measurement that are used by laboratories for recording the results of scientific or diagnostic tests are reported in this Manual in the metric or SI units (from the French “Le System International d’Unites”) that are customary for those results. Other units of measurement, such as those that are used in the field for reporting area or length, are reported in the inch-pound units that are common in the United States. The lists of conversion factors and abbreviations below are for those who are interested in converting the basic units of measurement that are used in this Manual to the system of choice. For temperature, use the equations provided.

### To convert SI to inch-pound

	<i>Multiply</i>	<i>By</i>	<i>To obtain</i>
Length			
	millimeters (mm)	0.039	inch (in.)
	centimeters (cm)	0.39	inch (in.)
	meter (m)	3.28	foot (ft)
	meter (m)	1.09	yard (yd)
	kilometer (km)	0.62	mile (mi)
Weight			
	kilogram (kg)	2.21	pound (lb)
	metric ton	1.10	short ton
Volume or capacity			
	milliliters (mL)	0.03	fluid ounce (fl. oz)
	microliters (μL)	0.003	fluid ounce (fl. oz)

### Temperature

°C, degrees Celsius, to °F, degrees Fahrenheit  $9/5 \times ^\circ\text{C} + 32 = ^\circ\text{F}$

### To convert inch-pound to SI

	<i>Multiply</i>	<i>By</i>	<i>To obtain</i>
Length			
	inch (in.)	25.4	millimeters (mm)
	foot (ft)	2.54	centimeters (cm)
	mile (mi)	0.3048	kilometer (km)
Area			
	acre	4,047	square meters (m <sup>2</sup> )
Weight			
	pound (lb)	0.4356	kilogram (kg)
	short ton	0.907	metric ton

### Temperature

°F, degrees Fahrenheit, to °C, degrees Celsius  
 $(^\circ\text{F} - 32) \times 5/9 = ^\circ\text{C}$

### Other abbreviated units of measurement used in this Manual:

- cc cubic centimeter, a unit of measurement that indicates the dosage of a drug or substance that is administered intravenously or by injection.
- μg/g micrograms per gram
- mg/kg milligrams per kilogram

**Conversion table for units of measurement that are frequently used with the toxicology of pesticides:**

Concentration of compound in tissue, food, or water, in SI units	Concentration of compound in tissue, food, or water, in parts per million (ppm)
1 nanogram per gram (1 ng/g)	0.001
1 microgram per 100 grams (1 $\mu$ g/100 g)	0.01
1 milligram per kilogram (1 mg/kg)	1
1 microgram per gram (1 $\mu$ g/g)	1
1 microgram per 100 milligrams (1 $\mu$ g/100 mg)	10
1 milligram per 100 grams (1 mg/100 g)	10
1 milligram per gram (1 mg/g)	1,000
Concentration of compound in air, in SI units	Concentration of compound in air, in parts per million (ppm)
1 microgram per liter (1 $\mu$ g/L)	1

# Glossary

---

**Abdomen** — the portion of the body that lies between the thorax and the pelvis.

**Abdominal cavity** — the space that contains the abdominal viscera (the liver, spleen, intestines, etc.).

**Abdominal wall** — the layers of muscles lying between the skin and the abdominal cavity.

**Absorption** — to take in a substance through the pores or cells of a tissue. The substance must pass through the tissue to be absorbed.

**Acanthocephalans** — cylindrical, unsegmented worms that attach to the host by a retractable proboscis with sharp hooks.

**Acaricides** — substances, such as pesticides, that kill mites.

**Acariasis** — infestation of the body by mites.

**Accipiters** — short winged, long-tailed hawks; North American species are goshawk, Cooper's hawk, and sharp-shinned hawk.

**Acute** — sharp or severe, such as an illness with a sudden onset and a relatively short course.

**Air sacs** — thin-walled sacs that communicate with the lungs and are part of the avian respiratory system.

**Airsacculitis** — inflammation of the air sacs in birds.

**Alcids** — typically, pelagic colonial nesting seabirds, including species such as auklets, guillemots, murre, murrelets, and puffins.

**Algae** — a special form of plant life that lacks true roots, stems, or leaves, and that ranges in size from microscopic single cells to multicellular structures, such as seaweeds.

**Alimentary canal** — the digestive tract.

**Allergic disease** — development of a hypersensitivity of the host to substances foreign to the body, primarily antigens and other proteins.

**Altricial** — refers to newly hatched birds that require care in the nest for some period of time.

**Ambient temperature** — room or environmental temperature.

**Amino acids** — organic compounds of specific composition from which proteins are synthesized.

**Amphibians** — coldblooded animals characterized by moist, smooth skin that live both on land and in water at various life stages and that have gills at some stage of development,

that is, frogs, toads, salamanders.

**Amplification host** — a host in which disease agents, such as viruses, increase in number.

**Amyloid deposit** — a complex protein material that grossly resembles starch and that in certain abnormal conditions accumulates in various body tissues causing cellular damage and injury to the affected organ.

**Anaerobic** — absence of oxygen; often refers to an organism that grows, lives, or is found in an environment devoid of oxygen, such as the cellular form of *Clostridium botulinum*, which causes avian botulism.

**Analgesia** — the absence of normal sensitivity to pain, typically, being in a semiconscious state induced through an anesthetic.

**Anemia** — a reduction in the normal number of red blood cells, or erythrocytes, in the body.

**Anesthetic** — a drug used to temporarily deaden pain.

**Anesthetic induction time** — the time between administering an anesthetic chemical and the actual time when target nerves are deadened.

**Animal pathogens** — organisms such as viruses, bacteria, and parasites, that are capable of invading and infecting animal hosts and causing disease.

**Annelids** — a group of invertebrates characterized by the segmented worms, including those in marine and freshwater and earthworms in addition to leeches.

**Anorexia** — lack of appetite.

**Anoxia** — a total lack of oxygen caused by several mechanisms that prevent oxygen from reaching the mitochondria of cells. Anoxia indicates a level of oxygen in animal tissues that is below normal in the presence of an adequate blood supply.

**Antibody** — a specialized serum protein produced by the immune system in response to an antigen in an attempt to counteract the effects of the antigen; antibodies in the blood indicate exposure to specific antigens or disease agents.

**Antidote** — substances that counteract or prevent the action of a poison.

**Antigen** — any foreign substance (generally proteins) to which the body reacts by producing antibodies. Antigens may be soluble substances such as toxins, particulate matter such as pollen, or microorganisms such as bacteria and viruses.

**Antiserum** — a serum containing antibodies to specific antigens; can be used to test biological samples for the presence of specific antigens.

**Antitoxin** — any substance that counteracts the action of a toxin or poison; generally, a specific type of antibody produced in experimental animals as a result of exposure to a specific toxin. Botulism antitoxin, for example, can be produced by exposing an animal to low levels of botulism toxin over a long period of time and then harvesting serum from that animal to treat other animals.

**Arbovirus** — a virus that is transmitted by invertebrates of the phylum Arthropoda [insects, arachnids (spiders, mites, ticks, etc.) and crustaceans].

**Arthropod** — members of the phylum Arthropoda (insects, arachnids, and crustaceans).

**Ascites** — accumulation of fluid in the abdominal cavity.

**Aseptic** — free from infection; sterile.

**Asexual reproduction** — the formation of new individuals without the union with cells of the opposite sex and usually by an individual.

**Asymptomatic** — without visible signs of illness; an asymptomatic carrier is an organism that harbors a disease agent, but that shows no outward signs.

**Ataxia** — incoordination.

**Avicides** — chemical substances used to kill or repel birds.

**Avirulent** — not virulent, does not cause disease.

**Bacterin** — a vaccine consisting of killed bacteria that is used for protection against infection by a specific bacterial disease.

**Bacteriophage** — a virus that infects a bacterium.

**Bacterium** — singular for bacteria. Any of a group of microscopic, unicellular organisms that have distinct cell membranes and that lack a distinct nucleus surrounded by a nuclear membrane.

**Barbiturate** — a type of sedative or anesthetic that is chemically derived from barbituric acid.

**Bay diving ducks** — typically, ducks that feed in deep bodies of water, usually in coastal bays and deep lakes. Species include canvasback, goldeneyes, redhead, and scaup.

**Benign** — noninvasive, that is, tumors that do not spread to other parts of the body; not malignant.

**Big game** — hunted species of large mammals (from deer to elephants).

**Bile** — yellow-brown to greenish liquid secreted by the liver and stored in the gallbladder before excretion by way of the intestine. Bile is composed of metabolic breakdown products derived from hemoglobin and other metabolic waste products.

**Bioaccumulation** — the accumulation of long-lived toxins, such as chlorinated hydrocarbons, as a result of repeated exposure or of exposure from a variety of sources.

**Biomagnification** — an increase in concentrations of long-lived contaminants in animals at higher positions in the food chain.

**Biota** — the plant and animal life of an area.

**Biotoxins** — poisons produced by and derived from the cells or secretions of a living organism, either plant or animal.

**Birds of prey** — synonymous with raptors; includes eagles, hawks, falcons, kites, and owls.

**Bitinglouse** — see Hippoboscid flies.

**Blackflies** — small, bloodsucking, biting flies of the genus *Simulium*; vectors for *Leucocytozoon* infections.

**Blood flukes** — trematode parasites that are found in the blood cells of the host.

**Brineflies** — species of flies whose larvae live in brine.

**Brooding** — care of young birds by the adult.

**Buffered formalin** — a 3.7 percent solution of formaldehyde (equal to 10 percent formalin) to which sodium phosphate buffers have been added. Buffered formalin is the best overall fixative for tissue for later microscopic study.

**Bumblefoot** — an inflammation and, often, swelling of the foot of birds as the result of a bacterial infection.

**Bursa of Fabricius** — a saclike outgrowth of the cloaca of birds that is part of the avian immune system.

**Buteos** — a subfamily of the hawks characterized by soaring behavior, broad, rounded wings, and a broad, fanned tail, such as the red-tailed hawk.

**Caecum** (British; plural caeca) or cecum (American; plural ceca) — a large, blind pouch or sac (often a pair) at the junction of the small intestine and the large intestine.

**Calcification** — the process by which tissues become hardened by the deposition of calcium salts.

**Canidia** — fungal spores.

**Canker** — synonymous with trichomoniasis in doves and pigeons.

**Capture myopathy** — a state of immobility resulting from damage to skeletal and cardiac muscles caused by extreme physical exertion, struggle, or stress; may occur in wildlife as they are chased in capture attempts; may appear later when captured wildlife are under physical restraint; or may appear after they have been released.

**Cardiac muscle** — heart muscle.

**Cardiovascular system** — the heart and blood vessels by

which blood is pumped and circulated through the body.

**Carnivores** — refers to flesh-eating mammals in the Order Carnivora and includes dogs, skunks, weasels, cats, raccoons, etc.

**Carrion** — dead and decaying flesh.

**Caseous** — resembling cheese or curd.

**Central nervous system** — the brain and spinal cord.

**Ceratopogonid flies** — very small, bloodsucking gnats commonly known as punkies, no-see-ums, or sand flies.

**Cercaria** — the final free-swimming larval stage of a trematode parasite.

**Cestodes** — flattened, usually segmented, parasitic worms; tapeworms.

**Chelating chemical** — a chemical that combines with a metal ion in a firm, ringlike band and that prevents the metallic ion from having any further biochemical effect.

**Chlorinated hydrocarbons** — organic compounds characterized by the presence of chlorine; commonly refers to persistent chemicals with insecticidal properties; DDT and dieldrin are common examples.

**Choana** — one of the paired openings on the inner side of the maxilla (upper beak), near the back of the oral cavity, that opens into the nasal cavity.

**Cholinesterase enzymes** — enzymes that are particularly important in the transmission of nerve impulses; the activity of these enzymes is inhibited by exposure to organophosphorus and carbamate compounds, and death results when activity is greatly reduced.

**Chronic** — persisting for a relatively long time.

**Chronic losses** — mortality of attrition; small numbers of continual losses over extended periods of time.

**Clinical sign** — an abnormal physiological change or behavior pattern that is indicative of illness. Signs are externally observable, as contrasted with symptoms, which are subjective.

**Cloaca** — a common passage for the fecal, urinary, and reproductive discharges of most lower vertebrates (birds, reptiles, and amphibians).

**Coalescence** — the fusion or growing together of tissue damage from a disease agent.

**Coldblooded vertebrates** — species such as fishes and reptiles, which have blood that varies in temperature to approximately that of the surrounding environment.

**Colibacillosis** — infection with the bacterium *Escherichia coli*.

**Colon** — the large intestine.

**Colonial nesters** — birds that nest in large groups.

**Comatose** — in a coma or coma-like state; an abnormal state of continuous deep unconsciousness.

**Congener** — a member of the same taxonomic grouping, such as polychlorinated biphenyls, that possess similar chemical structures.

**Congenital abnormality** — usually an anatomical malformation that results from incomplete growth during embryonic development. Also refers to an abnormal biochemical pathway caused by a genetic factor.

**Congestion** — the abnormal accumulation of blood in a tissue or organ; often causes a reddening of the affected area.

**Contagious** — capable of being transmitted from animal to animal, such as a contagious disease.

**Coccidiasis** — the presence of coccidia, protozoa of the subphylum Sporozoa.

**Coccidiosis** — a disease caused by coccidia, protozoa of the subphylum Sporozoa.

**Cornea** — the transparent tissue on the front of the eyeball that covers the iris and pupil, through which light passes to the interior.

**Coronary band** — a fatty band encircling the heart; in hooved animals, the germinal layer beneath skin at the junction of the skin and hoof.

**Cracker shell** — a shotgun shell that is loaded to produce a visible burst and loud sound in order to frighten animals.

**Crop** — a dilation of the esophagus at the base of the neck of some birds.

**Crustacea** — a specialized group of invertebrates that includes such diverse species as lobster, shrimp, barnacles, wood lice, and water fleas.

**Cygnets** — a young swan.

**Cyanobacteria** — a genus of bacteria composed of the blue-green algae; like the dinoflagellates, cyanobacteria are important sources of environmental toxins that can cause illness and death in humans and wildlife.

**Cyanosis** — a bluish discoloration of the skin and mucous membranes due to an excessive concentration of deoxygenated hemoglobin in the blood.

**Cystocanth** — an infective juvenile stage of thorny-headed worms (acanthocephalan parasites).

**Cytoplasm** — the aqueous part of the cell that is outside of the nucleus but that is contained within the cell wall. The cytoplasm is the site of most of the chemical activities of the cell.

**Dabbling ducks** — Ducks that feed on the surface or in shallow



low water, including mallard, American black duck, gadwall, American wigeon, northern pintail, northern shoveler, and teal. Also referred to as puddle ducks.

**Definitive host** — an organism in which sexually mature stages of a parasite occur.

**Dehydration** — a condition that results from excessive loss of body fluids.

**Depopulation** — the destruction of an exposed or infected group of animals.

**Dermatophytosis** — a fungal infection of the skin.

**Dessication** — the act or process of drying a substance.

**Digestive tract (alimentary canal)** — the organs associated with the ingestion, digestion, and absorption of food, such as the esophagus, stomach, and intestines.

**Dinoflagellates** — aquatic protozoa that are an important component of plankton. These single-celled organisms may be present in vast numbers, causing discoloration of the water referred to as “red tide.” Some species secrete powerful neurotoxins.

**Dioxins** — a chemical component of defoliants, such as agent orange, that are considered to be carcinogenic (cause cancer), teratogenic (cause fetal abnormalities), and mutagenic (cause abnormal mutation rate).

**Direct life cycle** — a parasitic life cycle that requires only a single host for its completion.

**Diurnal** — active during the day.

**Diving ducks** — synonymous with bay diving ducks.

**Domestic duck** — ducks typically raised for market, such as the white Pekin.

**Drive-trapping** — capture of flightless birds during the molt and of other animals by herding them into a netted or fenced containment area.

**Drop nets** — suspended nets used to capture animals by remote release of the nets or triggering mechanisms at the net site.

**Dyspnea** — labored breathing.

**Ecchymotic** — a hemorrhagic, irregular-shaped area in tissues that is bruise-like in appearance and, often, in color.

**Ecology** — the study of the interrelationships between living organisms and their environment.

**Ectoparasite** — a parasite that lives on the external surface, or in the integument, of its host.

**Ectotherms** — species that rely on sources of heat outside themselves (i.e., coldblooded species).

**Edematous** — swelling of tissues due to abnormal accumulation of fluid in the intercellular tissue spaces; seepage of

these fluids may result in accumulations within the body cavity.

**EDTA** — ethylenediamine tetra-acetic acid; a chelating agent that binds with lead and that is used in the treatment of lead poisoning.

**EEE** — eastern equine encephalomyelitis; a viral disease.

**ELISA** — a molecular-based enzyme-linked immunosorbent assay; a type of test used to detect either antigen or antibody.

**Emaciation** — a wasted condition of the body; excessive leanness.

**Emasculator** — a veterinary instrument designed for bloodless castration of cattle or sheep; has been used for euthanasia of birds by cervical dislocation.

**Encrustation** — forming a crust or a covering; for example, salt encrustation.

**Endemic** — a disease that commonly is present within a population or a geographical area.

**Endogenous phase** — developmental phase of the life cycle of a parasite that occurs within the host.

**Endoparasite** — a parasite that lives within the body of its host.

**Endotherms** — warmblooded vertebrates; species able to internally regulate their body temperatures.

**Enteritis** — inflammation of the intestine.

**Enzootic** — an animal disease that commonly is present within a population or geographical area.

**Epicardium** — the outer covering of the heart.

**Epidemic** — the presence of a disease in a population or in an area in a higher than expected prevalence, or rate.

**Epithelial cells** — cells that cover the external and internal surfaces of the body.

**Epizootic** — a disease affecting a greater number of animals than normal; typically, occurrences involving many animals in the same region at the same time.

**Epizootiology** — the study of the natural history of disease in animal populations.

**Erosion** — wearing away; gradual disintegration.

**Erythrocytes** — red blood cells; serve to transport oxygen throughout the body.

**Esophagus** — the passage extending from the mouth to the stomach.

**Estrogenic** — possessing characteristics of the hormone estrogen; estrogenic compounds may elicit the development of feminine characteristics in male animals.

**Etiologic agent** — any living or nonliving thing, power, or

substance capable of causing a disease.

**Eutrophication** — the excessive growth, caused by an over-supply of nutrients, of plants and algae in bodies of water.

**Exotic disease** — a disease that normally does not occur within a particular area.

**Exotoxin** — a toxin formed and excreted by bacterial cells.

**Exsanguination (bleeding out)** — the draining of blood from an animal.

**Fastidious** — refers to the very specific requirements for the culture of some bacteria.

**Fauna** — the animals of an area.

**“Feather edge”** — a long, shallow edge of a body of water that gradually deepens offshore.

**Femur** — the thigh bone of humans; the upper legbone in hooved mammals and birds. The bone between the pelvis and the knee.

**Feral pigeon** — rock dove.

**Fibrin** — an insoluble protein that forms a network of fibers during clotting of the blood.

**Fibrinoperitonitis** — fibrin-coated inflammation of the surfaces of the peritoneal cavity.

**Fibrinous** — a pathologic term referring to a threadlike sheet of material that may occur on surfaces of organs in some disease conditions; clotting factors in blood contribute to the structure of this material.

**Flatworms** — the common name for parasites of the phylum Platyhelminthes, flukes or trematodes.

**Flukes** — parasitic flatworms; also referred to as trematodes.

**Flylarvae** — maggots.

**Fomite** — an object that is not in itself harmful, such as a wooden object or article of clothing, but that may harbor pathogenic microorganisms and serve to transmit an infection to a living organism.

**Food chain** — ascending trophic levels within an ecosystem in which species at the lower level are the primary food base for the species at the next highest level.

**Formalin** — a liquid solution of formaldehyde that is used as a tissue fixative, usually to prepare tissues for microscopic examination.

**Fossorial** — refers to digging animals that live in burrows.

**Frounce** — synonymous with trichomoniasis in raptors.

**Fungicides** — chemicals that kill fungi.

**Gallinaceous birds** — heavy-bodied, chickenlike land birds. Includes ring-necked pheasant, quails, grouse, and wild turkey.

**Gamete** — one of two cells produced by a gametocyte; the union of male and female gametes initiates the development of a new individual during sexual reproduction

**Gametocyte** — an undifferentiated cell that develops into a gamete.

**Gangrene** — tissue death due to a failure of the blood supply to that tissue area followed by bacterial invasion and putrefication.

**Gapes** — see gapeworm.

**Gapeworm** — parasites of the trachea of birds; synonym for tracheal worms.

**Gastrointestinal tract** — the tubular organs that form a digestive pathway from the mouth to the vent, including the stomach and intestines.

**Geographic information system** — a specialized computer system for storage, manipulation, and presentation of layers of geographical information.

**Gizzard** — the enlarged muscular ventriculus (stomach) of many birds.

**Granuloma** — refers to a tumorlike mass or nodule; often associated with a response to an infection.

**Haemoproteus** — blood parasites transmitted by louse flies of the family Hippoboscidae and midges of the family Ceratopogonidae.

**Hatchet-breast** — a common term to describe the prominent, protruding breast keel seen as the result of the atrophy of the breast muscles. “The keel appears as sharp and as prominent as the back of a hatchet.”

**Hawaiian forest birds** — native and introduced avifauna of the forested areas of the Hawaiian Islands. Includes such species as sparrows, finches, cardinals, honeycreepers, and thrushes.

**Helminths** — parasitic worms.

**Hemosporidia** — protozoan blood parasites.

**Hemoglobin** — the oxygen-carrying pigment of red blood cells.

**Hemozoin** — a dark pigment produced from the hemoglobin in the host's red blood cells by malarial parasites that collect in tissues, such as the spleen and liver, causing those organs to appear grayish to dark brown or black.

**Hepatitis** — inflammation of the liver.

**Hepatomegaly** — enlargement of the liver.

**Herbicides** — chemicals used to kill unwanted vegetation.

**Hermaphroditic** — organisms that possess both male and female functional reproductive organs.

**Herpesvirus** — one of the major groups of related viruses that have DNA nucleic acids and that are further characterized by similar size, shape, and physiochemical reactions.

**Herpetologists** — those who study the natural history and biology of reptiles.

**Heterogenous organism** — one that is derived from a combination of different types of parent organisms.

**Hippoboscid flies** — a group of wingless and winged parasitic flies found on birds and mammals.

**Histoplasmosis** — a disease of humans caused by inhalation of the fungus *Histoplasma capsulatum*.

**History** — as it refers to wildlife disease investigations, a record of background information and chronological events associated with a die-off.

**Homeostasis** — the tendency toward equilibrium; refers to the capacity of living organisms to maintain internal body environmental conditions necessary for survival.

**Husbandry practice** — the care and maintenance of animals.

**Hydropericardium** — an excessive amount of fluid within the sac surrounding the heart.

**Hypersensitivity** — greater than normal sensitivity to stimuli or to biological agents.

**Hypothermia** — greatly reduced body temperature.

**Hypovolemic shock** — shock resulting from insufficient blood volume to maintain adequate cardiac output and blood pressure; caused by acute hemorrhage or excessive fluid loss.

**Ichthyologists** — those who study the natural history and biology of fishes.

**Immune** — being resistant to a disease.

**Immunosuppressive therapy** — a medical treatment that suppresses the normal immune response.

**Impaction** — an abnormal accumulation of food or other ingested materials that become lodged in a section of the digestive tract.

**Immune system** — the combination of host body defenses that guard against infectious disease.

**Inapparent** — an infection in which the infectious agent exists within the host but that causes no recognizable signs of illness; the infectious agent may or may not be shed at irregular times.

**Incidence** — the number of new cases of a disease occurring in a population within a certain time period.

**Inclusion body** — a structure within the cytoplasm or nucleus of a cell; a characteristic of some viral diseases, inclusion bodies occur in only a few species.

**Incubation period** — the time interval required for the development of disease; the time between the invasion of the body by a disease agent and the appearance of the first clinical signs.

**Indigenous** — native to a particular area.

**Indirect life cycle** — a life cycle that requires more than one host for its completion.

**Infection** — the invasion and multiplication of an infectious agent in host body tissues.

**Infectious agent** — a living organism capable of invading another.

**Infective** — capable of producing infection.

**Infestation** — parasitic invasion of external surfaces of a host.

**Insecticides** — pesticides used to kill insects.

**Intermediate host** — an organism in which a parasite undergoes a stage of asexual development.

**Intracellular parasite** — a parasitic organism, usually microscopic, that lives within the cells of the host animal.

**Involuntary muscle** — muscle that is not under the control of the individual.

**Isolate** — refers to microorganisms; the separation of a population of organisms that occur in a particular sample (verb); for example, to isolate a bacterial or viral organism from a sample. As a noun, refers to the organism that was isolated; for example, a bacterial isolate was obtained from a sample.

**Isopods** — crustaceans with flattened bodies, such as sowbugs, pillbugs, and wood lice.

**Joint capsule** — the thick, fibrous capsule surrounding a joint, as around the knee.

**Keel** — the narrow middle portion of a bird's sternum.

**Kites** — hawk-like birds.

**Lacrimal discharge** — a discharge from the tear glands near the eye.

**Laparotomy** — a surgical procedure in which an incision is made into the abdominal cavity, often to determine the sex of birds for which plumage and other characteristics cannot be used for that purpose.

**Larva** — an immature parasitic life cycle stage; typically, the form of the parasite is unlike the mature stage.

**Larynx** — the musculocartilaginous structure at the upper part of the trachea; it guards the entrance to the trachea and secondarily serves as the organ of voice.

**Latent** — dormant or concealed; a latent infection refers to the situation in which a disease condition is not apparent.

**Lentogenic** — refers to a form of Newcastle disease virus

that is mildly virulent as measured in chickens.

**Leucocytozoon** — blood parasites transmitted by black flies of the family Simuliidae.

**Lesion** — an abnormal change in tissue or an organ due to disease or injury.

**Lethargy** — abnormal drowsiness or stupor.

**Lousefly** — see Hippoboscidae flies.

**Lyme disease** — an infectious disease that is caused by the spirochete *Borrelia burgdorferi* and transmitted by ticks.

**Lipophilic** — having an affinity for fat; such as chemicals that accumulate in fat and fatty tissues.

**Livestock** — domestic animals raised for food and fiber commonly refers to animals such as hogs, sheep, cattle, and horses.

**M-44** — a predator-control device that uses cyanide as the toxic component.

**Macrocyt** — a large cyst; a large spore case (fungi); an encapsulated reproductive cell of some slime molds.

**Macrogamete** — the female sexual form of the malaria parasite that is found in the gut of the mosquito vector.

**Maggot** — a soft-bodied larva of an insect, especially a form that lives in decaying flesh.

**Malarias** — infectious diseases caused by protozoan parasites that attack the red blood cells.

**Malignant** — spread from the location of origin to other areas; that is, tumors that are invasive and that spread throughout the body.

**Marek's disease** — an important infectious disease of poultry, that is caused by infection with a herpesvirus.

**Marine birds** — birds of the open ocean, typically pelagic, and often colonial nesters, such as alcid, shearwaters, storm petrels, gannets, boobies, and frigatebirds.

**Meningoencephalitis** — inflammation of the transparent covering (meninges) of the brain.

**Mergansers** — a group of waterfowl that are commonly referred to as "fish ducks" due to their food habits.

**Meront** — an asexual stage in the development of some protozoan parasites that gives rise to merozoites.

**Merozoite** — a stage in the life cycle of some protozoan parasites.

**Mesogenic** — refers to a form of Newcastle disease virus that is moderately virulent as measured in chickens.

**Metabolic rate** — an expression of the rate at which oxygen is used by cells of the body.

**Metacercaria** — the encysted resting or maturing stage of a trematode (fluke) parasite in the tissues of an intermediate host.

**Microgamete** — the male sexual form of the malaria parasite found in the gut of the mosquito vector.

**Migratory birds** — all birds listed under the provisions of the Migratory Bird Treaty Act.

**Minamata disease** — mercury poisoning of humans; named after an incident resulting from contamination within Minamata Bay, Japan.

**Miracidium** — the first larval stage of a trematode parasite, which undergoes further development in the body of a snail.

**Mobilization** — refers to the tendency of lipophilic chemicals [environmental contaminants, such as chlorinated hydrocarbons, that have an affinity for storage in adipose (fat) tissue] to be released into the bloodstream as fat stores are depleted.

**Mollusks** — species of the phylum Mollusca; includes snails, slugs, mussels, oysters, clams, octopuses, nautilus, squids, and similar species.

**Molt** — the normal shedding of hair, horns, feathers, and external skin before replacement by new growth.

**Moribund** — a visible, debilitated state resulting from disease; appearing to be suffering from disease and close to death.

**Motility/motile/nonmotile** — these terms refer to whether or not a bacterial organism moves on a particular culture medium; such movement reflects the presence of flagellae. Thus, the absence or presence of motility is a useful characteristic for identifying bacteria.

**Motor paralysis** — paralysis of the voluntary muscles.

**Mucosa** — a mucous membrane.

**Mucous membrane** — the layer of tissue that lines a cavity or the intestinal tract and that secretes a mixture of salts, sloughed cells, white blood cells, and proteins.

**Mucosal surface** — a layer of cells lining the inside of the intestinal tract or other body part that secretes mucus.

**Myocarditis** — inflammation of heart muscle.

**Myocardium** — the middle and thickest layer of the heart wall; composed of cardiac muscle.

**Mycosis** — fungal infection.

**Mycotoxin** — a poison produced by various species of molds (fungi).

**Myiasis** — infestation of the body by fly maggots.

**Nares** — the external openings on the top of the bill of birds; the external orifices of the nose; the nostrils.

**Nasal gland** — a specialized gland of birds and some other species that serves to concentrate salt and secrete it from the body.

**Nasal cavity** — the forward (proximal) portion of the passages of the respiratory system, extending from the nares to the pharynx and separated from the oral cavity by the roof of the mouth.

**NDV** — Newcastle disease virus.

**Necropsy** — the methodical examination of the internal organs and tissues of an animal after death to determine the cause of death or to observe and record pathological changes.

**Necrosis** — the death of cells in an organ or tissue.

**Necrotic** — dead; exhibiting morphological changes indicative of cell death; in this Manual, necrotic lesions refer to areas of dead tissue.

**Nematocides** — chemicals used to kill nematode worms.

**Nematodes** — unsegmented, cylindrical parasitic worms; roundworm.

**Neoplasm** — see tumor.

**Nervous system** — specialized components of vertebrates, and, to a lesser extent invertebrates, that control body actions and reactions to stimuli and the surrounding environment.

**Neurotoxin** — toxins that cause damage to or destroy nerve tissue.

**Nictitating membrane** — the so-called third eyelid, a fold of tissue connected to the medial (side closest to the midline) side of the eye, which moves across the eye to moisten and protect it.

**Nocturnal** — species that are active during evening (nondaylight) hours.

**Nodule** — a small mass of tissue that is firm, discrete, and detectable by touch.

**Nontoxic shot** — shotshells with shotpellets that are not made of lead or other toxic metals; typically, soft iron is used, and is referred to as steel shot.

**No-see-ums** — see Ceratopogonid flies.

**Occlusion** — a blockage or obstruction; the closure of teeth.

**Oligochaetes** — the earthworms and aquatic forms of the class Oligochaeta.

**Oocyst** — the encysted or encapsulated zygote in the stage of some protozoan parasites; often highly resistant to environmental conditions.

**Opisthotonos** — abnormal spasm of the neck and back muscles resulting in a body position in which the head and heels are involuntarily thrown back and the body is arched forward.

**Osmoregulation** — adjustment of osmotic pressure in relation to the surrounding environment.

**Osteoporosis** — loss of bone structure.

**PAH** — an acronym for polycyclic aromatic hydrocarbons.

**Panzootic** — a disease involving animals within a wide geographic area such as a region, continent, or globally.

**Parasitism** — an association between two species in which one (the parasite) benefits from the other (the host), often by obtaining nutrients.

**Paratenic host** — a host that has been invaded by a parasite, but within which no morphological or reproductive development of the parasite takes place; a “transport” host.

**Paresis** — partial paralysis.

**Passerines** — small- to medium-sized perching birds.

**Pathogenic** — the ability to cause disease.

**Pathological** — an adjective used to describe structural or functional changes that have occurred as the result of a disease.

**PCB** — acronym for polychlorinated biphenyls, a group of chlorinated aromatic hydrocarbons used in a variety of commercial applications. These compounds have long environmental persistence and have been a source for various toxic effects in a wide variety of fauna.

**Pelagic** — refers to living in or near large bodies of water, such as oceans or seas; typically, this term refers to avian species that only come to land areas during the breeding season.

**Pericardium** — the fibrous sac surrounding the heart.

**Pericarditis** — inflammation and thickening of the sac surrounding the heart.

**Peritoneal cavity** — the abdominal cavity, which contains the visceral organs.

**Phage** — a virus that has been isolated from a prokaryote (an organism without a defined nucleus, having a single double-standard DNA molecule, a true cell wall, and other characteristics). Most phages are bacterial viruses.

**Pharynx** — the musculomembranous passage between the mouth and the larynx and esophagus.

**Pigeon milk** — the regurgitated liquid that an adult pigeon feeds its young.

**Pinnipeds** — aquatic mammals that include the sea lions, fur seals, walruses, and earless seals.

**Plaque** — a patch or a flat area, often on the surface of an organ.

**Plasmodium** — blood parasites transmitted by mosquitos of the family Culicidae.

**Plumage** — the feather covering of birds.

**Postmortem** — examination and dissection of animal carcasses performed after the death of the animal. Also, changes that occur in tissues after death.

**Poultry** — domestic avian species, such as chickens and domestic ducks, geese, and turkeys.

**Prefledglings** — birds of the current hatch year that have not become feathered enough to fly.

**Prevalence** — the number of cases of a disease occurring at a particular time in a designated or defined area; rate.

**Proboscis** — a tubular process or structure of the head or snout of an animal, usually used in feeding; in this Manual, the tubular process of Acanthocephalan parasites is used for attachment to the host and feeding from it.

**Protoporphyrin** — a component of hemoglobin; useful in the diagnosis of exposure to lead.

**Protozoan** — a one-celled animal with a recognizable nucleus, cytoplasm, and cytoplasmic structures.

**Psittacines** — parrots, parakeets, and other species within the family Psittacidae.

**Puddle ducks** — see dabbling ducks.

**Proventriculus** — the first, or “glandular,” stomach of a bird.

**Puddle ducks** — synonymous with dabbling or surface-feeding ducks.

**Punkies**— small, biting midges of the genus *Culicoides*; vectors for *Haemoproteus* infections. See ceratopogonid flies.

**Purulent** — containing pus, as in a purulent discharge.

**Range** — the geographic distribution of a population or the area within which an individual animal moves (as in home range).

**Raptors** — synonymous with birds of prey. Birds, including hawks, owls, falcons, and eagles, that feed on flesh.

**Reactivation** — refers to the process by which cholinesterase enzyme activity returns to normal after carbamate exposure.

**Rendering** — a process by which animal carcasses are converted into fats and fertilizer.

**Reptiles** — coldblooded vertebrates that belong to the class Reptiles; such as., snakes, turtles, lizards.

**Reservoir host** — the host that maintains the disease agent in nature and that provides a source of infection to susceptible hosts.

**Respiratory system** — the collection of organs that provide oxygen to the organism and result in the release of carbon dioxide; typically, the trachia and lungs.

**Ricebreastdisease** — synonym for sarcocystis.

**Rocket nets** — remotely triggered, weighted firing devices that are propelled through the air by an explosive force carrying the netting to which they are attached over the birds or other animals being captured.

**Rodenticides** — toxic substances used to kill rodents.

**Rodents** — mammals that have chisel-like, ever growing incisor teeth that are used for gnawing; i.e., mice to beavers.

**Rookery** — a nesting area for some colonial birds, such as herons and egrets.

**Roost sites** — typically, locations where birds congregate at night in trees and other locations.

**Rough fish** — a term given to bottom-feeding freshwater fish with large scales, such as carp, buffalo, and similar species.

**Roundworms** — see nematodes.

**Ruminants** — hooved mammals possessing a rumen or first stomach, from which food or a cud is regurgitated for further chewing. Includes deer, elk, sheep, cattle, etc.

**Salivary glands** — the glands of the mouth that produce saliva.

**Saltgland** — see nasal gland.

**Sandflies** — see punkies.

**Scavengers** — animals that feed on dead, sick or injured prey. Includes crows, vultures, gulls, eagles, hawks, etc.

**Schizogony** — a type of asexual reproduction in some protozoan parasites in which daughter cells are produced by multiple nuclear divisions of the parasite (schizont).

**Schizonts** — the multinucleate, intermediate parasite stage that develops into merozoites within a host cell.

**Scoliosis** — an abnormal lateral curvature of the spine.

**Sea ducks** — ducks that frequent open ocean, although some species may be found on coastal bays or inland waters. Includes oldsquaw, eiders, scoters, and harlequin duck.

**Secondary poisoning** — intoxication of an animal as a result of eating a poisoned animal; for example, the poisoning of an eagle after it has fed on a duck that was poisoned by a chemical in treated grain. This differs from biomagnification, which involves increasing concentrations of toxic compounds within the body of organisms at increasing higher levels of a food chain.

**Section 7 consultations** — the Endangered Species Act requires discussion and evaluation of any proposed Federal activity, program, or permit that might affect an endangered species.

**Sedated** — chemically quieted.

**Septicemia** — the presence of pathogenic microorganisms or toxins in the blood.

**Serosa** — refers to the outside layer of an organ, such as the serosal surface of the intestine, or the lining of a body cavity.

**Serosal surface** — the external surface of an organ or a tissue within the body.

**Serotype** — a taxonomic subdivision of a microorganism, based on characteristic antigens or proteins.

**Serovar** — a taxonomic subdivision of a microorganism similar to serotype (above) but usually more specific.

**Shorebirds** — birds that feed at the edge of shallow water, along mudflats, and in shallow wetlands. Typically, these birds feed on invertebrates and include such species as American avocet, black-necked stilt, curlews, plovers, phalaropes, sandpipers, yellowlegs, and sanderling.

**Signs** — observable evidence of disease in animals (similar to symptoms in humans).

**Sloughing** — shedding of dead cells or dead tissue from living structures or tissues.

**Slugs** — terrestrial, snail-like mollusks that have a long, fleshy body and only a rudimentary shell.

**Small mammals** — mice to rabbits, racoons etc.; a general term used in wildlife management to group species of small to moderate size.

**Small rodents** — see rodents; rodents of small size, such as rats and mice.

**Songbirds** — small perching and singing birds, typically of the order Passeriformes, including sparrows, finches, and cardinals.

**Sowbugs** — see isopods.

**Splenomegaly** — enlargement of the spleen.

**Spore** — refers to a resistant stage, usually of bacteria or fungi, by which some microorganisms survive unfavorable environmental conditions and then develop into active life forms during favorable environmental conditions.

**Sporogony** — sporulation that involves multiple fission of a sporont (schizogony), resulting in the production of a sporocysts and sporozoites.

**Sporont** — a zygote of coccidian protozoa.

**Sporozoite** — the elongate nucleated infective stage of coccidian protozoan parasites.

**Sporulation** — the formation or liberation of spores.

**Squab** — a nestling pigeon that has not fledged.

**Sternum** — the breastbone.

**Subcutaneous** — under the skin.

**Systemic** — affecting the entire body.

**Tapeworms** — segmented parasitic flatworms; also referred to as cestodes.

**Teal** — small, swift-flying waterfowl of the genus *Anas*.

**Tegument** — the covering of an organ or the body.

**Tenosynovitis** — inflammation of the tendon sheath.

**Teratogenic** — causing embryonic deformities due to abnormal differentiation and development of cells.

**Thermoregulation** — regulation of the internal temperature of the body by various physiological processes.

**Thorax** — the part of the body between the neck and the respiratory diaphragm (in mammals), encased by the ribs.

**Thorny-headed worms** — acanthocephalan parasites.

**Thymus gland** — a lymph-gland-like organ involved in cellular immunity, located in the neck or upper thoracic cavity.

**Torticollis** — twisting or rotation of the neck causing an unnatural position of the head.

**Toxic** — poisonous.

**Toxicosis** — the condition of being poisoned.

**Trematodes** — flat, unsegmented parasitic worms; flatworms, flukes.

**Trichomonids** — protozoan parasites of the genus *Trichomonas*.

**Trophic level** — refers to an animal's position in the food chain. Species at higher trophic levels are, to a greater or lesser extent, dependent upon species in preceding trophic levels as sources of energy.

**Tumor (neoplasm)** — growths within organs and tissues of the body that result from the abnormal progressive multiplication of cells in a manner uncontrolled by the body.

**Ubiquitous** — found everywhere.

**Ulceration** — crater-like lesions in the skin and other tissues.

**Ungulates** — hoofed mammals.

**Unthrifty appearance** — an expression used in animal husbandry to describe an animal that is unkempt and dirty. Usually hair or feathers are soiled by excrement.

**Upland gamebirds** — game birds found in terrestrial habitats. Includes species such as ring-necked pheasant, quails, grouse, wild turkey, etc.

**Upper digestive tract** — the portion of the gastrointestinal tract that extends from the anterior opening of the esophagus in the region of the mouth to the stomach, but not including the intestines.

**Ureter** — the tubular structure that transports urates from the kidneys to the cloaca of birds.

**Vascular system** — blood circulation system.

**Vector** — an insect or other living organism that carries and transmits a disease agent from one animal to another.

**Vegetative form** — in bacteria, an active, growing, multiplying stage of development as opposed to a “spore,” or a resistant resting stage.

**Velogenic** — refers to highly virulent strains of Newcastle disease virus that are capable of producing severe disease in the host.

**Ventriculus** — the stomach of a bird.

**Verminous peritonitis** — inflammation of the peritoneal cavity caused by parasites, usually nematodes.

**Vertebrates** — animals with backbones.

**Viremia** — the presence of virus in the blood.

**Virulence** — the disease-producing ability of a microorganism, generally indicated by the severity of the infection in the host and the ability of the agent to invade or cause damage or both to the host's tissues.

**Virulent** — the degree to which an infectious agent produces adverse effects on the host; a highly virulent organism may produce severe disease, including death.

**Virus shedding** — discharge of virus from body openings by way of exudate, excrement, or other body wastes or discharges.

**Viscera** — the internal organs, particularly of the thoracic and abdominal cavities.

**Viscerotropic** — possessing an affinity for visceral organs; a disease that acts primarily on the soft internal tissues of the body such as the heart, lungs, liver, and digestive tract.

**Voluntary muscle** — muscle normally under control of the individual.

**Voucher specimen** — specimens deposited in scientific collections that are representative of a species or a subgrouping of a species.

**Wading birds** — long-necked, long-legged birds that feed by wading in wetlands and catching prey with their bills. Includes egrets, herons, ibises, roseate spoonbills, flamingos, and bitterns.

**Waterbirds** — birds that require aquatic habitat.

**Waterfowl** — species of the Family Anatidae; ducks, geese, and swans. Does not include American coot.

**Whistling ducks** — the fulvous whistling duck or the tropical black-bellied tree duck.

**Yeasts** — single-celled, usually rounded fungi that produce by budding.

**Zooplankton** — minute animal organisms that in combination with counterparts from the plant kingdom constitute the plankton (minute free-floating organisms) of natural waters.

**Zygote** — a cell resulting from the union of a male and a female gamete, until it divides; the fertilized ovum.



# Index

---

## A

- Acanthocephaliasis 189, 241–243
- Acanths, see Acanthocephaliasis
- Acaricides 285
- Acid precipitation 339
- Aflatoxicosis, see Aflatoxin poisoning
- Aflatoxin poisoning 129, 260, 267–269
- Agricultural waste 131
- Air, gasping for 105
- Air sacs, cheesy plaques in 131–132
- Alachlor 285
- Albatross
  - plastic debris in stomach of 363
  - tick paralysis in 258
- Alcids, chlamydiosis in 111
- Aldicarb 285, 287, 292, 351
- Aldrin 295–297, 303
- Algacides 285
- Algal bloom 261, 263–264
- Algal toxins 261, 263–266
- Alkali poisoning, see Avian botulism
- Allergic disease 128
- All-terrain vehicle 21, 27
  - disinfection of 33
  - transport of live animals in 64–65
- American avocet, lead poisoning in 320
- American black duck
  - duck plague in 143
  - sarcocystis in 220
- American coot
  - algal toxin poisoning in 264
  - aspergillosis in 130
  - gizzard worms in 236
  - lead poisoning in 320
  - salmonellosis in 103
  - trematodes in 251, 253
- American egret, chlamydiosis in 112
- American goldeneye, avian pox in 163
- American goldfinch, mycoplasmosis in 115
- American kestrel
  - chlorinated hydrocarbon poisoning in 296
  - staphylococcosis in 123
- American wigeon
  - algal toxin poisoning in 264
  - nasal leeches in 245
  - sarcocystis in 220
- American woodcock, woodcock reovirus
  - disease in 185–186
- Amidostomiasis, see Gizzard worms
- Amidostomum, see Gizzard worms
- Amphibians, Eustrongylides in 223–224
- Analytical laboratories 371–372
- Anatoxin 263, 265
- Anemia 195, 207–208, 231, 257–258, 309–310
- Anesthesia
  - as chemical restraint 58
  - euthanasia with inhalant anesthetics 50
- Animal Care and Use Committees, institutional 54
- Animal containers 65–66
- Animal lists 19
- Animal marking 44, 61–63
  - criteria for 61–62
  - professional and ethical considerations in 62–63
- Animal population data 19, 22
- Animal release guidelines 70
- Animal relocation 32–34, 69
- Animal Welfare Act (1985) 53–54, 71
- Anoxia 344
- Antimycin 285
- Apapane, hemosporidiosis in 194, 196–197
- Appearance, unthrifty 95, 105, 208, 257
- Appetite, loss of 118, 154, 195, 223, 268
- Arbovirus 171
- Aroclor® 303, 305
- Arsenic 285
- Arthritis 107, 185
- Ascites 172
- Aspergillosis 96, 127–133
- Aspergillus, see Aspergillosis
- Aspergillus flavus, see Aflatoxin poisoning
- Aspergillus niger 137
- Aspergillus parasiticus, see Aflatoxin poisoning
- Asper mycosis, see Aspergillosis
- Asphyxiation 129
- Ataxia 172, 177, 290
- Atrazine 285
- Auk
  - avian cholera in 79
  - oil toxicosis in 311
- Avian botulism 4, 55, 74, 260, 271–281
- Avian cholera 74–92
- Avian diphtheria, see Avian pox
- Avian hemorrhagic septicemia, see Avian cholera
- Avian influenza 140, 181–184

Avian malaria, see Hemosporidiosis  
Avian pasteurellosis, see Avian cholera  
Avian pox 140, 163–169  
Avian trichomoniasis, see Trichomoniasis  
Avicides 285  
Avitrol® 285  
Azinphos-methyl 287

**B**

Bacillary white diarrhea, see Salmonellosis  
Bacterial diseases 74  
Bald eagle  
    avian pox in 163, 165, 168  
    barbiturate poisoning in 349–350  
    chlorinated hydrocarbon poisoning in 296, 298  
    cyanide poisoning in 342  
    electrocution of 359  
    eustrongylidiosis in 225  
    herpesvirus disease in 159  
    lead poisoning in 317, 319–321  
    mercury poisoning in 338–339  
    oil toxicosis in 314  
    pesticide poisoning in 292  
    scoliosis in 355, 367  
    staphylococcosis in 123  
Ballast waters 264  
Band-tailed pigeon, trichomoniasis in 201, 203  
Barbiturate poisoning 349–350, 353  
Barn owl, chlorinated hydrocarbon poisoning in 296  
Barred owl, avian pox in 165  
Bay ducks  
    lead poisoning in 318  
    oil toxicosis in 311  
Bayluscide® 285  
Bean goose, heartworm of swans and geese in 234  
Beaver, tularemia in 124  
Behavior, altered 290  
Benzene hexachloride 303  
Beuthanasia-D Special® 51  
Bewick's swan, heartworm of swans and geese in 234  
Big game, *Pasteurella multocida* in 77  
Bill  
    blood-stained 146  
    cheesy lesions around 203  
    discharge from 122, 319  
    rapid opening and closing of 131  
    scratching at 245  
Bioaccumulation 295  
Biomagnification 295  
Biotoxins 260–261  
Bird banding activity 109, 123  
Bird feeding stations 100, 103–105, 107–109, 116, 119,  
    130–131, 164–165, 202–203, 206  
Birds of prey

    acanthocephaliasis in 242  
    avian cholera in 75  
    eustrongylidiosis in 223  
    mycoplasmosis in 115–116  
    trichomoniasis in 203, 206  
    tuberculosis in 93–94  
Bird tick 257  
Biting fly 193  
Biting louse 233–234  
Biting midge 193, 195  
Bittern, oil toxicosis in 311  
Blackbird  
    aspergillosis in 130  
    erysipelas in 121  
    pesticide poisoning in 288  
    salmonellosis in 100, 103  
Black-crowned night heron, mercury poisoning in 338  
Black duck  
    aflatoxin poisoning in 267  
    chlorinated hydrocarbon poisoning in 301  
    duck plague in 143–144  
    lead poisoning in 321  
    mercury poisoning in 340  
    necrotic enteritis in 122  
    trematodes in 249  
Black fly 193–195  
Black-footed albatross, chlorinated hydrocarbon poisoning  
    in 295  
Black-footed penguin, herpesvirus disease in 159  
Blackhead, see Histomoniasis  
Black-necked stilt, lead poisoning in 320  
Blindness 105, 118, 247, 267, 290  
Blood, thin and watery 195, 197  
Blood lead level 323, 332  
Blood sample 8  
    collection from live animals 57–59  
    shipment of blood tubes 14–15  
Blood smear, in hemosporidiosis 198  
Bluebird, pesticide poisoning in 288  
Blue-green bloom 261  
Blue grouse, tularemia in 124  
Blue jay  
    chlorinated hydrocarbon poisoning in 296  
    mycoplasmosis in 119  
Blue-winged teal  
    aflatoxin poisoning in 267  
    avian pox in 164  
    chlorinated hydrocarbon poisoning in 296  
    duck plague in 141  
    trematodes in 249  
Bobwhite quail  
    avian pox in 164, 169  
    chlorinated hydrocarbon poisoning in 297, 301  
    gizzard worms in 236

- herpesvirus disease in 159
  - histomoniasis in 257
  - lead poisoning in 320, 333
  - polychlorinated biphenyl poisoning in 305
  - tularemia in 124
  - Body temperature, reduced ability to regulate 290
  - Bomyl® 285
  - Booted eagle, herpesvirus disease in 159
  - Botulinum toxin 271–281
  - Botulism, avian, see Avian botulism
  - Brachial vein, blood collection from live animals 57
  - Brain
    - cholinesterase levels in 375–376
    - reddening of surface of 348
  - Brandt's cormorant, algal toxin poisoning in 264
  - Brant's goose, lead poisoning in 318
  - Breathing
    - impaired 165, 168, 195, 223, 247, 290
    - rapid 105, 290
  - Brevetoxin 263–265
  - Broadifacoum 285
  - Brolga crane, inclusion body disease of cranes in 153
  - Brooder pneumonia, see Aspergillosis
  - Brown-headed cowbird
    - polychlorinated biphenyl poisoning in 305
    - salmonellosis in 104
  - Brown pelican
    - algal toxin poisoning in 264–265
    - erysipelas in 121
    - lead poisoning in 317, 321
    - mercury poisoning in 338
    - oil toxicosis in 311
  - Budgerigar, candidiasis in 135
  - Bufflehead, nasal leeches in 245
  - Buildings, collisions with 365
  - Bullfinch, avian pox in 169
  - Bumblefoot 123
  - Burial of carcasses 21, 32
  - Burn marks 359–360
  - Bursa of Fabricus, atrophy of 305–306
  - Buteo, electrocution of 357
  - Buzzard, tuberculosis in 93–94
- C**
- Cadmium 285
  - California gull, lead poisoning in 320
  - California herring gull, Newcastle disease in 175
  - California quail, chlorinated hydrocarbon poisoning in 297
  - Call, change in tone of 319
  - Canada goose
    - aflatoxin poisoning in 267–268
    - aspergillosis in 130
    - avian cholera in 81, 91
    - avian pox in 163–164
    - caught in plastic debris 363
    - chlorinated hydrocarbon poisoning in 296–297
    - duck plague in 141, 143, 146
    - gizzard worms in 236, 238
    - heartworm of swans and geese in 234
    - histomoniasis in 257
    - ingestion of dry soybeans 356
    - lead poisoning in 317–319, 321, 324, 327, 331, 333
    - necrotic enteritis in 122
    - oil toxicosis in 313–314
    - transport of live animals 66
    - tumor in 364
    - weather-related losses of 366
  - Canary
    - erysipelas in 121
    - herpesvirus disease in 159
    - salmonellosis in 100
  - Candida albicans, see Candidiasis
  - Candidiasis 128, 135–136
  - Canker, see Trichomoniasis
  - Cannon net 35
  - Canvasback
    - gizzard worms in 236
    - nasal leeches in 245
    - oil toxicosis in 311
  - Cape cormorant, avian cholera in 81
  - Captan 285
  - Captive-reared animals, release of 70
  - Capture devices 33, 35–36
  - Capture myopathy 58, 60, 364
  - Carbamate pesticides 4, 287–293, 351
  - Carbaryl 287
  - Carbofuran 285, 287, 289, 292, 351
  - Carbon dioxide, euthanasia with 50–51
  - Carbon dioxide projected dart 61
  - Carbon-in-pulp mill process 342, 345
  - Carbon monoxide, euthanasia with 50–51
  - Carcass, see also Specimen
    - disposal of 21–32, 43
    - dogs to aid in locating 21
    - euthanized, barbiturate poisoning in scavengers 349–350
    - fish 280
    - labeling of 12
    - lines of dead birds 276, 278
    - removal of 21, 41, 43
    - plastic bags/containers 21, 25, 43
    - specimen to submit to laboratory 7
    - transport of 21, 25
    - vertebrate 272, 279–280
  - Carcass-maggot cycle, of avian botulism 272–273, 279
  - Carnivores
    - Pasteurella multocida in 77
    - Sarcocystis in 219–222

Cassin's finch, salmonellosis in 104  
 Castor beans 261, 356  
 Cat(s), *Mycobacterium avium* in 93  
 Catalogued collections 56–58  
 Cattle, see Livestock  
 Cecal cores 257  
 Cedar waxwing  
     avian cholera in 80  
     salmonellosis in 104  
 Ceratopogonid fly 193–195  
 Cervical dislocation, as euthanasia method 49–50  
 Cestodes 189, 254  
 Cheilospirura spinosa, see Gizzard worms  
 Chemical euthanasia 50–51  
 Chemical ice pack 14  
 Chemical names 382–384  
 Chemical restraint 58, 61  
 Chemical toxins 284–285  
     miscellaneous 351–353  
     sources of assistance for investigating mortality events  
     370–372  
 Chestnut-backed chickadee, salmonellosis in 104  
 Chicken  
     aspergillosis in 130  
     avian botulism in 275  
     avian cholera in 82  
     avian influenza in 181, 183  
     avian pox in 165  
     candidiasis in 135  
     erysipelas in 121  
     herpesvirus disease in 157–158  
     histomoniasis in 257  
     inclusion body disease of cranes in 153–154  
     intestinal coccidiosis in 210  
     mycoplasmosis in 115–116  
     nematodes in 255  
     Newcastle disease in 175–179  
     new duck disease in 122  
     salmonellosis in 100  
     ticks on 257  
     tracheal worms in 229  
     trichomoniasis in 203  
     tuberculosis in 94  
     ulcerative enteritis in 123  
 Chipping sparrow, salmonellosis in 104  
 Chlamydia psittaci, see Chlamydiosis  
 Chlamydiosis 74, 111–114  
 Chlordane 296–297, 301, 303  
 Chloride poisoning 353  
 Chlorinated hydrocarbon poisoning 295–302, 352  
 Chlorine 285  
 Chlorine bleach 33–34  
 Chlorophacinone 285  
 Chlorpyrifos 289, 292, 352  
 Choke cherry 261  
 Cholera, avian, see Avian cholera  
 Cholinesterase, brain levels, normal values 375–376  
 Cholinesterase inhibitors 287–293  
 Chromium 285  
 Chronic respiratory disease, see Mycoplasmosis  
 Chukar partridge  
     chlorinated hydrocarbon poisoning in 296–297  
     eastern equine encephalomyelitis in 171  
     mercury poisoning in 338  
     mycoplasmosis in 117–118  
     tuberculosis in 96  
     ulcerative enteritis in 122  
 Ciguatoxin 264  
 Circular movements, involuntary 172  
 Cloaca, cheesy plaques in 151  
 Cloacotaenia 254  
 Clophens® 305  
 Clostridial enterotoxemia 74  
 Clostridium botulinum, see Avian botulism  
 Clostridium colinum, see Ulcerative enteritis  
 Clostridium perfringens, see Necrotic enteritis  
 Closure of area 33–34  
 Clothing, protective, see Protective clothing  
 Coccidian 189  
 Coccidiasis, see Intestinal coccidiosis  
 Coccidiosis  
     intestinal, see Intestinal coccidiosis  
     renal, see Renal coccidiosis  
 Cockatiel, chlamydiosis in 111  
 Cold stress, reduced tolerance to 290  
 Colibacillosis 125–126  
 Colonial nesting birds  
     avian pox in 164  
     salmonellosis in 99, 103–105  
 Comatose bird 349  
 Common buzzard, herpesvirus disease in 159  
 Common crane, inclusion body disease of cranes in  
     153–154  
 Common egret  
     chlamydiosis in 114  
     eustrongylidiosis in 225  
     mercury poisoning in 338  
 Common eider  
     acanthocephaliasis in 242  
     intestinal coccidiosis in 211  
     lead poisoning in 317  
 Common goldeneye, avian pox in 164  
 Common loon  
     lead poisoning in 317, 320–321  
     mercury poisoning in 338  
 Common merganser  
     erysipelas in 121

- mercury poisoning in 338
  - Common moorhen, trematodes in 252
  - Common murre
    - algal toxin poisoning in 264
    - avian pox in 164, 169
  - Common names of wildlife 377–381
  - Common scoter, avian pox in 164
  - Common tern
    - algal toxin poisoning in 264
    - avian influenza in 183
    - mercury poisoning in 338–339
  - Composting of carcasses 21, 32–33
  - Conjunctivitis, herpesvirus 158
  - Contagious epithelioma, see Avian pox
  - Conversion table, of units of measurement 385–386
  - Convulsions 83, 85, 105, 107, 146, 208, 265, 290, 298, 300, 306
  - Cooper's hawk, chlorinated hydrocarbon poisoning in 296
  - Coot
    - avian cholera in 78–81, 91
    - chlorinated hydrocarbon poisoning in 296
    - gizzard worms in 236–237
    - inclusion body disease of cranes in 153
    - lead poisoning in 319
    - mycoplasmosis in 117
    - pesticide poisoning in 288
    - salmonellosis in 100, 103
    - selenium poisoning in 335
    - trematodes in 249, 252
  - Copper 285
  - Copper sulfate 285
  - Cormorant
    - avian cholera in 79
    - chlorinated hydrocarbon poisoning in 298
    - erysipelas in 121
    - eustrongylidiosis in 225
    - herpesvirus disease in 158–159
    - mercury poisoning in 338
    - Newcastle disease in 175–176
    - oil toxicosis in 311
    - polychlorinated biphenyl poisoning in 303
    - renal coccidiosis in 216
    - salmonellosis in 100, 103
  - Corn
    - aflatoxin in 267–268
    - fusariotoxin in 269
  - Cornea, cloudy 247
  - Coturnix quail, polychlorinated biphenyl poisoning in 303
  - Coughing 231
  - Coumaphos 352
  - Counter® 285
  - Cowbird
    - aspergillosis in 130
    - salmonellosis in 103
  - Cracker shell 32, 34
  - Crane
    - avian cholera in 79–80
    - avian influenza in 181
    - capture myopathy in 364
    - chemical poisoning in 353
    - chlamydiosis in 112
    - disseminated visceral coccidiosis of cranes in 207, 212
    - eastern equine encephalomyelitis in 171–173
    - erysipelas in 121
    - herpesvirus disease in 157–159
    - inclusion body disease of cranes in 140, 153–156
    - intestinal coccidiosis in 207, 210–211
    - lead poisoning in 319
    - oil toxicosis in 311
    - organophosphate poisoning in 352
    - salmonellosis in 100, 103
    - tuberculosis in 93–94
  - Crane herpes, see Inclusion body disease of cranes
  - Crop, sour, see Candidiasis
  - Crow
    - aspergillosis in 130
    - avian cholera in 78–80, 85, 91
    - candidiasis in 135
    - carbamate poisoning in 351
    - chemical poisoning in 353
    - erysipelas in 121
    - organophosphate poisoning in 352
    - pesticide poisoning in 288
    - rodenticide and repellent poisoning in 353
    - salmonellosis in 103
    - tuberculosis in 93–94
  - Crustaceans, acanthocephalans in 242
  - Cryptosporidium, see Intestinal coccidiosis
  - Curlew, salmonellosis in 100
  - Cyanide poisoning 261, 341–345, 353
  - Cyanobacterial bloom 263, 265
  - Cyanobacterial toxins 264
  - Cyanosis 257
  - Cyathocotyle buchiensis 249–251
  - Cyathostoma bronchialis, see Tracheal worms
  - Cylindrospermopsin 264
- ## D
- Dabbling ducks, sarcocystis in 220
  - Dactylaria gallopova 137
  - Daphnia, as nematode host 255
  - DDD 295–296
  - DDE 295, 298, 300
  - DDT 287, 296–298, 301
  - Decapitation 50
  - Deer, Mycobacterium avium in 93
  - Definitive host 188

Deformity 306, 335, 367  
 Dehydration 207–208, 250  
 Demeton 285  
 Demoiselle crane, inclusion body disease of cranes in 153  
 Deoxynivalenol 269  
 Depression 105, 118, 122, 157, 172, 257, 267, 300  
 Diacetoxyscirpenol 269  
 Diagnostic assistance, sources of 370–372  
 Diarrhea 95, 105, 122, 172, 290  
     bright green 319  
     greenish 122  
     rust-colored 112  
     watery 208  
 Diazinon 285, 289, 292, 351–352  
 Dicrotophos 292  
 Dieldrin 287, 295–297, 300–301, 303, 352  
 Die-off, description of location of 5–6  
 Digestive tract, see Gastrointestinal tract; Intestine  
 Dimethoate 287, 292, 352  
 Dinoflagellate bloom 259, 263  
 Diphacinone 285  
 Diphtheria, avian, see Avian pox  
 Diquat® 285  
 Direct life cycle 188–190  
 Disease control operations  
     analyses 42  
     disease outbreak summary 48  
     field communications systems 44  
     during field research 67–69  
     planning phase of  
         biological data records 19, 22–23, 41  
         identification of needs 19–20, 41  
         response activities  
             animal relocation 32–34  
             carcass disposal 21–32, 43  
             carcass removal 21, 41, 43  
             disinfection 33–34, 38–39, 43  
             establishing control of area 41  
             personnel for 34, 40  
             problem identification 21, 41  
             response modifications 40  
         for specific diseases  
             for acanthocephaliasis 243  
             for aflatoxin poisoning 268  
             for algal toxins 266  
             for aspergillosis 131  
             for avian botulism 279–280  
             for avian cholera 88–91  
             for avian influenza 184  
             for avian pox 169  
             for barbiturate poisoning 350  
             for chlamydiosis 113  
             for chlorinated hydrocarbon poisoning 302  
             for cyanide poisoning 345  
             for duck plague 39, 151  
             for eastern equine encephalomyelitis 174  
             in electrocutions 360  
             for eustrongylidiosis 225  
             for fusariotoxin poisoning 270  
             for gizzard worms 239  
             for hemosporidiosis 199  
             for herpesvirus disease 160  
             for inclusion body disease of cranes 154–156  
             for intestinal coccidiosis 211–213  
             for lead poisoning 332–333  
             for mercury poisoning 340  
             for mycoplasmosis 119  
             for nasal leeches 248  
             for Newcastle disease 178–179  
             for oil toxicosis 313–314  
             for pesticide poisoning 292–293  
             for polychlorinated biphenyl poisoning 306–307  
             for renal coccidiosis 218  
             for salmonellosis 107–109  
             for salt poisoning 348  
             for sarcocystis 221–222  
             for selenium poisoning 336  
             for tracheal worms 231  
             for trichomoniasis 206  
             for tuberculosis 95–96  
             for woodcock reovirus disease 186  
         station disease contingency plan 45–47  
         surveillance activities 42, 44  
         wildlife population and habitat management 44  
         wildlife sampling and monitoring 44  
 Disease introduction 67–69  
 Disease onset, estimation of 4  
 Disinfectant 33–34  
 Disinfection 33–34, 38–39, 43  
 Dissection of bird 10–11  
 Disseminated visceral coccidiosis of cranes 207, 212  
 Disulfoton 292, 352  
 Diving birds  
     mercury poisoning in 338  
     oil toxicosis in 311  
 Diving ducks  
     aspergillosis in 130  
     gizzard worms in 237  
     lead poisoning in 318, 332  
     nasal leeches in 245  
     pesticide poisoning in 288  
     sarcocystis in 221  
     trematodes in 249  
 Dog  
     location of carcasses by 21  
     Mycobacterium avium in 93  
 Domestic animal disease programs 370  
 Domoic acid 263–265

- Double-crested cormorant
    - entangled in fishing line 362
    - lead poisoning in 320–321
    - mercury poisoning in 338
    - Newcastle disease in 175–178
    - polychlorinated biphenyl poisoning in 303
    - renal coccidiosis in 217
    - salmonellosis in 103
  - Dove
    - avian cholera in 79
    - carbamate poisoning in 351
    - chemical poisoning in 353
    - chlamydiosis in 111
    - erysipelas in 121
    - hemosporidiosis in 194
    - herpesvirus disease in 158
    - intestinal coccidiosis in 210
    - lead poisoning in 319, 332–333
    - Newcastle disease in 176
    - organophosphate poisoning in 352
    - pesticide poisoning in 288
    - salmonellosis in 103
    - trichomoniasis in 201–203, 206
  - Drive trap 36
  - Droopiness 105, 122, 146
  - Drop net 33
  - Droppings
    - blood-stained 83
    - fawn-colored or yellow 83
  - Drowning 148, 277–279, 309–310, 356, 367
  - Drowsiness 83, 172, 349
  - Dry ice
    - euthanasia with 51
    - for specimen shipment 14, 17
  - Duck
    - acanthocephaliasis in 242
    - aflatoxin poisoning in 267
    - algal toxin poisoning in 264
    - aspergillosis in 130
    - avian botulism in 277
    - avian cholera in 78–79
    - candidiasis in 135
    - chlamydiosis in 111, 114
    - chlorinated hydrocarbon poisoning in 296
    - duck hepatitis in 361
    - duck plague in 141–151
    - erysipelas in 121
    - gizzard worms in 236–237
    - hemosporidiosis in 194–195
    - herpesvirus disease in 157
    - intestinal coccidiosis in 210
    - lead poisoning in 318
    - mycoplasmosis in 115, 117
    - nasal leeches in 248
    - necrotic enteritis in 122
    - nematodes in 255
    - Newcastle disease in 175
    - new duck disease in 122
    - oil toxicosis in 311
    - renal coccidiosis in 216–217
    - rictin poisoning in 356
    - salmonellosis in 100, 103, 107
    - salt encrustation of 347
    - staphylococcosis in 123
    - tracheal worms in 229
    - tularemia in 124
  - Duck disease, see Avian botulism
  - Duck hepatitis 361–362
  - Duck leeches, see Nasal leeches
  - Duck plague 39, 140–151
  - Duck virus enteritis, see Duck plague
  - Dung piles 101
  - Dusky song sparrow, salmonellosis in 104
  - DVE, see Duck plague
- E**
- Eagle
    - avian cholera in 78–79, 91
    - carbamate poisoning in 351
    - chemical poisoning in 353
    - chlorinated hydrocarbon poisoning in 352
    - cyanide poisoning in 342
    - electrocution of 357
    - erysipelas in 121
    - herpesvirus disease in 158
    - lead poisoning in 317, 322
    - organophosphate poisoning in 352
    - pesticide poisoning in 288
    - rodenticide and repellent poisoning in 353
    - salmonellosis in 100
    - staphylococcosis in 123
    - strychnine poisoning in 351
    - tularemia in 124
  - Eagle owl, herpesvirus disease in 159
  - Eared grebe
    - algal toxin poisoning in 264
    - erysipelas in 121
    - salmonellosis in 103
  - Earthworms
    - chlorinated hydrocarbons in 295
    - histomonads in 257
    - tracheal worm carriage 229–230
  - East African crowned crane, inclusion body disease of cranes in 153
  - Eastern equine encephalomyelitis 140, 171–174
  - Eastern screech owl, avian pox in 165
  - Eastern sleeping sickness of horses, see Eastern equine encephalomyelitis

- Echinuria uncinata 255–256  
 Ectoparasites 188, 249, 257–258  
 Edema 305–306, 344  
 EEE, see Eastern equine encephalomyelitis  
 Egg production, decreased 183  
 Eggshell, thin 298–300, 303, 306  
 Egret  
   avian cholera in 79  
   chemical poisoning in 353  
   chlamydiosis in 112  
   chlorinated hydrocarbon poisoning in 298  
   eustrongylidiosis in 225  
   lead poisoning in 321  
   oil toxicosis in 311  
   salmonellosis in 99–100, 103  
 Eider  
   aspergillosis in 131  
   avian cholera in 80, 82, 91  
   oil toxicosis in 311  
   renal coccidiosis in 217  
 Eimeria, see Intestinal coccidiosis; Renal coccidiosis  
 Electrocutation 356–360  
 Emaciation 95, 131, 165, 185–186, 195, 208, 217, 223, 237, 242, 256, 298, 301, 305, 312, 319, 339  
 Embryo mortality 306, 335  
 Embryonic deformity 335  
 Emerging infectious disease 140  
 Emu, eastern equine encephalomyelitis in 171  
 Encephalomyelitis 158  
 Endoparasites 188, 249  
 Endosulfan 297  
 Endrin 295–297, 301  
 Enflurane 50  
 English sparrow, salmonellosis in 104, 106  
 Enteritis 211, 249  
   duck virus, see Duck plague  
   necrotic, see Necrotic enteritis  
   ulcerative, see Ulcerative enteritis  
   woodcock reovirus 185  
 Environmental factors, records of 4  
 Epithelioma, contagious, see Avian pox  
 Epizootiology 3  
 Epomidiostomum, see Gizzard worms  
 Erysipelas 121  
 Erysipelothrix rhusopathiae, see Erysipelas  
 Escherichia coli, see Colibacillosis  
 Esophagus  
   cheesy, raised plaques along 146, 150–151  
   hard, cheesy lesions of 205  
   impaction of 320, 328–329  
   light-colored granulomas in 211–212  
   yellow, cheesy nodules in 106  
 Ethion 287  
 Ethylene glycol poisoning 285, 353  
 European blackbird, erysipelas in 121  
 European bullfinch, salmonellosis in 100  
 European jay, aspergillosis in 130  
 European starling  
   mycoplasmosis in 116, 118  
   polychlorinated biphenyl poisoning in 305  
   salmonellosis in 103  
 European thrush, acanthocephaliasis in 242  
 Eustrongylides, see Eustrongylidiosis  
 Eustrongylidiosis 223–228  
 Euthanasia 7, 32, 49–51  
   chemical 50–51  
   guidelines for field research 54, 67, 70  
   physical 49–50  
   selection of method of 49  
 Euthanasia agents 50–51, 285  
   barbiturate poisoning of scavengers 349–350  
 Eutrophication 225, 261  
 Evening grosbeak, salmonellosis in 104, 106  
 Exertional myopathy, see Capture myopathy  
 Exhaustion 309–310  
 Exsanguination 50  
 Eye  
   cheesy plaques in 131  
   discharge from 112, 122  
   drainage from 118  
   erosions on surface of 348  
   inflamed 118  
   leeches in 245, 247  
   protrusion of 290  
   puffy 118  
   swollen 118  
 Eyelids  
   crusty 118  
   drooping of 290, 339  
   paralysis of 277–278  
   pasted 105  
   swollen 118  
**F**  
 Face, puffy 203–204  
 Falcon  
   avian cholera in 78–79  
   electrocutation of 357  
   herpesvirus disease in 157–159  
   intestinal coccidiosis in 210  
   pesticide poisoning in 288  
   salmonellosis in 100, 103  
   trichomoniasis in 203  
   tuberculosis in 93  
 Famphur 289, 292, 351–352  
 Favus, fowl, see Ringworm  
 Feathers  
   burn marks on 359



- loss of 137, 258
  - oil contamination of 309–310, 312
  - ruffled 105, 112, 122, 135, 183, 257, 339
  - Feces
    - bile-stained 319
    - green-colored 319, 325
  - Feeding difficulties 112, 165
  - Fenamiphos 292
  - Fences, collisions with 365
  - Fenclos® 305
  - Fensulfothion 292
  - Fenthion 285, 289, 292, 352
  - Ferruginous hawk
    - avian pox in 165
    - staphylococcosis in 123
  - “Field hospital,” for waterfowl 55
  - Field research
    - animal disposal at completion of study 70
    - animal marking 61–63
    - blood and tissue collections 57–59
    - conditions for confined wildlife 54–55, 63–64
    - disease considerations 67–69
    - euthanasia 67, 70
    - housing and maintenance of field sites 54–55, 63–64
    - investigator disturbance and impacts 56
    - professional society guidelines for 71
    - restraint and handling of wildlife 58–60
    - safety of personnel 70
    - surgical and medical procedures 65–67
    - transport of live animals 64–65
    - wildlife in 53–71
    - wildlife observations and collections 56–58
    - Wildlife Society guidelines for 53–71
  - Filarial heartworm, see Heartworm of swans and geese
  - Finch
    - avian cholera in 79
    - avian pox in 164
    - erysipelas in 121
    - herpesvirus disease in 159
  - Fish
    - acanthocephalans in 242
    - Eustrongylides in 223–225
    - mercury in 339
    - Pfiesteria mortality in 265
  - Fish-eating birds
    - chlorinated hydrocarbon poisoning in 295
    - eustrongylidiosis in 225
    - polychlorinated biphenyl poisoning in 303
    - renal coccidiosis in 216
  - Fishing line, discarded 362
  - Fishing sinkers 333
  - Flamingo
    - capture myopathy in 364
    - lead poisoning in 320
  - Flea 258
  - Flight
    - awkward 265
    - erratic 83, 319
    - inability to fly 146, 148, 267, 277–278, 309
    - reluctance to fly 318
  - Flukes, see Trematodes
  - Fluorine poisoning 353
  - Fly 258
  - Fly larvae, tracheal worm carriage 229–230
  - Fonofos 292, 352
  - Food chain 295, 303, 337
  - Foot webs, congestion in 265
  - Formalin 8
  - Fowl cholera, see Avian cholera
  - Fowl favus, see Ringworm
  - Fowl pest, see Avian influenza
  - Fowl plague, see Avian influenza
  - Fowl pox, see Avian pox
  - Fowl tick 257
  - Fowl typhoid, see Salmonellosis
  - Francisella tularensis, see Tularemia
  - Franklin’s gull, algal toxin poisoning in 264
  - Frogs, acanthocephalans in 242
  - Frounce, see Trichomoniasis
  - Fulmar, mercury poisoning in 338
  - Fulvous whistling duck, chlorinated hydrocarbon poisoning
    - in 296–297
  - Fungal disease 128
    - cutaneous 137
    - miscellaneous 137
    - subcutaneous 137
    - systemic 137
  - Fungicides 285
  - Funnel trap 35–36
  - Fusariomycotoxicosis, see Fusariotoxin poisoning
  - Fusariotoxin poisoning 269–270
  - Fusarium, see Fusariotoxin poisoning
- G**
- Gadwall
    - aflatoxin poisoning in 267
    - duck plague in 141
    - nasal leeches in 245
    - sarcocystis in 220
  - Gait
    - abnormal 112
    - unsteady 319
  - Gallbladder, distended and bile-filled 320, 330
  - Gallinaceous birds
    - chlorinated hydrocarbon poisoning in 296, 298
    - mercury poisoning in 338
  - Gannet
    - mercury poisoning in 338

- Newcastle disease in 177
- salmonellosis in 103
- Gapes, see Tracheal worms
- Gape worm, see Tracheal worms
- Gaping 131, 229, 247
- Gastriotaenia 254
- Gastrointestinal tract, see also Intestine
  - dye in 291
  - hemorrhage in 146, 149, 151, 269, 309
  - inflammation and ulceration of 269–270
  - inflammation of 310
  - moist, necrotic lesions of 165
- Geographic distribution
  - of aflatoxin poisoning 267–269
  - of aspergillosis 130
  - of avian botulism 275–277
  - of avian cholera 76, 80–84
  - of avian influenza 182–183
  - of avian pox 164–166
  - of candidiasis 135
  - of chlamydiosis 111
  - of chlorinated hydrocarbon poisoning 295
  - of cyanide poisoning 342–344
  - of duck plague 141–145
  - of eastern equine encephalomyelitis 171
  - of electrocutions 358
  - of eustrongylidiosis 223, 226–227
  - of fusariotoxin poisoning 269
  - of heartworm of swans and geese 234
  - of hemosporidiosis 195
  - of herpesvirus disease 157, 159
  - of inclusion body disease of cranes 153–154
  - of intestinal coccidiosis 208, 210
  - of lead poisoning 322–323, 333
  - of mercury poisoning 339
  - of mycoplasmosis 117
  - of nasal leeches 245–246
  - of Newcastle disease 176–178
  - of oil toxicosis 311–312
  - of pesticide poisoning 289
  - of polychlorinated biphenyl poisoning 303–305
  - of renal coccidiosis 217
  - of salmonellosis 100, 104
  - of salt poisoning 347
  - of sarcocystis 220
  - of selenium poisoning 335
  - of tracheal worms 229
  - of trichomoniasis 201, 203–204
  - of tuberculosis 94
  - of woodcock reovirus disease 185
- Gizzard
  - green-stained 320, 330
  - hemorrhages on surface of 83
  - lead pellets in 320, 331
- Gizzard pads, inflammation of 254
- Gizzard worms 235–239
- Glaucous-winged gull, lead poisoning in 320
- Globe, collapse of 247
- Glossy ibis, eastern equine encephalomyelitis in 171
- Gloves 7, 21
  - disposable and reusable 21, 24
- Goats, see Livestock
- Golden eagle
  - avian pox in 165
  - barbiturate poisoning in 349–350
  - electrocution of 357–358
  - herpesvirus disease in 159
  - lead poisoning in 317, 319–320
  - mercury poisoning in 338–339
  - staphylococcosis in 123
- Goldfinch, salmonellosis in 100, 104
- Gold mining 341–345
- Goose
  - acanthocephaliasis in 242
  - algal toxin poisoning in 264
  - avian cholera in 79
  - candidiasis in 135
  - chlamydiosis in 111
  - duck plague in 141–151
  - erysipelas in 121
  - fusariotoxin poisoning in 269
  - gizzard worms in 236–237
  - heartworm of swans and geese in 233–234
  - hemosporidiosis in 194–195
  - intestinal coccidiosis in 210
  - lead poisoning in 318
  - mycoplasmosis in 115
  - nasal leeches in 245
  - nematodes in 254–255
  - oil toxicosis in 311
  - pesticide poisoning in 288
  - renal coccidiosis in 216–217
  - salmonellosis in 100, 103
  - sarcocystis in 221
  - tracheal worms in 229
  - tularemia in 124
- Goshawk
  - chlorinated hydrocarbon poisoning in 296
  - mercury poisoning in 339
- Gout 367
  - visceral 172–173, 348
- Grackle
  - aspergillosis in 130
  - avian cholera in 79–80
  - salmonellosis in 103
- Grain
  - aflatoxin in 267
  - drugged, to capture birds 36

- fusariotoxin in 269–270
  - mercury-treated 339
  - moldy 129, 131
- Grain storage facility 206
- Granuloma 131, 225
- Grasshopper, gizzard worm carriage 236, 239
- Gray partridge, chlorinated hydrocarbon poisoning in 297
- Great blue heron
  - eustrongylidiosis in 223, 226
  - lead poisoning in 320–321
  - mercury poisoning in 338
- Great cormorant, algal toxin poisoning in 264
- Great egret
  - eustrongylidiosis in 225
  - lead poisoning in 320
- Greater sandhill crane, lead poisoning in 320
- Great horned owl
  - chlorinated hydrocarbon poisoning in 296
  - electrocution of 357
  - herpesvirus disease in 159–160
- Grebe
  - avian cholera in 79
  - chemical poisoning in 353
  - chlorinated hydrocarbon poisoning in 296
  - erysipelas in 121
  - gizzard worms in 236
  - nasal leeches in 245
  - oil toxicosis in 311
- Green-winged teal
  - aflatoxin poisoning in 267
  - avian botulism in 281
  - avian pox in 163–164
  - erysipelas in 121
  - trematodes in 249
- Grinding pads, degeneration of 237–238
- Grouse
  - candidiasis in 135
  - gizzard worms in 235
  - histomoniasis in 257
  - lead poisoning in 317, 319, 332
  - mercury poisoning in 338
  - nematodes in 254–255
  - salmonellosis in 100, 103
  - tularemia in 124
  - ulcerative enteritis in 123
- Growth retardation 135
- Guillemot
  - oil toxicosis in 311
  - salmonellosis in 103
- Guinea fowl
  - candidiasis in 135
  - duck hepatitis in 361
  - erysipelas in 121
  - herpesvirus disease in 157

- mycoplasmosis in 115–116
  - nematodes in 255
  - salmonellosis in 100
- Gull
  - algal toxin poisoning in 264
  - aspergillosis in 130
  - avian botulism in 274
  - avian cholera in 78–80, 91
  - avian influenza in 181, 183
  - candidiasis in 135
  - capture myopathy in 364
  - carbamate poisoning in 351
  - chemical poisoning in 353
  - chlamydiosis in 111–112
  - chlorinated hydrocarbon poisoning in 298
  - eastern equine encephalomyelitis in 171–172
  - erysipelas in 121
  - gizzard worms in 237
  - intestinal coccidiosis in 210
  - lead poisoning in 319, 321
  - mercury poisoning in 338
  - oil toxicosis in 311
  - pesticide poisoning in 288
  - renal coccidiosis in 216
  - salmonellosis in 99–100, 103–104, 107
  - sarcocystis in 221
  - tuberculosis in 93–94
  - tularemia in 124
- Gunshot, as euthanasia method 50, 56
- Gyr Falcon, herpesvirus disease in 159

## H

- Haemoproteus, see Hemosporidiosis
- Halothane 50
- Handling of live animals 58–60
  - disease due to 364
- Harlequin duck, avian pox in 164
- Hatchet-breast appearance 319, 325
- Hatchlings, disease in 361
- Hawaiian forest birds
  - avian pox in 166
  - hemosporidiosis in 195
- Hawaiian goose, avian pox in 163
- Hawk
  - avian cholera in 79
  - carbamate poisoning in 351
  - chemical poisoning in 353
  - erysipelas in 121
  - intestinal coccidiosis in 210
  - lead poisoning in 319
  - organophosphate poisoning in 352
  - pesticide poisoning in 288
  - rodenticide and repellent poisoning in 353
  - salmonellosis in 100, 103

- trichomoniasis in 203
- tuberculosis in 94
- tularemia in 124
- Hawk-headed parrot, salmonellosis in 100
- Hazardous Materials Regulations 17
- Hazing 32
- Head
  - arched back 290
  - fluid beneath skin of 269–270
  - inability to hold erect 277
  - puffy or swollen 319, 327
  - pulled back and twisted to side 148
  - resting on back 83, 85
  - shaking of 157, 223, 231, 245
  - side-to-side movement of 265
  - twisting of 177–179, 265
  - unnatural positioning of 131
- Head droop 265, 269
- Head restraint 59
- Heap leach system 341–345
- Heart
  - enlarged 234
  - excess fluids around 305
  - fibrinous covering on surface of 122
  - hemorrhage on surface of 83, 86–87, 146, 150
  - light patches on 211, 213
  - pale foci or spots on 234
- Heartworm 188
- Heartworm of swans and geese 233–234
- Hemorrhage
  - in gastrointestinal tract 146, 149, 151, 269, 309
  - on gizzard surface 83
  - on heart surface 83, 86–87, 146, 150
  - in intestine 154, 249–251, 268, 291, 293
  - in liver 265, 268, 361
  - in thymus gland 154
  - trauma-related 366
- Hemorrhagic septicemia, avian, see Avian cholera
- Hemosporidiosis 187–189, 193–199
- Hemozoin pigment 195, 199
- Hepatitis
  - duck, see Duck hepatitis
  - herpesvirus 157–158
  - woodcock reovirus 185
- Hepatomegaly 112–113, 172
- Heptachlor 296–297, 301, 352
- Herbicides 285
- Heron
  - aspergillosis in 130
  - avian botulism in 274
  - avian cholera in 79
  - chlamydiosis in 111–112
  - chlorinated hydrocarbon poisoning in 298
  - eustrongylidiosis in 225
  - oil toxicosis in 311
  - salmonellosis in 99–100, 103
- Herpesvirus
  - duck plague 141–151
  - inclusion body disease of cranes 153–156
- Herpesvirus disease 157–161
- Herring gull
  - algal toxin poisoning in 264
  - aspergillosis in 131
  - avian influenza in 183
  - erysipelas in 121
  - lead poisoning in 320
  - mercury poisoning in 338
  - oil toxicosis in 314
  - salmonellosis in 99
  - staphylococcosis in 123
- Heterakis gallinarum, as vector for Histomonas 257
- Hexaconazole 285
- High voltage transmission lines 357–360
- Histomonas meleagridis, see Histomoniasis
- Histomoniasis 256–257
- History, see Specimen history
- Holding devices 58–59
- Hooded crane, inclusion body disease of cranes in 153
- Horned lark, chlorinated hydrocarbon poisoning in 297
- Horse, see Livestock
- House finch
  - avian pox in 169
  - mycoplasmosis in 115–119
  - salmonellosis in 104
- House finch conjunctivitis, see Mycoplasmosis
- House sparrow
  - chlorinated hydrocarbon poisoning in 297
  - eastern equine encephalomyelitis in 171
  - salmonellosis in 104, 107
- Housing, of confined wildlife 54–55, 63
- Huddling together 105
- Human health risks
  - of aflatoxin 269
  - of algal toxins 266
  - of aspergillosis 133
  - of avian botulism 280
  - of avian cholera 91–92
  - of avian influenza 184
  - of avian pox 169
  - of bacterial diseases 74
  - of candidiasis 136
  - of chlamydiosis 113–114
  - of chlorinated hydrocarbons 302
  - of cyanide 345
  - of eastern equine encephalomyelitis 174
  - of eustrongylidiosis 227
  - of fusariotoxin 270

- of lead 333–334
- of mercury 340
- of Newcastle disease 179
- of oil pollution 314
- of pesticides 293
- of polychlorinated biphenyls 307
- of salmonellosis 100, 109
- of selenium 336
- of staphylococcosis 123–124
- of tuberculosis 98

Hungarian partridge

- histomoniasis in 157
- lead poisoning in 320
- Newcastle disease in 175
- transport of live animals 66

Hydrocyanic acid poisoning, see Cyanide poisoning

Hydrogen sulfide poisoning 353

Hydropericardium 185

Hypothermia 309–310, 312, 350

Hypovolemic shock 249

## I

Ibis

- chlamydiosis in 112
- eustrongylidiosis in 225

Ice-related problems 365–367

Inactivity 208

Incineration of carcasses 21, 28–31

- above-ground methods for 21, 29–30
- in-trench methods for 21, 29
- layering of carcasses for 32

Incinerator, portable 21, 28

Inclusion body, intranuclear 160

Inclusion body disease of cranes 140, 153–156

Inclusion body disease of falcons, see Herpesvirus disease

Incoordination 105, 172, 265, 290, 298, 300, 305–306, 339–340

Indian blue peafowl, mycoplasmosis in 118

Indirect life cycle 188–191

Infectious laryngotracheitis 158

Infectious sinusitis, see Mycoplasmosis

Influenza, avian, see Avian influenza

Inhalant anesthetics, euthanasia with 50

Insecticide poisoning 295–302

Intermediate host 188

Intestinal coccidiosis 207–213

Intestine

- fibrous-to-caseous core of necrotic debris in 252–253
- hemorrhage in 154, 249–251, 268, 291, 293
- lesions of enteritis 122–123
- light-colored areas in 211
- necrosis of 157
- necrotic, crumbly cores in 106–107
- nodules in 95

- raised tunnels on 223, 225, 227
- reddened 291, 312
- thick, yellowish fluid in 88
- white nodules on 242

Isazophos 285

Isoflurane 50

Iso-neosolaniol 269

Isospora, see Intestinal coccidiosis

## J

Jackdaw

- candidiasis in 135
- salmonellosis in 100
- tracheal worms in 229

Japanese quail, polychlorinated biphenyl poisoning in 305

Java finch, chlamydiosis in 112

Jay

- avian cholera in 79
- pesticide poisoning in 288

Jugular vein, blood collection from live animals 57

## K

Kanechlors® 305

Keel, prominent 217

Kesterson Reservoir 335

Kestrel

- chlorinated hydrocarbon poisoning in 298
- herpesvirus disease in 159
- tuberculosis in 93

Kidney

- congested 300
- enlarged 217, 305

Kill trap 56

Kingfisher, intestinal coccidiosis in 210

King parrot, chlamydiosis in 112

Kite, candidiasis in 135

Kittiwake, avian influenza in 183

## L

Lameness 95, 195, 208, 220

Landfill 101, 107, 303, 349–350

Laryngotracheitis, infectious 158

Lasso 285

Laughing gull, lead poisoning in 320

Laysan albatross

- avian pox in 164–165, 167–169
- lead poisoning in 317, 320–321

Laysan duck, nematodes in 255–256

Lead poisoning 285, 317–334

Leaf litter 295

Leeches, nasal, see Nasal leeches

Leech fixation procedure 248

Leg, extended to rear 265

Lesser sandhill crane, lead poisoning in 320

- Lesser scaup
    - aflatoxin poisoning in 267
    - algal toxin poisoning in 264–265
    - intestinal coccidiosis in 207
    - nasal leeches in 245
    - trematodes in 251
  - Lethal injection 51
  - Lethargy 83, 85, 95, 118, 154, 242, 249, 267, 290, 298, 300, 305–306
  - Leucocytozoon, see Hemosporidiosis
  - Leyogonimus polyoon 252–253
  - Lice 258
  - Life cycle
    - of acanthocephalans 241–242
    - of coccidia 207–209, 215–216
    - direct 188–190
    - of Echinuria uncinata 255
    - of Eustrongylides 223–224
    - of gizzard worms 235–236
    - of hemosporidia 193–194
    - of Histomonas meleagridis 256
    - indirect 188–191
    - of Sarcocystis 219–220
    - of Sarconema 233–234
    - of tracheal worms 229–230
    - of trematodes 249–252
    - of Trichostrongylus tenuis 254
  - Light sensitivity 146
  - Limberneck, see Avian botulism
  - Lindane 297
  - Listlessness 122, 135, 195, 203
  - Little blue heron, chlamydiosis in 113
  - Liver
    - amyloid deposits in 96
    - bile stained 125–126
    - congested 123, 300
    - enlarged 195–196, 305
    - enlarged, swollen pale 268
    - fibrinous covering on surface of 122
    - gray spots within 123
    - hemorrhage in 265, 268, 361
    - large, pale grey areas of necrosis in 257
    - light patches on 211, 213
    - necrotic lesions of 150, 160
    - nodules in 95
    - paratyphoid nodules in 106
    - swollen 125–126, 154
    - white-to-yellow spots on 83, 87, 124, 154–155
    - yellow areas of tissue death in 123
  - Livestock
    - avian influenza virus in 184
    - botulism in 274
    - eastern equine encephalomyelitis virus in 172–173
    - ethanized carcasses 349–350
    - Mycobacterium avium in 93–94
    - Pasteurella multocida in 77
    - Salmonella in 107–108
  - Live trap 56–57
  - Living conditions, of confined wildlife 54–55, 63
  - Long-billed dowitcher, lead poisoning in 320
  - Long-eared owl, herpesvirus disease in 159
  - Loon
    - aspergillosis in 130
    - avian botulism in 274
    - avian cholera in 79
    - eustrongylidiosis in 225
    - mercury poisoning in 339
    - nasal leeches in 245
    - oil toxicosis in 311
    - renal coccidiosis in 216
    - ringworm in 137
  - Lorikeet, candidiasis in 135
  - Lory, candidiasis in 135
  - Louisiana pneumonitis, see Chlamydiosis
  - Louse fly 193–194
  - Lovebird, candidiasis in 135
  - Lung
    - cheesy plaques in 131–132
    - congested 113, 300, 344
    - dark red, granular 131, 133
    - fluid accumulation in 348
    - nodules in 95
    - purple areas of firmness in 183
- M**
- M-44 sodium cyanide ejector 341–345
  - Macaw
    - chlamydiosis in 111
    - tuberculosis in 93
  - Maggots, carcass-maggot cycle of avian botulism 272–273, 279
  - Magpie
    - avian cholera in 79
    - mercury poisoning in 339
    - pesticide poisoning in 292
    - salmonellosis in 100, 103
  - Malaria, avian, see Hemosporidiosis
  - Mallard
    - aflatoxin poisoning in 267
    - aspergillosis in 129, 131
    - avian botulism in 281
    - avian cholera in 85
    - avian influenza in 181, 183
    - avian pox in 163–164
    - chlorinated hydrocarbon poisoning in 296–297, 299
    - duck hepatitis in 361–362
    - duck plague in 141, 143–144, 146, 151

- lead poisoning in 317, 321, 324, 328, 330
- mercury poisoning in 340
- mycoplasmosis in 117
- nasal leeches in 247
- necrotic enteritis in 122
- Newcastle disease in 175, 177, 179
- pesticide poisoning in 287, 292
- polychlorinated biphenyl poisoning in 303, 305
- sarcocystis in 220
- selenium poisoning in 335
- staphylococcosis in 123
- trematodes in 249
- Malnutrition 367
- Manchurian crane, inclusion body disease of cranes in 153
- Mange 258
- Man-made structures, collisions with 365–366
- Manure, contaminated 97, 107
- Maps 19, 23
- Marbled godwit, lead poisoning in 320
- Marek's disease 158, 364
- Marine birds
  - aspergillosis in 130
  - avian influenza in 181, 183
  - avian pox in 163, 166, 169
  - eastern equine encephalomyelitis in 171
  - herpesvirus disease in 158
  - oil toxicosis in 311
  - renal coccidiosis in 216
  - tick paralysis in 258
- Marking, see Wildlife marking
- Martin, avian cholera in 79
- Measurement, units of, conversion table 385–386
- Medial-metatarsal vein, blood collection from live animals 57
- Medical procedures, wildlife 65–67
  - major procedures 67
  - minor procedures 67
- Meningoencephalitis 131, 183
- Mercury poisoning 337–340
- Merganser
  - eustrongylidiosis in 225
  - lead poisoning in 318
  - mercury poisoning in 338
  - nasal leeches in 245
  - oil toxicosis in 311
  - sarcocystis in 221
- Metals 285
- Methamidiphos 292
- Methiocarb 285, 287, 292, 351
- Methoxyflurane 50
- Mexacarbate 287
- Microcystin 263
- Microsporium gallinae 137
- Minimata disease, see Mercury poisoning
- Mink
  - botulism in 274
  - Mycobacterium avium in 93
  - polychlorinated biphenyl poisoning in 303
- Minnnows, Eustrongylides in 223–224
- Mirex 297
- Mite 258
- Mollusc(s), as trematode hosts 249
- Molluscicides 285
- Moniliasis, see Candidiasis
- Monocrotophos 289, 292, 352
- Mosquito 163–165, 171–174, 193–195
- Motor vehicle
  - disinfection of 33, 38
  - transport of live animals in 64–65
- Mottle duck, sarcocystis in 220
- Mourning dove
  - avian pox in 164, 169
  - lead poisoning in 320, 333–334
  - salmonellosis in 103
  - trichomoniasis in 201, 203–205
- Mouth
  - hard, cheesy lesions of 205
  - inflammation of 205
  - inflammation and ulceration of 269–270
  - lesions of 205
  - moist, necrotic lesions of 165
  - mucous discharge from 83
- Murre
  - avian influenza in 183
  - oil toxicosis in 311
- Muscle
  - cyst-like bodies in 195, 197
  - necrosis of 364
  - rice-grain cysts in 220–221
  - wasting of 95
- Muscovy duck
  - algal toxin poisoning in 265
  - duck plague in 141, 151
  - inclusion body disease of cranes in 153–154
- Museum collections 56–57
- Mute swan
  - avian pox in 163–164, 169
  - heartworm of swans and geese in 234
  - lead poisoning in 318, 321
  - salmonellosis in 103
  - staphylococcosis in 123
  - trematodes in 249
- Mycobacteriosis, see Tuberculosis
- Mycobacterium avium, see Tuberculosis
- Mycoplasma gallisepticum, see Mycoplasmosis
- Mycoplasma meleagridis, see Mycoplasmosis
- Mycoplasma synovia, see Mycoplasmosis
- Mycoplasmosis 74, 115–119

Mycosis, see Fungal disease  
 Mycotic pneumonia, see Aspergillosis  
 Mycotoxicosis 128  
 Mycotoxins 137, 260–261, 267–270  
 Myiasis 258  
 Mynah, chlamydiosis in 111  
 Myocarditis 185  
 Myopathy, capture, see Capture myopathy

**N**

Nares, bleeding from 290  
 Nasal discharge 265  
     thick, mucous-like, roppy 83  
 Nasal leeches 188, 245–248  
 National Response Center 313  
 National Wildlife Health Center, shipment of specimens to 14–16  
 ND, see Newcastle disease  
 Neck  
     abnormal position of 319  
     fluid beneath skin of 269–270  
     paralysis of muscles of 277–278  
     twisting of 157, 177–179  
 Necropsy kit 8  
 Necrotic enteritis 74, 122  
 Nematocidices 285  
 Nematodes 189, 254–256  
     eustrongylidiosis 223–228  
     gizzard worms 235–239  
     tracheal worms 229–231  
 Nene goose, tuberculosis in 93  
 Neosaxitoxin 264  
 Neosolaniol 269  
 Nervous system disorder 122  
 Nesting, on power poles 357–360  
 Neurologic symptoms 172–173, 265, 269, 290  
 Newcastle disease 140, 175–179  
     asymptomatic lentogenic 176  
     lentogenic 175–176  
     mesogenic 176  
     neurotrophic velogenic 175–176  
     velogenic 175  
     viscerotropic velogenic 176  
 New duck disease 122  
 Nictitating membrane  
     paralysis of 277  
     stringy, cheeselike material beneath 247  
 Nitrapyrin 285  
 Nitrous oxide 50  
 Nodularin 263  
 Northern cardinal, salmonellosis in 104  
 Northern fulmar, algal toxin poisoning in 264  
 Northern harrier  
     avian cholera in 78

    lead poisoning in 320  
 Northern mockingbird, salmonellosis in 104  
 Northern pintail  
     avian cholera in 85  
     lead poisoning in 317, 325  
     nasal leeches in 245  
     sarcocystis in 220  
 Northern shoveler  
     erysipelas in 121  
     nasal leeches in 245  
     sarcocystis in 220, 222  
 No-see-ums 194–195  
 Nuthatch, avian cholera in 79  
 Nutritional disease 356, 367  
 Nutritional needs, of confined wildlife 63–64  
 NVND, see Newcastle disease

**O**

Observation of wildlife, guidelines for field research 56–58  
 OCs, see Chlorinated hydrocarbon poisoning  
 Ocular discharge 265  
 Oil Pollution Act (1990) 313–314  
 Oil spill 130, 164, 283, 309–315  
 Oil toxicosis 285, 309–315  
 Okadaic acid 264  
 Oldsquaw  
     avian cholera in 81  
     oil toxicosis in 311  
 Oligochaetes, Eustrongylides in 223–225  
 Opisthotonos 361  
 Opportunistic infection 128, 137  
 Oral discharge 265  
 Organochlorines, see Chlorinated hydrocarbon poisoning  
 Organophosphorus pesticides 4, 287–293, 352  
 Oriole, avian cholera in 79  
 Ornithosis, see Chlamydiosis  
 Osmoregulatory dysfunction 309–310  
 Osprey  
     chlorinated hydrocarbon poisoning in 298  
     mercury poisoning in 338  
 Osteoporosis 185  
 Ostrich  
     avian influenza in 181  
     eastern equine encephalomyelitis in 171  
     intestinal coccidiosis in 210  
     salmonellosis in 100  
 Over-straining disease, see Capture myopathy  
 Owl  
     avian cholera in 79  
     chemical poisoning in 353  
     chlorinated hydrocarbon poisoning in 301, 352  
     electrocution of 357  
     herpesvirus disease in 157–159  
     intestinal coccidiosis in 210



- lead poisoning in 319
- mercury poisoning in 338–339
- organophosphate poisoning in 352
- pesticide poisoning in 288
- renal coccidiosis in 216
- salmonellosis in 100, 103
- trichomoniasis in 203
- tuberculosis in 94
- Owl herpesvirus, see Herpesvirus disease
- Oxamyl 292
  
- P**
- Pacific loon, algal toxin poisoning in 264
- Parakeet
  - candidiasis in 135
  - chlamydiosis in 111, 113
  - erysipelas in 121
  - gizzard worms in 235
- Paralysis 157, 172, 177, 179, 220, 265, 269, 277, 290
- Paralytic shellfish poisoning 261, 263–264
- Paramyxovirus-1, see Newcastle disease
- Parasitic disease 188–189
- Paratenic host 188, 192
- Parathion 289, 292, 352
- Paratyphoid, see Salmonellosis
- Parrot
  - candidiasis in 135
  - chlamydiosis in 111–113
  - erysipelas in 121
  - intestinal coccidiosis in 210
  - mycoplasmosis in 115
  - salmonellosis in 100
  - tuberculosis in 93
- Parrot disease, see Chlamydiosis
- Parrot-fever, see Chlamydiosis
- Partridge
  - candidiasis in 135
  - gizzard worms in 235
  - histomoniasis in 257
  - lead poisoning in 317
  - mercury poisoning in 339
  - mycoplasmosis in 115–116
  - salmonellosis in 100, 103
  - tuberculosis in 94
  - ulcerative enteritis in 123
- Passerines
  - chlorinated hydrocarbon poisoning in 296
  - mercury poisoning in 339
  - pesticide poisoning in 287–288
- Pasteurella anatipestifer, see New duck disease
- Pasteurella multocida, see Avian cholera
- Pasteurellosis, avian, see Avian cholera
- PCBs, see Polychlorinated biphenyls
- Peafowl
  - candidiasis in 135
  - erysipelas in 121
  - herpesvirus disease in 157
  - mycoplasmosis in 115, 117
  - salmonellosis in 100
- Peanuts
  - aflatoxin in 267
  - fusariotoxin in 269–270
- Pectoral sandpiper, lead poisoning in 320
- Pelican
  - avian cholera in 79
  - chemical poisoning in 353
  - chlorinated hydrocarbon poisoning in 298
  - erysipelas in 121
  - eustrongylidiosis in 225
  - gizzard worms in 237
  - intestinal coccidiosis in 210
  - mercury poisoning in 338
  - oil toxicosis in 311
  - sarcocystis in 221
- Penguin
  - aspergillosis in 130
  - avian cholera in 79
  - erysipelas in 121
  - hemosporidiosis in 195
  - oil toxicosis in 311
  - salmonellosis in 103–104
- Penis, prolapsed 146–147
- Pentobarbital poisoning, see Barbiturate poisoning
- Peregrine falcon
  - avian pox in 165
  - capture myopathy in 364
  - chlorinated hydrocarbon poisoning in 296, 301
  - herpesvirus disease in 159–160
  - lead poisoning in 320
  - mercury poisoning in 339
  - mycoplasmosis in 115
- Pericarditis 113, 125, 185
- Perihepatitis 125
- Peritonitis 225, 227
  - verminous, see Eustrongylidiosis
- Permethrin 285
- Pesticides 4, 284–285, 287–293, 351
- Petrel, tick paralysis in 258
- Petroleum, see Oil toxicosis
- Pfiesteria, in fish 265
- Pfiesteria toxin 264
- Pheasant
  - avian botulism in 274–275
  - avian cholera in 79
  - avian influenza in 181, 183
  - candidiasis in 135
  - chlorinated hydrocarbon poisoning in 297, 299, 301
  - duck hepatitis in 361

eastern equine encephalomyelitis in 171–173  
 erysipelas in 121  
 gizzard worms in 235  
 herpesvirus disease in 157–158  
 histomoniasis in 257  
 intestinal coccidiosis in 210  
 lead poisoning in 317, 319, 332  
 mercury poisoning in 339–340  
 mycoplasmosis in 115, 117–118  
 Newcastle disease in 175  
 new duck disease in 122  
 salmonellosis in 100, 103  
 salt poisoning in 347  
 tracheal worms in 229, 231  
 trichomoniasis in 203  
 tuberculosis in 93–94, 96  
 tularemia in 124  
 ulcerative enteritis in 123  
 Phenoclor® 305  
 Phenol 285  
 Phorate 287, 289, 292, 352  
 Phosmet 285  
 Phosphamidon 292  
 Photographic record 3–4, 8  
 Phycotoxins, see Algal toxins  
 Physical euthanasia 49–50  
 Physical restraint 58–59  
 Pigeon  
   avian cholera in 79  
   candidiasis in 135  
   chlamydiosis in 111–112  
   chlorinated hydrocarbon poisoning in 301  
   eastern equine encephalomyelitis in 171  
   erysipelas in 121  
   gizzard worms in 236  
   hemosporidiosis in 194  
   herpesvirus disease in 157–159  
   intestinal coccidiosis in 210  
   lead poisoning in 332  
   mercury poisoning in 339  
   mycoplasmosis in 115–116  
   nematodes in 255  
   Newcastle disease in 176  
   salmonellosis in 103, 107  
   trichomoniasis in 201–203, 205–206  
   tuberculosis in 94  
   ulcerative enteritis in 123  
 Pigeon herpes encephalomyelitis virus, see Herpesvirus disease  
 Pigs, see Livestock  
 Piloerection 290  
 Pine siskin, salmonellosis in 104  
 Pinnipeds, *Pasteurella multocida* in 77  
 Pintail  
   avian botulism in 281  
   duck plague in 141  
   lead poisoning in 326  
 Piscicides 285  
 Pitfall, as live trap 57  
 Plague, fowl, see Avian influenza  
 Plant toxins 261  
 Plasmodium, see Hemosporidiosis  
 Plastic debris 361–363  
 Plover, oil toxicosis in 311  
 Plumbism, see Lead poisoning  
 Pneumonia  
   brooder, see Aspergillosis  
   mycotic, see Aspergillosis  
 Pneumonitis, Louisiana, see Chlamydiosis  
 Pododermatitis, see Bumblefoot  
 Poison Control Centers 371  
 Poisonous organism 260  
 Polychlorinated biphenyls 284, 303–307  
 Population movement, documentation of 5  
 Posture, aberrant 299  
 Potassium bromide 285  
 Pouch scratching 265  
 Poultry  
   avian botulism in 274  
   avian cholera in 77–78, 80, 82, 89  
   avian influenza in 183–184  
   candidiasis in 135  
   erysipelas in 121  
   fusariotoxin poisoning in 269  
   herpesvirus disease in 158  
   intestinal coccidiosis in 210  
   mycoplasmosis in 115, 117–118  
   nematodes in 254  
   Newcastle disease in 175–179  
   salmonellosis in 99–100, 103–105, 107, 109  
   subcutaneous mycosis in 137  
   tracheal worms in 229  
   trichomoniasis in 203, 206  
   tuberculosis in 94  
   tumor in 364  
 Poultry slaughterhouse 114  
 Power lines 280, 357–360  
 Power poles 357–360  
 Pox, avian, see Avian pox  
 Prairie falcon  
   herpesvirus disease in 159  
   lead poisoning in 320  
 Problem area  
   closure of 33–34  
   description of location of 5–6  
 Propane exploder 32, 34  
 Protective clothing 7, 21, 24  
   disinfection of 33, 38

Protein imbalance 367  
Protozoan parasites 189, 256–257  
Proventriculus  
    cheesy, raised plaques along 146, 150  
    impaction of 320, 328–329  
    nematodes in 255–256  
    raised tunnels on 223, 225  
Prussic acid poisoning, see Cyanide poisoning  
Pseudotuberculosis, see Aspergillosis  
Psittacine herpesvirus, see Herpesvirus disease  
Psittacosis, see Chlamydiosis  
Ptarmigan, tularemia in 124  
Puddle ducks  
    avian cholera in 81  
    gizzard worms in 237  
    lead poisoning in 318, 332  
    nasal leeches in 245  
    sarcocystis in 221  
Puffin  
    avian influenza in 183  
    oil toxicosis in 311  
    renal coccidiosis in 216  
Pullorum disease, see Salmonellosis  
Punkies 194  
Pupils, contraction of 290  
Purple finch, salmonellosis in 104  
Pyralenes® 305

## Q

Quail  
    avian cholera in 80  
    avian influenza in 181  
    avian pox in 164  
    candidiasis in 135  
    chemical poisoning in 353  
    chlorinated hydrocarbon poisoning in 296  
    gizzard worms in 235  
    herpesvirus disease in 158  
    intestinal coccidiosis in 210  
    lead poisoning in 319  
    mercury poisoning in 338  
    mycoplasmosis in 115  
    nematodes in 255  
    salmonellosis in 100, 103  
    trichomoniasis in 203  
    tuberculosis in 93–94  
    ulcerative enteritis in 122–123  
Quail disease, see Ulcerative enteritis

## R

Rabbit  
    Mycobacterium avium in 93  
    Pasteurella multocida in 77  
Raccoon, Pasteurella multocida in 78

Rail  
    avian cholera in 79  
    intestinal coccidiosis in 210  
    lead poisoning in 319  
Raptors  
    aspergillosis in 130  
    avian botulism in 274  
    avian cholera in 80, 89  
    avian influenza in 181  
    avian pox in 163, 166  
    chlamydiosis in 112  
    chlorinated hydrocarbon poisoning in 295, 298  
    eastern equine encephalomyelitis in 171  
    electrocution of 357  
    gizzard worms in 237  
    herpesvirus disease in 158–159  
    lead poisoning in 317, 319, 332  
    mercury poisoning in 338–339  
    mycoplasmosis in 119  
    pesticide poisoning in 287–288, 291  
    sarcocystis in 221  
    traumatic injuries in 365  
    trichomoniasis in 202–203  
    tuberculosis in 94, 97  
    tularemia in 124  
Ratites, avian influenza in 181  
Raven  
    aspergillosis in 130  
    erysipelas in 121  
Razorbill, salmonellosis in 103  
Red blood cells, in hemosporidiosis 198–199  
Red-breasted merganser  
    eustrongylidiosis in 226  
    lead poisoning in 321  
    mercury poisoning in 338  
Red-crowned crane, inclusion body disease of cranes in 154  
Red grouse, nematodes in 255  
Redhead  
    avian cholera in 81  
    avian pox in 164  
    duck plague in 141  
    lead poisoning in 317, 321  
    nasal leeches in 245–246  
    staphylococcosis in 123  
Red-headed falcon, herpesvirus disease in 159  
Red-tailed hawk  
    avian pox in 165  
    lead poisoning in 320  
    mercury poisoning in 340  
    staphylococcosis in 123  
Red-tailed tropicbird, avian pox in 164–165  
Red-throated loon, mercury poisoning in 338  
Red tide 261, 265

- Red tide toxins, see Algal toxins
  - Red-winged blackbird
    - pesticide poisoning in 287
    - polychlorinated biphenyl poisoning in 305
  - Regurgitation of food 223
  - Rehabilitation, of oiled birds 314–315
  - Renal coccidiosis 215–216
  - Rendering of carcasses 21, 32
  - Reovirus, woodcock 140, 185–186
  - Repellents 353
  - Reproductive impairment 290, 309–310, 335
  - Reptiles
    - Eustrongylides in 223–224
    - Salmonella in 99
  - Research, see Field research
  - Respiratory distress 118, 131, 157, 183, 229
  - Respiratory syndromes 125, 185
  - Respiratory tract, moist, necrotic lesions of 165
  - Restraint 58–60
    - for blood and tissue collection from live animals 57
    - chemical 58, 61
    - physical 58–59
  - Rhea, avian influenza in 181
  - Rice breast disease, see Sarcocystis
  - Rictin poisoning 356
  - Righting reflex, loss of 265
  - Ring-billed gull
    - chlamydiosis in 113
    - Newcastle disease in 175
    - staphylococcosis in 123
  - Ring-dove
    - polychlorinated biphenyl poisoning in 303
    - salmonellosis in 100
  - Ringed turtle dove, herpesvirus disease in 159
  - Ring-necked duck, nasal leeches in 245
  - Ring-necked pheasant
    - eastern equine encephalomyelitis in 172
    - lead poisoning in 320
    - mercury poisoning in 338
    - mycoplasmosis in 118
    - pesticide poisoning in 287
    - polychlorinated biphenyl poisoning in 305
    - tracheal worms in 231
  - Ringworm 137
  - Road kill 365
  - Road salt 347–348
  - Robin
    - chlorinated hydrocarbon poisoning in 296
    - gizzard worms in 235
    - salmonellosis in 104
    - ulcerative enteritis in 123
  - Rock dove
    - lead poisoning in 323
    - salmonellosis in 100
  - salt poisoning in 347
  - Rocket net 33, 35
  - Rodent(s)
    - eastern equine encephalomyelitis virus in 172
    - Pasteurella multocida in 77–78
    - Salmonella in 99, 107, 109
  - Rodenticides 285, 353
  - Rook
    - salmonellosis in 100, 103
    - tracheal worms in 229
  - Rosella, candidiasis in 135
  - Ross' goose, lead poisoning in 318
  - Rotenone 285
  - Rough-legged hawk
    - avian pox in 165
    - lead poisoning in 320
  - Roundworm, see Nematodes
  - Royal tern, lead poisoning in 320–321
  - Ruddy duck, nasal leeches in 245
  - Ruddy turnstone, avian influenza in 183
  - Ruffed grouse
    - avian pox in 169
    - gizzard worms in 235–236
    - tularemia in 124
    - tumor in 365
  - Rufous-sided towhee, salmonellosis in 104
- S**
- Sage grouse, tularemia in 124
  - Saker falcon, mycoplasmosis in 117–118
  - Salmonellosis 74, 99–109
  - Salt encrustation 347–348
  - Salt gland 347
    - disruption of 300
    - impaired functioning of 310
    - swollen 312–313
  - Salt poisoning 284, 347–348, 353
  - Sandfly 193
  - Sandhill crane
    - aflatoxin poisoning in 267
    - chlorinated hydrocarbon poisoning in 297
    - fusariotoxin poisoning in 269–270
    - inclusion body disease of cranes in 153–154
    - intestinal coccidiosis in 207–208
    - lead poisoning in 321
    - tracheal worms in 229
    - tumor in 365
  - Sandpiper, oil toxicosis in 311
  - Sarcocystis 188, 219–222
  - Sarcocystis rileyi, see Sarcocystis
  - Sarcocystosis, see Sarcocystis
  - Sarconema, see Heartworm of swans and geese
  - Sarcosporidiosis, see Sarcocystis
  - Sarus crane, inclusion body disease of cranes in 153

- Saxitoxin, see also Paralytic shellfish poisoning 264–265
- Scaled quail, lead poisoning in 320, 333
- Scare devices 32, 34
- Scaup
  - aspergillosis in 130
  - lead poisoning in 317
  - oil toxicosis in 311
- Scavenger species
  - avian cholera in 78, 89
  - barbiturate poisoning in 349–350
  - cyanide poisoning in 342
  - lead poisoning in 332
  - Pasteurella multocida* in 75
  - tuberculosis in 94
  - tularemia in 124
- Scientific names of wildlife 377–381
- Scoliosis 355, 367
- Scoter
  - avian cholera in 81
  - avian pox in 163
  - oil toxicosis in 311
- Seabirds
  - mercury poisoning in 338–339
  - oil toxicosis in 311
- Sea ducks
  - avian cholera in 82
  - gizzard worms in 237
  - lead poisoning in 318
  - nasal leeches in 245
  - oil toxicosis in 311
  - sarcocystis in 221
  - tuberculosis in 96
- Seasonality
  - of acanthocephaliasis 242
  - of aflatoxin poisoning 267–269
  - of aspergillosis 130
  - of avian botulism 271, 276
  - of avian cholera 82
  - of avian influenza 183
  - of avian pox 164–166
  - of barbiturate poisoning 349
  - of chlamydiosis 112
  - of chlorinated hydrocarbon poisoning 295–298
  - of cyanide poisoning 342
  - of duck plague 144–145
  - of eastern equine encephalomyelitis 172
  - of electrocutions 358
  - of eustrongylidiosis 223
  - of fusariotoxin poisoning 269
  - of heartworm of swans and geese 234
  - of hemosporidiosis 195
  - of herpesvirus disease 157
  - of intestinal coccidiosis 208
  - of lead poisoning 318
  - of mercury poisoning 339
  - of mycoplasmosis 118
  - of nasal leeches 245–246
  - of Newcastle disease 177
  - of oil toxicosis 311
  - of pesticide poisoning 290
  - of renal coccidiosis 217
  - of salmonellosis 104–105
  - of salt poisoning 347
  - of sarcocystis 220
  - of tracheal worms 229
  - of tuberculosis 94–95
  - of woodcock reovirus disease 185
- Sedation 58, 349
- Seed-eating birds, pesticide poisoning in 288
- Seed treatment 295, 337, 339
- Seizures, see Convulsions
- Selenium poisoning 284–285, 335–336, 353, 367
- Selenosis, see Selenium poisoning
- Serovars, *Salmonella* 99
- Sewage effluent 107
- Sewage lagoon 101
- Sewage sludge 99
- Sewage treatment plant 108
- Sewage wastewater 107
- Shag
  - algal toxin poisoning in 264
  - Newcastle disease in 177
- Sharp-tailed grouse
  - chlorinated hydrocarbon poisoning in 297, 301
  - tularemia in 124
- Shearwater
  - mercury poisoning in 338
  - renal coccidiosis in 216
- Sheep, see Livestock
- Shipment of live animals 64–66
- Shipment of specimen 13–17
  - basic supplies for 13, 373–374
  - blood tubes 14–15
  - by commercial carrier 17
  - containers for 13–16
  - cooling and refrigeration 14–16
  - federal regulations for 17
  - labeling requirements for 17
  - to National Wildlife Health Center 14–16
  - preventing breakage and leakage 13
- Shivering 105
- Shorebirds
  - aspergillosis in 130
  - avian botulism in 274
  - avian cholera in 79–80
  - avian influenza in 181, 183–184
  - avian pox in 163
  - candidiasis in 135

- chemical poisoning in 353
- chlamydiosis in 111–112
- eastern equine encephalomyelitis in 171–172
- gizzard worms in 237
- intestinal coccidiosis in 210
- lead poisoning in 319, 332
- necrotic enteritis in 122
- organophosphate poisoning in 352
- pesticide poisoning in 288
- sarcocystis in 221
- Short-eared owl, avian cholera in 78
- Shoveler
  - avian botulism in 281
  - chlorinated hydrocarbon poisoning in 296
  - lead poisoning in 318
  - mycoplasmosis in 117
- Shrike, tularemia in 124
- Silver mining 341–345
- Sinusitis, infectious, see Mycoplasmosis
- SI units, conversion table 385–386
- Six-pack ring 363
- Skin
  - burn marks on 359–360
  - nodular tubercular lesions on 95–96
  - wart-like nodules on featherless areas 165, 167
- Skua
  - avian cholera in 79
  - salmonellosis in 104
- Skull, fluid accumulation in 335
- Skunk 219
- Sleepaway® 51
- Slug, tracheal worm carriage 229–230
- Slurry runoff 99
- Snails
  - tracheal worm carriage 229–230
  - as trematode hosts 249–250, 252
- Snake, acanthocephalans in 242
- Sneezing 231, 245
- Snow goose
  - aflatoxin poisoning in 267
  - avian cholera in 75, 77, 79, 81, 91
  - chlamydiosis in 114
  - chlorinated hydrocarbon poisoning in 296
  - gizzard worms in 236, 239
  - heartworm of swans and geese in 234
  - lead poisoning in 317–318, 324, 328
  - necrotic enteritis in 122
  - new duck disease in 122
- Snowy egret
  - chlamydiosis in 112, 114
  - eustrongylidiosis in 226–227
  - lead poisoning in 320
- Snowy owl, herpesvirus disease in 159
- Sodium pentobarbital poisoning, see Barbiturate poisoning
- Songbirds
  - algal toxin poisoning in 264
  - aspergillosis in 130
  - avian botulism in 274–275
  - avian cholera in 80
  - avian influenza in 181
  - avian pox in 163, 166, 169
  - candidiasis in 135
  - carbamate poisoning in 351
  - chemical poisoning in 353
  - chlamydiosis in 111–112
  - chlorinated hydrocarbon poisoning in 298, 352
  - eastern equine encephalomyelitis in 171–173
  - erysipelas in 121
  - herpesvirus disease in 158
  - intestinal coccidiosis in 210
  - mycoplasmosis in 115–116
  - organophosphate poisoning in 352
  - rodenticide and repellent poisoning in 353
  - salmonellosis in 103–107
  - tick paralysis in 257
  - tracheal worms in 229
  - trichomoniasis in 203
  - tuberculosis in 94
- Sooty shearwater, algal toxin poisoning in 264
- Sora rail, lead poisoning in 320
- Sour crop, see Candidiasis
- Sparrow
  - avian cholera in 79–80
  - candidiasis in 135
  - salmonellosis in 100, 107
  - tuberculosis in 93
- Sparrowhawk, mercury poisoning in 339
- Specimen
  - choice of 7–9
  - collection of 7–12
  - basic supplies and equipment for 8, 373–374
  - killed specimens for catalogued collections/museums 56–58
  - dissection of bird 10–11
  - labeling of 8, 12
  - preservation of 7–12, 373–374
  - shipment of, see Shipment of specimen
- Specimen history 3–6
- Specimen history form 369
- Spectacled eider, lead poisoning in 317
- Sphaeridiotrema globulus 249, 251–252
- Spleen
  - amyloid deposits in 96
  - atrophy of 305–306
  - congested 123
  - necrotic lesions of 160
  - nodules in 95
  - swollen 154

yellow-white spots on 154–155  
Splenomegaly 112–113, 172, 195–196  
Spoonbill, eustrongylidiosis in 225  
Spore, *Clostridium botulinum* 271  
Squeeze chute 59  
Staggering 105  
Stanley crane, inclusion body disease of cranes in 153  
Staphylococcosis 123–124  
    bumblefoot 123  
    septicemic 123–124  
Starlicide® 285  
Starling  
    avian cholera in 79–80  
    candidiasis in 135  
    chlorinated hydrocarbon poisoning in 296  
    erysipelas in 121  
    mercury poisoning in 340  
    salmonellosis in 103  
    tracheal worms in 229  
    tuberculosis in 93  
Starvation 309  
Station brochures 19  
Stellar's jay, aspergillosis in 130  
Sternum, light-colored granulomas of 211–212  
Stilt, avian cholera in 79  
Stomach worm, see Gizzard worms  
Stork  
    erysipelas in 121  
    herpesvirus disease in 158–159  
Strychnine 351  
Stunning and exsanguination 50  
Styrofoam coolers, for shipment of specimens 13–15  
Subcutaneous fat, loss of 319–320, 326  
Suffocation 205  
Surf scoter, nasal leeches in 245  
Surgical procedures, wildlife 65–67  
Swallow  
    chemical poisoning in 353  
    pesticide poisoning in 288  
Swallowing difficulty 205, 223  
Swan  
    acanthocephaliasis in 242  
    avian cholera in 79  
    duck plague in 141, 151  
    erysipelas in 121  
    gizzard worms in 236–237  
    heartworm of swans and geese in 233–234  
    hemosporidiosis in 194  
    lead poisoning in 317–318, 333  
    nasal leeches in 245, 248  
    oil toxicosis in 311  
    renal coccidiosis in 216  
    salmonellosis in 100, 103  
    sarcocystis in 221

tracheal worms in 229  
trematodes in 249  
Swift, avian cholera in 79  
Swim-in trap 33  
Swimming, circular 83, 85, 148  
Syngamiasis, see Tracheal worms  
Syngamus trachea, see Tracheal worms  
Systox® 285  
**T**  
T-2 toxicosis, see Fusariotoxin poisoning  
Tailings ponds 342  
Tail vein, blood collection from live animals 59  
Talon (claw), vegetation clenched in 290–291  
Talon® (pesticide) 285  
Tapeworms, see Cestodes  
Tarsal vein, blood collection from live animals 59  
TB, see Tuberculosis  
Teal  
    lead poisoning in 318  
    nasal leeches in 245  
    sarcocystis in 220  
Tears, excessive 290  
Temephos 287  
Temik 285  
Tenosynovitis 185  
Terbufos 285, 292, 352  
Tern  
    avian cholera in 91  
    carbamate poisoning in 351  
    chemical poisoning in 353  
    chlamydiosis in 111–112  
    erysipelas in 121  
    gizzard worms in 237  
    mercury poisoning in 338  
    salmonellosis in 99–100, 103–104  
    sarcocystis in 221  
    tularemia in 124  
Theromyzon, see Nasal leeches  
Thiram 285  
Thirst 146, 290  
Thorny-headed worms, see Acanthocephaliasis  
Thrasher, avian cholera in 79  
Throat, inflammation of 205  
Thrush (bird)  
    avian cholera in 79  
    pesticide poisoning in 288  
Thrush (disease), see Candidiasis  
Thymus gland  
    atrophy of 185  
    hemorrhage in 154  
Tick 69, 124, 257–258  
Tick paralysis 257–258  
Tissue sample

- collection of 7–9
- collection from live animals 57–58
- containers for 8–9
- fixation of 8
- labeling of 12
- Toes, clenched 177, 265
- Tongue, ulcerative “cold sore” under 146–148
- Toxaphene 296–297
- Toxic gas, euthanasia with 50–51
- Tracheal worms 229–231
- Tranquilizer gun 58
- Transformers 357–360
- Transmission lines 357–360
- Transport host 188, 192
- Transport myopathy, see Capture myopathy
- Transport of live animals 64–65
  - confinement during shipping 65–66
- Trapping of wildlife 33, 35
- Traumatic injury 290, 356, 365–366
- Tree sparrow, salmonellosis in 104
- Trematodes 189, 249–253
- Tremors 105, 172, 177, 208, 265, 267, 290, 298, 300, 305–306, 339
- Trichomonas gallinae, see Trichomoniasis
- Trichomoniasis 188–189, 201–206
- Trichophyton gallinae, see Ringworm
- Trichostrongylidosis 254–255
- Trichostrongylus tenuis, see Trichostrongylidosis
- Trichothecene 260, 269
- Trichothecene mycotoxicosis, see Fusariotoxin poisoning
- Triumph® 285
- Trumpeter swan
  - acanthocephaliasis in 242
  - avian pox in 163–164
  - heartworm of swans and geese in 234
  - lead poisoning in 321
  - nasal leeches in 245, 247
- Tuberculosis 93–98
- Tularemia 124
- Tumbling 107
- Tumors 356, 364–365
  - herpesvirus-related 157
- Tundra swan
  - aspergillosis in 130
  - avian pox in 163–164
  - heartworm of swans and geese in 234
  - lead poisoning in 317–318, 321, 324, 328
  - nasal leeches in 245
- Turkey
  - avian cholera in 82
  - avian influenza in 181, 183
  - avian pox in 165
  - candidiasis in 135
  - chlamydiosis in 111

- erysipelas in 121
- hemosporidiosis in 197–198
- herpesvirus disease in 158
- histomoniasis in 257
- intestinal coccidiosis in 210
- lead poisoning in 319
- mercury poisoning in 339
- mycoplasmosis in 115–116
- nematodes in 255
- Newcastle disease in 176
- new duck disease in 122
- salmonellosis in 99–100
- ticks on 257
- tracheal worms in 229
- trichomoniasis in 203
- tuberculosis in 93–94
- wild, see Wild turkey

Turkey vulture

- lead poisoning in 320
- mercury poisoning in 339

Turtles, Salmonella in 99

Typhoid, fowl, see Salmonellosis

## U

Ulcerative enteritis 74, 122–123

Upland gamebirds

- aspergillosis in 130
- avian botulism in 274
- avian cholera in 80
- avian influenza in 181, 183
- avian pox in 163, 166, 169
- chlamydiosis in 111–112
- eastern equine encephalomyelitis in 171–172
- lead poisoning in 319, 333
- mycoplasmosis in 115, 119
- pesticide poisoning in 288
- ulcerative enteritis in 123

Uric acid salts 217, 348

## V

Venipuncture 57–58

Venomous organism 260

Vent

- bloodstained 249
- bloody discharge from 146
- bright green staining of 327
- pasted 105

Ventricular nematodiasis, see Gizzard worms

Ventriculus, raised tunnels on 223, 225

Verminous peritonitis, see Eustrongylidiosis

Viral disease 140

Visceral gout 172–173

Vision, impaired 118

Vitamin deficiency 367



Voice changes 172  
Vomiting 265, 269, 290  
Vomitoxicosis, see Fusariotoxin poisoning  
Vomitoxin 269  
Vulture  
    avian botulism in 274  
    avian cholera in 78  
    pesticide poisoning in 288  
    tuberculosis in 94  
VVND, see Newcastle disease

## W

Wading birds  
    avian cholera in 79–80  
    avian pox in 163  
    eustrongylidiosis in 223, 225, 227  
    gizzard worms in 237  
    mercury poisoning in 338  
    necrotic enteritis in 122  
    oil toxicosis in 311  
    pesticide poisoning in 288  
    sarcocystis in 220–221  
Walk-in trap 33  
Warfarin 285  
Wariness, loss of 146  
Warty nodules, on featherless areas 165, 167  
Wastewater discharge 97, 101, 107, 225, 280, 309, 335  
Wastewater pits, oil-field 312  
Wastewater sites 94  
Watercraft  
    for carcass collection 21, 26  
    disinfection of 33  
    transport of live animals in 64–65  
Water deprivation, see Salt poisoning  
Water drawdown 279  
Waterfowl  
    aspergillosis in 130  
    avian botulism in 274–275  
    avian cholera in 75, 78, 80, 91  
    avian influenza in 181, 183–184  
    avian pox in 163, 169  
    capture myopathy in 364  
    carbamate poisoning in 351  
    chemical poisoning in 353  
    chlamydiosis in 111–112  
    chlorinated hydrocarbon poisoning in 296, 298, 301  
    eastern equine encephalomyelitis in 171–172  
    fusariotoxin poisoning in 269  
    gizzard worms in 235  
    hemosporidiosis in 194  
    herpesvirus disease in 158–159  
    intestinal coccidiosis in 208  
    lead poisoning in 317, 321–322, 332  
    mycoplasmosis in 116  
    nasal leeches in 245  
    necrotic enteritis in 122  
    new duck disease in 122  
    organophosphate poisoning in 352  
    pesticide poisoning in 287–288, 293, 351  
    renal coccidiosis in 216  
    rodenticide and repellent poisoning in 353  
    sarcocystis in 220  
    tracheal worms in 229  
    trematodes in 249  
    trichomoniasis in 203  
    tuberculosis in 94  
Water quality 4  
Waxwing, avian cholera in 79  
Weakness 112, 195, 220, 237, 269, 290, 339  
Weather 356, 365–367  
Weaver, herpesvirus disease in 159  
Weight loss 112, 118, 195, 203, 208, 231, 250, 257, 268, 290, 306  
Wenyonella, see Intestinal coccidiosis  
Western duck sickness, see Avian botulism  
Western grebe, chlorinated hydrocarbon poisoning in 296  
Western sandpiper, lead poisoning in 320  
Wet pox 165, 168–169  
Whirl-Pak bags 8–9  
Whistling duck, lead poisoning in 318  
White-faced ibis, chlorinated hydrocarbon poisoning in 299  
White-fronted goose  
    avian cholera in 80  
    heartworm of swans and geese in 234  
    necrotic enteritis in 122  
White ibis, lead poisoning in 320–321  
White-naped crane, inclusion body disease of cranes in 153  
White Pekin duck  
    algal toxin poisoning in 265  
    duck plague in 141, 143–144, 151  
    eastern equine encephalomyelitis in 171  
    inclusion body disease of cranes in 153–154  
    trematodes in 250  
White pelican  
    entangled in fishing line 362  
    lead poisoning in 320–321  
    mercury poisoning in 338  
    Newcastle disease in 175  
    polychlorinated biphenyl poisoning in 303  
White-tailed eagle, mercury poisoning in 339  
White-tailed tropicbird, avian pox in 169  
White-winged dove, chlamydiosis in 114  
White-winged scoter, nasal leeches in 245  
Whooper swan, lead poisoning in 321  
Whooping crane  
    avian cholera in 91  
    capture myopathy in 60

- eastern equine encephalomyelitis in 171–173
- intestinal coccidiosis in 207
- traumatic injuries in 366
- tuberculosis in 97
- Wildlife, in field research 53–71
- Wildlife disease programs 370
- Wildlife marking 44, 61–63
- Wildlife Society, guidelines for use of wildlife in field research 53–71
- Wild turkey
  - avian pox in 164–165
  - capture myopathy in 364
  - gizzard worms in 235
  - hemosporidiosis in 194
  - herpesvirus disease in 159
  - histomoniasis in 257
  - lead poisoning in 320
  - mycoplasmosis in 115
  - tracheal worms in 229
- Wing(s)
  - flapping of 267
  - roof-shaped 319, 324
  - violent beating of 300
- Wing droop 105, 131, 177–179, 257, 269, 319, 321, 324
- Woodcock
  - lead poisoning in 319
  - renal coccidiosis in 216
  - woodcock reovirus in 185–186
- Woodcock reovirus 140, 185–186
- Wood duck
  - aspergillosis in 131
  - avian pox in 164
  - duck plague in 141
  - lead poisoning in 318, 321
- Woodpecker
  - avian cholera in 79
  - intestinal coccidiosis in 210
- Wood pigeon
  - candidiasis in 135
  - erysipelas in 121
  - salmonellosis in 100
  - tuberculosis in 95
- Written history 3

**Y**

- Yellowleg, avian cholera in 79
- Yellow-naped Amazon parrot, mycoplasmosis in 115
- Young birds, disease in 361

**Z**

- Zearalenone 269
- Zearalenone toxicosis, see Fusariotoxin poisoning
- Zectran® 285
- Zinc 285

**REPORT DOCUMENTATION PAGE**

Form Approved

OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

<b>1. AGENCY USE ONLY (Leave Blank)</b>		<b>2. REPORT DATE</b> 1999	<b>3. REPORT TYPE AND DATES COVERED</b> Final.	
<b>4. TITLE AND SUBTITLE</b> Field Manual of Wildlife Diseases, General Field Procedures and Diseases of Birds			<b>5. FUNDING NUMBERS</b> 99/00-3204-40A40	
<b>6. AUTHOR(S)</b> Milton Friend and J. Christian Franson, Technical Editors				
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b> U.S. Geological Survey, Biological Resources Division, National Wildlife Health Center, 6006 Schroeder Rd., Madison, WI 53711			<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b> ITR 1999-001	
<b>9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES)</b> U.S. Geological Survey, 12201 Sunrise Valley Dr., Reston, VA 20192			<b>10. SPONSORING/MONITORING AGENCY REPORT NUMBER</b> ITR 1999-001	
<b>11. SUPPLEMENTARY NOTES</b> Supersedes U.S. Fish and Wildlife Service Resource Publication 167 (1987).				
<b>12a. DISTRIBUTION/AVAILABILITY STATEMENT</b>			<b>12b. DISTRIBUTION CODE</b>	
<b>13. ABSTRACT (Maximum 200 words).</b> The "Field Manual of Wildlife Diseases, General Field Procedures and Diseases of Birds" presents practical, current information and insights about wild bird illnesses and the procedures to follow when ill birds are found or epidemics occur. Section 1 of the Manual provides information about general field procedures. Sections 2 through 5 describe various bird diseases. Sections 6 and 7 provide information about toxins that affect birds, and Section 8 describes miscellaneous diseases and hazards that affect birds. Manual lists institutions and laboratories that offer diagnostic services; sources of supplies for collecting, preserving, and shipping specimens; and it contains color illustrations for dissection.				
<b>14. SUBJECT TERMS</b> Bird diseases; wildlife diseases; bacterial diseases; fungal diseases; viral diseases; parasitic diseases; biotoxins; chemical toxins; general field procedures.			<b>15. NUMBER OF PAGES</b> 440	
			<b>16. PRICE CODE</b>	
<b>17. SECURITY CLASSIFICATION OF REPORT</b> Unclassified	<b>18. SECURITY CLASSIFICATION OF THIS PAGE</b>	<b>19. SECURITY CLASSIFICATION OF ABSTRACT</b>	<b>20. LIMITATION OF ABSTRACT</b>	

MSN 7540-01-280-5500

STANDARD FORM 298 (Rev. 2-89)  
Prescribed by ANSI Std 439-18  
298-102