

6-1-2004

Characterization of Protein Changes in Buffalograsses Challenged by *Blissus Occiduus*

Tiffany Heng-Moss

University of Nebraska-Lincoln, thengmoss2@unl.edu

Gautam Sarath

University of Nebraska-Lincoln, Gautam.sarath@ars.usda.gov

Frederick P. Baxendale

University of Nebraska-Lincoln, fbaxendale1@unl.edu

D. Novak

University of Nebraska-Lincoln

S. Bose

University of Nebraska-Lincoln

See next page for additional authors

Follow this and additional works at: <http://digitalcommons.unl.edu/usdaarsfacpub>

 Part of the [Agricultural Science Commons](#)

Heng-Moss, Tiffany; Sarath, Gautam; Baxendale, Frederick P.; Novak, D.; Bose, S.; Xinhi, N.; and Quisenberry, S., "Characterization of Protein Changes in Buffalograsses Challenged by *Blissus Occiduus*" (2004). *Publications from USDA-ARS / UNL Faculty*. 26.
<http://digitalcommons.unl.edu/usdaarsfacpub/26>

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Publications from USDA-ARS / UNL Faculty by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Tiffany Heng-Moss, Gautam Sarath, Frederick P. Baxendale, D. Novak, S. Bose, N. Xinh, and S. Quisenberry

Research Project: [Improved Plants and Production Practices for Grasslands and Biomass Crops in the Mid-Continental Usa](#)

Location: [Grain, Forage & Bioenergy Research](#)

Title: Characterization of Protein Changes in Buffalograsses Challenged by *Blissus Occiduus*

Authors

- Heng-Moss, T – UNI OF NE-LINCOLN
- [Sarath, Gautam](#)
- Baxendale, F – UNI OF NE-LINCOLN
- Novak, D – UNI OF NE-LINCOLN
- Bose, S – UNI OF NE-LINCOLN
- Xinhi, N – MONTANA STATE UNI
- Quisenberry, S – MONTANA STATE UNI

Submitted to: Journal of Experimental Botany

Publication Type: Peer Reviewed Journal

Publication Acceptance Date: January 26, 2004

Publication Date: June 1, 2004

Citation: Heng-Moss, T., Sarath, G., Baxendale, F., Novak, D., Bose, S., Xinhi, N., Quisenberry, S. 2004. Characterization of protein changes in buffalograsses challenged by *blissus occiduus*. *J Econ Entomol.* 97:1086-1095.

Interpretive Summary: Plant-insect interactions are of profound importance in agriculture. Herbivorous insects can inflict substantial damage to susceptible plants. Thus understanding the mechanisms of plant tolerance to herbivory can lead to breeding resistant plants. Although this area has been studied for many years, we are still largely unaware of the plant-related biochemical changes that result in tolerance or resistance mechanisms. This paucity of data is further complicated by the great range of insect herbivores and in several cases by an almost complete lack of molecular and biochemical information of the agronomically important plant species. We investigated

the role of plant proteins and some oxidative enzymes in the defense response of buffalograss, *Buchloë dactyloides* (Nuttall) Engelman, to the chinch bug, *Blissus occiduus* Barber. Changes in catalase and peroxidase activity were observed in both resistant and susceptible buffalograsses in response to chinch bug feeding. Susceptible plants were shown to have a lower level of catalase activity when compared to their respective control plants. By contrast, catalase activities of resistant plants were similar between infested and control buffalograsses throughout the study. Resistant plants had higher levels of peroxidase activity when compared with their control plants, while peroxidase activities for control and infested susceptible plants remained at similar levels or were slightly lower for infested plants. These findings suggest that chinch bug feeding leads to a loss in catalase activity in susceptible buffalograsses. In contrast, resistant buffalograsses may be able to tolerate chinch bug feeding by increasing their peroxidase activity.

Technical Abstract: Modifications in plant protein profiles and alterations in plant oxidative enzyme levels have been reported to be among a plant's first response to insect herbivory. This research investigated the role of plant proteins in the defense response of buffalograss, *Buchloë dactyloides* (Nuttall) Engelman, to *Blissus occiduus* Barber. The objectives were two-fold: first, to compare protein content and enzyme activities (i.e., peroxidase, catalase, and polyphenol oxidase) of chinch bug resistant and susceptible buffalograsses, and second, to analyze extracted proteins by native and denaturing gel electrophoresis to obtain information about protein profiles of resistant and susceptible buffalograsses. Changes in catalase and peroxidase activity were observed in both resistant and susceptible buffalograsses in response to chinch bug feeding. Susceptible plants were shown to have a lower level of catalase activity when compared to their respective control plants. By contrast, catalase activities of resistant plants were similar between infested and control buffalograsses throughout the study. Resistant plants had higher levels of peroxidase activity when compared with their control plants, while peroxidase activities for control and infested susceptible plants remained at similar levels or were slightly lower for infested plants. These findings suggest that chinch bug feeding leads to a loss in catalase activity in susceptible buffalograsses. In contrast, resistant buffalograsses may be able to tolerate chinch bug feeding by increasing their peroxidase activity. Polyphenol oxidase activities were similar between control and infested plants for the buffalograsses evaluated.

online at:

http://www.ars.usda.gov/research/publications/Publications.htm?seq_no_115=155870