

4-1-2002

Pyruvate, Orthophosphate Dikinase in Leaves and Chloroplasts of C₃ Plants Undergoes Light-/Dark-Induced Reversible Phosphorylation

Chris J. Chastain

Jason P. Fries

Julie A. Vogel

Christa L. Randklev

Adam P. Vossen

See next page for additional authors

Follow this and additional works at: <http://digitalcommons.unl.edu/usdaarsfacpub>

 Part of the [Agricultural Science Commons](#)

Chastain, Chris J.; Fries, Jason P.; Vogel, Julie A.; Randklev, Christa L.; Vossen, Adam P.; Dittmer, Sharon K.; Watkins, Erin E.; Fiedler, Lucas J.; Wacker, Sarah A.; Meinhover, Katherine; Sarath, Gautam; and Chollet, Raymond, "Pyruvate, Orthophosphate Dikinase in Leaves and Chloroplasts of C₃ Plants Undergoes Light-/Dark- Induced Reversible Phosphorylation" (2002). *Publications from USDA-ARS / UNL Faculty*. 51.

<http://digitalcommons.unl.edu/usdaarsfacpub/51>

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Publications from USDA-ARS / UNL Faculty by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Chris J. Chastain, Jason P. Fries, Julie A. Vogel, Christa L. Randklev, Adam P. Vossen, Sharon K. Dittmer, Erin E. Watkins, Lucas J. Fiedler, Sarah A. Wacker, Katherine Meinhover, Gautam Sarath, and Raymond Chollet

Pyruvate, Orthophosphate Dikinase in Leaves and Chloroplasts of C₃ Plants Undergoes Light-/Dark-Induced Reversible Phosphorylation¹

Chris J. Chastain,^{*} Jason P. Fries, Julie A. Vogel, Christa L. Randklev, Adam P. Vossen,² Sharon K. Dittmer, Erin E. Watkins, Lucas J. Fiedler, Sarah A. Wacker, Katherine C. Meinhover, Gautam Sarath, and Raymond Chollet

Department of Biology, Minnesota State University, Moorhead, Minnesota 56563 (C.J.C., J.P.F., J.A.V., C.L.R., A.P.V., S.K.D., E.E.W., L.J.F., S.A.W., K.C.M.); and Department of Biochemistry, George W. Beadle Center, University of Nebraska, Lincoln, Nebraska 68588-0664 (G.S., R.C.)

Pyruvate, orthophosphate (Pi) dikinase (PPDK) is best recognized as a chloroplastic C₄ cycle enzyme. As one of the key regulatory foci for controlling flux through this photosynthetic pathway, it is strictly and reversibly regulated by light. This light/dark modulation is mediated by reversible phosphorylation of a conserved threonine residue in the active-site domain by the PPDK regulatory protein (RP), a bifunctional protein kinase/phosphatase. PPDK is also present in C₃ plants, although it has no known photosynthetic function. Nevertheless, in this report we show that C₃ PPDK in leaves of several angiosperms and in isolated intact spinach (*Spinacia oleracea*) chloroplasts undergoes light-/dark-induced changes in phosphorylation state in a manner similar to C₄ dikinase. In addition, the kinetics of this process closely resemble the reversible C₄ process, with light-induced dephosphorylation occurring rapidly (≤ 15 min) and dark-induced phosphorylation occurring much more slowly ($\geq 30-60$ min). In intact spinach chloroplasts, light-induced dephosphorylation of C₃ PPDK was shown to be dependent on exogenous Pi and photosystem II activity but independent of electron transfer from photosystem I. These in organello results implicate a role for stromal pools of Pi and adenylates in regulating the reversible phosphorylation of C₃-PPDK. Last, we used an in vitro RP assay to directly demonstrate ADP-dependent PPDK phosphorylation in desalted leaf extracts of the C₃ plants *Vicia faba* and rice (*Oryza sativa*). We conclude that an RP-like activity mediates the light/dark modulation of PPDK phosphorylation state in C₃ leaves and chloroplasts and likely represents the ancestral isoform of this unusual and key C₄ pathway regulatory "converter" enzyme.

Link to full text:

<http://www.plantphysiol.org/cgi/content/abstract/128/4/1368>