

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Tractor Tests

Tractor Test and Power Museum, The Lester F.
Larsen

January 1934

Test 226: Caterpillar Model 22

Tractor Museum

University of Nebraska-Lincoln, TractorMuseumArchives@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Applied Mechanics Commons](#)

Museum, Tractor, "Test 226: Caterpillar Model 22" (1934). *Nebraska Tractor Tests*. 833.
<https://digitalcommons.unl.edu/tractormuseumlit/833>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 226

Dates of test: September 25 to October 9, 1934.
 Name and model of tractor: "CATERPILLAR" "TWENTY-TWO"
 Manufacturer: Caterpillar Tractor Company, Peoria, Illinois.
 Manufacturer's rating: NOT RATED.
 Highest rating permissible under the recommendations of the A.S.A.E. and
 S.A.E. Tractor Rating Codes: Drawbar - 18.86 H.P. Belt - 26.75 H.P.
 One carburetor setting (96.5% of maximum) was used thruout this test.

B R A K E H O R S E P O W E R T E S T S

H. P.	:Crank : :shaft :	Fuel Consumption :Gals. : H.P. :Lbs. @	:Cool- : In :	Water consumption : per hour gallons	: Cool- : ing	Temp. : Deg. F.	:Barometer :Inches of :Mercury
-------	----------------------	---	---------------	---	---------------	--------------------	--------------------------------------

OPERATING MAXIMUM LOAD TEST. ONE HOUR

29.36 : 1252 : 2.970 : 9.89 : 0.703 : 0.000 : 0.000 : 0.000 : 187 : 73 : 29.050

RATED LOAD TEST. ONE HOUR

26.87 : 1250 : 2.607 : 10.31 : 0.674 : 0.000 : 0.000 : 0.000 : 189 : 78 : 29.005

*VARYING LOAD TEST. TWO HOURS

26.50	1245	2.573	10.30	0.675	--	--	--	189	79	--
0.59	1310	1.148	0.51	13.525	--	--	--	179	82	--
13.54	1266	1.791	7.56	0.919	--	--	--	181	78	--
27.22	1178	2.780	9.79	0.710	--	--	--	198	85	--
6.81	1280	1.483	4.65	1.493	--	--	--	180	83	--
19.85	1255	2.236	8.88	0.783	--	--	--	184	83	--
15.75	1255	1.999	7.88	0.882	0.000	0.000	0.000	185	81	28.990

*20 minute runs. Last line is average for two hours.

D R A W B A R H O R S E P O W E R T E S T S

H. P.	:Draw : :bar :	:Speed : :miles :	:Crank : :shaft :	:Slip : :on :	:Fuel Consumption :Gal. : hr. : per	:Water: :used :	:Temp. :Cool-:Air	:Barometer :Inches of :Mercury
-------	-------------------	----------------------	----------------------	------------------	--	--------------------	----------------------	--------------------------------------

RATED LOAD TEST. TEN HOURS. SECOND GEAR.

19.08 : 2806 : 2.55 : 1250 : 1.75 : 2.355 : 8.10 : 0.858 : 0.000 : 188 : 66 : 28.750

MAXIMUM LOAD TEST

23.43	4534	1.94	1248	2.84	-----	Not Recorded	-----	190	81	28.655
22.32	3294	2.54	1243	1.75	-----	" "	-----	186	74	28.700
20.88	2214	3.54	1251	1.50	-----	" "	-----	193	85	28.665

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 226

BRIEF SPECIFICATIONS

MOTOR: Make Own Serial No. 2 F 1117 Type 4 Cylinder, Vertical

Head I Mounting Lengthwise

Bore and stroke: 4" x 5" Rated R.P.M. 1250

Port Dia. Valves: Inlet 1 1/2" Exhaust 1 5/16"

Belt pulley: Diam. 10 1/2" Face 6 1/2" R.P.M. 950

Magneto: Eisemann Model CT4

Carburetor: Zenith Model K 5 A Size 1 1/4"

Governor: Own No. None Type Flyball

Air Cleaner: Own under Vortox patents Type Combination centrifugal,
oil and matted wire

Lubrication: Pressure

CHASSIS: Type Tracklayer Serial No. 2 F 1117 Drive Enclosed gear

Clutch: Own Type Single plate - dry operated by foot

Advertised speeds, miles per hour: Low 2.0

Intermediate 2.6 High 3.6 Reverse 2.1

Measured length of track: 15.412 feet Face 10 inches

Lugs: Type Cleats integral with shoes No. per track 30 Size 10" x 1 1/2"

Extension rims: None

Seat: Upholstered

Total weight as tested (with operator) 6,605 pounds.

FUEL AND OIL:

Fuel: Distillate Weight per gallon 6.95 pounds

Oil: S.A.E. Viscosity No. 30 The oil was drained
once - at the end of
Total oil to motor 2.506 gallons the test.

Total drained from motor 2.485 gallons

Total time motor was operated 48 hours

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 226

REPAIRS AND ADJUSTMENTS

No repairs or adjustments.

REMARKS

The tests herein reported were conducted with one carburetor setting which remained unchanged throughout the tests. This condition should be recognized when comparing this test with any Nebraska test conducted prior to 1928.

The track and lug equipment used in the drawbar tests is the same as that described on page 2 of this report.

In the advertising literature submitted with the specifications and application for test of this tractor we find no claims and statements which, in our opinion, are unreasonable or excessive.

We, the undersigned, certify that the above is a true and correct report of official tractor test No. 226.

Carlton L. Zink

Engineer-in-charge

E. E. Brackett

C. W. Smith

E. B. Lewis

Board of Tractor Test Engineers