

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Tractor Tests

Tractor Test and Power Museum, The Lester F.
Larsen

January 1932

Test 209: Caterpillar Model 65

Tractor Museum

University of Nebraska-Lincoln, TractorMuseumArchives@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Applied Mechanics Commons](#)

Museum, Tractor, "Test 209: Caterpillar Model 65" (1932). *Nebraska Tractor Tests*. 816.
<https://digitalcommons.unl.edu/tractormuseumlit/816>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 209

Dates of test: July 5 to 22, 1932.
 Name and model of tractor: CATERPILLAR "65"
 Manufacturer: Caterpillar Tractor Company, Peoria, Illinois.
 Manufacturer's rating: NOT RATED.
 Highest rating permissible under the recommendations of the A.S.A.E. and
 S.A.E. Tractor Rating Codes: Drawbar - 54.15 H.P. Belt - 72.02 H.P.
 One carburetor setting (98.5% of maximum) was used throughout this test.

B R A K E H O R S E P O W E R T E S T S

:Crank : H. P. shaft :	Fuel Consumption			Water consumption			Temp.		:
:speed : :R.P.M. : :	Gals. :	H. P. :	Lbs. @ :	per hour :	gallons :	In :	Cool- :	Dog. F. :	Barometer
: : : : : :	per :	hrs. @ :	H.P. :	ing :	fuel :	Total :	ing :	Air :	Inches of Mercury
: : : : : :	hour :	gal. :	hour :	; :	; :	; :	mod. :	; :	:

OPERATING MAXIMUM LOAD TEST. ONE HOUR

78.41	: 650	: 9.474	: 8.28	: 0.739	: 0.838	: 0.00	: 0.838	: 210	: 93	: 28.895
-------	-------	---------	--------	---------	---------	--------	---------	-------	------	----------

RATED LOAD TEST. ONE HOUR

72.32	: 650	: 8.812	: 8.21	: 0.746	: 0.490	: 0.00	: 0.490	: 199	: 98	: 28.910
-------	-------	---------	--------	---------	---------	--------	---------	-------	------	----------

*VARYING LOAD TEST. TWO HOURS

72.30	: 651	: 8.848	: 8.17	: 0.749	: --	: --	: --	: 200	: 100	: --
0.58	: 711	: 3.324	: 0.15	: 40.345	: --	: --	: --	: 193	: 99	: --
37.73	: 680	: 5.814	: 6.49	: 0.943	: --	: --	: --	: 197	: 101	: --
74.83	: 625	: 8.877	: 8.43	: 0.726	: --	: --	: --	: 213	: 101	: --
19.93	: 694	: 4.804	: 4.15	: 1.475	: --	: --	: --	: 190	: 104	: --
54.60	: 662	: 7.074	: 7.72	: 0.793	: --	: --	: --	: 203	: 104	: --
44.66	: 670	: 6.540	: 6.83	: 0.896	: 1.614	: 0.00	: 1.614	: 199	: 101	: 28.910

*20 minute runs. Last line is average for two hours.

D R A W B A R H O R S E P O W E R T E S T S

:Draw : H. P. bar :	:Speed : :milos : :pull : :pounds :	:Crank : :shaft : :speed : :R.P.M. :	:Slip : :on : :drive : :wheels : : % :	Fuel Consumption			:Water : :used : :Gal. : :per :	Temp.		:
: : : : : :	: : : : : :	: : : : : :	: : : : : :	: H.P. :	: Lbs. :	: per :	: Gal. :	: Cool- :	: Air :	: Inches of Mercury
: : : : : :	: : : : : :	: : : : : :	: : : : : :	: per :	: per :	: H.P. :	: per :	: ing :	: : : med. :	: :
: : : : : :	: : : : : :	: : : : : :	: : : : : :	: gal. :	: hour :	: hour :	: hour :	: hour :	: : : : : :	: :

RATED LOAD TEST. TEN HOURS. SECOND GEAR

54.18	: 8004	: 2.54	: 650	: 1.85	: 8.057	: 6.72	: 0.910	: 0.00	: 193	: 92	: 28.710
-------	--------	--------	-------	--------	---------	--------	---------	--------	-------	------	----------

MAXIMUM LOAD TEST

67.86	: 13597	: 1.87	: 649	: 2.19	: -----: Not Recorded:		: -----:	: 203	: 102	: 28.850
66.79	: 9906	: 2.53	: 648	: 1.85	: -----: " "		: -----:	: 198	: 102	: 28.880
57.42	: 4950	: 4.35	: 651	: 1.15	: -----: " "		: -----:	: 196	: 105	: 28.860

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 209

BRIEF SPECIFICATIONS

MOTOR: Make Own Serial No. 2 D 148 Type 4 Cylinder, Vertical
Head I Mounting Lengthwise
Bore and stroke: 7" x 8 1/2" Rated R.P.M. 650
Port Dia. Valves: Inlet 2 5/16" Exhaust 2 5/16"
Belt pulley: Diam. 15" Face 11" R.P.M. 650
Magneto: Eisemann Model G V 4
Carburetor: Ensign Model K Size 1 3/4"
Governor: Own No. None Type Flyball
Air Cleaner: Own under Vortex patents Type Centrifugal, oil and matted wire
Lubrication: Pressure

CHASSIS: Type Tracklayer Serial No. 2 D 148 Drive Enclosed gear
Clutch: Own Type Single plate - dry operated by hand lever
Advertised speeds, miles per hour: Low 1.9
Intermediate 2.6 High 4.4 Reverse 1.4
Measured length of track 22.7488 feet Face 20 inches
Lugs: Type Cloats integral with shoes No. per track 34 Size 20" x 2 1/2"
Extension rims: None
Seat: Upholstered
Total weight as tested (with operator) 24965 pounds.

FUEL AND OIL:

Fuel: Gasoline Weight per gallon 6.12 pounds
Oil: S. A. E. Viscosity No. 50 The oil was drained once -
at the end of the test.
Total oil to motor 4.949 gallons
Total drained from motor 3.677 gallons
Total time motor was operated 55 hours

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 209

REPAIRS AND ADJUSTMENTS

No repairs or adjustments.

REMARKS

The tests herein reported were conducted with one carburetor setting which remained unchanged throughout the tests. This condition should be recognized when comparing this test with any Nebraska test conducted prior to 1928.

The track and lug equipment used in the drawbar tests is the same as that described on page 2 of this report.

In the advertising literature submitted with the specifications and application for test of this tractor we find no claims and statements which, in our opinion, are unreasonable or excessive.

We, the undersigned, certify that the above is a true and correct report of official tractor test No. 209.

Carlton L. Zink
Engineer-in-charge

E. E. Brackett

C. W. Smith

E. B. Lewis
Board of Tractor Test Engineers