

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Bird Review

Nebraska Ornithologists' Union

6-1993

***Nebraska Bird Review* (June 1993) 61(2), WHOLE ISSUE**

Follow this and additional works at: <https://digitalcommons.unl.edu/nebbirdrev>



Part of the [Poultry or Avian Science Commons](#), and the [Zoology Commons](#)

"*Nebraska Bird Review* (June 1993) 61(2), WHOLE ISSUE" (1993). *Nebraska Bird Review*. 470.
<https://digitalcommons.unl.edu/nebbirdrev/470>

This Article is brought to you for free and open access by the Nebraska Ornithologists' Union at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Bird Review by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.


Nebraska Bird Review

Magazine of Ornithology of the Nebraska
Region

Volume 61

June 1993

Number 2



Published by the
Nebraska Ornithologists' Union, Inc.
Founded 1899

ISSN 0028-1816

NEBRASKA ORNITHOLOGISTS' UNION 1993 SPRING MEETING
 South Sioux City, Nebraska, May 14-16

Highlights of the 92nd Annual Business Meeting (condensed from notes by Todd Jensen, Secretary).

A special committee was appointed at the 1992 Annual Business Meeting to review and recommend changes in the current Articles of Incorporation, and the current and past Bylaws. These recommendations were presented by President George Brown to the 32 members present. After some debate, a motion was made by Emma Johnson, seconded by Ruth Green, that the Articles of Incorporation recommended by the committee be accepted. Motion carried. A motion was made by Clyde Johnson, seconded by Gary Purdy, that the Bylaws recommended by the committee be accepted. Motion carried.

Because of adverse weather and few papers at the Winter Paper Session at Grand Island February 26-28, 1993, it was decided by a motion to omit the Winter Meeting for 1994.

The following officers for the 1993-1994 year were elected by acclamation: President, George Brown; Vice-President, Bill Huser; Secretary, Robin Harding; Treasurer, Colleen Babcock; Editor NBR, Rosalind Morris. Mary H. Pritchard had previously been appointed Librarian in place of Thomas Labedz, who had resigned.

List of 147 Species Seen During Spring Meeting, May 14-16, 1993
 (compiled by Scott Purdy, Vice-President).

Symbols for counties: B=Burt, C=Cuming, D=Dakota, DI=Dixon, T=Thurston, W=Woodbury (Iowa).

Pied-billed Grebe (D), American White Pelican (D, DI, T), Double-crested Cormorant (D, DI), Great Blue Heron (D, W), Canada Goose (D, W), Wood Duck (D, T, W), Mallard (D), Blue-winged Teal (D, W), Northern Shoveler (D), Turkey Vulture (D, DI, T, W), Sharp-shinned Hawk (W), Cooper's Hawk (D, DI), Broad-winged Hawk (D, DI, W), Swainson's Hawk (D, DI, T, W), American Kestrel (D), Prairie Falcon (DI), Ring-necked Pheasant (D, DI, W), Wild Turkey (DI, T, W), Northern Bobwhite (D), Virginia Rail (D), Sora (D), American Coot (D), Semipalmated Plover (D), Piping Plover (DI), Killdeer (D, DI, W), Greater Yellowlegs (D), Yellowlegs sp. (D), Lesser Yellowlegs (D), Solitary Sandpiper (D), Spotted Sandpiper (D, DI, W), Hudsonian Godwit (D), Semipalmated Sandpiper (D), Least Sandpiper (D), White-rumped Sandpiper (D), Pectoral Sandpiper (D), Stilt Sandpiper (D), Dowitcher sp. (D), Franklin's Gull (D, W), Ring-billed Gull (D), Forster's Tern (D), Black Tern (D), Rock Dove (D, DI, W), Mourning Dove (C, D, DI, T, W), Eastern Screech-Owl (D, W), Barred Owl (D, T, W), Common Nighthawk (D, W), Chuck-will's-widow (D, DI), Whip-poor-will (D, DI, W), Chimney Swift (D, DI, T, W), Ruby-throated Hummingbird (D, DI, T), Belted Kingfisher (W), Red-headed Woodpecker (C, D, DI, T, W), Red-bellied Woodpecker (D, DI, T, W), Yellow-bellied Woodpecker (W), Downy Woodpecker (D, DI, T, W), Hairy Woodpecker (D, DI, W), Northern Flicker (C, D, DI, T, W), Eastern Wood-Pewee (DI, T, W), Willow Flycatcher (DI, W), Least Flycatcher (D, DI, T, W), Eastern Phoebe (D, T, W), Great Crested Flycatcher (D, DI, T, W), Western Kingbird (D), Eastern Kingbird (D, DI, T, W), Horned Lark (D), Purple Martin (D, DI), Tree Swallow (D, W), Northern Rough-winged Swallow ((B, D, DI, T, W), Bank Swallow (D, DI, T, W), Cliff Swallow (D, DI, W), Barn Swallow (B, D, DI, T, W), Blue Jay (D, DI, T, W), American Crow (B, D, DI, T, W), Black-capped Chickadee (D, DI, T, W), White-breasted Nuthatch (D, DI, T, W), House Wren (D, DI, T, W), Sedge Wren (D), Marsh Wren (D), Blue-gray Gnatcatcher (D, W), Eastern Bluebird (D, DI, T, W), Swainson's Thrush (D, DI, T, W), Wood Thrush (D, DI, T, W), American Robin (C, D, DI, T, W), Gray Catbird (D, DI, T, W), Brown thrasher (D, DI, T, W), Cedar

Waxwing (D, DI, W), Loggerhead Shrike (D), European Starling (C, D, DI, T, W), Bell's Vireo (DI, T, W), Yellow-throated Vireo (DI, T, W), Warbling Vireo (D, DI, T, W), Philadelphia Vireo (D, W), Red-eyed Vireo (D, DI, W), Golden-winged Warbler (T), Tennessee Warbler (D, DI, T, W), Orange-crowned Warbler (D, DI, W), Nashville Warbler (D, T), Northern Parula (W), Yellow Warbler (D, DI, T, W), Chestnut-sided Warbler (DI), Magnolia Warbler (D, DI, T), Cape May Warbler (W), Yellow-rumped Warbler (D, DI, T, W), Pine Warbler (D), Blackpoll Warbler (D, DI, T, W), Cerulean Warbler (T, W), Black-and-White Warbler (D, DI, T), American Redstart (D, DI, T, W), Ovenbird (D, DI, T, W), Northern Waterthrush (D, T), Kentucky Warbler (D, T, W), Mourning Warbler (D, DI, W), Common Yellowthroat (D, DI, T, W), Wilson's Warbler (T, W), Canada Warbler (D, DI, T), Scarlet Tanager (DI, T, W), Northern Cardinal (D, DI, T, W), Rose-breasted Grosbeak (D, DI, T, W), Blue Grosbeak (D), Indigo Bunting (D, DI, T, W), Dickcissel (D), Rufous-sided Towhee (D, DI, T, W), Chipping Sparrow (D, DI, T, W), Clay-colored Sparrow (D), Field Sparrow (D, DI, W), Vesper Sparrow (D), Lark Sparrow (D, DI, T), Savannah Sparrow (D), Grasshopper Sparrow (D, W), Song Sparrow (D, DI, W), Lincoln's Sparrow (D, DI, T, W), White-throated Sparrow (T, W), White-crowned Sparrow (D, DI, T), Harris' Sparrow (D, DI, T), Red-winged Blackbird (B, C, D, DI, T, W), Eastern Meadowlark (D, W), Western Meadowlark (B, D, DI, T, W), Yellow-headed Blackbird (D, DI, T, W), Brewer's Blackbird (D), Common Grackle (B, C, D, DI, T, W), Brown-headed Cowbird (B, D, DI, T, W), Orchard Oriole (D, DI, T, W), Northern Oriole (D, DI, T, W), House Finch (D, DI, W), Pine Siskin (D, DI, W), American Goldfinch (D, DI, T, W), House Sparrow (B, D, DI, T, W).

FALL 1992 OCCURRENCE REPORT (JULY 1 - DECEMBER 31)

The total number of species observed in 30 counties of Nebraska during this period was 280. During the past ten years (1983-1992), the number of species for the same reporting period has ranged from 262 in 1983 to 296 in 1987, with the average at 284. Several variables can affect these numbers, including number of observers, frequency of observations, weather conditions for the period, and number of counties included. In 1991 and 1992, the reports by Richard C. Rosché have extended observations to counties in the northwest sector of Nebraska. No reports were obtained from counties in the northern half of the central part of Nebraska, or for six counties in the southeast corner of the state. Both of these areas include major river systems and wooded areas, which should provide good bird habitats.

The data for the last half of 1992 are presented in Table 1 (pages 32-83). The same bird species are listed on facing pages, and the counties are arranged in a general pattern from west to east and from north to south, starting with the northwest counties on the left sides of the pages on the left, and ending with the eastern counties on the right sides of the pages on the right. In some cases where there were two reporters for the same county, there was disagreement on the status of the species, so both opinions are listed, e.g. M (migrant) and S (summer). If documentation was not provided for species needing it according to the Records Committee, the pertinent cells in Table 1 are shaded.

The following information is given starting on page 84 following Table 1: three additional county lists for one-date observations; sighting documentation; and a list of reporters and observers by counties, as well as the total number of species observed in each county.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|--------------------------|---------------------|------------------------|--------------------|---------------------|---------------------|---------------------|------------|---------------------|---------------------|-------|---------------------|------------------------|---------|
| Common Loon | | M, S Jl 15 Ot 30 | | M Ot 17 No 21 | | | | M Ot 17 | | | | | |
| Pied-billed Grebe | S Sp 11 Ot 3 | S Jl 15 No 15 | M Ot 9 | S Au 7 No 21 | S Au 21 Ot 30 | S Sp 4 Ot 30 | | S Au 15 Ot 1 | S Au 15 No 5 | | S Sp 19 | S Au 13 No 7 | |
| Horned Grebe | | M Sp 26 | | M Ot 8 | | | | M Ot 17 | M No 5 | | | M No 7 Dm 17 | |
| Eared Grebe | S Jl 16 Sp 11 | M Jl 1 Au 26 | | M Sp 5 Ot 8 | | | | S Au 15 Ot 17 | S Au 15 | Au 29 | | M Ot 8 | |
| Western Grebe | | M, S Jl 30 Ot 30 | M Jl 11 Ot 9 | M Sp 5 Ot 17 | M Ot 30 | | | S Sp 18 Ot 17 | | Au 29 | M Au 14 Dm 19 | M, S Au 13 Ot 11 | |
| Clark's Grebe | | | | | | | | | | | M Sp 20 | | |
| Amer. White Pelican | | M, S Jl 25 Ot 6 | | M Au 7 Sp 11 | M Au 21 Sp 4 | M Au 21 | | M Au 29 Ot 17 | M Au 15 Au 29 | Au 29 | M Au 14 Sp 20 | M, S Jl 15 Dm 19 | |
| Double-crested Cormorant | | S Jl 1 Ot 30 | M Ot 9 | M Au 8 Ot 2 | M Au 21 | | | M Au 29 Ot 17 | S Au 15 | Au 29 | M Au 14 Sp 20 | M, S Jl 3 Dm 17 | |
| Amer. Bittern | | | | | | | | | S Au 15 | | | | |
| Great Blue Heron | S Jl 6 Jl 7 | P, S Jl 7 Dm 19 | S Jl 11 Ot 9 | S Jl 16 Ot 17 | | S Jl 10 Ot 30 | S Jl 10 | S Au 15 Ot 17 | P Au 15 Dm 17 | | P Au 15 Dm 19 | S Jl 3 Ot 20 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|--------------------------|------------|--------------------|-------|------------|------------|---------------------|-------|--------|---------------------|------------------------|------|---------------------|---------------------|
| Common Loon | M No 6 | | | | | | | | | | | | No 11 Dm 4 |
| Pied-billed Grebe | M No 6 | | No 6 | | | | | | M Ot 10 Ot 24 | | | M Jl 12 No 14 | M Jl 4 No 6 |
| Horned Grebe | | | | M No 6 | | | | | | | | | M Ot 18 No 5 |
| Eared Grebe | | | | | | | | | | | | | |
| Western Grebe | M No 29 | M No 7 | | | | | | | | | | | |
| Clark's Grebe | | | | | | | | | | | | | |
| Amer. White Pelican | | M Au 14 | | M No 6 | | M Au 20 Au 29 | | | M Sp 6 | | | | M Jl 22 Ot 4 |
| Double-crested Cormorant | | M Au 14 No 7 | | M No 6 | | | | | M Sp 26 Ot 10 | | | Au 15 | M Au 13 No 14 |
| Amer. Bittern | | | | | | | | | | | | | |
| Great Blue Heron | S No 6 | S Au 14 No 7 | | | | S No 28 Dm 16 | Dm 19 | | Jl 2 Dm 13 | A, S Jl 20 Dm 20 | | S S- No 14 | S Jl 4 No 8 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; S-W, present before July 1 and after Dec. 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-----------------------------|-------|---------------------|------------|--------------------|------------|---------------------|------------|---------------------|---------------------|-------|---------------------|--------------------|---------|
| Great Egret | | | | | | M Au 21 Sp 26 | | | | | | | |
| Little Blue Heron | | | | | | | | | | | | | |
| Cattle Egret | | | | | | | | | | | | M Au 29 | |
| Green-backed Heron | | | | | | | | | | | | A Sp 2 | |
| Black-crowned Night-Heron | | S Sp 8 | | | | M Sp 4 | | | | | | S Au 29 | |
| Yellow-crowned Night-Heron | | | | | | | | | | | | | |
| Trumpeter Swan | | | | | | | | | | | W Dm 18 Dm 19 | | |
| Greater White-fronted Goose | | | | | | | | | | | | | |
| Snow Goose | | M Ot 30 | | M Ot 26 No 4 | | M Ot 30 | | | | | | M Dm 5 | |
| Canada Goose | | P Jl 1 Dm 31 | S Jl 11 | S Sp 11 Dm 6 | | P Jl 10 Dm 17 | S Jl 10 | | P Au 15 Dm 17 | | P Sp 20 Dm 18 | P No 7 Dm 19 | |
| Wood Duck | | S Jl 15 No 12 | S Ot 9 | S Au 7 Sp 11 | S Au 21 | | | S Au 29 Sp 12 | S Au 15 Sp 20 | | S Sp 19 | S Au 14 No 7 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-------------------------|--------------------|----------|-------|--------------------|------------|---------------------|------|--------|---------------------|---------------------|------------|------------------|--------------------|
| Great Egret | | | | | | Au 14 | | | | | | | S Sp 3 Sp 11 |
| Little Blue Heron | | | | | | Au 14 Au 29 | | | | | | | |
| Cattle Egret | | | | | | Au 19 | | | | | | Jl 25 | S Jl 30 |
| Green-backed Heron | | | | | | S | | | S Jl 1 Au 29 | N.R. | | | S Jl 11 Sp 5 |
| Black-cr. Night-Heron | | | | | | Au 29 | | | | | M Au 11 | Jl 30 | |
| Yellow-cr. Night-Heron | | | | | | Au 24 | | | | | | | |
| Trump. Swan | | | | | | | | | | | | | |
| Greater White-fr. Goose | | | | | | | | | | | | | Ot 20 Dm 29 |
| Snow Goose | M No 6 | | | M No 6 | | | | | M No 27 Dm 5 | M No 27 Dm 20 | | M Sp 30 | M Ot 7 Dm 29 |
| Canada Goose | M No 6 No 29 | | No 5 | M No 6 No 29 | F | P No 18 Dm 26 | | | P Jl 11 Dm 12 | P Jl 6 Dm 20 | | S S- Au 15 | Jl 1 Dm 29 |
| Wood Duck | | | No 6 | | | | Dm 3 | | S Jl 3 No 7 | | | S S- Au 30 | S Jl 1 No 3 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-------------------|--------------------|------------------------|-----------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------|---------------------|------------------------|------------|
| Green-winged Teal | M Sp 11 Ot 3 | P, S Au 11 Dm 19 | M Ot 9 | M Au 7 Ot 30 | M Au 21 Ot 30 | M Sp 4 Ot 30 | | M Au 29 Ot 17 | M Sp 20 Dm 17 | Au 29 | W Sp 20 Dm 19 | M Sp 30 No 7 | |
| Mallard | S Jl 8 Ot 3 | P Jl 1 Dm 29 | M Ot 9 | P Au 7 No 21 | P Au 21 Ot 30 | P Au 21 No 5 | S Jl 10 Jl 11 | S Au 15 Ot 17 | P Au 15 Dm 17 | | P No 25 Dm 19 | P No 7 Dm 19 | |
| Northern Pintail | | M, P Au 21 Dm 19 | M Ot 9 | S Au 7 No 21 | S Ot 30 | S Au 21 Ot 30 | | S Au 15 Ot 17 | S Sp 20 No 5 | | M Dm 18 Dm 19 | M Sp 15 No 7 | |
| Blue-winged Teal | S Sp 11 | P, S Jl 1 Dm 29 | | S Au 7 Sp 11 | S Au 21 Ot 30 | S Au 21 Sp 26 | S Jl 10 Jl 11 | S Au 15 Sp 18 | S Sp 20 | Au 29 | S Sp 19 | M Sp 30 | M Au 13 |
| Northern Shoveler | S Ot 3 | M, S Au 26 No 25 | | S Au 7 | M Ot 30 | S Au 21 Sp 26 | | S Au 29 Ot 17 | S Au 15 No 5 | | M No 25 Dm 18 | M, S Au 14 Sp 20 | |
| Gadwall | | M, W Sp 26 Dm 19 | M Ot 9 | S Au 7 No 21 | S Ot 30 | S Sp 4 No 5 | | S Au 15 Ot 17 | P Au 15 Dm 17 | | W No 5 Dm 19 | M No 7 | |
| Eurasian Wigeon | | | | | | | | | | | | | |
| American Wigeon | | M, P Jl 1 Dm 21 | M Ot 9 | M Au 7 No 21 | S Ot 30 | M Au 21 No 5 | M Jl 10 | M Au 15 Ot 17 | | | M Sp 19 Dm 18 | M Ot 6 | |
| Canvasback | | M Sp 26 No 17 | M Ot 9 | M Ot 8 Ot 17 | | S Ot 30 | | S Au 29 Ot 17 | P Au 15 No 5 | | W No 5 Dm 19 | M Ot 8 No 7 | |
| Redhead | M Jl 16 | M, S Jl 1 No 17 | M Ot 9 | M Ot 2 No 21 | S Ot 30 | S Ot 30 | M Jl 10 | S Sp 18 Ot 17 | | Au 29 | M Sp 19 No 5 | M Ot 11 No 7 | |

| Name of Bird | Chase | Frontier | Dundy | Hitchcock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-------------------|--------------------|-----------|-------|--------------------|------------|---------------------|------|--------|---------------------|---------------------|------|------------------|---------------------|
| Green-winged Teal | M No 29 | | No 6 | M No 6 No 29 | | M No 18 | | | M Sp 26 | | | M No 14 | No 4 |
| Mallard | S No 6 No 29 | S No 7 | No 6 | P No 6 No 29 | P | P No 18 Dm 26 | | | P Jl 11 Dm 13 | P No 27 Dm 20 | | S S- Dm 26 | S Jl 4 Dm 29 |
| Northern Pintail | | | No 6 | | | | | | | | | | Ot 15 Ot 28 |
| Blue-winged Teal | | | No 6 | | | | | | | | | | S Au 25 Ot 18 |
| Northern Shoveler | | | | M No 6 | | | | | | | | M Sp 30 | No 4 |
| Gadwall | | | No 6 | M No 6 | | | | | | M Dm 20 | | | M Ot 18 No 4 |
| Eurasian Wigeon | | | | | | | | | | | | | No 2 No 6 |
| Amer. Wigeon | | | No 6 | | | | | | | | | | No 4 |
| Canvasback | M No 6 | | No 6 | | | | | | | | | M No 14 | No 4 |
| Redhead | | | No 6 | M No 6 | | | | | | | | M Sp 18 | Ot 28 No 6 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|------------------------|-------|------------------------|---------|---------------------|------------|--------------------|----------|------------|--------------------|-------|---------------------|------------------------|---------|
| Ring-necked Duck | | M Sp 16 No 17 | | M Sp 11 Ot 17 | M Ot 30 | M No 5 | | | | | M No 5 Dm 18 | M Ot 12 No 7 | |
| Greater Scaup | | | | | | | | | | | W Dm 17 Dm 19 | | |
| Lesser Scaup | | M Ot 6 No 12 | | M Ot 7 | M Ot 30 | M Ot 30 No 5 | | M Ot 17 | | | W No 5 Dm 19 | M Ot 11 Dm 17 | |
| Oldsquaw | | | | | | | | | | | M Dm 17 Dm 18 | M Dm 17 | |
| Black Scoter | | | | M Ot 30 | | | | | | | | | |
| White-winged Scoter | | | | | | | | | | | | | |
| Common Goldeneye | | W No 3 Dm 21 | | M Ot 30 No 21 | | | | | W No 5 Dm 17 | | W No 5 Dm 19 | M, W Ot 25 Dm 19 | |
| Bufflehead | | M Ot 6 No 17 | | M Ot 2 No 21 | M Ot 30 | | | M Ot 17 | W No 5 Dm 17 | | W No 5 Dm 19 | M, W Ot 9 Dm 19 | |
| Hooded Merganser | | M Ot 14 No 25 | | | M Ot 30 | M Ot 30 | | M Ot 17 | | | W No 5 Dm 18 | W No 7 | |
| Common Merganser | | P, W Jl 15 Dm 29 | | M Ot 30 No 21 | | W Ot 30 | | | | | W No 25 Dm 19 | M, W Sp 30 Dm 19 | |
| Red-breasted Merganser | | | | | M Ot 30 | | | | | | W No 17 | | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|------------------------|--------------------|-----------|-------|------------|------------|------------|------|--------|--------------------|------------|------|---------------------|---------------------|
| Ring-necked Duck | | | | | | | | | | | | | Ot 18 Dm 5 |
| Greater Scaup | | | | | | | | | | | | | |
| Lesser Scaup | M No 6 No 29 | | | | | | | | M No 14 | | | M No 26 | Ot 18 Dm 5 |
| Oldsquaw | | | | | | | | | | | | | |
| Black Scoter | | | | | | | | | | A No 27 | | | |
| White-winged Scoter | | | | | | | | | | A No 27 | | | No 2 |
| Common Goldeneye | M No 6 No 29 | | | | | | | | W Dm 5 | M No 27 | | W No 26 W+ | No 4 Dm 29 |
| Bufflehead | M No 6 | M No 7 | | | | M No 18 | | | | M No 27 | | | M Ot 18 Dm 29 |
| Hooded Merganser | M No 6 | | | | | | | | | | | M Sp 30 No 15 | Ot 18 Dm 4 |
| Common Merganser | M No 29 | | | | | | | | W Dm 5 Dm 12 | M Dm 20 | | W Dm 26 W+ | Dm 4 Dm 29 |
| Red-breasted Merganser | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; J1, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

[illegible]

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|---------------------|-----------|--------------------|-------|------------|------------|---------------------|---------------|--------|--------------------|------------|------|--------------------|---------------------|
| Ruddy Duck | | | | | M No 6 | | | | | | | | M Jl 8 Dm 20 |
| Turkey Vulture | | S Au 14 | | | | | | | Jl 1 | S Au 17 | | S S- Sp 30 | S Jl 2 Ot 10 |
| Osprey | | | | | | Au 27 | | | M Sp 6 No 1 | | | | M Sp 3 No 11 |
| Bald Eagle | W No 6 | | | W No 29 | | W No 28 Dm 26 | Dm 3 Dm 19 | | M Ot 24 Dm 5 | | | W Ot 30 W+ | M Ot 27 Dm 20 |
| Northern Harrier | P | S Au 14 No 7 | | | | | Ja 1 '93 | | | W No 27 | | | M Sp 3 No 6 |
| Sharp-shinned Hawk | | M Au 14 | No 6 | | M No 6 | W Au 26 Dm 26 | Ja 1 '93 | | | P | | M Sp 1 Dm 26 | M Sp 19 No 5 |
| Cooper's Hawk | | M No 7 | | | | W No 28 Dm 8 | | | M Ot 10 | W Dm 20 | | | Ot 5 |
| Northern Goshawk | | | | | | | | | | | | W Ot 21 | |
| Red-shouldered Hawk | | | | | | | | | | | | | Au 3 Ot 21 |
| Broad-winged Hawk | | | | | | | | | | | | | Ot 5 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|----------------------|-----------------------|---------------------|------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------|---------------------|------------------------|------------|
| Swainson's Hawk | S Jl 7 Au 7 | S Au 21 No 3 | | S Au 7 Ot 2 | S Au 15 Sp 4 | S Au 13 Sp 26 | S Jl 10 Jl 11 | S Au 15 Ot 5 | S Au 15 Sp 20 | Au 29 | S Au 13 Au 15 | S Jl 1 Sp 28 | S Au 13 |
| Red-tailed Hawk | P, S Jl 7 Ot 24 | P Au 11 Dm 19 | S Jl 11 | S Au 7 No 21 | S Au 21 Ot 17 | P Au 21 Sp 26 | P Jl 11 No 7 | S Au 15 Ot 17 | P Au 15 Dm 17 | Au 29 | P Au 15 Dm 19 | P Au 13 No 7 | |
| Ferruginous Hawk | S Jl 7 Sp 11 | | | S Sp 11 Ot 30 | S Au 21 Ot 30 | S No 5 | M No 7 | S Au 15 Ot 17 | M Au 15 Au 29 | | M Dm 18 | | |
| Rough-legged Hawk | W Ot 24 | W Ot 14 Dm 29 | | W No 21 | W No 21 | W Dm 17 | | W Dm 23 | W No 5 Dm 7 | | W Dm 18 | W Dm 2 | |
| Golden Eagle | P Jl 8 Ot 24 | P Ot 30 Dm 31 | | P Ot 8 Ot 24 | P | P Au 13 Dm 17 | M No 7 | P Sp 12 Ot 17 | | | | P | |
| Amer. Kestrel | S Jl 7 Ot 24 | P Jl 1 Dm 30 | S Jl 11 | S Au 7 Ot 8 | S Au 21 Sp 18 | P Au 21 Dm 17 | P | S Au 29 Ot 17 | P Au 15 Dm 17 | Au 29 | P Au 14 Dm 19 | P Au 14 Dm 19 | S Au 13 |
| Merlin | P Jl 16 Ot 3 | W Dm 19 | | P Ot 2 Ot 30 | M Au 21 Dm 23 | | | M Sp 12 | | | W Dm 18 | | |
| Peregrine Falcon | | | | | | | | | | | | | |
| Prairie Falcon | P Jl 6 Ot 24 | P Jl 5 Dm 31 | | P Au 30 Ot 3 | W Ot 30 | W Sp 26 Dm 17 | | P | W Dm 17 | | W Sp 19 Dm 18 | S, W Jl 16 No 25 | |
| Ring-necked Pheasant | | P Jl 2 Dm 30 | | P Au 7 Ot 17 | P Au 15 Ot 30 | | P | P Sp 12 Dm 23 | P No 5 Dm 17 | | P | P | P |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|----------------------|--------------------|--------------------|-------|--------------------|------------|------|-----------------------|--------|--------------------|---------------------|--------------------|------------|---------------------|
| Swainson's Hawk | | S Au 14 | | | | | | | | | | Sp 13 | Sp 26 Ot 5 |
| Red-tailed Hawk | P No 6 No 29 | P Au 14 No 7 | No 6 | P No 6 No 29 | P | | No 26 Dm 3 Ja 1 | | P Jl 1 Dm 13 | P No 27 Dm 20 | P | P S - W | P Jl 4 Dm 26 |
| Ferruginous Hawk | | | No 6 | M No 6 | | | | | | | | | |
| Rough-legged Hawk | W No 29 | | No 6 | | | | Dm 3 Ja 1 '93 | | | | | M Sp 18 | Ot 15 |
| Golden Eagle | | | No 6 | | | | | | | | | | |
| Amer. Kestrel | P | P | No 6 | P No 6 No 29 | P | P | Dm 3 Ja 1 '93 | | W Sp 6 Dm 13 | P No 27 Dm 20 | P Jl 8 Jl 28 | P S - W | P Jl 4 Dm 20 |
| Merlin | | M Au 14 | | | | | | | | M Dm 20 | | | |
| Peregrine Falcon | | | | | | | | | | | | | S Au 17 No 30 |
| Prairie Falcon | | | No 6 | | M No 6 | | Dm 3 | | | | | | |
| Ring-necked Pheasant | | P | No 6 | | P | | | | P Jl 1 Ot 3 | P | P Jl 3 No 15 | P S - W | P Jl 4 Ot 15 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-------------------------|--------------------|------------------------|-----------|---------------------|---------------------|--------------------|----------|---------------------|---------------------|-------|---------------------|-----------------------|------------|
| Greater Prairie-Chicken | | | | | | | | | | | | P | |
| Sharp-tailed Grouse | | W Dm 17 Dm 19 | | P Au 7 Ot 3 | P | P | | P Sp 18 Dm 23 | | | | P | |
| Wild Turkey | | P Jl 4 Dm 31 | | P Au 21 Ot 23 | P | P | | | | | | P | |
| Northern Bobwhite | | | | | P | P | | | | | P | P | |
| King Rail | | | | | | M Sp 4 | | | P Sp 20 Dm 17 | | | | |
| Virginia Rail | | | | | | | | S Sp 12 | | | | | |
| Sora | | M Au ? | | | | S Au 21 Sp 4 | | S Sp 12 Sp 18 | | | S Sp 19 | | |
| American Coot | S Jl 16 Ot 3 | M, S Au 25 No 25 | M Ot 9 | S Au 7 No 21 | S Au 21 Ot 30 | S Sp 4 Ot 30 | | S Au 15 Ot 17 | P Au 15 No 5 | | S Au 15 No 5 | M, S Au 13 No 7 | |
| Sandhill Crane | | M Sp 26 Ot 25 | | M Sp 27 | | | | M Ot 20 | | | | M Ot 25 | |
| Whooping Crane | | | | | | | | | | | | M No 1 | |
| Black-bellied Plover | | M Sp 4 | | M Ot 8 | | | | M Sp 18 | | | M Au 15 Sp 20 | | M Au 13 |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-------------------------|------------|----------|-------|--------------------|------------|---------------------|---------------|--------|--------------------|-----------|--------------------|------------------|--------------------|
| Greater Prairie-Chicken | | | | | | | | | | | | | |
| Sharp-tailed Grouse | | | | | | | | | | | | | |
| Wild Turkey | | | | | | P No 26 Dm 3 | No 26 Dm 3 | | P Jl 1 Ot 31 | | | P S- Au 22 | P Jl 4 Dm 20 |
| Northern Bobwhite | | P | | | | P No 28 Dm 16 | Ja 1 '93 | | Jl 3 | P | P Jl 3 Au 18 | P S- Ot 31 | P Jl 4 No 14 |
| King Rail | | | | | | | | | | | | | |
| Virginia Rail | | | | | | | | | | | | | |
| Sora | | | | | | Au 14 Au 29 | | | | | | | |
| Amer. Coot | S No 29 | | No 6 | M No 6 No 29 | | | | | | | | M Sp 18 | M Jl 1 No 15 |
| Sandhill Crane | | | | | | | | | | | | | |
| Whooping Crane | | | | | | | | | | | | | |
| Black-bellied Plover | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|----------------------|-------------------|------------------------|--------------------|---------------------|--------------------|---------------------|---------------------|---------------------|---------------------|-------|---------------------|---------------------|------------|
| Lesser Golden-Plover | | | | M Ot 2 | | | | | | | | | |
| Semipalmated Plover | | M Au 21 Sp 4 | | | | | | | | | M Au 15 | | |
| Piping Plover | | | | | | | | | | | S Au 15 | | |
| Killdeer | S Jl 7 Ot 3 | S Jl 3 Ot 6 | S Jl 11 Ot 9 | S Au 7 Ot 2 | S Jl 10 Sp 4 | S Au 21 Sp 26 | S Jl 10 Jl 11 | S Au 15 Sp 18 | S Au 15 Sp 20 | Au 29 | P Au 13 Dm 19 | S Jl 1 Ot 11 | S Au 13 |
| American Avocet | | S Au 25 | | M Au 7 Au 30 | | S Au 21 | | S Au 15 Ot 2 | | Au 29 | M Au 15 Sp 20 | | |
| Greater Yellowlegs | | M Au 21 | M Ot 9 | M Au 7 Au 30 | M Ot 30 | M Au 21 Sp 18 | | M Sp 18 Ot 17 | M Au 29 | Au 29 | | | M Au 13 |
| Lesser Yellowlegs | | M Au 26 | M Jl 11 | M Jl 16 Au 7 | | M Au 21 Sp 26 | M Jl 10 Jl 11 | M Au 15 Sp 18 | M Au 15 | Au 29 | M Sp 20 | S Jl 26 | M Au 13 |
| Solitary Sandpiper | | M Au 21 Sp 7 | M Jl 11 | M Jl 16 Au 22 | M Au 21 | M Au 21 | M Sp 18 | | | | | M Au 29 | M Au 13 |
| Willet | | M Ot 14 Ot 22 | | | | | | S Au 15 Sp 18 | | | | | M Au 13 |
| Spotted Sandpiper | | M, S Au 21 Au 26 | S Jl 11 | S Au 7 Sp 5 | S Au 21 | | S Jl 10 | S Au 29 | S Au 15 | Au 29 | S Sp 19 | S Au 13 Au 14 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|----------------------|------------|------------|-------|------------|------------|------------|------|--------|--------------------|-----------|--------------------|------------------|-------------------|
| Lesser Golden-Plover | | | | | | | | | | | | | |
| Semipalmated Plover | | | | | | M Au 26 | | | | | | | |
| Piping Plover | | | | | | | | | S Jl 1 Ot 24 | | | | |
| Killdeer | S No 29 | S Au 14 | No 6 | | | S | | | | N.R. | S Jl 3 Ot 15 | S S- Sp 27 | S Jl 3 No 2 |
| Amer. Avocet | | | | | | | | | | | | | |
| Greater Yellowlegs | | | | | | M Au 21 | | | | | | | |
| Lesser Yellowlegs | | | | | | M Au 26 | | | | | | | |
| Solitary Sandpiper | | M Au 14 | | | | M Au 29 | | | | | | | |
| Willet | | | | | | | | | | | | | |
| Spotted Sandpiper | | | | | | S | | | | | | S S- Sp 22 | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-------------------------|-------|----------|-------|------------|------------|------------|------|--------|----------|-----------|------|------------|-----------------|
| Upland Sandpiper | | | | | | S Au 23 | | | | | | | |
| Long-billed Curlew | | | | | | | | | | | | | |
| Marbled Godwit | | | | | | | | | | | | | |
| Sanderling | | | | | | | | | | | | | |
| Semipalmated Sandpiper | | | | | | M Au 21 | | | | | | | |
| Western Sandpiper | | | | | | | | | | | | | |
| Least Sandpiper | | | | | | M Au 21 | | | | | | | |
| Baird's Sandpiper | | | | | | M Au 21 | | | | | | | |
| Pectoral Sandpiper | | | | | | | | | | | | | |
| Stilt Sandpiper | | | | | | | | | | | | M Sp 22 | |
| Buff-breasted Sandpiper | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; J1, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Daves | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-----------------------|-------|------------------------|------------|--------------------|------------|--------------------|------------|---------------------|--------------------|-------|---------------------|------------------------|------------|
| Long-billed Dowitcher | | M Au 21 Sp 4 | M Ot 9 | M Ot 2 | | M Sp 4 Ot 30 | | M Au 15 Sp 18 | M Sp 20 | Au 29 | M Au 15 | M Au 13 | M Au 13 |
| Common Snipe | | P Ot 3 Dm 19 | | P | | S Au 21 Sp 4 | | | | | P | N.R. | |
| Wilson's Phalarope | | M Au 26 | | M Jl 16 Au 7 | | S Au 21 Sp 4 | M Jl 10 | S Au 15 Sp 18 | S Au 15 | Au 29 | | M Sp 13 | M Au 13 |
| Red-necked Phalarope | | | | | | | | M Sp 18 | | | | | |
| Franklin's Gull | | M, S Jl 1 Ot 3 | | M Sp 5 Sp 11 | M Ot 17 | M Sp 4 | M Jl 10 | M Au 15 Sp 18 | | | M Au 14 Sp 20 | M, S Au 13 Ot 11 | |
| Bonaparte's Gull | | | | | | | | | | | | M No 7 Dm 19 | |
| Ring-billed Gull | | M, P Jl 1 Dm 11 | M Jl 11 | M Au 7 Ot 30 | M Ot 17 | M Sp 26 No 5 | | M Au 29 Ot 17 | M Au 15 No 5 | Au 29 | P Au 14 Dm 19 | P, S Jl 25 Dm 19 | |
| California Gull | | | | | | | | | | | P Sp 19 Dm 18 | M Dm 17 | |
| Herring Gull | | M, W Sp 26 No 12 | | M Ot 2 Ot 30 | | | | | | | W No 5 Dm 18 | S, W Jl 15 Dm 19 | |
| Thayer's Gull | | | | | | | | | | | W Dm 18 | W Dm 17 Dm 19 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-----------------------|--------------------|-----------|-------|------------|------------|------------|------|--------|------------|---------------------|------------|--------------------|---------------------|
| Long-billed Dowitcher | | | | | | | | | | | | | |
| Common Snipe | | | | | | M Au 29 | | | | | | | M No 20 |
| Wilson's Phalarope | | | | | | Au 26 | | | | | | | |
| Red-necked Phalarope | | | | | | | | | | | | | |
| Franklin's Gull | M No 6 | | | | | M Au 27 | | | M Ot 31 | M Ot 9 | M Ot 24 | | Sp 10 |
| Bonaparte's Gull | M No 6 | | | | | | | | | | | | No 29 |
| Ring-billed Gull | M No 6 No 29 | M No 7 | No 6 | W No 29 | | | | | M Sp 6 | M No 27 Dm 20 | | M No 15 | M Au 26 No 13 |
| California Gull | | | | | | | | | | | | | |
| Herring Gull | | | | W No 29 | | | | | | M Dm 20 | | M Sp 1 No 22 | |
| Thayer's Gull | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Cage | Dakota | Douglas & Sarpy |
|-------------------------|-------|------------|-------|------------|------------|------------|---------------------|--------|--------------------|---------------------|--------------------|------------------|---------------------|
| Less. Black-backed Gull | | | | | | | | | | | | | |
| Glaucous Gull | | | | | | | | | | | | | |
| Ross' Gull | | | | | | | | | | | | | |
| Caspian Tern | | | | | | M Au 26 | | | | | | | M Sp 11 |
| Common Tern | | | | | | | | | | | | M Sp 1 | |
| Forster's Tern | | | | | | M Au 26 | | | | | | | |
| Least Tern | | | | | | S Au 14 | | | S Jl 1 Au 15 | | | | S Jl 11 Au 26 |
| Black Tern | | | | | | | | | | | | | Au 14 |
| Rock Dove | | | | | | P | Dm 3 Ja 1 '93 | | Au 8 | P Au 31 Dm 20 | P | P S - W | P Jl 2 Dm 31 |
| Mourning Dove | | S Au 14 | | | S Au 14 | | | | S Jl 1 Dm 13 | | S Jl 3 Ot 15 | S S- Ot 30 | S Jl 1 Dm 9 |
| Black-billed Cuckoo | | | | | | | | | | | | S S- Au 24 | S Jl 23 Ot 4 |
| Yellow-billed Cuckoo | | | | | | Au 26 | | | S Jl 1 Au 15 | S Au 7 | S Jl 3 Jl 28 | S S- Au 29 | S Jl 4 Ot 10 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-----------------------|--------------------|---------------------|---------|---------------------|---------------------|---------------------|------------|------------|------------|-------|------------|---------------------|---------|
| Barn Owl | | | | | | | | | | | | S N.R. | |
| Eastern Screech-Owl | | | | | | | | | P Sp 20 | | | S N.R. | |
| Great Horned Owl | | P Jl 15 Dm 29 | | P Au 27 Sp 30 | P Au 29 Ot 30 | P Sp 26 Ot 30 | P | P | P | | P | P | |
| Burrowing Owl | | S Jl 1 Sp 4 | | | | S Jl 10 | | S Au 29 | | | | S Jl 2 Sp 5 | |
| Barred Owl | | | | | | | | | | | | | |
| Long-eared Owl | | | | | | | | | | | | | |
| Northern Saw-whet Owl | | | | | | | | | | | | | |
| Common Nighthawk | S Jl 7 Au 21 | S Jl 7 Au 23 | | S Au 7 Au 31 | S Au 21 | S Au 21 | S Jl 10 | S Au 15 | | | S Au 15 | S Jl 20 Sp 10 | |
| Common Poorwill | | | | S Au 27 | | | | | | | | | |
| Chuck-will's-widow | | | | | | | | | | | | | |
| Whip-poor-will | | | | | | | | | | | | | |
| Chimney Swift | | S Jl 2 Au 20 | | S Jl 19 Au 18 | | S Jl 10 Au 21 | S Jl 10 | | | | | S Jl 3 Sp 15 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-----------------------|-------|----------|-------|------------|------------|------|------|--------|--------------------|-----------|---------------------|------------------|---------------------|
| Barn Owl | | | | | | | | | | | | | |
| Eastern Screech-Owl | | | | | | | | | P | P | | P Sp 20 W+ | P Jl 15 Ot 25 |
| Great Horned Owl | | | | | P | P | | | N.R. | P | P Ot 13 Ot 24 | P S - W | P Jl 30 No 14 |
| Burrowing Owl | | | | | | | | | | | | | |
| Barred Owl | | | | | | | | | | | | | Ot 28 |
| Long-eared Owl | | | | | | | | | | P | | | |
| Northern Saw-whet Owl | | | | | | | | | | | | | No 6 |
| Common Nighthawk | | | | | | | | | Au 29 | | | S S- Sp 23 | S Jl 1 Ot 8 |
| Common Poorwill | | | | | | | | | | | | | |
| Chuck-will's-widow | | | | | | | | | S Jl 1 Jl 17 | | | | |
| Whip-poor-will | | | | | | | | | | | | S Jl 1 | Jl 11 Jl 26 |
| Chimney Swift | | | | | | | | | | S Jl 4 | | S S- Au 30 | S Jl 1 Ot 17 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|---------------------------|---------------------|------------------------|---------|--------------------|-----------|--------------------|------------|---------------------|---------------------|-------|---------------------|-------------------|---------|
| White-throated Swift | S Jl 7 | S Jl 4 Au 5 | | | | | | | | | | | |
| Ruby-throated Hummingbird | | | | | | | | | | | | | |
| Broad-tailed Hummingbird | | M Au 5 | | | | | | | | | | A Au 15 | |
| Rufous Hummingbird | | | | | | | | | | | | | |
| Belted Kingfisher | S Jl 7 | P, S Jl 30 Dm 19 | | P Jl 15 Sp 5 | S Sp 4 | S Sp 18 | | S Au 29 Sp 18 | P Au 15 Dm 17 | | P Au 15 Dm 17 | P | |
| Lewis' Woodpecker | S Au 30 Sp 23 | | | S Au 8 | | | | | | | | | |
| Red-headed Woodpecker | S Au 30 | S Jl 14 Sp 4 | | S Au 7 Sp 5 | | S Au 13 Sp 4 | S Jl 10 | S Au 29 | S Au 15 Au 29 | | S Au 15 | S Jl 3 Sp 6 | |
| Red-bellied Woodpecker | | | | | | | | | | | | P | |
| Yellow-bellied Sapsucker | | | | | | | | | | | | | |
| Downy Woodpecker | P Jl 7 Ot 3 | P Jl 1 Dm 29 | P | P Au 8 Sp 5 | P | P | P | P Au 29 Sp 18 | P No 5 Dm 17 | | P Sp 19 Dm 18 | P | |
| Hairy Woodpecker | P Jl 6 Ot 24 | P Sp 4 Sp 26 | | P Au 7 Ot 8 | | P Sp 4 No 5 | | P Sp 12 Ot 17 | P | | P | P | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|---------------------------|-------|----------|-------|--------------------|------------|---------------------|-----------------------|-----------|---------------------|---------------------|--------------------|---------------------|---------------------|
| Wh.-throat. Swift | | | | | | | | | | | | | |
| Ruby-throated Hummingbird | | | | | | | | M Sp 7 | | | | M Au 27 Au 29 | M Jl 14 Sp 17 |
| Broad-tailed Hummingbird | | | | | | | | | | | | | |
| Rufous Humm. | | | | | | | | | | | | | |
| Belted Kingfisher | | | | | | P No 28 Dm 26 | Dm 3 Ja 1 '93 | | P Jl 11 Dm 13 | N.R. | | P S - W | S Jl 12 Dm 25 |
| Lewis' Woodp. | | | | | | | | | | | | | |
| Red-headed Woodpecker | | | | | | | | | S Jl 1 Sp 6 | M Jl 20 Ot 20 | S Jl 3 Au 18 | S S - Ot 31 | S Jl 4 Sp 25 |
| Red-bellied Woodpecker | | P | No 6 | P No 6 No 29 | | P No 28 Dm 26 | No 20 Dm 3 Ja 1 | | W Au 8 Dm 5 | P Sp 22 Dm 20 | | P S - W | P Jl 4 Dm 31 |
| Yellow-bellied Sapsucker | | | | | | | | | | | | | M No 4 Dm 18 |
| Downy Woodpecker | | | No 6 | | | P No 18 Dm 26 | Dm 3 Ja 1 '93 | | P Au 1 Dm 13 | P Ot 21 Dm 20 | P | P S - W | P Jl 3 Dm 31 |
| Hairy Woodpecker | P | | | | | W No 28 | | | P Jl 11 Dm 13 | P | | P S - Ot 31 | P Jl 6 Dm 29 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|---------------------------|-----------------------|--------------------|-----------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|-------|---------------------|---------------------|---------|
| Northern Flicker | P, S Jl 7 Ot 24 | P Jl 1 Dm 28 | S Ot 9 | P Au 7 Ot 30 | | P Sp 4 No 5 | P Jl 10 No 7 | P Au 29 Ot 17 | P Au 15 Dm 17 | | P Au 15 Dm 18 | P Au 13 Dm 19 | |
| Olive-sided Flycatcher | | | | | | | | | | | | M Au 14 | |
| Western Wood-Pewee | S Jl 6 Jl 7 | S Jl 4 Au 30 | | S Jl 8 Sp 5 | S Sp 4 | S Sp 4 | S Jl 11 | S Au 29 | S Au 15 Au 29 | Au 29 | S Au 15 | | |
| Eastern Wood-Pewee | | | | | | | | | | | | | |
| Yellow-bellied Flycatcher | | | | | | | | | | | | | |
| Acadian Flycatcher | | | | | | | | | | | | | |
| Willow Flycatcher | | | | | | | | | | | | | |
| Least Flycatcher | | | | | | | | | | | | S Jl 26 | |
| Cordilleran Flycatcher | S Jl 7 | | | | | | | | | | | | |
| Empidonax sp. | | | | | | | | M Au 29 | M Au 29 | Au 29 | | | |
| Eastern Phoebe | S Jl 8 | | | S Ot 2 | | | | S Sp 18 | | | | | |
| Say's Phoebe | S Jl 7 Sp 11 | | | S Jl 16 Sp 5 | S Au 21 Sp 4 | S Au 21 Sp 4 | S Jl 10 Jl 11 | S Au 29 Sp 12 | S Au 29 | Au 29 | S Sp 19 | S Jl 5 Sp 10 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|------------------------|--------------------|--------------------|-------|------------|------------|---------------------|-------|-------------------|--------------------|------------|--------------------|------------------|---------------------|
| Northern Flicker | P No 6 No 29 | P Au 14 No 7 | No 6 | P | | P No 28 Dm 16 | No 26 | | P Jl 1 Dm 13 | P | S Jl 3 Ot 21 | P S - W | P Jl 4 Dm 20 |
| Olive-sided Flycatcher | | | | | | | | | | | | | M Au 16 Sp 10 |
| Western Wood-Pewee | | | | | | | | | | | | | |
| Eastern Wood-Pewee | | | | | | | | | S Jl 1 Sp 15 | | | S S- Jl 12 | S Jl 1 Ot 6 |
| Yellow-bel. Flycatcher | | | | | | | | | | M Sp 16 | | | Ot 9 |
| Acadian Flycatcher | | | | | | | | | | | | | Au 22 |
| Willow Flycatcher | | | | | | S Au 26 | | | | | | | |
| Least Flycatcher | | | | | | | | M Sp 6 Sp 7 | | | | M Jl 19 | S Au 13 Sp 2 |
| Cordilleran Flycatcher | | | | | | | | | | | | | |
| Empidon. sp. | | | | | | | | | | | | | |
| Eastern Phoebe | | | | | | | | | S Jl 3 Ot 10 | | | | S Jl 10 Ot 20 |
| Say's Phoebe | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Daves | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-------------------------------|--------------------|---------------------|------------|---------------------|--------------------|--------------------|---------------------|---------------------|---------------------|-------|---------------------|-----------------------|------------|
| Great Crested Flycatcher | S Jl 7 | | | S Sp 5 | | | | S Au 29 | | | | | |
| Cassin's Kingbird | S Sp 5 Sp 23 | | | S Sp 11 Sp 23 | M Sp 4 | | | | | | | | |
| Western Kingbird | S Jl 7 Au 30 | S Jl 1 Sp 8 | | S Sp 5 Sp 11 | S Au 21 Sp 4 | S Au 21 Sp 4 | S Jl 10 Jl 11 | S Au 15 Au 29 | S Au 15 Au 29 | Au 29 | S Au 14 Au 15 | S Jl 1 Sp 23 | S Au 13 |
| Eastern Kingbird | S Jl 6 Au 30 | S Jl 5 Sp 4 | | S Sp 5 | S Au 15 Sp 4 | S Au 21 Sp 4 | S Jl 10 Jl 11 | S Au 15 Au 29 | S Au 15 Au 29 | Au 29 | S Au 14 Au 15 | S Jl 1 Sp 13 | S Au 13 |
| Horned Lark | P Jl 7 Ot 14 | P Jl 2 Dm 30 | P | P Sp 11 Ot 30 | P Au 21 No 5 | | P | P Au 15 Ot 17 | P | Au 29 | P | P | P |
| Purple Martin | | | | | | | | | | | | S Jl 1 Sp 20 | |
| Tree Swallow | | | | | M Au 21 | | | | S Au 15 | | | | |
| Violet-green Swallow | S Jl 6 | S Au 25 | | | | | | | | | | | |
| Northern Rough-winged Swallow | | S Au 25 | | | M Au 21 | | S Jl 10 | | | | S Au 15 | M, S Jl 5 Au 25 | |
| Bank Swallow | | M Au 21 Au 25 | S Jl 11 | | | M Sp 4 | | S Au 29 Sp 12 | M Au 15 | | | M, S Jl 5 Au 18 | |
| Cliff Swallow | S Au 7 | S Jl 1 Sp 17 | S Jl 11 | S Au 7 | S Au 21 | S Au 21 Sp 4 | S Jl 10 Jl 11 | S Sp 12 | S Au 15 Sp 20 | | S Au 14 Au 15 | S Jl 5 Sp 2 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-------------------------------|-------|------------|-------|--------------------|------------|------|----------------------|--------|--------------------|-----------|--------------------|-----------------|---------------------|
| Great Crested Flycatcher | | | | | | | | | S Jl 3 Au 15 | | | | S Jl 4 Sp 20 |
| Cass. Kingb. | | | | | | | | | | | | | |
| Western Kingbird | | S Au 14 | | | S Au 14 | S | | | | | | S, S- Jl 29 | S, Jl2 Au 30 |
| Eastern Kingbird | | S Au 14 | | | S Au 14 | S | | | S Jl 1 Sp 6 | | S Jl 3 Au 18 | S S- Ot 2 | S Jl 4 Sp 5 |
| Horned Lark | P | | No 6 | P No 6 No 29 | | | No 26 Ja 1 '93 | | | | M No 15 | P S - W | P Au 4 Ot 4 |
| Purple Martin | | | | | | | | | | | | S, S- Jl 15 | S Jl 10 Sp 19 |
| Tree Swallow | | | | | | | | | | | | S S- Jl 1 | M Au 20 No 14 |
| Vi-gr Swall. | | | | | | | | | | | | | |
| Northern Rough-winged Swallow | | S Au 14 | | | | | | | | | | S S- Sp 4 | S Jl 5 Au 30 |
| Bank Swallow | | S Au 14 | | | | | | | S Jl 2 Sp 6 | | | S S- Sp 4 | Jl 14 Au 20 |
| Cliff Swallow | | | | | | | | | S Jl 1 Sp 5 | | | S S- Sp 4 | S Jl 3 Au 20 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-------------------------|--------------------|--------------------|-------|--------------------|------------|--------------------------------|-----------------------|--------|--------------------|---------------------|---------------------|------------------|--------------------|
| Barn Swallow | | S Au 14 | | | | | | | S Jl 1 Sp 6 | | S Jl 8 Au 18 | S S- Sp 30 | S Jl 3 Ot 4 |
| Blue Jay | P | P Au 14 No 7 | No 6 | | | P No 28 Dm 16 | Dm 3 | P | P Jl 1 Dm 13 | P Jl 1 Dm 26 | P Jl 3 No 8 | P S - W | P Jl 1 Dm 30 |
| Pinyon Jay | | | | | | | | | | | | | |
| Black-billed Magpie | | | No 6 | P | | P, S Au 21 Ja 1 Dm 16 | Dm 3 Ja 1 '93 | | No 29 | P | | P S - W | |
| American Crow | P No 6 No 29 | P Au 14 No 7 | | P No 6 No 29 | | P No 18 Dm 26 | No 26 Dm 3 Ja 1 | | P Jl 1 Dm 13 | P No 27 Dm 20 | P | P S - W | P Jl 2 Dm 30 |
| Black-capped Chickadee | P | P | No 6 | P | | P No 18 Dm 26 | No 26 Dm 3 Ja 1 | P | P Jl 1 Dm 13 | P Jl 6 Dm 26 | P Au 11 Ot 24 | P S - W | P Jl 3 Dm 30 |
| Tufted Titmouse | | | | | | | | | | | | | P Jl 3 Dm 30 |
| Red-breasted Nuthatch | | | | | | | | | | | | | Ot 23 Ot 25 |
| White-breasted Nuthatch | | | No 6 | | | P No 28 Dm 16 | Dm 3 Ja 1 '93 | | P Jl 1 Dm 13 | P No 6 Dm 26 | | P S - W | P Jl 2 Dm 30 |
| Pygmy Nuthatch | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|------------------------|-------------------|-----------------------|------------|--------------------|------------|--------------------|---------------------|---------------------|---------------------|-------|---------------------|---------------------|---------|
| Brown Creeper | | W No ? | | | | | | | | | W Dm 18 | W No 7 Dm 30 | |
| Rock Wren | S Jl 6 | | | | S Sp 4 | | S Jl 11 | S Sp 18 | | | S Sp 19 | M Sp 18 | |
| Carolina Wren | | | | | | | | | | | | | |
| House Wren | S Jl 7 | S Jl 1 | S Jl 11 | S Au 8 Sp 11 | S Au 21 | S Sp 4 Sp 26 | S Jl 10 Jl 11 | S Au 29 Sp 18 | S Au 15 Sp 20 | | S Au 15 Sp 20 | S Jl 1 Sp 6 | |
| Winter Wren | | | | | | | | | | | | | |
| Sedge Wren | | | | | | | | | | | | | |
| Marsh Wren | | | | | | S Sp 4 Sp 26 | | S Au 29 Ot 17 | P Au 15 No 29 | | P Au 15 Dm 18 | S Jl 26 | |
| Golden-crowned Kinglet | | | | | | | | | | | W Dm 18 | M No 7 | |
| Ruby-crowned Kinglet | | | | M Ot 13 | | M Sp 4 | | M Sp 18 | | | | | |
| Blue-gray Gnatcatcher | | | | | | | | | | | | | |
| Eastern Bluebird | | M, S Jl 4 Sp 26 | | S Au 19 | | | | | | | | S Au 14 Ot 12 | |
| Mountain Bluebird | S Jl 7 Ot 3 | M, S Jl 4 Sp 26 | M Ot 9 | S Au 4 Ot 11 | | M Sp 26 | | | | | W Dm 18 Dm 19 | W Dm 28 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|------------------------|-----------|------------|-------|------------|------------|------------|-------|-------------------|--------------------|---------------------|--------------------|--------------------|------------------------|
| Brown Creeper | | | | | | W Dm 26 | | | Ot 31 | W Ot 16 Dm 20 | | | P, W Au 13 Dm 27 |
| Rock Wren | | | | | | | | | | | | | Ot 5 |
| Carolina Wren | | | | | | | | | | P | | S, S- Au 14 | P, Jl 3 Dm 15 |
| House Wren | | S Au 14 | | | | S | | S Sp 5 Sp 6 | S Jl 1 Ot 3 | S Sp 17 Sp 30 | S Jl 3 Ot 15 | S Sp 4 | S Jl 4 Ot 13 |
| Winter Wren | M No 6 | | | | | | | | | W No 6 | | | M, Ot 4 Dm 25 |
| Sedge Wren | | | | | | Au 12 | | | | | | | S Ot 4 |
| Marsh Wren | | | No 6 | | | Au 29 | | | M Sp 19 Ot 3 | | | | M Ot 4 Ot 15 |
| Golden-crowned Kinglet | | | | | | M No 28 | | | | M Dm 20 | | W Sp 30 Ja 1 | M, W Ot 6 Dm 31 |
| Ruby-crowned Kinglet | | | | | | | | | M Ot 3 Ot 10 | M Ot 6 Ot 23 | | | M Sp 21 Dm 27 |
| Blue-gray Gnatcatcher | | | | | | | | | | | | | S, Jl 7 Sp 7 |
| Eastern Bluebird | | S Au 14 | | | | | No 15 | | S, Jl 1 Ot 10 | | S, Jl 3, 30 | P S - W | S, Jl 8 Dm 22 |
| Moun. Blueb. | | | | | | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|----------------------|----------------------|---------------------|-----------|---------------------|---------------------|---------------------|------------|---------------------|---------------------|-------|---------------------|-----------------------|---------|
| Townsend's Solitaire | P | W Ot 26 Dm 19 | W Ot 9 | W Ot 13 No 21 | | | | | W Dm 17 | | W No 5 Dm 18 | W No 7 Dm 30 | |
| Swainson's Thrush | | | | | | | | | | | | M | |
| Hermit Thrush | | | | | | | | | | | | | |
| Wood Thrush | | | | | | | | | | | | | |
| American Robin | P, S Jl 7 Ot 3 | P Jl 1 Dm 31 | | P | S N.R. | P Sp 4 No 5 | S Jl 10 | P Au 29 Ot 17 | P Au 15 Dm 17 | Au 29 | P Au 13 Dm 18 | P Au 13 Dm 19 | |
| Gray Catbird | | | | M Sp 5 | | | | | S Au 15 | | M Sp 19 | A, S Au 14 Sp 8 | |
| Northern Mockingbird | | M No ? | | | | | S Jl 11 | | | | S Dm 19 | S Ot 2 | |
| Sage Thrasher | | | | | | M Sp 26 | | | | | | | |
| Brown Thrasher | S Jl 8 | S Jl 1 No ? | | S Au 5 Sp 5 | S Sp 4 | S Sp 4 | S Jl 11 | S Sp 12 | | Au 29 | | S Jl 3 Sp 8 | |
| American Pipit | | | M Ot 9 | M Ot 2 | | M Sp 16 | | M Ot 2 | | | M Sp 19 Dm 19 | | |
| Cedar Waxwing | S Jl 7 | M Jl 19 Ot 30 | | P Jl 15 No 25 | M Au 21 | W No 5 | | S Au 29 Sp 18 | W Au 29 | | W Sp 20 Dm 18 | P | |
| Northern Shrike | W Ot 24 | W Ot 30 Dm 19 | | W Ot 17 Dm 17 | W Ot 30 No 21 | W No 29 Dm 17 | | W Sp 12 Dm 23 | | | W Dm 18 | W No 25 Dm 17 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|----------------------|-----------|--------------------|-------|------------------|---------------|---------------------|------------------------|--------|---------------------|-----------------------|---------------------|-------------------|---------------------|
| Townsend's Solitaire | | | | W No 6 | | | | | No 29 | | | | |
| Swainson's Thrush | | | | | M, Sp 5, 6 | | | | | M Sp 18 | | | M, Sp 6 Ot 7 |
| Hermit Thrush | | | | | | | | | | M, Ot 9 Ot 14 | | | Ot 9 |
| Wood Thrush | | | | | | | | | S Jl 1 Jl 18 | | | | S Jl 4 Sp 7 |
| American Robin | S No 6 | S Au 14 No 7 | No 6 | P | | P No 28 Dm 26 | No 10 Dm 19 Ja 1 | | P Jl 1 Dm 13 | P, S Jl 1 Ot 15 | S Jl 8 Ot 24 | P - W S - W | S Jl 1 Dm 27 |
| Gray Catbird | | | | | | | | | S Jl 1 Ot 3 | S Au 31 Sp 18 | S Jl 16 Au 18 | S S - Ot 31 | S Jl 9 Dm 8 |
| Northern Mockingbird | | | | | | | | | | | | | |
| Sage Thrash. | | | | | | | | | | | | | |
| Brown Thrasher | S No 6 | S Au 14 | | | | | | | S Jl 1 Ot 3 | S Jl 27 Au 17 | S Jl 3 Au 11 | S S - Sp 30 | S Jl 4 Ot 2 |
| Amer. Pipit | | | | | | | | | | | | | |
| Cedar Waxwing | M No 6 | | | | | P No 28 Dm 16 | Dm 19 Ja 1 '93 | | M Au 15 Dm 13 | | | P - W S - W | P Jl 16 Dm 23 |
| Northern Shrike | | | | W, No 6 No 29 | W No 6 | | | | | | | | |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W-, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|---------------------|-------|------------|-------|------------|------------|---------------------|-----------------------|-----------|--------------------|-----------------|--------------------|------------------|--------------------|
| Loggerhead Shrike | | S Au 14 | | | S Au 14 | S Au 29 | Dm 3 Ja 1 '93 | | | | S Jl 8 Au 13 | | S Jl 8 Au 14 |
| European Starling | P | P | No 6 | P | | P No 18 Dm 16 | No 26 Dm 3 Ja 1 | | P Jl 1 Dm 13 | P | | P S - W | P Jl 1 Dm 31 |
| Bell's Vireo | | S Au 14 | | | | S | | | Jl 11 | | | | S, Jl 10 Sp 4 |
| Solitary Vireo | | | | | | | | M Sp 7 | | M Ot 6 | | | M, Au 29 Sp 20 |
| Yellow-thro. Vireo | | | | | | | | | | | | | S, Jl 2 Sp 7 |
| Warbling Vireo | | | | | | S Au 24 | | S Sp 7 | S Jl 1 Au 1 | | S Jl 8 | S S- Sp 26 | S Jl 8 Sp 9 |
| Philadelphia Vireo | | | | | | | | | M Au 29 | | | | Au 23 |
| Red-eyed Vireo | | | | | | M Au 24 | | S Sp 6 | S, Jl 1 Au 29 | | | S, S- Au 30 | S, Jl 3 Sp 7 |
| Tennessee Warbler | | | | | | | | | | | | M, Sp 24, 26 | M, Au 22 Sp 7 |
| Orange-cro. Warbler | | | | | | | | | M Ot 3 | M, Ot 1 Ot 9 | | | M, Au 29 Ot 20 |
| Nashville Warbler | | | | | | | | M Sp 6 | | M Ot 2 | | M Sp 26 | M, Au 21 Ot 7 |
| Northern Parula | | | | | | | | | | | | | Jl 4 Sp 7 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|--------------------------|-------|----------|-------|------------|------------|-------|------|-----------|--------------------|--------------------|------|----------------|--------------------|
| Yellow Warbler | | | | | | | | S Sp 6 | S, Jl 1 Jl 3 | | | S, S- Sp 10 | S, Jl 4 Ot 5 |
| Chest.-sided Warbler | | | | | | | | | | | | | M, Au 21, 29 |
| Magnolia Warbler | | | | | | | | | | | | M Sp 26 | |
| Black-thro. Blue Warbler | | | | | | | | | | | | | Sp 25 |
| Yellow-rumped Warbler | | | | | | | | | S Ot 3 Ot 10 | M Ot 9 Ot 21 | | M Sp 26 | M Sp 3 Ot 27 |
| Black-thro. Green Warbl. | | | | | | | | | | | | | M, Sp 6 Sp 7 |
| Blackburnian Warbler | | | | | | | | | | | | | Au 21 Sp 2 |
| Yellow-throated Warbler | | | | | | | | | | | | | Jl 4 Au 3 |
| Cerulean Warbler | | | | | | | | | | | | | Au 13 Au 23 |
| Black-and-White Warbler | | | | | | | | | | M Au 28 | | | M Au 14 Sp 9 |
| American Redstart | | | | | | Au 24 | | M Sp 7 | | | | S Jl 1 | S, Jl 4 Sp 8 |
| Prothonotary Warbler | | | | | | | | | | | | | Jl 4 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|---------------------------|-----------|--------------------|--------------------|--------------------|-----------|-----------|---------------------|---------------------|---------------------|-------|---------------------|--------------------|---------|
| Ovenbird | S Jl 7 | | | S Sp 5 | | | | S Au 29 | | | | | |
| Northern Waterthrush | | | | M Sp 5 | | | | | | | | | |
| Louisiana Waterthrush | | | | | | | | | | | | | |
| Connecticut Warbler | | | | | | | | | | | | | |
| Mourning Warbler | | | | | | | | | | | | | |
| MacGillivray's Warbler | | | | | | | | | | | M Sp 19 | | |
| Common Yellowthroat | S Jl 7 | S Sp 4 | S Jl 11 Ot 9 | S Au 7 Sp 5 | | S Sp 4 | S Jl 10 Jl 11 | S Au 29 Sp 18 | S Au 15 Sp 20 | Au 29 | S Au 15 Sp 19 | S Jl 3 Sp 10 | |
| Wilson's Warbler | | M Sp 4 | | M Au 8 Sp 16 | | M Sp 4 | | M Au 29 Sp 18 | M Au 29 Sp 20 | Au 29 | M Sp 19 Sp 20 | A Ot 5 | |
| Yellow- breasted Chat | S Jl 7 | S Jl 4 Jl 19 | | | | | | | | | | | |
| Scarlet Tanager | | | | | | | | | | | | | |
| Western Tanager | S Jl 7 | M Sp 4 | | S Jl 7 | | M Sp 4 | | | | | | | |
| Northern Cardinal | | P | | | | | | | P Au 15 Dm 17 | | P | P | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|-----------------------|-------|------------|-------|------------|------------|---------------------|-------------|-----------|--------------------|--------------------|--------------------|------------------|---------------------|
| Ovenbird | | | | | | | | | | | | S S- Au 30 | Jl 4 Ot 5 |
| Northern Waterthrush | | | | | | | | | | | | | M, Au 22 Sp 6 |
| Louisiana Waterthrush | | | | | | | | | | | | | Jl 16 Au 15 |
| Connecticut Warbler | | | | | | | | | | | | | Sp 7 |
| Mourning Warbler | | | | | | | | | | | | | M Ot 4 |
| MacGilliv. Warbler | | | | | | | | | | | | | |
| Common Yellowthroat | | S Au 14 | | | | | | | S Jl 1 Au 15 | S Sp 4 Sp 26 | S Jl 3 Au 18 | S S- Sp 20 | S Jl 4 Ot 5 |
| Wilson's Warbler | | | | | | | | M Sp 5 | | | | | M, Sp Ot 5 |
| Yellow-breast. Chat | | | | | | | | | | | | | |
| Scarlet Tanager | | | | | | | | | | | | S S- Au 30 | S Jl 16 Sp 28 |
| West. Tanag. | | | | | | | | | | | | | |
| Northern Cardinal | P | P | | P | | P No 18 Dm 26 | Ja 1 '93 | | P Jl 1 Dm 12 | P Jl 6 Dm 26 | | P S - W | P Jl 1 Dm 30 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|------------------------|-------------------|----------------------|------------|---------------------|--------------------|--------------------|------------|---------------------|---------------------|-------|---------------------|------------------------|------------|
| Rose-breasted Grosbeak | | | | S Au 8 | | | | | | | | | |
| Black-headed Grosbeak | S Jl 8 | | | S Au 7 | | | | | | | | S Au 13 Au 14 | |
| Blue Grosbeak | S Jl 8 | S Jl 1 Au 18 | | S Au 7 Sp 5 | S Au 21 | | | | S Au 15 | | S Au 15 | S Jl 5 Sp 2 | S Au 13 |
| Lazuli Bunting | S Jl 7 | S Jl 4 Jl 19 | | S Sp 5 | | M Sp 4 | | | | | | | |
| Indigo Bunting | | | | S Ot 2 | | | | | | | | S Au 14 | |
| Dickcissel | | | S Jl 11 | | | | S Jl 10 | | | | | S Jl 5 Au 13 | |
| Rufous-sided Towhee | S Jl 6 Ot 3 | S Jl 4 Jl 19 | | S Sp 5 Ot 2 | | S Sp 26 | | S Sp 18 | S Au 15 Sp 20 | | S Au 15 Sp 20 | M, S Au 14 Dm 20 | |
| American Tree Sparrow | W Ot 24 | W Ot 27 Dm 31 | | W Ot 24 No 21 | W Ot 30 | W No 5 | | W Ot 17 | W No 5 Dm 17 | | W No 5 Dm 19 | W No 10 Dm 30 | |
| Chipping Sparrow | S Jl 6 Ot 3 | M, S Jl 4 Ot 3 | M Ot 9 | S Au 8 Ot 2 | M Au 21 Sp 4 | M Sp 4 Sp 26 | | S Au 29 Sp 18 | M Au 15 Sp 20 | Au 29 | M Au 15 Sp 20 | M Au 14 | |
| Clay-colored Sparrow | M Sp 5 | | | M Sp 5 | | M Sp 4 Sp 26 | | M Au 29 Sp 12 | M Au 29 Sp 20 | Au 29 | M Sp 19 Sp 20 | | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|------------------------|-------|------------|-------|--------------------|------------|---------------------|-----------------------|--------|---------------------|---------------------|------------|------------------|---------------------|
| Rose-breasted Grosbeak | | | | | | | | | S Jl 1 Au 15 | | | S S- Au 30 | S Jl 4 Sp 15 |
| Black-headed Grosbeak | | | | | | | | | | | | | |
| Blue Grosbeak | | S Au 14 | | | | | | | | | | | Jl 8 Sp 2 |
| Lazuli Bunting | | | | | | | | | | | | | |
| Indigo Bunting | | S Au 14 | | | | | | | S Jl 11 Au 15 | | | S S- Au 30 | S Jl 4 Ot 4 |
| Dickcissel | | | | | | S | | | S Jl 1 Au 8 | S Jl 20 Au 13 | | S S- Sp 6 | S Jl 4 Sp 4 |
| Rufous-sided Towhee | | S Au 14 | | | | | | | S Jl 1 Ot 31 | P | | S S- Au 20 | S Jl 4 Dm 9 |
| American Tree Sparrow | | W No 7 | No 6 | W No 6 No 29 | W No 6 | W No 18 Dm 26 | No 15 Dm 3 Ja 1 | | M No 14 Dm 5 | | | W Dm 8 -W | W Ot 15 Dm 23 |
| Chipping Sparrow | | S Au 14 | | | | | | | S Au 7 | | S Jl 30 | S S- Au 30 | S Jl 1 No 4 |
| Clay-colored Sparrow | | | | | | M Au 29 | | | | M Sp 26 Ot 9 | M No 15 | | Au 27 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|---------------------|--------------------|---------------------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|---------------------|-------|---------------------|---------------------|------------|
| Brewer's Sparrow | S Jl 7 Au 7 | | | M Au 7 | S Au 21 | | S Jl 11 | | | | | | |
| Field Sparrow | M Ot 3 | | | M Ot 2 | | | | | M Sp 20 | | S Sp 19 Sp 20 | S Au 14 | |
| Vesper Sparrow | S Jl 7 Ot 3 | M Au 30 Ot 3 | | M Au 7 Ot 8 | M Sp 4 Sp 26 | S Sp 4 Sp 26 | | S Au 29 Ot 2 | S Au 15 Sp 20 | Au 29 | M Sp 19 Sp 20 | | |
| Lark Sparrow | S Jl 7 Sp 5 | S Jl 1 Sp 4 | S Jl 11 | S Au 8 Sp 5 | S Au 21 Sp 4 | S Sp 4 | S Jl 10 Jl 11 | S Au 29 | S Au 15 Au 29 | Au 29 | S Au 15 | S Jl ? Au 19 | |
| Lark Bunting | S Au 7 Au 30 | S Jl 5 Sp 4 | S Jl 11 | S Au 7 Sp 11 | S Au 15 Sp 4 | S Au 21 Sp 4 | S Jl 10 Jl 11 | S Au 15 Sp 12 | S Au 15 Au 29 | Au 29 | S Au 13 | S Jl ? Au 29 | S Au 13 |
| Savannah Sparrow | M Ot 2 | M Ot 3 | | M Sp 5 Ot 2 | | M Au 21 Sp 26 | | M Au 29 Sp 18 | M Sp 20 | | M Sp 19 | | |
| Grasshopper Sparrow | S Jl 7 Au 7 | | | | | S Jl 10 | S Jl 10 Jl 11 | S Au 15 | S Au 15 | | | S Jl 12 Au 19 | |
| Le Conte's Sparrow | | | | | | | | | | | | S Jl 12 | |
| Fox Sparrow | | | | | | | | | | | | | |
| Song Sparrow | M Ot 2 | W Au 30 Dm 19 | S Jl 11 Ot 9 | M Ot 2 Ot 30 | | M No 5 | | M Ot 17 | W No 5 Dm 17 | | W Sp 19 Dm 18 | | |
| Lincoln's Sparrow | M Ot 2 | | | M Ot 2 | | M Sp 4 | | M Sp 12 Sp 18 | M Sp 20 | | M Sp 19 Sp 20 | | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|---------------------|-----------|------------|-------|------------|------------|---------------------|------|--------|---------------------|---------------------|--------------------|------------------|---------------------|
| Brewer's Sparrow | | | | | | | | | | | | | |
| Field Sparrow | | S Au 14 | | | | S Dm 8 | | | S Jl 1 Sp 26 | | S Ot 21 | S S- Au 30 | S Jl 4 Ot 30 |
| Vesper Sparrow | | | | | | | | | | | S Jl 16 | | S, Au 1 Ot 4 |
| Lark Sparrow | | S Au 14 | | | S Au 14 | | | | | | | S S- Jl 31 | |
| Lark Bunting | | | | | | | | | | | | | |
| Savannah Sparrow | | | | | | | | | M Ot 10 | | | | M, Ot 4 Ot 25 |
| Grasshopper Sparrow | | | | | | S Au 29 | | | S Jl 1 Sp 26 | | S Jl 3 Ot 13 | S S- Au 30 | S Jl 4 Au 14 |
| Le Conte's Sparrow | | | | | | | | | | | | | M Ot 4 Ot 18 |
| Fox Sparrow | | | | | | | | | | M Ot 9 | | M Ot 18 | M Ot 20 Ot 27 |
| Song Sparrow | M No 6 | | No 6 | W No 29 | | P No 18 Dm 16 | | | S Jl 1 Dm 13 | M Ot 23 Dm 20 | S Jl 3 Au 18 | P S - W | P Jl 4 Ot 27 |
| Lincoln's Sparrow | | | | | | | | | M Sp 26 Ot 31 | M Sp 23 Ot 15 | | | M Ot 4 Ot 21 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|----------------------------|-------------------|-----------------------|------------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|-------|---------------------|---------------------|------------|
| Swamp Sparrow | | | | | | | | | | | M Dm 18 Dm 19 | S Au 14 | |
| White-throated Sparrow | | | | | | | | | M Sp 20 | | M Sp 19 | | |
| White-crowned Sparrow | M Ot 2 Ot 3 | W Sp 26 Dm 19 | M Ot 9 | M Ot 2 | | M Sp 26 | | M Sp 18 Ot 17 | W Sp 20 Dm 17 | | W Sp 19 Dm 18 | W Ot 11 | |
| Harris' Sparrow | | W Dm 12 Dm 13 | | | | M Ot 30 | | | | | | W No 7 Dm 20 | |
| Dark-eyed Junco | P | W Sp 26 Dm 31 | W Ot 9 | P Au 6 Ot 2 | | W Sp 26 No 5 | | P Sp 18 Ot 17 | W Dm 17 | | W Sp 20 Dm 19 | W Ot 11 Dm 30 | |
| McCown's Longspur | S Jl 7 | | S Jl 11 | | | | | | | | | | |
| Lapland Longspur | W Ot 24 | | | W No 3 No 25 | | | | | | | W Dm 18 | | |
| Chestnut-collared Longspur | S Au 7 Ot 3 | | | S Au 7 | | | | S Sp 12 Sp 18 | | | | | |
| Bobolink | | | | S Au 7 | | | S Jl 11 Au 29 | | | | S Au 15 | S Au 13 Au 30 | |
| Red-winged Blackbird | S Ot 3 | P, S Jl 1 Dm 19 | | P Sp 5 Ot 3 | P Au 15 No 5 | S Au 21 No 5 | S Jl 10 | S Au 15 Ot 17 | P Au 15 Dm 17 | Au 29 | P Au 14 Dm 18 | P Au 14 No 7 | S Au 13 |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|----------------------------|--------------------|--------------------|-------|--------------------|------------|---------------------|-----------------------|--------|---------------------|---------------------|-------------------|------------------|---------------------|
| Swamp Sparrow | | | | | | | | | M Sp 26 Ot 10 | M Ot 6 Ot 21 | | | M Ot 4 Dm 25 |
| White-throated Sparrow | | | | | | M No 18 | | | M Sp 26 No 14 | M Ot 7 Ot 21 | | M Ot 18 | M Ot 1 Ot 30 |
| White-crowned Sparrow | M No 6 | | No 6 | W No 6 No 29 | | M No 28 Dm 26 | Ja 1 '93 | | M Sp 26 | | | | M Ot 4 Ot 18 |
| Harris' Sparrow | M No 6 | | No 6 | | | W No 18 Dm 26 | No 26 Ja 1 '93 | | M Ot 24 No 7 | W Dm 20 | W No 8 | W Dm 31 | W Ot 10 Dm 20 |
| Dark-eyed Junco | W No 6 No 29 | W No 7 | No 6 | W No 6 | | W No 18 Dm 26 | No 27 Dm 3 Ja 1 | | W Ot 10 Dm 13 | W Ot 20 Dm 20 | | W Sp 30 W+ | W Ot 5 Dm 30 |
| McCown's Longspur | | | | | | | | | | | | | |
| Lapland Longspur | | | | | | | | | | | | | |
| Chestnut-collared Longspur | | | | | | | | | | | | | |
| Bobolink | | | | | | S Au 29 | | | Jl 11 | | | S Jl 3 | Jl 10 Au 1 |
| Red-winged Blackbird | | S Au 14 No 7 | No 6 | | S Au 14 | | | | S Jl 1 Ot 24 | S Dm 20 | S Jl 3 No 8 | S S- Ot 1 | S Jl 4 Dm 20 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|-------------------------|--------------------|--------------------|------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------|---------------------|---------------------|------------|
| Eastern Meadowlark | | | | | | | | | | | S Au 15 | | |
| Western Meadowlark | S Jl 7 Ot 24 | P Jl 1 Dm 19 | S Ot 9 | S Sp 11 Ot 24 | S Au 15 Ot 17 | P Au 21 No 5 | S Jl 10 | S Au 15 Ot 17 | P Au 15 No 29 | Au 29 | P Au 13 Sp 19 | P Au 13 Dm 19 | S Au 13 |
| Meadowlark sp. | | | | | | | | | | | | | |
| Yellow-headed Blackbird | S Jl 8 | | | | S Au 15 Sp 18 | S Au 21 Sp 26 | S Jl 10 | S Au 15 Sp 12 | S Au 15 Au 29 | | M Au 14 | S Jl 9 Au 30 | |
| Rusty Blackbird | | | | M Ot 30 | | | | | | | W Dm 18 Dm 19 | | |
| Brewer's Blackbird | S Jl 8 Sp 5 | S Ot 30 | | | M Au 21 Sp 18 | S Au 21 Ot 30 | M No 7 | S Sp 12 | M Dm 17 | | | | |
| Common Grackle | S Jl 8 Ot 3 | S Jl 1 Ot 21 | | S Sp 5 Ot 17 | S Au 15 Ot 17 | S Au 21 Ot 30 | S Au 29 | S Au 29 | S Au 15 Au 29 | | S Au 14 Sp 20 | S Jl 1 No 12 | |
| Brown-headed Cowbird | S Jl 6 Sp 5 | | | | | | S Jl 11 | S Au 15 | | | | S Jl 5 Ot 2 | |
| Orchard Oriole | | S Jl 1 Au 21 | S Jl 11 | S Au 7 | S Au 21 | S Jl 10 | S Jl 10 Jl 11 | | S Au 15 | | | S Jl 1 Au 13 | |
| Northern Oriole | S Jl 7 Jl 8 | S Jl 1 Au 15 | | S Au 8 | | S Sp 4 | S Jl 10 Jl 11 | S Au 29 | S Au 29 | Au 29 | | S Jl 1 Sp 4 | |
| Purple Finch | | | | | | | | | | | W Dm 18 | A Sp 30 | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|---------------------------|-------|------------|-------|------------|--------------------|------------|-------------|--------|--------------------|--------------------|--------------------|------------------|--------------------|
| Eastern Meadowlark | | | | | | | | | S Jl 3 | | | S S- Sp 10 | Jl 11 |
| Western Meadowlark | P | S Au 14 | No 6 | P | P Au 14 No 7 | | Ja 1 '93 | | S Jl 1 Ot 24 | P | P Jl 3 No 15 | S S- Ot 12 | P Jl 1 Dm 25 |
| Meadowl. sp. | | | | | | | | | | P | | | P, Jl 8 No 6 |
| Yellow-head. Blackbird | | | | | | Au 29 | | | | | S Jl 8 | | Jl 4 |
| Rusty Blackbird | | | | | | | | | | | | | |
| Brewer's Blackbird | | | | M No 6 | | | | | | | | | |
| Common Grackle | | | | S No 6 | | | Ja 1 '93 | | S Jl 1 Jl 18 | S Jl 1 Sp 28 | S Jl 3 | S S- Ot 31 | S Jl 1 Dm 10 |
| Brown-headed Cowbird | | | No 6 | | | | | | S Jl 1 Au 8 | N.R. | S Jl 3 Jl 28 | S S- Au 30 | S Jl 4 Dm 20 |
| Orchard Or. | | | | | | S | | | S, Jl 1 Au 15 | | | S, S- Au 30 | S, Jl 4 Sp 7 |
| Northern Oriole | | S Au 14 | | | | S Au 27 | | | S Jl 1 Sp 6 | | S Jl 3 Au 11 | S S- Sp 10 | S Jl 4 Sp 9 |
| Purple Finch | | | | | | | | | | | | | Ot 5 Dm 20 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

TABLE 1. FALL 1992 OCCURRENCE REPORT

| Name of Bird | Sioux | Scotts Bluff | Kimball | Dawes | Box Butte | Morrill | Cheyenne | Sheridan | Garden | Grant | Keith | Lincoln | Perkins |
|--------------------|-------------------|---------------------|--------------------|--------------------|---------------------|-------------------|----------|---------------------|---------------------|-------|---------------------|--------------------|---------|
| House Finch | P Jl 8 Ot 2 | P Jl 1 Dm 25 | P | P N.R. | | | P | | | | P Sp 19 Dm 19 | P Au 14 No 7 | |
| Red Crossbill | P Jl 6 Ot 3 | | | P | | | | | | | | | |
| Pine Siskin | P Jl 8 Ot 3 | W Ot 29 Dm 25 | | P Sp 5 Ot 17 | | | | | W Dm 17 | | W Dm 17 Dm 18 | W No 7 Dm 5 | |
| American Goldfinch | P Jl 7 Ot 3 | P Jl 1 Dm 25 | P Jl 11 Ot 9 | P Au 7 Ot 30 | P Au 21 Ot 30 | P Sp 4 No 5 | P | P Au 29 Ot 17 | P Au 15 Dm 17 | Au 29 | P Au 15 Dm 18 | P Au 13 No 7 | |
| Evening Grosbeak | | | | W No 4 Dm 6 | | | | | | | | N.R. | |
| House Sparrow | P | P Jl 1 Dm 30 | P | P N.R. | P N.R. | P N.R. | P | P N.R. | P N.R. | | P N.R. | P | |

| Name of Bird | Chase | Frontier | Dundy | Hitch-cock | Red Willow | Hall | Polk | Cuming | Saunders | Lancaster | Gage | Dakota | Douglas & Sarpy |
|--------------------|-------|--------------------|-------|------------|------------|---------------------|-----------------------|--------|--------------------|---------------------|--------------------|-------------------|--------------------|
| House Finch | | P | | P | | | No 27 Ja 1 | | | P, Au 31 Sp 25 | | P S - W | P, Jl 2 Dm 30 |
| Red Crossbill | | | | | | | | | | | | | |
| Pine Siskin | | | | | | W Dm 16 Dm 26 | Dm 3 Ja 1 '93 | | | W Dm 20 | | | Ot 18 Dm 31 |
| American Goldfinch | P | P Au 14 No 7 | No 6 | | P | P No 18 Dm 26 | Dm 3 Ja 1 '93 | P | P Jl 3 Dm 13 | P Sp 30 Dm 20 | P Jl 3 Au 13 | S- Ja 1 '93 | P Jl 1 Dm 30 |
| Evening Grosbeak | | | | | | | | | | | | | |
| House Sparrow | | | No 6 | | | P No 18 Dm 16 | No 27 Dm 3 Ja 1 | | P Jl 1 No 14 | P Jl 6 Dm 20 | P Jl 3 Au 13 | P S - W | P Jl 1 Dm 31 |

Symbol Key

P, permanent resident; S, summer resident; S-, present before July 1; W, winter resident; W+, present after December 31; M, migrant; A, accidental; N.R., not recorded but assumed to be present; Jl, July; Au, August; Sp, September; Ot, October; No, November; Dm, December.

FALL 1992 OCCURRENCE REPORT, ADDITIONAL COUNTY LISTS

The data for the following counties are not given in Table 1 because of the small number of species observed on one date.

Deuel (all observed November 7, 1992): Canada Goose, Green-winged Teal, Mallard, Northern Pintail, American Wigeon, Redhead, Bufflehead, American Kestrel, American Crow, European Starling.

Hayes (all observed November 29, 1992): Red-tailed Hawk, Horned Lark, American Crow, European Starling, Western Meadowlark.

Dodge (all species banded October 25, 1992; see Table 1 footnote for status symbols): Blue Jay (P), Black-capped Chickadee (P), White-breasted Nuthatch (P), American Tree Sparrow (W), Savannah Sparrow (M), White-throated Sparrow (M), Harris' Sparrow (W), Dark-eyed Junco (W).

SIGHTING DOCUMENTATION FOR FALL 1992 OCCURRENCE REPORT

This section includes species listed by the Records Committee as needing documentation. If none was provided, the cell within the table is shaded. Reporters are encouraged to submit documentation records to the NOU Records Committee (Joe Gubanyi, Chairperson, 210 Hillcrest, Seward, NE 68434).

Species Needing Documentation

Clark's Grebe (Keith Co.): Richard C. Rosché and Dorothy J. Rosché observed two of this species among a large number of Western Grebes at the western end of Lake McConaughy on September 20. They identified the birds, which were swimming, through a 20-power spotting scope. They found that Clark's Grebes had obviously whiter flanks and proportionately larger bills than the nearby Western Grebes, and their eyes were surrounded by white rather than black.

Black Scoter (Dawes Co.): Richard C. Rosché and Dorothy J. Rosché carefully observed two individuals at Box Butte Reservoir on October 30. Richard wrote, "These constitute our fourth record for Western Nebraska. They were large, dark birds as they sat on the water at close range. The blackish cap on the head was obvious, as were the light cheeks on the sides of the head. They were diving and at no time did I see any white wing patches as one often sees when White-winged Scoters are diving. There were no light "spots" on the sides of the head as seen in immature and female White-winged and Surf Scoters."

King Rail (Morrill and Garden Cos.): Observed by Richard C. Rosché and Dorothy J. Rosché. They wrote, "A single bird responded to taped calls by crossing the road in the middle of the afternoon at Facus Springs, Morrill Co. on 4 September; its low-pitched answering calls were obviously King Rail; its large size was unmistakable. Another individual responded to taped calls by answering from the marshes at Lewellen, Garden Co. on 20 September. We are learning to differentiate between the rather high-pitched call of the Virginia Rail as opposed to the low-pitched call of the King Rail." A King Rail was heard and seen at a fresh, warm-water spring in the Lewellen marshes by Richard C. Rosché on 17 December. He wrote, "I was walking in some drier areas of this springy place hoping to flush snipe, etc. when the rail called. I froze and remained so for about 15 minutes, when the rail walked out from dense vegetation onto a wet mudflat and started to feed in the open in good light. This was a very large, long-billed rail, much larger than any Virginia Rail. Its flanks were heavily barred and the breast area

was quite brownish-red. The back was streaked. I watched it for a minute or so before a large semi-truck rolled down the road; the noise of the truck scared the bird back into the dense cattails and other weeds."

California Gull (Keith Co.): Richard C. Rosché and Dorothy J. Rosché observed the following numbers at the east end of Lake McConaughy: 10 on 19 September, 3 on 20 September, and 30 on 5 November.

Thayer's Gull (Lincoln Co.): Two of this species were seen at Sutherland Reservoir on 17 December by Richard C. Rosché, and on 19 December by him and Dorothy J. Rosché. He wrote, "These gulls were seen at a distance feeding over open water with hundreds of Herring and Ring-billed Gulls. A 20X Balscope, Sr. was used in the identification. These were large, Herring Gull-sized gulls in first-winter plumage, rather dark uniform-brown all over. The primary identification mark used under these circumstances was the fact that the primaries were uniformly gray like the rest of the wing feathers, and not blackish as in the Herring Gull in similar-age plumage. I am not extremely familiar with this species, although I've studied them for hours on a number of occasions at the Santa Maria, CA garbage dump. These are the first individuals, among a number of "probables" I've seen in Nebraska, that I feel confident in calling California Gull without a doubt."

Lesser Black-backed Gull (Lincoln Co.): One was seen at Sutherland Reservoir on 19 December by Richard C. Rosché and Dorothy J. Rosché. Richard wrote, "We saw this bird as it flew by several times in association with Herring and Ring-billed Gulls. At no time did it land so that we could observe the leg and foot coloration. However, it was Herring-Gull sized with a very, very blackish back and wings. I thought I could see some dark specklings on the nape as the bird flew by on one occasion, which is typical of this species in winter plumage. The small size, combined with the jet-black upperparts, leaves little doubt as to species identification. At no time did the bird appear larger and bulkier, and with a larger, thicker bill, than the nearby Herring Gulls. I believe this was about a third-year bird."

Glaucous Gull (Lincoln Co.): Richard C. Rosché saw one at Sutherland Reservoir on 17 December. He wrote, "A creamy-colored gull all over with no black wing tips and noticeably larger than nearby Herring Gulls in flight. The tip of the bill was dark. I believe this individual was a first-year bird showing some characteristics of going into second-year plumage."

Yellow-bellied Flycatcher (Lancaster and Sarpy Cos.): Mabel Ott banded one bird in Lancaster Co. on September 16, and Ruth Green banded one bird in Fontenelle Forest, Sarpy Co. on October 9.

Sage Thrasher (Morrill Co.): Richard C. Rosché and Dorothy J. Rosché reported four of this species feeding on woodbine berries at Chimney Rock on 26 September. Prior to this, they had never seen more than a single bird at a time of "this western straggler in the State."

REPORTERS, OBSERVERS, AND COUNTY TALLIES, FALL 1992 OCCURRENCE REPORT

Note: Counties are arranged in the same order as in Table 1.

Sioux: 108 species. Reporters: Tanya Bray, Richard C. Rosché.

Scotts Bluff: 144 species. Reporters: Alice Kenitz, Richard C. Rosché.
Observers: Felix and Lucy Koenig, Nora Mae Vance, Dorothy J. Rosché.

Kimball: 54 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Dawes: 150 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Box Butte: 84 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Morrill: 116 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Cheyenne: 63 species. Reporter: Richard C. Rosché

Sheridan: 126 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Garden: 102 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Deuel (not in table): 10 species. Reporter: Richard C. Rosché.

Grant: 49 species. Reporter: Richard C. Rosché.

Keith: 137 species. Reporter: Richard C. Rosché. Observer: Dorothy J. Rosché.

Lincoln: 158 species. Reporters: Richard C. Rosché, Wilma Wyman. Observers: Esther and Harold Cunningham, Steve Dinsmore, Greg Hoover, Margaret Morton, Skip Raney, Dorothy J. Rosché, Ross Silcock.

Perkins: 26 species. Reporter: Richard C. Rosché.

Chase: 42 species. Reporter: Richard C. Rosché.

Hayes (not in table): 5 species. Reporter: Richard C. Rosché.

Frontier: 52 species. Reporter: Richard C. Rosché.

Dundy: 43 species. Reporter: Richard C. Rosché.

Hitchcock: 40 species. Reporter: Richard C. Rosché.

Red Willow: 19 species. Reporter: Richard C. Rosché.

Hall: 83 species. Reporters: Paul Bedell, Thomas Labedz.

Polk (also Hamilton and York): 38 species. Reporter: Norris Alfred. Observers: Earl and Andrea Fuhrer, Lee Morris.

Cuming: 14 species (banding record). Reporter: Mabel Ott. Observers: Sandra, Morelle, and Craig Herzinger.

Dodge (not in table): 8 species. Reporter: Mabel Ott. Observers: Mike and Bob Manning.

Saunders: 97 species. Reporter: Fr. Thomas A. Hoffman.

Lancaster: 80 species. Reporters: Thomas E. Labedz (mostly specimens accidentally killed), Mabel Ott (mostly banding records).

gage: 44 species. Reporter: Irene Alexander. Observer: George Alexander.

akota: 113 species. Reporter: Bill Huser. Observer: Teri Dolezal.

douglas/Sarpy: 183 species. Reporters: Tanya Bray, R. G. Cortelyou, Ruth C. Green, Clyde Johnson, Babs and Loren Padelford. Observers: Jim Ault, Laurine Blankenau, Duane Bright, Mark Dietz, Emma Johnson, Wanda Neaderhiser, Alice Rushton, Julie Schroeder, Melba Wigg.

LESSER BLACK-BACKED GULL AT SUTHERLAND RESERVOIR

Stephen J. Dinsmore¹ and W. Ross Silcock²

¹ Dept. Zoology, Box 7617, North Carolina State Univ., Raleigh, NC 27695-7617; ² P.O. Box 300, Tabor, IA 51563.

At 8:45 a.m. CST on 17 December, 1992, we observed a Lesser Black-backed Gull at Sutherland Reservoir in Lincoln County. The bird was first seen resting on the water in the company of Herring and Ring-billed Gulls. Compared to these species, this bird had a very distinct dark charcoal-gray mantle and upperwings, which were at least a shade darker than the mantle color of a Herring Gull, though definitely not black. When, during a brief period, the bird was compared directly to an adult California Gull, it had a noticeably darker mantle, was slightly larger, and had more obvious dark-brown streaking on the head and nape. In flight, the primary tips were darker than the rest of the flight feathers, and small, white mirrors were visible near the tips of the outer primaries, but were not visible on the underwing, which was pale, with some dark gray on the undersides of the primaries. The underparts, including the breast, belly, and undertail, were white and unmarked. The uppertail was mostly white except for small brown marks on the tips of a couple of the rectrices. The legs were very pale pink rather than yellow. The bill was fairly thin, with a slight gonys, which was not as obvious as those seen on most of the Herring Gulls that were present at the time. The distal half of the bill was yellow, with some dark smudging on the proximal half. The head was mostly white, with some fairly prominent dark-brown streaking, particularly on the crown, nape, and sides of the neck. The iris appeared yellow.

There was some confusion as to the age of the bird. Grant (1986) notes that, for Lesser Black-backed Gulls, "...a few (as high as 3% in some large samples) have adult plumage but fleshy or greyish legs. These birds usually also have dark on the bill of variable extent, and are then ageable as probable fourth-winters which have yet to acquire fully adult bare parts coloration." Our bird fit this description perfectly. The timing of molt in this species also supports this conclusion, since fourth-winter plumage is acquired in June to November (Grant 1986).

We studied the bird intermittently until 12:45 p.m. CST, when it disappeared. This represents the second record of a Lesser Black-backed Gull in Nebraska. The first record was of an adult on 24-26 February, 1992 at Pawnee Lake, Lancaster County (The Nebraska Bird Review 60: 101, 139). Though still a vagrant to the Great Plains, this species appears to be increasing around the Great Lakes states, and additional records can be expected in Nebraska.

Literature Cited

Grant, P. J. 1986. Gulls: A guide to identification. Buteo Books, Vermillion, South Dakota. 352 pp.

FIRST RECORD OF A ROSS' GULL FOR NEBRASKA

Stephen J. Dinsmore¹ and W. Ross Silcock²

¹ and ² See previous article for addresses.

On 17 December, 1992, we observed a Ross' Gull in second-winter plumage at Sutherland Reservoir, Lincoln County. We studied the bird in detail from 7:35-10.00 a.m. and again from 11:15 a.m.-1:00 p.m. CST as it fed with several Bonaparte's Gulls at the outlet between the cooling pond and the reservoir. The Ross' Gull remained at this location through 28 December and was seen by many birders from around the Midwest.

During all of our observations, the small size, dark underwings, and wedge-shaped tail set this bird apart from the Bonaparte's Gulls. At first, we overlooked the tail shape and tentatively identified the bird as a Little Gull. However, after studying the bird in greater detail, we noted the wedge-shaped tail and agreed that it was indeed a Ross' Gull in second-winter plumage.



Photos of Ross' Gull taken by B. J. Rose at Sutherland Reservoir
23 December, 1992

We estimated that the Ross' Gull was about 10% smaller than a Bonaparte's Gull, and had proportionately longer wings, a smaller head, and larger eyes. It had a buoyant flight, and often hovered over the water as it fed on small fish. The undersides of the flight feathers were dark gray, similar to the appearance of the underwing of an adult Little Gull. The axillars and wing linings were white. The upperwing was mostly pale gray, with clear remnants of a dark carpal bar. The carpal bar was black, and appeared as a series of spots across the secondary coverts, with a larger black spot at the base of the primaries. There was also a very broad, white trailing edge to the flight feathers, especially along the inner primaries. The mantle was also pale gray, the same color as the upperwing. The head was white except for the hint of a black collar, which appeared as a darker spot behind each eye, connected by a faint, dark line across the back of the neck. The head was very dove-like in appearance, probably due to the rounded shape and

large, dark eye. The bill was black, straight, and very short - barely half the length of a Bonaparte's Gull's bill. The leg color was hard to determine since the bird was always flying. At times the legs appeared dark red, but at other times they looked black. The underparts and undertail coverts were white. The rectrices were white except for small, black spots at the tips of the third rectrix. The tail was distinctly wedge-shaped, with the central rectrices noticeably longer than any of the others. Many of the flight feathers appeared worn and tattered, indicating that the bird was molting. Another indication of molting was that the primaries were about a centimeter longer than the secondaries. We believe that the primaries had been recently molted, and that the bird was in the process of molting the secondaries. Based on these features, we concluded that the bird was in second-winter plumage (see Grant 1986).

Ross' Gulls are very rare vagrants to the Lower 48 states. There are seven records for the Midwest, mainly during the last decade. Other records are from Colorado: 28 April-7 May, 1983, Jumbo Res., near Julesburg (Anonymous 1983); North Dakota: 5-6 June, 1992, Grand Forks (Berkey 1992); Minnesota: 4-14 April, 1984, Agassiz National Wildlife Refuge (Mattsson 1984), and 16 April, 1992, Pennington Co. (Granlund 1992); Illinois: 19 November-1 December, 1978, Chicago (Balch et al. 1979); and Missouri: 31 December 1991-11 January, 1992, Riverlands Area near St. Louis (Barksdale 1992). Most of the records are of adult birds. To our knowledge, the Nebraska sighting represents the first record of a second-winter plumaged Ross' Gull in the Lower 48 states.

Literature Cited

- Anonymous. 1983. Immature Ross's Gull in Colorado. C.F.O. Journal 17: 16-17.
Balch, L. G., H. D. Bohlen, and G. B. Rosenband. 1979. The Illinois Ross' Gull. Am. Birds 33: 140-142.
Barksdale, T. R. 1992. First Missouri record for Ross's Gull (*Rhodostethia rosea*). The Bluebird 59: 98-104.
Berkey, G. 1992. Northern Great Plains Region. Am. Birds 46: 1149-1150.
Granlund, J. 1992. Western Great Lakes Region. Am. Birds 46: 425-428.
Grant, P. J. 1986. Gulls: A guide to identification. Buteo Books, Vermillion, South Dakota. 352 pp.
Mattsson, J. P. 1984. First record of Ross' Gull for Minnesota. Loon 56: 128-129.

ANOTHER DESCRIPTION OF ROSS' GULL

Richard C. Rosché, 501 Shelton St., Chadron, NE 69337

One immature was observed at Sutherland Reservoir, Lincoln County, on 17 December (myself) and 19 December (myself and Dorothy J. Rosché), 1992. I saw this bird a few hours after Silcock and Dinsmore discovered it on 17 Dec. [See article on p. 88.] It flew by the end of the pier at close distances (as close as 20 feet) for hours on both days of observation. It sometimes landed momentarily on small pieces of ice as it picked up morsels floating in the water. It was a small gull and much more dainty than the nearby Bonaparte's Gulls. It had a very small, rounded head and a very short, stubby, blackish bill. I believe it was a first-year bird molting into second-year plumage. The obviously wedge-shaped tail possessed well-worn tips. The only thing left of the dark tail band was a dark spot or two. The dark wing band of the immature was reduced to a short, dark bar on the inner wing, more noticeable on one side of the bird than the other (and very visible when the bird perched). The dark black collar marking was just beginning to appear, a small, darkish line being the only thing visible on each side of the

head at this time. The pointed wings were rather uniformly gray on both sides; the trailing edge of the wing was whitish. The bird remained until 3 January, 1993, when it was last seen at the inlet to the reservoir. I personally visited with some 18 people who travelled to observe the bird from New York, Massachusetts, New Jersey, Colorado, and Florida.

NOTES ON BIRD SIGHTINGS IN NEBRASKA


Black-throated Sparrow.

Jan and Richard Johnson first saw this bird on their farm 6 miles north of Wayne (Dixon County) on January 2, 1993. It was still coming to the feeders regularly early in February. Photo by B. J. Rose.



Whooping Cranes. I have enclosed two photos of Whooping Cranes. They were discovered about five miles northeast of Creighton (Knox County) the afternoon of Easter Sunday, April 11, 1993. They were standing in a flooded area in a corn field. During the following days, they also frequented two other wet areas less than a mile from the corn field. All during their stay, the weather remained rainy with a wind from the north. When skies cleared and the wind shifted to the south on April 17, they resumed their journey.

---Loren Blake, HC 63, Box 18, Chambers, NE 68725



Photos by Loren Blake

More Whooping Cranes. ---Norris Alfred and I observed nine Whooping Cranes on April 17, 1993, nine miles northwest of Bradshaw. The person who reported them to us said that they had been in the area for 3 days. They left shortly after we arrived, but we observed them for several minutes as they caught a thermal and circled higher and higher, then drifted off to the north until out of sight. All this time, they

were calling loudly. It was so unusual to hear that a flock of nine were seen that at first I wondered if someone had misidentified them, but they really were whoopers. I'm very familiar with them after making so many trips to see them on the Aransas Game Refuge in Texas.

---Lee Morris, R.R.1, Box 14, Benedict, NE 68316

Common Loons. [There was] a better than average fall flight in 1992, with a peak of 12 at Box Butte Reservoir, Dawes County, and Lake Minatare, Scotts Bluff County, on 30 October. Two late courting and calling stragglers were at Box Butte Reservoir on 21 November.

---Richard C. Rosché, 501 Shelton St., Chadron, NE 69337

American White Pelicans. Bob Starr saw about 300 birds at DeSoto National Wildlife Refuge, Washington County, during the first week in September, 1992. (Communicated by R. G. Cortelyou.)

Great Egrets. Steve Duecker, a wetlands biologist, observed four adult Great Egrets in breeding plumage in the Bazile Creek State Wildlife Management Area, Knox County, on April 21, 1993. (Communicated by Mark Brohman.)

Rose-breasted X Black-Headed Grosbeak. A hybrid male was observed at Box Butte Reservoir, Dawes County, on 8 August, 1992. It looked mostly like a male Rose-breasted Grosbeak, but it had some brown on the nape and yellowish under the wings as it flew.

---Richard C. and Dorothy J. Rosché, 501 Shelton St.,
Chadron, NE 69337

American Pipits. Three birds were seen along the North Platte River near Keystone, Keith County, on 19 December, 1992 by Dorothy J. Rosché and myself. These individuals were seen by Ross Silcock and Steve Dinsmore on the Lake McConaughy Xmas Count on the previous day. These were small, sparrow-sized birds with very thin bills that were walking and flicking their tails up and down in the river bed. The white outer tail feathers could be seen as they did this. The breasts were heavily streaked and the upperparts were darkish. The legs and feet were dark. On a couple of occasions, an individual would fly up and land elsewhere, giving its characteristic two-parted and high-pitched call note as it flew. The birds were feeding on the shallow-water edge of the river in and among algae-covered rocks. I am not familiar with any other wintering records for Western Nebraska.

---Richard C. Rosché, 501 Shelton St., Chadron, NE 69337

Yellow-headed Blackbirds. On April 21, 1993, I observed two large groups of Yellow-headed Blackbirds. Each group had about 100 birds; one group was all males and the other, all females. They flew from tree to tree along the South Loup River just north of Miller in Buffalo County. Between trees, both groups flew rapidly and changed directions often while they flew within a few feet of each other.

---Mark Brohman, Wetlands Biologist, NE Dept. Roads, 1500 Hwy 2,
Lincoln, NE 68509-4759

Additional Note on Yellow-headed Blackbirds. Lee Morris wrote of huge flocks of Yellow-headed Blackbirds in the Benedict area of Knox County around May 1, 1993.

Ed. Note: The notes on sightings during late spring and early summer, 1993 will be included in Vol. 61 (3) 1993 of the NBR.

Nebraska Ornithologists' Union, Inc.
3018 O Street, Lincoln, NE 68510-1529

Forward and Return Postage Guaranteed
Address Correction Requested

Table of Contents

| | |
|---|----|
| Nebraska Ornithologists' Union 1993 Spring Meeting | 30 |
| Fall 1992 Occurrence Report (July 1 - December 31)..... | 31 |
| Fall 1992 Occurrence Report, Additional County Lists..... | 84 |
| Sighting Documentation for Fall 1992 Occurrence Report..... | 84 |
| Reporters, Observers, and County Tallies, Fall 1992 Occurrence Report..... | 85 |
| Lesser Black-backed Gull at Sutherland Reservoir..... | 87 |
| First Record of a Ross' Gull for Nebraska..... | 88 |
| Another Description of Ross' Gull..... | 89 |
| Notes on Bird Sightings in Nebraska..... | 90 |

The Nebraska Bird Review is published quarterly in March, June, September, and December by the Nebraska Ornithologists' Union, Inc., as its official Journal, and sent to members not in arrears for dues. Annual subscription rates (on a calendar-year basis only): \$12.50 in the United States, \$15.00 in Canada and Mexico, and \$17.50 for all other countries, payable in advance. Single copies are \$4.00 each, postpaid, in the United States, and \$5.00 elsewhere. Send orders for back issues to Mary H. Pritchard, NOU Librarian, W-436 Nebraska Hall, University of Nebraska, Lincoln, NE 68588-0514.

Memberships in NOU (on a calendar year basis only): Active, \$10.00; Sustaining, \$20.00; Student, \$8.00; Family Active, \$15.00; Family Sustaining, \$25.00; Life, \$150.00. Send dues and subscriptions to Colleen Babcock, NOU Treasurer, 2309 5th Ave. #9, Kearney, NE 68847.

Send manuscripts for publication, semi-annual occurrence reports, Christmas count reports, and notes and field lists of bird sightings to Rosalind Morris, Editor, 3018 O St., Lincoln, NE 68510.

Other officers are: President, George Brown, 2018 12th Ave., Kearney, NE 68847; Vice-President, Bill Huser, 401 E. 14th St., South Sioux City, NE 68776; Secretary, Robin Harding, Rt. 1, Box 143, Kearney, NE 68847. The Records Committee Chair is Joseph Gubanyi, 210 Hillcrest, Seward, NE 68434.