

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Bird Review

Nebraska Ornithologists' Union

9-2004

The Official List of the Birds of Nebraska: 2003

Follow this and additional works at: <https://digitalcommons.unl.edu/nebbirdrev>



Part of the [Poultry or Avian Science Commons](#), and the [Zoology Commons](#)

"The Official List of the Birds of Nebraska: 2003" (2004). *Nebraska Bird Review*. 374.
<https://digitalcommons.unl.edu/nebbirdrev/374>

This Article is brought to you for free and open access by the Nebraska Ornithologists' Union at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Bird Review by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

THE OFFICIAL LIST OF THE BIRDS OF NEBRASKA: 2003

The Official List of the Birds of Nebraska was last published in 1997 (NOU Records Committee 1997). That list included 427 species whose occurrence in Nebraska had been documented to the satisfaction of the NOU Records Committee at that time, following the sequence and nomenclature as outlined by the American Ornithologists' Union (1983, 1985, 1987, 1989, 1991, 1993, 1995, 1997, 1998, 2000, 2002, 2003). The present list includes 447 species based initially on Bray et al. 1986, and subsequently all changes to the Official List of the Birds of Nebraska as determined by the NOU Records Committee (Mollhoff 1987, 1989; Grenon 1990, 1991; Gubanyi 1996a, 1996b, 1997; Brogie 1997, 1998, 1999, 2003, 2004; Jorgensen 2001, 2002, 2003), as well as sequence and taxonomic changes made by the American Ornithologists' Union (1998, 2000, 2002, 2003). Additionally, the list reflects changes in frequency of occurrence as determined by the NOU Records Committee, which reviewed records of bird occurrences in Nebraska for 1993-2003. Frequency of occurrence is indicated by the following terms (NOU Records Committee 1988):

Regular - acceptably reported in 9-10 of the past 10 years
Casual - acceptably reported in 4-7 of the past 10 years
Accidental - acceptably reported in 0-2 of the past 10 years
Extirpated - not acceptably reported in the past 50 years
Extinct - no longer found alive anywhere in the world

The frequency of occurrence for any species that is acceptably reported in 3 or 8 of the last 10 years is discussed by the committee and placed in a category felt most appropriate by the committee. The NOU Records Committee seeks documentation for all species of less than regular occurrence in Nebraska as well as for those species whose occurrence has not been documented in Nebraska. Species documentation currently may be sent to:

Mark A. Brogie, Records Committee Chair
508 Seeley, Box 316
Creighton, NE 68729

Firmness of data supporting a bird on this list is indicated by the following terms (NOU Records Committee 1986): an adequately labeled diagnostic specimen (I-S); an adequately labeled diagnostic photo or slide (I-P); an adequately labeled diagnostic recording (I-R); a sight record with three or more acceptable written documentations (II); and a sight record with one or two acceptable written documentations (III). Species whose occurrence in Nebraska is believed indisputable; although no acceptable documentation exists is indicated by (**).

A summary of the changes to the 1997 Official List of the Birds of Nebraska follows.

**Species Added to the Official List of the Birds of Nebraska Based on
Acceptable Documentation (Since 1997)**

Emperor Goose, (*Chen canagica*), 1-P
Garganey, (*Anas querquedula*), 1-P
Tufted Duck, (*Aythya fuligula*), 1-P
Yellow-billed Loon, (*Gavia adamsii*), 1-P (counted in; but inadvertently left off 1997 Official List)
Reddish Egret, (*Egretta rufescens*), 1-P
White Ibis, (*Eudocimus albus*), 1-P
Glossy Ibis, (*Plegadis falcinellus*), III
Curlew Sandpiper, (*Calidris ferruginea*), 1-P
Arctic Tern, (*Sterna paradisaea*), 1-P
Eurasian Collared-Dove, (*Streptopelia decaocto*), 1-P
Costa's Hummingbird, (*Calypte costae*), III
Gray Flycatcher, (*Empidonax wrightii*), III
Dusky Flycatcher, (*Empidonax oberholseri*), 1-P
Black-throated Gray Warbler, (*Dendroica nigrescens*), III
Hermit Warbler, (*Dendroica occidentalis*), III
Hepatic Tanager, (*Piranga flava*), 1-P
Scott's Oriole, (*Icterus parisorum*), III
Brambling, (*Fringilla montifringilla*), 1-P
Black Rosy-Finch, (*Leucosticte atrata*), III

Changes Involving Nebraska Species Due to Taxonomic Revisions

Common Snipe is split into **Wilson's Snipe** (*Gallinago delicata*), widespread in North America and **Common Snipe** (*Gallinago gallinago*), the Old World form that breeds sparingly in the Aleutian Islands.

Wilson's Snipe, (*Gallinago delicata*), Regular, 1-S

Three-toed Woodpecker is split into **American Three-toed Woodpecker** (*Picoides dorsalis*) and the Old World form **Eurasian Three-toed Woodpecker** (*Picoides tridactylus*).

American Three-toed Woodpecker, (*Picoides dorsalis*), Accidental, 1-S

Solitary Vireo (*Vireo solitarius*) is split into **Blue-headed Vireo** (*V. solitarius*), **Cassin's Vireo** (*V. cassinii*), and **Plumbeous Vireo** (*V. plumbeus*).

The species (*V. solitarius*) is typically encountered migrating through eastern Nebraska, (*V. plumbeus*) has been found nesting in extreme northwestern Nebraska, and (*V. cassinii*) has been found as a western Nebraska migrant.

Plumbeous Vireo, (*Vireo plumbeus*), Regular, 1-S

Cassin's Vireo, (*Vireo cassinii*), Casual, 1-S

Blue-headed Vireo, (*Vireo solitarius*), Regular, 1-S

Black-billed Magpie of North America becomes (*Pica hudsonia*), split from the Old World form (*Pica pica*); (**Magpie** or **Eurasian Magpie**).

Black-billed Magpie, (*Pica hudsonia*), Regular, 1-S

Changes at the Family and/or Order Level

The order Anseriformes are placed ahead of the order Gaviiformes.

The family Cathartidae (New World Vultures) are removed from the order Falconiformes and placed in the order Ciconiiformes after Wood Stork.

The New World Quail (i.e. Northern Bobwhite) are now placed in their own family (Odontophoridae).

The family Laniidae (shrikes) are moved behind the family Tyrannidae (flycatchers); the first family in the order Passeriformes.

The family Vireonidae (vireos), and the family Corvidae (jays, crows, and allies); in that sequence, will directly follow the Laniidae (shrikes).

The kinglets are now placed in their own family (Regulidae).

The Gnatcatchers are now placed in the family Sylviidae and follow the Regulidae.

The true thrushes (Eastern Bluebird through Varied Thrush) are placed in the family Turdidae and follow the Sylviidae.

The family Sturnidae (i.e. European Starling) will now follow the family Mimidae (mockingbirds and thrashers).

The wood-warblers (Blue-winged Warbler through Yellow-breasted Chat) are placed in the family Parulidae.

The tanagers are placed in the family Thraupidae.

The New World Sparrows and allies (Green-tailed Towhee through Snow Bunting) are retained as the family Emberizidae.

The cardinals, buntings, and grosbeaks (Northern Cardinal through Dickcissel) are placed in the family Cardinalidae and will follow the family Emberizidae.

The blackbirds and orioles (Bobolink through Scott's Oriole) will be placed in the family Icteridae and will follow the family Cardinalidae.

The sequence of families of Nebraska birds in the Order Passeriformes will be:

Tyrannidae, Laniidae, Vireonidae, Corvidae, Alaudidae, Hirundinidae, Paridae, Sittidae, Certhiidae, Troglodytidae, Cinclidae, Regulidae, Sylviidae, Turdidae, Mimidae, Sturnidae, Motacillidae, Bombycillidae, Parulidae, Thraupidae, Emberizidae, Cardinalidae, Icteridae, Fringillidae, and Passeridae.

Changes in Frequency of Occurrence

Tundra Swan, (*Cygnus columbianus*) changed from Casual to Regular
Black Scoter, (*Melanitta nigra*) changed from Casual to Regular
Barrow's Goldeneye, (*Bucephala islandica*) changed from Casual to Regular
Red-throated Loon, (*Gavia stellata*) changed from Accidental to Casual
Pacific Loon, (*Gavia pacifica*) changed from Casual to Regular
Red-necked Grebe, (*Podiceps grisegena*) changed from Casual to Regular
Neotropic Cormorant, (*Phalacrocorax brasilianus*) changed from Accidental to

Casual

Common Moorhen, (*Gallinula chloropus*) changed from Accidental to Casual
Snowy Plover, (*Charadrius alexandrinus*) changed from Casual to Regular
Mountain Plover, (*Charadrius montanus*) changed from Casual to Regular
Whimbrel, (*Numenius phaeopus*) changed from Casual to Regular
Red Knot, (*Calidris canutus*) changed from Casual to Regular
Ruff, (*Philomachus pugnax*) changed from Accidental to Casual
Short-billed Dowitcher, (*Limnodromus griseus*) changed from Casual to

Regular

Pomarine Jaeger, (*Stercorarius pomarinus*) changed from Accidental to Casual
Little Gull, (*Larus minutus*) changed from Accidental to Casual
Mew Gull, (*Larus canus*) changed from Accidental to Casual
Thayer's Gull, (*Larus thayeri*) changed from Casual to Regular
Lesser Black-backed Gull, (*Larus fuscus*) changed from Casual to Regular
Sabine's Gull, (*Xema sabini*) changed from Accidental to Regular
Eurasian Collared-Dove, (*Streptopelia decaocto*) changed from Accidental to

Casual

White-winged Dove, (*Zenaida asiatica*) changed from Accidental to Casual
Calliope Hummingbird, (*Stellula calliope*) changed from Accidental to Casual
Broad-tailed Hummingbird, (*Selasphorus platycercus*) changed from Casual to Regular
Rufous Hummingbird, (*Selasphorus rufus*) changed from Casual to Regular
Red-naped Sapsucker, (*Sphyrapicus nuchalis*) changed from Accidental to

Casual

Pileated Woodpecker, (*Dryocopus pileatus*) changed from Accidental to Casual
Hammond's Flycatcher, (*Empidonax hammondi*) changed from Accidental to

Casual

Dusky Flycatcher, (*Empidonax oberholseri*) changed from Accidental to Casual
Cordilleran Flycatcher, (*Empidonax occidentalis*) changed from Casual to

Regular

Cassin's Vireo, (*Vireo cassinii*) changed from Accidental to Casual
Steller's Jay, (*Cyanocitta stelleri*) changed from Accidental to Casual; changed from Casual back to Accidental

Mountain Chickadee, (*Poecile gambeli*) changed from Accidental to Casual
Sage Thrasher, (*Oreoscoptes montanus*) changed from Casual to Regular
Blue-winged Warbler, (*Vermivora pinus*) changed from Casual to Regular
Virginia's Warbler, (*Vermivora virginiae*) changed from Accidental to Casual
Black-throated Blue Warbler, (*Dendroica caerulescens*) changed from Casual
Townsend's Warbler, (*Dendroica townsendi*) changed from Casual to Regular
Prairie Warbler, (*Dendroica discolor*) changed from Accidental to Casual
Hooded Warbler, (*Wilsonia citrina*) changed from Casual to Regular
Green-tailed Towhee, (*Pipilo chlorurus*) changed from Casual to Regular
Cassin's Sparrow, (*Aimophila cassinii*) changed from Casual to Regular

Baird's Sparrow, (*Ammodramus bairdii*) changed from Accidental to Casual
Henslow's Sparrow, (*Ammodramus henslowii*) changed from Casual to Regular
Nelson's Sharp-tailed Sparrow, (*Ammodramus nelsoni*) changed from Casual to Regular
Smith's Longspur, (*Calcarius pictus*) changed from Accidental to Casual
White-winged Crossbill, (*Loxia leucoptera*) changed from Casual to Regular
Lesser Goldfinch, (*Carduelis psaltria*) changed from Accidental to Casual

Changes in Firmness of Data

Black Rail (*Laterallus jamaicensis*) changed from (**) to 1-R
Band-tailed Pigeon (*Patagioenas fasciata*) changed from Class III to 1-P
Great-tailed Grackle (*Quiscalus mexicanus*) changed from 1-P to 1-S
 (UNSM # ZM-17601)

Changes in Scientific Names

Roseate Spoonbill (*Ajaia ajaja*) becomes (*Platalea ajaja*)
Purple Gallinule (*Porphyryla martinica*) becomes (*Porphyrio martinica*)
American Golden-Plover (*Pluvialis dominicus*) becomes (*Pluvialis dominica*)
Red Phalarope (*Phalaropus fulicaria*) becomes (*Phalaropus fulicarius*)
Band-tailed Pigeon (*Columba fasciata*) becomes (*Patagioenas fasciata*)
Eastern Screech-Owl (*Otus asio*) becomes (*Megascops asio*)
Snowy Owl (*Nyctea scandiaca*) becomes (*Bubo scandiaca*)
Burrowing Owl (*Speotyto cunicularia*) becomes (*Athene cunicularia*)
Olive-sided Flycatcher (*Contopus borealis*) becomes (*Contopus cooperi*)
Black-capped Vireo (*Vireo atricapillus*) becomes (*Vireo atricapilla*)
Cliff Swallow (*Hirundo pyrrhonota*) becomes (*Petrochelidon pyrrhonota*)
Cave Swallow (*Hirundo fulva*) becomes (*Petrochelidon fulva*)
Black-capped Chickadee (*Parus atricapillus*) becomes (*Poecile atricapillus*)
 which becomes (*Poecile atricapilla*) which changes back to (*Poecile atricapillus*)
Mountain Chickadee (*Parus gambeli*) becomes (*Poecile gambeli*)
Tufted Titmouse (*Parus bicolor*) becomes (*Baeolophus bicolor*)
Ovenbird (*Seiurus aurocapillus*) becomes (*Seiurus aurocapilla*)
Blue Grosbeak (*Guiraca caerulea*) becomes (*Passerina caerulea*)

Changes in English Names

Ross' Goose (*Chen rossii*) changed to **Ross's Goose**
Oldsquaw (*Clangula hyemalis*) changed to **Long-tailed Duck**
Harris' Hawk (*Parabuteo unicinctus*) changed to **Harris's Hawk**
Sage Grouse (*Centrocercus urophasianus*) changed to **Greater Sage-Grouse**
Ross' Gull (*Rhodostethia rosea*) changed to **Ross's Gull**
Rock Dove (*Columba livia*) changed to **Rock Pigeon**
Lewis' Woodpecker (*Melanerpes lewis*) changed to **Lewis's Woodpecker**
Harris' Sparrow (*Zonotrichia querula*) changed to **Harris's Sparrow**

Other Changes

Multiple changes in sequential reordering of species inside families can be found in the following text.

THE OFFICIAL LIST OF THE BIRDS OF NEBRASKA: (2003)
(447 Species)

Order ANSERIFORMES

Family Anatidae: Swans, Geese, and Ducks

Black-bellied Whistling-Duck, (*Dendrocygna autumnalis*), Accidental, 1-S
Bean Goose, (*Anser fabalis*), Accidental, 1-P
Greater White-fronted Goose, (*Anser albifrons*), Regular, 1-S
Emperor Goose, (*Chen canagica*), Accidental, 1-P
Snow Goose, (*Chen caerulescens*), Regular, 1-S
Ross's Goose, (*Chen rossii*), Regular, 1-S
Canada Goose, (*Branta canadensis*), Regular, 1-S
Brant, (*Branta bernicla*), Accidental, 1-S
Trumpeter Swan, (*Cygnus buccinator*), Regular, 1-S
Tundra Swan, (*Cygnus columbianus*), Regular, 1-S
Wood Duck, (*Aix sponsa*), Regular, 1-S
Gadwall, (*Anas strepera*), Regular, 1-S
Eurasian Wigeon, (*Anas penelope*), Casual, 1-S
American Wigeon, (*Anas americana*), Regular, 1-S
American Black Duck, (*Anas rubripes*), Regular, 1-S
Mallard, (*Anas platyrhynchos*), Regular, 1-S
Mottled Duck, (*Anas fulvigula*), Accidental, 1-P
Blue-winged Teal, (*Anas discors*), Regular, 1-S
Cinnamon Teal, (*Anas cyanoptera*), Regular, 1-S
Northern Shoveler, (*Anas clypeata*), Regular, 1-S
Northern Pintail, (*Anas acuta*), Regular, 1-S
Garganey, (*Anas querquedula*), Accidental, 1-P
Green-winged Teal, (*Anas crecca*), Regular, 1-S
Canvasback, (*Aythya valisineria*), Regular, 1-S
Redhead, (*Aythya americana*), Regular, 1-S
Ring-necked Duck, (*Aythya collaris*), Regular, 1-S
Tufted Duck, (*Aythya fuligula*), Accidental, 1-P
Greater Scaup, (*Aythya marila*), Regular, 1-S
Lesser Scaup, (*Aythya affinis*), Regular, 1-S
King Eider, (*Somateria spectabilis*), Accidental, 1-P
Common Eider, (*Somateria mollissima*), Accidental, 1-S
Harlequin Duck, (*Histrionicus histrionicus*), Accidental, 1-S
Surf Scoter, (*Melanitta perspicillata*), Regular, 1-S
White-winged Scoter, (*Melanitta fusca*), Regular, 1-S
Black Scoter, (*Melanitta nigra*), Regular, 1-S
Long-tailed Duck, (*Clangula hyemalis*), Regular, 1-S
Bufflehead, (*Bucephala albeola*), Regular, 1-S
Common Goldeneye, (*Bucephala clangula*), Regular, 1-S
Barrow's Goldeneye, (*Bucephala islandica*), Regular, 1-P
Hooded Merganser, (*Lophodytes cucullatus*), Regular, 1-S
Common Merganser, (*Mergus merganser*), Regular, 1-S
Red-breasted Merganser, (*Mergus serrator*), Regular, 1-S
Ruddy Duck, (*Oxyura jamaicensis*), Regular, 1-S

Order GALLIFORMES

Family Phasianidae: Partridges, Grouse, and Turkeys

Gray Partridge, (*Perdix perdix*), Regular, 1-S
Ring-necked Pheasant, (*Phasianus colchicus*), Regular, 1-S
Ruffed Grouse, (*Bonasa umbellus*), Extirpated, 1-S
Greater Sage-Grouse, (*Centrocercus urophasianus*), Accidental, III
Sharp-tailed Grouse, (*Tympanuchus phasianellus*), Regular, 1-S
Greater Prairie-Chicken, (*Tympanuchus cupido*), Regular, 1-S
Lesser Prairie-Chicken, (*Tympanuchus pallidicinctus*), Extirpated, 1-S
Wild Turkey, (*Meleagris gallopavo*), Regular, 1-S

Family Odontophoridae: Quail

Northern Bobwhite, (*Colinus virginianus*), Regular, 1-S

Order GAVIIFORMES

Family Gaviidae: Loons

Red-throated Loon, (*Gavia stellata*), Casual, 1-P
Pacific Loon, (*Gavia pacifica*), Regular, 1-P
Common Loon, (*Gavia immer*), Regular, 1-S
Yellow-billed Loon, (*Gavia adamsii*), Accidental, 1-P

Order PODICIPEDIFORMES

Family Podicipedidae: Grebes

Pied-billed Grebe, (*Podilymbus podiceps*), Regular, 1-S
Horned Grebe, (*Podiceps auritus*), Regular, 1-S
Red-necked Grebe, (*Podiceps grisegena*), Regular, 1-P
Eared Grebe, (*Podiceps nigricollis*), Regular, 1-S
Western Grebe, (*Aechmophorus occidentalis*), Regular, 1-S
Clark's Grebe, (*Aechmophorus clarkii*), Regular, 1-S

Order PELECANIFORMES

Family Pelecanidae: Pelicans

American White Pelican, (*Pelecanus erythrorhynchos*), Regular, 1-S
Brown Pelican, (*Pelecanus occidentalis*), Accidental, 1-P

Family Phalacrocoracidae: Cormorants

Neotropic Cormorant, (*Phalacrocorax brasilianus*), Casual, 1-S
Double-crested Cormorant, (*Phalacrocorax auritus*), Regular, 1-S

Family Anhingidae: Darters

Anhinga, (*Anhinga anhinga*), Accidental, 1-S

Order CICONIIFORMES

Family Ardeidae: Bitterns and Herons

American Bittern, (*Botaurus lentiginosus*), Regular, 1-S
Least Bittern, (*Ixobrychus exilis*), Regular, 1-S

Great Blue Heron, (*Ardea herodias*), Regular, 1-S
Great Egret, (*Ardea alba*), Regular, 1-S
Snowy Egret, (*Egretta thula*), Regular, 1-P
Little Blue Heron, (*Egretta caerulea*), Regular, 1-S
Tricolored Heron, (*Egretta tricolor*), Accidental, 1-S
Reddish Egret, (*Egretta rufescens*), Accidental, 1-P
Cattle Egret, (*Bubulcus ibis*), Regular, 1-P
Green Heron, (*Butorides virescens*), Regular, 1-S
Black-crowned Night-Heron, (*Nycticorax nycticorax*), Regular, 1-S
Yellow-crowned Night-Heron, (*Nyctanassa violacea*), Regular, 1-S

Family Threskiornithidae: Ibises and Spoonbills

White Ibis, (*Eudocimus albus*), Accidental, 1-P
Glossy Ibis, (*Plegadis falcinellus*), Accidental, III
White-faced Ibis, (*Plegadis chihi*), Regular, 1-S
Roseate Spoonbill, (*Platalea ajaja*), Accidental, II

Family Ciconiidae: Storks

Wood Stork, (*Mycteria americana*), Accidental, III

Family Cathartidae: American Vultures

Black Vulture, (*Coragyps atratus*), Accidental, 1-S
Turkey Vulture, (*Cathartes aura*), Regular, 1-S

Order FALCONIFORMES

Family Accipitridae: Kites, Hawks, Eagles, and Allies

Osprey, (*Pandion haliaetus*), Regular, 1-S
Swallow-tailed Kite, (*Elanoides forficatus*), Extripated, 1-S
White-tailed Kite, (*Elanus leucurus*), Accidental, 1-P
Mississippi Kite, (*Ictinia mississippiensis*), Regular, 1-S
Bald Eagle, (*Haliaeetus leucocephalus*), Regular, 1-S
Northern Harrier, (*Circus cyaneus*), Regular, 1-S
Sharp-shinned Hawk, (*Accipiter striatus*), Regular, 1-S
Cooper's Hawk, (*Accipiter cooperii*), Regular, 1-S
Northern Goshawk, (*Accipiter gentilis*), Regular, 1-S
Harris's Hawk, (*Parabuteo unicinctus*), Accidental, 1-S
Red-shouldered Hawk, (*Buteo lineatus*), Regular, 1-S
Broad-winged Hawk, (*Buteo platypterus*), Regular, 1-S
Swainson's Hawk, (*Buteo swainsoni*), Regular, 1-S
Red-tailed Hawk, (*Buteo jamaicensis*), Regular, 1-S
Ferruginous Hawk, (*Buteo regalis*), Regular, 1-S
Rough-legged Hawk, (*Buteo lagopus*), Regular, 1-S
Golden Eagle, (*Aquila chrysaetos*), Regular, 1-S

Family Falconidae: Falcons

American Kestrel, (*Falco sparverius*), Regular, 1-S
Merlin, (*Falco columbarius*), Regular, 1-S

Gyrfalcon, (*Falco rusticolus*), Casual, 1-S
Peregrine Falcon, (*Falco peregrinus*), Regular, 1-S
Prairie Falcon, (*Falco mexicanus*), Regular, 1-S

Order GRUIFORMES

Family Rallidae: Rails, Gallinules, and Coots

Yellow Rail, (*Coturnicops noveboracensis*), Accidental, 1-S
Black Rail, (*Laterallus jamaicensis*), Accidental, 1-R
Clapper Rail, (*Rallus longirostris*), Accidental, 1-S
King Rail, (*Rallus elegans*), Casual, 1-S
Virginia Rail, (*Rallus limicola*), Regular, 1-S
Sora, (*Porzana carolina*), Regular, 1-S
Purple Gallinule, (*Porphyrio martinica*), Accidental, III
Common Moorhen, (*Gallinula chloropus*), Casual, 1-S
American Coot, (*Fulica americana*), Regular, 1-S

Family Gruidae: Cranes

Sandhill Crane, (*Grus canadensis*), Regular, 1-S
Common Crane, (*Grus grus*), Accidental, 1-P
Whooping Crane, (*Grus americana*), Regular, 1-S

Order CHARADRIIFORMES

Family Charadriidae: Plovers

Black-bellied Plover, (*Pluvialis squatarola*), Regular, 1-S
American Golden-Plover, (*Pluvialis dominica*), Regular, 1-S
Snowy Plover, (*Charadrius alexandrinus*), Regular, 1-S
Semipalmated Plover, (*Charadrius semipalmatus*), Regular, 1-S
Piping Plover, (*Charadrius melodus*), Regular, 1-S
Killdeer, (*Charadrius vociferus*), Regular, 1-S
Mountain Plover, (*Charadrius montanus*), Regular, 1-S

Family Recurvirostridae: Stilts and Avocets

Black-necked Stilt, (*Himantopus mexicanus*), Regular, 1-S
American Avocet, (*Recurvirostra americana*), Regular, 1-S

Family Scolopacidae: Sandpipers and Phalaropes

Greater Yellowlegs, (*Tringa melanoleuca*), Regular, 1-S
Lesser Yellowlegs, (*Tringa flavipes*), Regular, 1-S
Solitary Sandpiper, (*Tringa solitaria*), Regular, 1-S
Willet, (*Catoptrophorus semipalmatus*), Regular, 1-S
Spotted Sandpiper, (*Actitis macularia*), Regular, 1-S
Upland Sandpiper, (*Bartramia longicauda*), Regular, 1-S
Eskimo Curlew, (*Numenius borealis*), Extirpated, 1-S
Whimbrel, (*Numenius phaeopus*), Regular, 1-S
Long-billed Curlew, (*Numenius americanus*), Regular, 1-S
Hudsonian Godwit, (*Limosa haemastica*), Regular, 1-S
Marbled Godwit, (*Limosa fedoa*), Regular, 1-S

Ruddy Turnstone, (*Arenaria interpres*), Regular, 1-S
Red Knot, (*Calidris canutus*), Regular, 1-P
Sanderling, (*Calidris alba*), Regular, 1-S
Semipalmated Sandpiper, (*Calidris pusilla*), Regular, 1-S
Western Sandpiper, (*Calidris mauri*), Regular, 1-S
Least Sandpiper, (*Calidris minutilla*), Regular, 1-S
White-rumped Sandpiper, (*Calidris fuscicollis*), Regular, 1-S
Baird's Sandpiper, (*Calidris bairdii*), Regular, 1-S
Pectoral Sandpiper, (*Calidris melanotos*), Regular, 1-S
Sharp-tailed Sandpiper, (*Calidris acuminata*), Accidental, III
Dunlin, (*Calidris alpina*), Regular, 1-S
Curlew Sandpiper, (*Calidris ferruginea*), Accidental, 1-P
Stilt Sandpiper, (*Calidris himantopus*), Regular, 1-S
Buff-breasted Sandpiper, (*Tryngites subruficollis*), Regular, 1-S
Ruff, (*Philomachus pugnax*), Casual, 1-P
Short-billed Dowitcher, (*Limnodromus griseus*), Regular, 1-S
Long-billed Dowitcher, (*Limnodromus scolopaceus*), Regular, 1-S
Wilson's Snipe, (*Gallinago delicata*), Regular, 1-S
American Woodcock, (*Scolopax minor*), Regular, 1-S
Wilson's Phalarope, (*Phalaropus tricolor*), Regular, 1-S
Red-necked Phalarope, (*Phalaropus lobatus*), Regular, 1-S
Red Phalarope, (*Phalaropus fulicarius*), Casual, 1-S

Family Laridae: Gulls and Terns

Pomarine Jaeger, (*Stercorarius pomarinus*), Casual, 1-S
Parasitic Jaeger, (*Stercorarius parasiticus*), Accidental, 1-S
Long-tailed Jaeger, (*Stercorarius longicaudus*), Accidental, 1-S
Laughing Gull, (*Larus atricilla*), Casual, 1-P
Franklin's Gull, (*Larus pipixcan*), Regular, 1-S
Little Gull, (*Larus minutus*), Casual, 1-P
Black-headed Gull, (*Larus ridibundus*), Accidental, III
Bonaparte's Gull, (*Larus philadelphia*), Regular, 1-S
Mew Gull, (*Larus canus*), Casual, 1-P
Ring-billed Gull, (*Larus delawarensis*), Regular, 1-S
California Gull, (*Larus californicus*), Regular, 1-S
Herring Gull, (*Larus argentatus*), Regular, 1-S
Thayer's Gull, (*Larus thayeri*), Regular, 1-P
Iceland Gull, (*Larus glaucoides*), Casual, 1-P
Lesser Black-backed Gull, (*Larus fuscus*), Regular, 1-P
Glaucous-winged Gull, (*Larus glaucescens*), Accidental, 1-P
Glaucous Gull, (*Larus hyperboreus*), Regular, 1-P
Great Black-backed Gull, (*Larus marinus*), Casual, 1-P
Sabine's Gull, (*Xema sabini*), Regular, 1-S
Black-legged Kittiwake, (*Rissa tridactyla*), Casual, 1-S
Ross's Gull, (*Rhodostethia rosea*), Accidental, 1-P
Caspian Tern, (*Sterna caspia*), Regular, 1-S
Common Tern, (*Sterna hirundo*), Regular, 1-S
Arctic Tern, (*Sterna paradisaea*), Accidental, 1-P
Forster's Tern, (*Sterna forsteri*), Regular, 1-S
Least Tern, (*Sterna antillarum*), Regular, 1-S
Black Tern, (*Chlidonias niger*), Regular, 1-S

Family Alcidae: Auks, Murres, and Allies

Ancient Murrelet, (*Synthliboramphus antiquus*), Accidental, 1-S

Order COLUMBIFORMES

Family Columbidae: Pigeons and Doves

Rock Pigeon, (*Columba livia*), Regular, 1-S

Band-tailed Pigeon, (*Patagioenas fasciata*), Accidental, 1-P

Eurasian Collared-Dove, (*Streptopelia decaocto*), Casual, 1-P

White-winged Dove, (*Zenaida asiatica*), Casual, 1-P

Mourning Dove, (*Zenaida macroura*), Regular, 1-S

Passenger Pigeon, (*Ectopistes migratorius*), Extinct, 1-S

Inca Dove, (*Columbina inca*), Accidental, 1-P

Common Ground-Dove, (*Columbina passerina*), Accidental, III

Order PSITTACIFORMES

Family Psittacidae: Parrots

Carolina Parakeet, (*Conuropsis carolinensis*), Extinct, 1-S

Order CUCULIFORMES

Family Cuculidae: Cuckoos and Anis

Black-billed Cuckoo, (*Coccyzus erythrophthalmus*), Regular, 1-S

Yellow-billed Cuckoo, (*Coccyzus americanus*), Regular, 1-S

Groove-billed Ani, (*Crotophaga sulcirostris*), Accidental, 1-P

Order STRIGIFORMES

Family Tytonidae: Barn Owls

Barn Owl, (*Tyto alba*), Regular, 1-S

Family Strigidae: Typical Owls

Eastern Screech-Owl, (*Megascops asio*), Regular, 1-S

Great Horned Owl, (*Bubo virginianus*), Regular, 1-S

Snowy Owl, (*Bubo scandiaca*), Regular, 1-S

Northern Hawk Owl, (*Surnia ulula*), Accidental, 1-S

Burrowing Owl, (*Athene cunicularia*), Regular, 1-S

Barred Owl, (*Strix varia*), Regular, 1-S

Great Gray Owl, (*Strix nebulosa*), Accidental, 1-S

Long-eared Owl, (*Asio otus*), Regular, 1-S

Short-eared Owl, (*Asio flammeus*), Regular, 1-S

Boreal Owl, (*Aegolius funereus*), Accidental, 1-S

Northern Saw-whet Owl, (*Aegolius acadicus*), Regular, 1-S

Order CAPRIMULGIFORMES

Family Caprimulgidae: Goatsuckers

Common Nighthawk, (*Chordeiles minor*), Regular, 1-S

Common Poorwill, (*Phalaenoptilus nuttallii*), Regular, 1-S
Chuck-will's-widow, (*Caprimulgus carolinensis*), Regular, 1-P
Whip-poor-will, (*Caprimulgus vociferus*), Regular, 1-S

Order APODIFORMES

Family Apodidae: Swifts

Chimney Swift, (*Chaetura pelagica*), Regular, 1-S
White-throated Swift, (*Aeronautes saxatalis*), Regular, 1-S

Family Trochilidae: Hummingbirds

Ruby-throated Hummingbird, (*Archilochus colubris*), Regular, 1-S
Costa's Hummingbird, (*Calypte costae*), Accidental, III
Calliope Hummingbird, (*Stellula calliope*), Casual, 1-P
Broad-tailed Hummingbird, (*Selasphorus platycercus*), Regular, 1-P
Rufous Hummingbird, (*Selasphorus rufus*), Regular, 1-S

Order CORACIIFORMES

Family Alcedinidae: Kingfishers

Belted Kingfisher, (*Ceryle alcyon*), Regular, 1-S

Order PICIFORMES

Family Picidae: Woodpeckers

Lewis's Woodpecker, (*Melanerpes lewis*), Regular, 1-S
Red-headed Woodpecker, (*Melanerpes erythrocephalus*), Regular, 1-S
Acorn Woodpecker, (*Melanerpes formicivorus*), Accidental, 1-P
Red-bellied Woodpecker, (*Melanerpes carolinus*), Regular, 1-S
Williamson's Sapsucker, (*Sphyrapicus thyroideus*), Accidental, 1-S
Yellow-bellied Sapsucker, (*Sphyrapicus varius*), Regular, 1-S
Red-naped Sapsucker, (*Sphyrapicus nuchalis*), Casual, 1-S
Downy Woodpecker, (*Picoides pubescens*), Regular, 1-S
Hairy Woodpecker, (*Picoides villosus*), Regular, 1-S
American Three-toed Woodpecker, (*Picoides dorsalis*), Accidental, 1-S
Northern Flicker, (*Colaptes auratus*), Regular, 1-S
Pileated Woodpecker, (*Dryocopus pileatus*), Casual, 1-P

Order PASSERIFORMES

Family Tyrannidae: Tyrant Flycatchers

Olive-sided Flycatcher, (*Contopus cooperi*), Regular, 1-S
Western Wood-Pewee, (*Contopus sordidulus*), Regular, 1-S
Eastern Wood-Pewee, (*Contopus virens*), Regular, 1-S
Yellow-bellied Flycatcher, (*Empidonax flaviventris*), Casual, 1-S
Acadian Flycatcher, (*Empidonax virescens*), Regular, 1-S
Alder Flycatcher, (*Empidonax alnorum*), Regular, 1-R
Willow Flycatcher, (*Empidonax traillii*), Regular, 1-R
Least Flycatcher, (*Empidonax minimus*), Regular, 1-S
Hammond's Flycatcher, (*Empidonax hammondi*), Casual, 1-S
Gray Flycatcher, (*Empidonax wrightii*), Accidental, III

Dusky Flycatcher, (*Empidonax oberholseri*), Casual, 1-P
Cordilleran Flycatcher, (*Empidonax occidentalis*), Regular, 1-R
Eastern Phoebe, (*Sayornis phoebe*), Regular, 1-S
Say's Phoebe, (*Sayornis saya*), Regular, 1-S
Vermilion Flycatcher, (*Pyrocephalus rubinus*), Accidental, 1-P
Ash-throated Flycatcher, (*Myiarchus cinerascens*), Accidental, III
Great Crested Flycatcher, (*Myiarchus crinitus*), Regular, 1-S
Cassin's Kingbird, (*Tyrannus vociferans*), Regular, 1-S
Western Kingbird, (*Tyrannus verticalis*), Regular, 1-S
Eastern Kingbird, (*Tyrannus tyrannus*), Regular, 1-S
Scissor-tailed Flycatcher, (*Tyrannus forficatus*), Casual, 1-P

Family Laniidae: Shrikes

Loggerhead Shrike, (*Lanius ludovicianus*), Regular, 1-S
Northern Shrike, (*Lanius excubitor*), Regular, 1-S

Family Vireonidae: Vireos

White-eyed Vireo, (*Vireo griseus*), Casual, 1-S
Bell's Vireo, (*Vireo bellii*), Regular, 1-S
Black-capped Vireo, (*Vireo atricapilla*), Accidental, 1-S
Yellow-throated Vireo, (*Vireo flavifrons*), Regular, 1-S
Plumbeous Vireo, (*Vireo plumbeus*), Regular, 1-S
Cassin's Vireo, (*Vireo cassinii*), Casual, 1-S
Blue-headed Vireo, (*Vireo solitarius*), Regular, 1-S
Warbling Vireo, (*Vireo gilvus*), Regular, 1-S
Philadelphia Vireo, (*Vireo philadelphicus*), Regular, 1-S
Red-eyed Vireo, (*Vireo olivaceus*), Regular, 1-S

Family Corvidae: Jays, Magpies, and Crows

Gray Jay, (*Perisoreus canadensis*), Accidental, III
Steller's Jay, (*Cyanocitta stelleri*), Accidental, 1-S
Blue Jay, (*Cyanocitta cristata*), Regular, 1-S
Pinyon Jay, (*Gymnorhinus cyanocephalus*), Regular, 1-S
Clark's Nutcracker, (*Nucifraga columbiana*), Casual, 1-S
Black-billed Magpie, (*Pica hudsonia*), Regular, 1-S
American Crow, (*Corvus brachyrhynchos*), Regular, 1-S
Chihuahuan Raven, (*Corvus cryptoleucus*), Accidental, 1-S
Common Raven, (*Corvus corax*), Accidental, III

Family Alaudidae: Larks

Horned Lark, (*Eremophila alpestris*), Regular, 1-S

Family Hirundinidae: Swallows

Purple Martin, (*Progne subis*), Regular, 1-S
Tree Swallow, (*Tachycineta bicolor*), Regular, 1-S
Violet-green Swallow, (*Tachycineta thalassina*), Regular, 1-S
Northern Rough-winged Swallow, (*Stelgidopteryx serripennis*), Regular, 1-S

Bank Swallow, (*Riparia riparia*), Regular, 1-S
Cliff Swallow, (*Petrochelidon pyrrhonota*), Regular, 1-S
Cave Swallow, (*Petrochelidon fulva*), Accidental, 1-P
Barn Swallow, (*Hirundo rustica*), Regular, 1-S

Family Paridae: Titmice

Black-capped Chickadee, (*Poecile atricapillus*), Regular, 1-S
Mountain Chickadee, (*Poecile gambeli*), Casual, 1-P
Tufted Titmouse, (*Baeolophus bicolor*), Regular, 1-S

Family Sittidae: Nuthatches

Red-breasted Nuthatch, (*Sitta canadensis*), Regular, 1-S
White-breasted Nuthatch, (*Sitta carolinensis*), Regular, 1-S
Pygmy Nuthatch, (*Sitta pygmaea*), Regular, 1-S

Family Certhiidae: Creepers

Brown Creeper, (*Certhia americana*), Regular, 1-S

Family Troglodytidae: Wrens

Rock Wren, (*Salpinctes obsoletus*), Regular, 1-S
Canyon Wren, (*Catherpes mexicanus*), Accidental, 1-P
Carolina Wren, (*Thryothorus ludovicianus*), Regular, 1-S
Bewick's Wren, (*Thryomanes bewickii*), Casual, 1-P
House Wren, (*Troglodytes aedon*), Regular, 1-S
Winter Wren, (*Troglodytes troglodytes*), Regular, 1-S
Sedge Wren, (*Cistothorus platensis*), Regular, 1-S
Marsh Wren, (*Cistothorus palustris*), Regular, 1-S

Family Cinclidae: Dippers

American Dipper, (*Cinclus mexicanus*), Accidental, 1-S

Family Regulidae: Kinglets

Golden-crowned Kinglet, (*Regulus satrapa*), Regular, 1-S
Ruby-crowned Kinglet, (*Regulus calendula*), Regular, 1-S

Family Sylviidae: Gnatcatchers

Blue-gray Gnatcatcher, (*Poliophtila caerulea*), Regular, 1-S

Family Turdidae: Thrushes and Allies

Eastern Bluebird, (*Sialia sialis*), Regular, 1-S
Mountain Bluebird, (*Sialia currucoides*), Regular, 1-S
Townsend's Solitaire, (*Myadestes townsendi*), Regular, 1-S
Veery, (*Catharus fuscescens*), Regular, 1-S
Gray-cheeked Thrush, (*Catharus minimus*), Regular, 1-S

Swainson's Thrush, (*Catharus ustulatus*), Regular, 1-S
Hermit Thrush, (*Catharus guttatus*), Regular, 1-S
Wood Thrush, (*Hylocichla mustelina*), Regular, 1-S
American Robin, (*Turdus migratorius*), Regular, 1-S
Varied Thrush, (*Ixoreus naevius*), Casual, 1-S

Family Mimidae: Mockingbirds and Thrashers

Gray Catbird, (*Dumetella carolinensis*), Regular, 1-S
Northern Mockingbird, (*Mimus polyglottos*), Regular, 1-S
Sage Thrasher, (*Oreoscoptes montanus*), Regular, 1-S
Brown Thrasher, (*Toxostoma rufum*), Regular, 1-S
Curve-billed Thrasher, (*Toxostoma curvirostre*), Accidental, 1-S

Family Sturnidae: Starlings

European Starling, (*Sturnus vulgaris*), Regular, 1-S

Family Motacillidae: Pipits

American Pipit, (*Anthus rubescens*), Regular, 1-S
Sprague's Pipit, (*Anthus spragueii*), Casual, 1-S

Family Bombycillidae: Waxwings

Bohemian Waxwing, (*Bombycilla garrulus*), Casual, 1-S
Cedar Waxwing, (*Bombycilla cedrorum*), Regular, 1-S

Family Ptilonotidae: Silky-flycatchers

Phainopepla, (*Phainopepla nitens*), Accidental, 1-P

Family Parulidae: Wood Warblers

Blue-winged Warbler, (*Vermivora pinus*), Regular, 1-S
Golden-winged Warbler, (*Vermivora chrysoptera*), Regular, 1-S
Tennessee Warbler, (*Vermivora peregrina*), Regular, 1-S
Orange-crowned Warbler, (*Vermivora celata*), Regular, 1-S
Nashville Warbler, (*Vermivora ruficapilla*), Regular, 1-S
Virginia's Warbler, (*Vermivora virginiae*), Casual, III
Northern Parula, (*Parula americana*), Regular, 1-S
Yellow Warbler, (*Dendroica petechia*), Regular, 1-S
Chestnut-sided Warbler, (*Dendroica pensylvanica*), Regular, 1-S
Magnolia Warbler, (*Dendroica magnolia*), Regular, 1-S
Cape May Warbler, (*Dendroica tigrina*), Casual, 1-S
Black-throated Blue Warbler, (*Dendroica caerulescens*), Regular, 1-S
Yellow-rumped Warbler, (*Dendroica coronata*), Regular, 1-S
Black-throated Gray Warbler, (*Dendroica nigrescens*), Accidental, III
Black-throated Green Warbler, (*Dendroica virens*), Regular, 1-S
Townsend's Warbler, (*Dendroica townsendi*), Regular, 1-S
Hermit Warbler, (*Dendroica occidentalis*), Accidental, III
Blackburnian Warbler, (*Dendroica fusca*), Regular, 1-S

Yellow-throated Warbler, (*Dendroica dominica*), Regular, 1-P
Pine Warbler, (*Dendroica pinus*), Casual, 1-P
Prairie Warbler, (*Dendroica discolor*), Casual, 1-P
Palm Warbler, (*Dendroica palmarum*), Regular, 1-S
Bay-breasted Warbler, (*Dendroica castanea*), Regular, 1-S
Blackpoll Warbler, (*Dendroica striata*), Regular, 1-S
Cerulean Warbler, (*Dendroica cerulea*), Regular, 1-S
Black-and-white Warbler, (*Mniotilta varia*), Regular, 1-S
American Redstart, (*Setophaga ruticilla*), Regular, 1-S
Prothonotary Warbler, (*Protonotaria citrea*), Regular, 1-S
Worm-eating Warbler, (*Helmitheros vermivorus*), Casual, 1-P
Swainson's Warbler, (*Limnithlypis swainsonii*), Accidental, 1-S
Ovenbird, (*Seiurus aurocapilla*), Regular, 1-S
Northern Waterthrush, (*Seiurus noveboracensis*), Regular, 1-S
Louisiana Waterthrush, (*Seiurus motacilla*), Regular, 1-S
Kentucky Warbler, (*Oporornis formosus*), Regular, 1-S
Connecticut Warbler, (*Oporornis agilis*), Regular, 1-P
Mourning Warbler, (*Oporornis philadelphia*), Regular, 1-S
MacGillivray's Warbler, (*Oporornis tolmiei*), Regular, 1-S
Common Yellowthroat, (*Geothlypis trichas*), Regular, 1-S
Hooded Warbler, (*Wilsonia citrina*), Regular, 1-S
Wilson's Warbler, (*Wilsonia pusilla*), Regular, 1-S
Canada Warbler, (*Wilsonia canadensis*), Regular, 1-S
Yellow-breasted Chat, (*Icteria virens*), Regular, 1-S

Family Thraupidae: Tanagers

Hepatic Tanager, (*Piranga flava*), Accidental, 1-P
Summer Tanager, (*Piranga rubra*), Regular, 1-S
Scarlet Tanager, (*Piranga olivacea*), Regular, 1-S
Western Tanager, (*Piranga ludoviciana*), Regular, 1-S

Family Emberizidae: Towhees, Sparrows and Longspurs

Green-tailed Towhee, (*Pipilo chlorurus*), Regular, 1-S
Spotted Towhee, (*Pipilo maculatus*), Regular, 1-S
Eastern Towhee, (*Pipilo erythrophthalmus*), Regular, 1-S
Cassin's Sparrow, (*Aimophila cassinii*), Regular, 1-P
American Tree Sparrow, (*Spizella arborea*), Regular, 1-S
Chipping Sparrow, (*Spizella passerina*), Regular, 1-S
Clay-colored Sparrow, (*Spizella pallida*), Regular, 1-S
Brewer's Sparrow, (*Spizella breweri*), Regular, 1-S
Field Sparrow, (*Spizella pusilla*), Regular, 1-S
Vesper Sparrow, (*Pooecetes gramineus*), Regular, 1-S
Lark Sparrow, (*Chondestes grammacus*), Regular, 1-S
Black-throated Sparrow, (*Amphispiza bilineata*), Accidental, 1-P
Sage Sparrow, (*Amphispiza belli*), Accidental, III
Lark Bunting, (*Calamospiza melanocorys*), Regular, 1-S
Savannah Sparrow, (*Passerculus sandwichensis*), Regular, 1-S
Grasshopper Sparrow, (*Ammodramus savannarum*), Regular, 1-S
Baird's Sparrow, (*Ammodramus bairdii*), Casual, 1-S
Henslow's Sparrow, (*Ammodramus henslowii*), Regular, 1-S

Le Conte's Sparrow, (*Ammodramus leconteii*), Regular, 1-S
Nelson's Sharp-tailed Sparrow, (*Ammodramus nelsoni*), Regular, 1-S
Fox Sparrow, (*Passerella iliaca*), Regular, 1-S
Song Sparrow, (*Melospiza melodia*), Regular, 1-S
Lincoln's Sparrow, (*Melospiza lincolni*), Regular, 1-S
Swamp Sparrow, (*Melospiza georgiana*), Regular, 1-S
White-throated Sparrow, (*Zonotrichia albicollis*), Regular, 1-S
Harris's Sparrow, (*Zonotrichia querula*), Regular, 1-S
White-crowned Sparrow, (*Zonotrichia leucophrys*), Regular, 1-S
Golden-crowned Sparrow, (*Zonotrichia atricapilla*), Accidental, 1-P
Dark-eyed Junco, (*Junco hyemalis*), Regular, 1-S
McCown's Longspur, (*Calcarius mccownii*), Regular, 1-S
Lapland Longspur, (*Calcarius lapponicus*), Regular, 1-S
Smith's Longspur, (*Calcarius pictus*), Casual, 1-S
Chestnut-collared Longspur, (*Calcarius ornatus*), Regular, 1-S
Snow Bunting, (*Plectrophenax nivalis*), Regular, 1-S

Family Cardinalidae: Cardinals, Grosbeaks, and Allies

Northern Cardinal, (*Cardinalis cardinalis*), Regular, 1-S
Rose-breasted Grosbeak, (*Pheucticus ludovicianus*), Regular, 1-S
Black-headed Grosbeak, (*Pheucticus melanocephalus*), Regular, 1-S
Blue Grosbeak, (*Passerina caerulea*), Regular, 1-S
Lazuli Bunting, (*Passerina amoena*), Regular, 1-S
Indigo Bunting, (*Passerina cyanea*), Regular, 1-S
Painted Bunting, (*Passerina ciris*), Accidental, 1-S
Dickcissel, (*Spiza americana*), Regular, 1-S

Family Icteridae: Meadowlarks, Blackbirds, Orioles, and Allies

Bobolink, (*Dolichonyx oryzivorus*), Regular, 1-S
Red-winged Blackbird, (*Agelaius phoeniceus*), Regular, 1-S
Eastern Meadowlark, (*Sturnella magna*), Regular, 1-S
Western Meadowlark, (*Sturnella neglecta*), Regular, 1-S
Yellow-headed Blackbird, (*Xanthocephalus xanthocephalus*), Regular, 1-S
Rusty Blackbird, (*Euphagus carolinus*), Regular, 1-S
Brewer's Blackbird, (*Euphagus cyanocephalus*), Regular, 1-S
Common Grackle, (*Quiscalus quiscula*), Regular, 1-S
Great-tailed Grackle, (*Quiscalus mexicanus*), Regular, 1-S
Brown-headed Cowbird, (*Molothrus ater*), Regular, 1-S
Orchard Oriole, (*Icterus spurius*), Regular, 1-S
Bullock's Oriole, (*Icterus bullockii*), Regular, 1-S
Baltimore Oriole, (*Icterus galbula*), Regular, 1-S
Scott's Oriole, (*Icterus parisorum*), Accidental, III

Family Fringillidae: Finches

Brambling, (*Fringilla montifringilla*), Accidental, 1-P
Gray-crowned Rosy-Finch, (*Leucosticte tephrocotis*), Casual, 1-S
Black Rosy-Finch, (*Leucosticte atrata*), Accidental, III
Pine Grosbeak, (*Pinicola enucleator*), Accidental, 1-S
Purple Finch, (*Carpodacus purpureus*), Regular, 1-S

Cassin's Finch, (*Carpodacus cassinii*), Regular, 1-S
House Finch, (*Carpodacus mexicanus*), Regular, 1-S
Red Crossbill, (*Loxia curvirostra*), Regular, 1-S
White-winged Crossbill, (*Loxia leucoptera*), Regular, 1-S
Common Redpoll, (*Carduelis flammea*), Regular, 1-S
Hoary Redpoll, (*Carduelis hornemanni*), Accidental, 1-P
Pine Siskin, (*Carduelis pinus*), Regular, 1-S
Lesser Goldfinch, (*Carduelis psaltria*), Casual, 1-P
American Goldfinch, (*Carduelis tristis*), Regular, 1-S
Evening Grosbeak, (*Coccothraustes vespertinus*), Regular, 1-S

Family Passeridae: Old World Sparrows

House Sparrow, (*Passer domesticus*), Regular, 1-S

2003 NOU Records Committee members - Mark A. Brogie (chair), Joe Gubanyi, Joel Jorgensen, Babs Padelford, Loren Padelford, W. Ross Silcock, and Jerry Toll.

Literature Cited

- American Ornithologists' Union [A.O.U.]. 1983. *The A.O.U. Checklist of North American Birds*. Sixth Edition. Washington D.C.
- , 1985. "Thirty-fifth Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 102 (3): 680-686.
- , 1987. "Thirty-sixth Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 104 (3): 591-596.
- , 1989. "Thirty-seventh Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 106 (3): 532-538.
- , 1991. "Thirty-eighth Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 108 (3): 750-754.
- , 1993. "Thirty-ninth Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 110 (3): 675-682.
- , 1995. "Fortieth Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 112 (3): 819-830.
- , 1997. "Forty-first Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 114 (3): 542-552.
- , 1998. *The A.O.U. Checklist of North American Birds*. Seventh Edition. Washington D.C.
- , 2000. "Forty-second Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 117 (3): 847-858.
- , 2002. "Forty-third Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 119 (3): 897-906.
- , 2003. "Forty-fourth Supplement to the American Ornithologists' Union Checklist of North American Birds." *Auk* 120 (3): 923-931.

- Bray, T.E., B.K. Padelford, W.R. Silcock. 1986. *The Birds of Nebraska - A Critically Evaluated List*. Published by the authors, Omaha, NE, 111 pp.
- Brogie, M.A. 1997. "1996 (Eighth) Report of the NOU Records Committee." *The Nebraska Bird Review* 65: 115-126.
- , 1998. "1997 (Ninth) Report of the NOU Records Committee." *The Nebraska Bird Review* 66: 147-159.
- , 1999. "1998 (Tenth) Report of the NOU Records Committee." *The Nebraska Bird Review* 67: 141-152.
- , 2003. "2002 (14th) Report of the NOU Records Committee." *The Nebraska Bird Review* 71.
- , 2004. "2003 (15th) Report of the NOU Records Committee." *The Nebraska Bird Review* 72: 59-65.
- Grenon, A.G. 1990. "1990 (Third) Report of the NOU Records Committee." *The Nebraska Bird Review* 58: 90-97.
- , 1991. "1991 (Fourth) Report of the NOU Records Committee." *The Nebraska Bird Review* 59: 150-155.
- Gubanyi, J.G. 1996a. "1992, 1993 (Fifth) Report of the NOU Records Committee." *The Nebraska Bird Review* 64: 30-35.
- , 1996b. "1994 (Sixth) Report of the NOU Records Committee." *The Nebraska Bird Review* 64: 38-42.
- , 1996c. "1995 (Seventh) Report of the NOU Records Committee." *The Nebraska Bird Review* 64: 132-138.
- Jorgensen, J.G. 2001. "1999 (Eleventh) Report of the NOU Records Committee." *The Nebraska Bird Review* 69: 85-91.
- , 2002. "2002 [sic] (Twelfth) Report of the NOU Records Committee." *The Nebraska Bird Review* 70: 84-90. (mistitled 2000 report)
- , 2003. "2001 (13th) Report of the NOU Records Committee." *The Nebraska Bird Review* 71: 97-102.
- Mollhoff, W.J. 1987. "1987 (First) Report of the NOU Records Committee." *The Nebraska Bird Review* 55: 79-85.
- , 1989. "1989 (Second) Report of the NOU Records Committee." *The Nebraska Bird Review* 57: 42-47.
- NOU Records Committee. 1986. "Bylaws of the NOU Records Committee." *The Nebraska Bird Review* 54: 72-74.
- , 1988. "The Official List of the Birds of Nebraska." *The Nebraska Bird Review* 56: 86-96.
- , 1997. "The Official List of the Birds of Nebraska." *The Nebraska Bird Review* 65: 3-16.