

2011

The Global Drought Monitor Portal


Michael J. Brewer

NOAA's National Climatic Data Center, Asheville, North Carolina, michael.j.brewer@noaa.gov

Richard R. Heim Jr.

NOAA's National Climatic Data Center, Asheville, North Carolina

Follow this and additional works at: <http://digitalcommons.unl.edu/droughtfacpub>

 Part of the [Climate Commons](#), [Environmental Indicators and Impact Assessment Commons](#), [Environmental Monitoring Commons](#), [Hydrology Commons](#), [Other Earth Sciences Commons](#), and the [Water Resource Management Commons](#)

Brewer, Michael J. and Heim, Richard R. Jr., "The Global Drought Monitor Portal" (2011). *Drought Mitigation Center Faculty Publications*. 55.

<http://digitalcommons.unl.edu/droughtfacpub/55>

This Article is brought to you for free and open access by the Drought -- National Drought Mitigation Center at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Drought Mitigation Center Faculty Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

The Global Drought Monitor Portal

Michael J. Brewer¹, Richard R. Heim Jr¹

¹ NOAA's National Climatic Data Center, Asheville, North Carolina

Abstract

Drought monitoring, assessment, response, mitigation, adaptation, and early warning systems have been created in a number of countries around the world, and some regional and continental efforts have been successful. However, the creation of a Global Drought Early Warning System (GDEWS) remains elusive. A GDEWS incorporates forecasting and research improvements, in addition to monitoring, impact, planning, mitigation and adaptation and recovery information. At a series of workshops in 2010, the U.S. National Integrated Drought Information System (NIDIS) agreed to take the first step toward a GDEWS, the formation of a Global Drought Monitoring Portal (GDMP). This effort currently covers three continents – North America, Europe, and Africa – and provides global drought indicator information through satellite products and Global Historical Climate Network locations. The GDMP has benefited from coordination with the World Meteorological Organization (WMO) and Group on Earth Observations (GEO). Other nations have expressed interest in contributing and new regional and continental information should be online shortly. This paper presents the capabilities of the GDMP to link the monitoring, forecasting, research, and impacts aspects of international drought as well as the advantages of using common architecture through GEO to facilitate transfer and interoperability of GDEWS-related information.

Introduction

Drought has had a significant impact on civilization throughout history. Every continent has semi-arid areas which are especially vulnerable to drought. In North America and Europe today, drought impacts are largely economic. But in most of the rest of the world, drought-induced crop failure and famine can create severe hardship. In a globally-warmed world, drought-affected areas will likely increase in extent and the vulnerability of semi-arid regions to drought will also likely increase. The IPCC (2007) specifically noted that annual average river runoff and water availability were projected to decrease by 10-30% over some dry regions at mid-latitudes and in semi-arid low latitudes, and increases in the frequency of droughts and floods were projected to affect local crop production negatively, especially in subsistence sectors at low latitudes, as well as reduce water availability for hydropower potential and summer tourism.

As noted by the IPCC (2007), some countries have made efforts to adapt to the recent and projected changing climate conditions, particularly through conservation of key ecosystems, early warning systems, risk management in agriculture, strategies for flood drought and coastal managements, and disease surveillance systems. Local, national, and regional collaborative drought monitoring efforts have been summarized at several venues, including World Meteorological Organization (WMO)-sponsored gatherings of experts in Lisbon, Portugal in 2000 (Wilhite et al. 2000) and Lincoln, Nebraska, USA in 2009. However, the effectiveness of these efforts is outweighed by: lack of basic information, observation and monitoring systems; lack of capacity building and appropriate political, institutional and technological frameworks; low income; and settlements in vulnerable areas, among others (IPCC 2007). These shortcomings have inhibited the development of an integrated global drought early warning system (GDEWS) (Wilhite 2005).

In 1992, an International Conference on Climate, Sustainability and Development in Semi-arid Regions (ICID-I) focused the world's attention on the plight of drylands peoples and was influential in the negotiation of the United Nations (UN) Convention to Combat Desertification (UNCCD). With 193 country Parties to the Convention, the UNCCD is a global mechanism to combat desertification and

mitigate the effects of drought through national action programs that incorporate long-term strategies supported by international cooperation and partnership arrangements. The Second International Conference on Climate, Sustainability and Development in Semi-arid Regions (ICID 2010) seeks to build upon this work to help turn agreements into local development outcomes.

For many decades, attempts to manage drought and its impacts through a *reactive*, crisis management approach have proven to be ineffective, poorly coordinated, and untimely (Wilhite et al. 2005). In the United States, the National Integrated Drought Information System (NIDIS) was established by the NIDIS Act in 2006 as a *proactive* mechanism to:

- develop the leadership and networks to implement an integrated drought monitoring and forecasting system at federal, state, and local levels;
- foster and support a research environment focusing on risk assessment, forecasting, and management;
- create an "early warning system" for drought to provide accurate, timely, and integrated information;
- develop interactive systems, such as the Web Portal, as part of the early warning system; and
- provide a framework for public awareness and education about droughts (NPIT 2007).

The U.S. Drought Monitor is the primary drought monitoring tool utilized within the NIDIS US Drought Portal. The geographical scope of the NIDIS drought portal is being expanded with data and web services capabilities to support drought monitoring across North America, with the North American Drought Monitor (NADM) as the centerpiece.

At the Fourth Plenary Session and Ministerial Summit of the Group on Earth Observations (GEO) held in Cape Town, South Africa, in November 2007, representatives from more than 70 nations reaffirmed their commitments to working together, at both the political and technical levels, to improve the interoperability of observations, predictions and information systems as a part of the Global Earth Observation System of Systems (GEOSS). Recognizing the growing problem of drought and its impact on long-term sustainability of Earth's water resources, the event concluded with a U.S. proposal that technical representatives from participating countries were going to build upon existing programs to work toward establishing a GDEWS within the coming decade to provide: a system of infrastructures for data and information sharing, communication, and capacity building to take on the growing worldwide threat of drought; and regular drought warning assessments issued immediately with increased frequency during a crisis.

In April 2010, a Global Drought Assessment Workshop was held in Asheville, North Carolina, USA to move the coordinated global drought monitoring efforts of the WMO and GEO forward. Noting that the robust services of the NIDIS drought portal could serve as the foundation for an even broader international drought information system, the portal managers agreed to develop a prototype Global Drought Monitoring Portal (GDMP) to serve international drought information. The infrastructure has been created (http://www.drought.gov/portal/server.pt/community/global_drought), and the GDMP is currently being populated with drought information from around the world and will serve as an example of an Integrated Drought Information System at the global level and as a foundation component in a GDEWS.

The GDMP is available to all parties who have an interest and stake in drought monitoring, forecasting, impacts, mitigation, research, and education. It can provide crucial support for drought monitoring and mitigation, especially in semi-arid regions, thus enhancing climate monitoring, sustainability, and development in semi-arid regions. See section 3 for more details.

Drought Monitoring in North America

Because of the wide variety of sectors affected by drought, its diverse geographical and temporal distribution, and the demand placed on water supply by human-use systems make it difficult to develop a single definition of drought. As a result, numerous indices have been developed during the last hundred years to measure the intensity, impact, and geographic extent of drought (Heim 2002). At the end of the 20th century, a new drought monitoring tool – the Drought Monitor (USDM) – was developed for the United States. Similar national Drought Monitors were developed in Canada and Mexico during the early years of the 21st century. Collaboration between these three countries has resulted in the North American Drought Monitor (NADM), a monthly product which assesses current drought conditions on a continent-wide basis.

U.S. Drought Monitor

The USDM (<http://drought.unl.edu/dm/monitor.html>) was developed in 1999 in a federal/state collaborative effort to consolidate and centralize drought monitoring activities. Agencies within the National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA) team with the National Drought Mitigation Center (NDMC) and NOAA Western Regional Climate Center (WRCC) to produce a weekly map (see Fig. 1) and narrative product that incorporates climatic data and professional input from all levels (Svoboda et al 2002). Since no single definition of drought works in all circumstances, the USDM authors rely on the analyses of several key indices and ancillary indicators, including impacts information, from different agencies to create the final map. Some of these ancillary indicators are available in a delayed mode or only on a local/regional basis. The key parameters are objectively scaled to five percentile-based USDM drought categories – D1 (moderate drought) to D4 (exceptional drought event, likened to a drought of record), plus a “pre-drought” or “recovering drought” category D0 (abnormally dry area) – and labels are used to indicate which sectors are being impacted by drought (A for agricultural impacts, H for hydrological impacts). The USDM maps are based on many objective inputs, but the final maps are adjusted manually to reflect real-world conditions as reported by numerous experts throughout the country. Consequently, the USDM is a consensus product reflecting the collective best judgment of many experts based on several indicators.




Figure 1. U.S. Drought Monitor Depiction from July 19, 2011.

North American Drought Monitor (NADM)

In a late 2001 meeting, U.S., Canadian, and Mexican representatives agreed in principle to establish a climate extremes monitoring partnership and that the first step would be to develop monthly continental drought monitoring capabilities. The result was the creation of the NADM (<http://www.ncdc.noaa.gov/oa/climate/monitoring/drought/nadm/>), which is an extension of the USDM concept to the continental scale. While the USDM is a weekly product, the NADM is a monthly map and narrative product which is constructed by integrating the national drought depictions from the three countries into a continental depiction (see Fig. 2). The national depictions are each prepared by experts within the three countries independently from each other (Agriculture and Agri-Food Canada [AAFC] prepares the Canadian depiction, the National Meteorological Service [SMN] prepares the Mexican depiction, and the USDM for the week closest to the end of the month is used for the U.S.). This can result in discontinuities in drought depiction along the international borders. Drought indices covering the entire continent are needed to provide guidance for adjusting the border depictions. These continental indicators (Standardized Precipitation Index, Palmer indices, and percent of normal precipitation) are computed using the same methodologies and same analysis period for consistency. Other continental and global indicators (such as modeled soil moisture and the satellite-based Vegetation Health Index) are also used.




Figure 2. North American Drought Monitor Depiction from October 2010.

National Integrated Drought Information System (NIDIS) as a U.S. Drought Portal

The passage of the NIDIS Act Public Law in December 2006 resulted in the establishment of NIDIS (<http://www.drought.gov/>), which was created to enable the U.S. to move from a reactive to a more proactive approach to managing drought risks and impacts, resulting in better informed and more timely drought-related decisions leading to reduced impacts and costs. The five components of NIDIS include: 1) NIDIS Program Office, 2) U.S. drought portal, 3) climate/drought test beds which prototype the integration of data and forecasts, 4) integrated applications research into coping with drought, and 5) development of early warning information systems at the local level to demonstrate workable

design and prototyping approaches and methods which could be utilized in the implementation of regional then national drought early warning systems. A critical component of NIDIS is the drought portal (see Fig. 3), which serves as a web services-based internet hub for drought information related to current conditions, forecasts, impacts, planning, education, research, and recovery. The geographic scope of the NIDIS portal is being expanded with data and web services capabilities to support the NADM.




Figure 3. The NIDIS U.S. Drought Portal

Creating a Global Drought Monitoring Portal

It has long been recognized that a global-scale drought monitoring, mitigation, and response system would provide important benefits to all Nations affected by drought, especially to those people in semi-arid regions. As noted at the 2000 and 2009 drought workshops in Lisbon and Lincoln, respectively, national DEWSs have been created in many areas, including the U.S. (USDM and NIDIS), Australia, Brazil, Canada, China, Hungary, India, Mexico, Nigeria, the Philippines, Romania, and South Africa, and regional drought monitoring centers or activities have been established in North America (NADM), Europe (European Drought Observatory), southeastern Europe, eastern, western, and southern Africa, North Africa, West and Central Asia, and the Caribbean. Many of these efforts have come to fruition through work associated with the UNCCD. However, the creation and maintenance of national and regional DEWSs in other areas, as well as the creation and maintenance of a global DEWS, face many hurdles, including: inadequate data networks (station density and data quality), inadequate data sharing (both between government agencies and due to the high cost of data), data and information products that are too complex to use by decision-makers, unreliable seasonal forecasts, inadequate indices for detecting the early onset and end of drought, the lack of integrated physical and socioeconomic indicators for drought, the lack of impact assessment methodology, data and information frequently unavailable on an operational real-time basis, and inadequate comprehensive global historical data base and assessment products (Wilhite et al. 2000; Wilhite & Buchanan-Smith 2005). An additional hurdle is the lack of resources to address these issues. With these limitations in

mind, NOAA and its partners organized the Global Drought Assessment Workshop in Asheville, North Carolina, USA in April 2010 to pick up on the previous work toward GDEWS and determine next steps that are possible without new resources.

The April 2010 Global Drought Assessment Workshop

The Global Drought Assessment Workshop was part of a series of drought workshops held in Asheville during the week of 20-23 April 2010. The other workshops included the biennial NADM Forum and the U.S.-Canadian GEO Bi-lateral Technical Workshop. The NADM Forum addressed scientific, technical, administrative, and user issues associated with the NADM, while the U.S.-Canadian GEO Bi-lateral Technical Workshop's goals included reporting on the status and progress of each of the three test beds and two drought studies and developing guidelines for the test beds and studies. Many of the NADM Forum attendees were also involved in the GEO bi-lateral studies and had an interest in global drought monitoring, so the biennial NADM Forum provided an excellent opportunity for coordinated gatherings of these groups. Organizational assistance for the workshops was provided by NOAA, NIDIS, USDA, WMO, NDMC, USGEO, CGEO, the GEO Secretariat, AAFC, and SMN.

It was quickly recognized at the global workshop that no single Nation or organization can afford to tackle all of the hurdles involved in creating a GDEWS in their entirety. However, it was believed that small pieces of the problem could be solved in an incremental way. If an international drought Clearinghouse and web services infrastructure could be established – a global web portal “foundation” could be laid – then it might be easier to construct the GDEWS “building” atop it. A series of breakout groups addressed two components of this problem: *what pieces are necessary for a global Clearinghouse of drought information*, and *how should such a Clearinghouse be housed, portrayed, and distributed*.

The breakout groups concluded that the pieces of a Clearinghouse should include drought indices that can be computed on a continental to global scale and that drought impacts information should be included globally, if available. It was suggested that categories of indices be identified instead of specific indices (i.e., some evapotranspiration-based index, some soil moisture index, and modeled indices as well as satellite-based vegetation indices). Remotely-sensed data should be used in conjunction with *in situ* data, especially in parts of the world where *in situ* data are difficult to obtain. An effort at continental-scale analyses and coordination (the NADM model) should be made where feasible, but the approach should be tailored to the needs and resources of each continent (i.e., the NADM model may not be applicable to other continents). The WMO was suggested as a mechanism or a liaison with the countries/continents to determine what their alternatives are, or for integrating their alternatives into the Clearinghouse. While the initial focus of the Clearinghouse may be limited to just drought monitoring, it should expand to also include impacts, mitigation, forecasts, research, education, and planning (like NIDIS).

It was recognized that neither the WMO nor GEO has the resources to house, portray, and distribute such a Clearinghouse. The NIDIS drought portal managers noted that the NIDIS portal was developed to support drought monitoring, forecasting, research, and impacts assessment in the U.S., but new web mapping services have been developed to distribute the information that Canada, Mexico, and the U.S. integrate to aid in the production of the NADM (see Fig. 4). These new web services will be housed in the U.S. Drought Portal in a North American-specific site. These new tools will allow additional accuracy in the development of the NADM by allowing overlaying of information as well as increase the utility of the data by providing it in more accessible and useful formats. With minimal additional effort, a prototype Global Drought Monitoring Portal (GDMP) could be developed as an outgrowth of the NIDIS portal modifications (see Fig. 4). The GDMP will provide a number of different depictions of drought on the global-scale, developed using data from WMO World Data Centers. Products will include several drought indices, such as the Standardized Precipitation Index

(SPI) at various time-scales and possibly precipitation, Palmer drought indices, and satellite-based Vegetation Health depictions. The GDMP will also serve as a launching point for continental-scale drought depictions where not only an international assessment such as the NADM could reside, but also drought indicators used to develop the assessment.



Figure 4. Interoperability of Drought Web Services from the NADM, the European Drought Observatory, and Princeton Prototyped within the U.S. Drought Portal Environment.

A Vision for a Global Drought Early Warning System / Global Drought Monitor

With the creation of a GDMP “foundation” upon which to build a GDEWS or Global Drought Monitor (GDM), how would such a GDEWS/GDM look? How would it function? It is felt that to be accepted and used by nations around the world, they would have to have ownership. Therefore, the best approach would be a collaborative process whereby national or regional Drought Monitor products are prepared by the participating nations, integrated on a regional basis into regional and global products, and distributed via the GDMP. In this collaborative scenario (see Fig. 5), the national Drought Monitors (DMs) would be prepared by each nation according to processes established within the nation and using national datasets. Regional or continental DMs could be prepared following the NADM model or using a model uniquely adapted to the requirements and resources of each region or continent. The regional/continental DMs (or national DMs for regions/continents that don’t have their own DM) are integrated into the GDMP for global display. The GDMP resources would be available to the Nations and regions/continents for preparation of their DMs. This process would require the establishment of certain standards for the depiction of drought on each DM (using a D0-D4 scale similar to the NADM), creation of DM shape files in a GIS environment, and smoothing of GDMP drought depictions along international borders.




Figure 5.A Conceptual Framework for Service Integration into a Global Drought Monitoring Portal.

Implementation

The NIDIS program in the U.S. established a prototype GDMP by leveraging existing technology and lessons learned from establishing the U.S. National Integrated Drought Information System (NIDIS) architecture. In doing so, a number of questions were identified, along with simple solutions. The current GDMP includes four sections. The first is an abbreviated monthly drought assessment along with a series of global products. These high-level products represent some of the best quality drought and climate information available and provide a broad-brush look at global drought conditions and are presented as plain text and static images to encourage use in limited bandwidth areas. Because they use common base periods, they are appropriate for comparing drought status between locations around the earth but do not necessarily represent the severity of a drought at an individual location, compared to its full period of record. To do that, one must use the third tab of the GDMP Web page described below.




Figure 6. Section 1 of the GDMP with a Global Drought Assessment and a Limited Number of Global Products.

The second tab of the GDMP webpage includes an interactive map and data viewer (see figure 4). For locations with higher bandwidth, Open Geospatial Consortium compliant Web Mapping Services (WMS) are available and are the mechanism by which regions provide their information to the GDMP. This allows the availability of a larger suite of tools since production and maintenance is distributed, and also allows users to get more detailed local information. Through an interactive map viewer, users can zoom all the way to individual stations to get a detailed look at the drought in a specific location. Currently, North America, Europe, and Africa are providing WMS services to “paint” a global drought picture. Australia should be available soon and South America, through Argentina and Brazil, are discussing available ways to contribute. Other countries in the Middle East and Asia have expressed interest in contributing but have not yet committed to the process.

The third tab of the GDMP Web page houses a capability for users to drill down from the global to the regional scale in order to get a more robust suite of drought products and services than could be efficiently handled through a global interface. These regional sites, such as the North American Drought Monitor Website and the European Drought Observatory provide access to more tools and data than are available at the global level and further allow users to pass to individual nation drought monitoring activities, such as the U.S. Drought portal, for even more specificity, since it is recognized that drought is dominantly a local phenomenon. Further “drill-down” to states or watersheds can then be provided, should the nation decide it is beneficial. By using this nested architecture, decision makers at all levels can get access to the drought information they need seamlessly and efficiently.

The fourth tab of the GDMP Web page provides general information that includes details about those that participate and will also include help and details about contributing, when it is completed.

Opportunities for Drought Monitoring In Under-Served Areas

Limited scientific and technical resources frequently inhibit climate monitoring, sustainability, and development in semi-arid regions. Mechanisms such as the UNCCD help peoples in these areas to combat desertification and mitigate the effects of drought. The creation of a GDMP will be a new tool which could provide crucial support for drought monitoring and mitigation in semi-arid regions and other parts of the world. The GDMP will be available to provide important drought information to participating Nations, as well as serve as an infrastructure which could be populated with drought information originating from Nations in semi-arid regions. It will be available to all parties who have an interest and stake in drought monitoring, forecasting, impacts, mitigation, research, and education. The GDMP could provide crucial support for drought monitoring and mitigation, especially in semi-arid regions, thus enhancing climate monitoring, sustainability, and development in semi-arid regions.

References

Heim, Jr., R. R. 2002. A review of Twentieth-Century drought indices used in the United States. *Bulletin of the American Meteorological Society* 83: 1149-1165.

Intergovernmental Panel on Climate Change (IPCC). 2007. Summary for Policymakers. In: *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson, Eds., Cambridge University Press, Cambridge, UK, 7-22.

National Integrated Drought Information System Program Implementation Team (NIDIS PIT - NPIT) (2007). The National Integrated Drought Information System Implementation Plan: A Pathway for National Resilience. 10 July. <http://www.drought.gov/pdf/NIDIS-IPFinal-June07.pdf>.

- Svoboda, M., D. LeCompte, M. Hayes, R. Heim, K. Gleason, J. Angel, B. Rippey, R. Tinker, M. Palecki, D. Stooksbury, D. Miskus, and S. Stephens. 2002. The Drought Monitor. *Bulletin of the American Meteorological Society*, 83: 1181-1190.
- Wilhite, D. A. (ed.). 2005. Drought and Water Crises: Science, Technology, and Management Issues. Taylor & Francis Group, Boca Raton, Florida, USA.
- Wilhite, D. A. and M. Buchanan-Smith. 2005. Drought as Hazard: Understanding the Natural and Social Context. Pages 3-29 in Drought and Water Crises: Science, Technology, and Management Issues (D. A. Wilhite, ed.). Taylor & Francis Group, Boca Raton, Florida.
- Wilhite, D. A., M. J. Hayes, and C. L. Knutson. 2005. Drought Preparedness Planning: Building Institutional Capacity. Pages 93-135 in Drought and Water Crises: Science, Technology, and Management Issues (D. A. Wilhite, ed.) Taylor & Francis Group, Boca Raton, Florida.
- Wilhite, D. A., M. K. V. Sivakumar, and D. A. Wood (eds.). 2000. Early Warning Systems for Drought Preparedness and Drought Management. Proceedings of an expert Group Meeting in Lisbon, Portugal, 5-7 September 2000, World Meteorological Organization: Geneva, Switzerland.