

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

USDA National Wildlife Research Center - Staff
Publications

U.S. Department of Agriculture: Animal and Plant
Health Inspection Service

2013

References from Landslide Ecology

Lawrence R. Walker

University of Nevada, walker@unlv.nevada.edu

Aaron B. Shiels

USDA/APHIS/WS National Wildlife Research Center, Aaron.B.Shiels@aphis.usda.gov

Follow this and additional works at: https://digitalcommons.unl.edu/icwdm_usdanwrc



Part of the [Life Sciences Commons](#)

Walker, Lawrence R. and Shiels, Aaron B., "References from Landslide Ecology" (2013). *USDA National Wildlife Research Center - Staff Publications*. 1632.

https://digitalcommons.unl.edu/icwdm_usdanwrc/1632

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Animal and Plant Health Inspection Service at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in USDA National Wildlife Research Center - Staff Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

References

- Acevedo-Rodríguez, P. & Strong, M.T. (2005). Monocots and Gymnosperms of Puerto Rico and the Virgin Islands. *Contributions from the United States National Herbarium*, **52**, 1–415.
- Achard, F., Stibig, H.-J., Eva, H.D., *et al.* (2010). Estimating tropical deforestation from Earth observation data. *Carbon Management*, **1**, 271–287.
- Adams, J. (1980). Contemporary uplift and erosion of the Southern Alps, New Zealand. *Geological Society of America Bulletin Part II*, **91**, 1–114.
- Adams, P.W. & Sidle, R.C. (1987). Soil conditions in three recent landslides in southeast Alaska. *Forest Ecology and Management*, **18**, 93–102.
- Alcántara-Ayala, I. & Goudie, A. (2010). *Geomorphological Hazards and Disaster Prevention*. Cambridge: Cambridge University Press.
- Alexander, D. (1993). *Natural Disasters*. New York: Chapman and Hall.
- Alford, D., Cunha, S.F., & Ives, J.D. (2000). Mountain hazards and development assistance: Lake Sarez, Pamir Mountains, Tajikistan. *Mountain Research and Development*, **20**, 20–23.
- Allen, R.B., Bellingham, P.J., & Wiser, S.K. (1999). Immediate damage by an earthquake to a temperate montane forest. *Ecology*, **80**, 708–714.
- Allen, R.B., Bellingham, P.J., & Wiser, S.K. (2003). Forest biodiversity assessment for reporting conservation performance. *Science for Conservation*, **216**, 1–49. Wellington, New Zealand: New Zealand Department of Conservation.
- Allison, S.D. & Vitousek, P.M. (2004). Rapid nutrient cycling in leaf litter from invasive plants in Hawaii. *Oecologia*, **141**, 612–619.
- Alonso, E.E., Lloret, A., & Romero, E. (1996). Rainfall induced deformations of road embankments. In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández. pp. 97–108. Rotterdam: Balkema.
- Alvarez, J. & Willig, M.R. (1993). Effects of treefall gaps on the density of land snails in the Luquillo Experimental Forest of Puerto Rico. *Biotropica*, **25**, 100–110.
- Amacher, G.S., Hyde, W.F., & Kanel, K.R. (1996). Household fuelwood demand and supply in Nepal's Tarai and Mid-Hills: choice between cash and outlays and labor opportunities. *World Development*, **24**, 1725–1736.
- Amatangelo, K.L. & Vitousek, P.M. (2009). Contrasting predictors of fern versus angiosperm decomposition in a common garden. *Biotropica*, **41**, 154–161.
- Amezaga, J.M., Santamaría, L., & Green, A.J. (2002). Biotic wetland connectivity – supporting a new approach for wetland policy. *Acta Oecologica*, **23**, 213–222.

- Aragon, E.L. (1975). Inhibitory effects of substances from residues and extracts of staghorn fern (*Dicranopteris linearis*). MS Thesis, University of Hawaii, Manoa, Hawaii, U.S.
- Arno, S.F. & Hammerly, R.P. (1984). *Timberline Mountain and Arctic Forest Frontiers*. Seattle, Washington, U.S.: The Mountaineers.
- Aronson, J., Floret, C., LeFloc'h, E., Ovalle, C., & Pontanier, R. (1993). Restoration and rehabilitation of degraded ecosystems in arid and semiarid regions. I. A view from the South. *Restoration Ecology*, **1**, 8–17.
- Arunachalam, A. & Upadhyaya, K. (2005). Microbial biomass during revegetation of landslides in the humid tropics. *Journal of Tropical Forest Science*, **17**, 306–311.
- Atkinson, I. (1989). Introduced animals and extinctions. In *Conservation for the Twenty-first Century*, eds. D. Western & M.C. Pearl. pp. 54–79. Oxford: Oxford University Press.
- Augsburger, C.K. (1984). Seedling survival of tropical tree species: interactions of dispersal distance, light-gaps and pathogens. *Ecology*, **65**, 1705–1712.
- Bansal, R.C. & Mathur, H.N. (1976). Landslides – the nightmare of hill roads. *Soil Conservation Digest*, **4**, 36–37.
- Bardet, J.-P., Synolakis, C.E., Davies, H.L., Imamura, F., & Okal, E.A. (2003). Landslide tsunamis: recent findings and research directions. *Pure and Applied Geophysics*, **160**, 1793–1809.
- Bardgett, R.D., Bowman, W.D., Kaufmann, R., & Schmidt, S.K. (2005). A temporal approach to linking aboveground and belowground ecology. *Trends in Ecology and Evolution*, **20**, 634–641.
- Barry, J.P. & Whaling, P.J. (2003). Use of vesicomyrid clams as proxies for ageing submarine landslide events. *American Geophysical Union, Fall Meeting*, abstract #OS31A-07.
- Batanouny, K.H., Stichler, W., & Ziegler, H. (1991). Photosynthetic pathways and ecological distribution of *Euphorbia* species in Egypt. *Oecologia*, **87**, 565–569.
- Baur, B. & Baur, A. (1990). Experimental evidence for intra- and interspecific competition in two species of rock-dwelling land snails. *Journal of Animal Ecology*, **59**, 301–315.
- Bea, R.G. (1971). How sea floor slides affect offshore structures. *Oil Gas Journal*, **69**, 88–91.
- Bea, R.G., Wright, S.G., Sircar, P., & Niedoroda, A.W. (1983). Wave-induced slides in South Pass Block 70, Mississippi Delta. *Journal of Geotechnical Engineering, ASCE*, **109**, 619–644.
- Bell, F.G. (1998). *Environmental Geology: Principles and Practice*. Oxford: Blackwell.
- Bell, R. & Glade, T. (2004). Quantitative risk analysis for landslides – examples from Bildudalur, NW-Iceland. *Natural Hazards and Earth System Sciences*, **4**, 117–131.
- Bellingham, P.J. & Lee, W.G. (2006). Distinguishing natural processes from impacts of invasive mammalian herbivores. In *Biological Invasions in New Zealand*, eds. R.B. Allen & W.G. Lee. pp. 323–336. New York: Springer.
- Bellingham, P.J., Walker, L.R., & Wardle, D.A. (2001). Differential facilitation by a nitrogen-fixing shrub during primary succession influences relative performance of canopy tree species. *Journal of Ecology*, **89**, 861–875.

- Bellingham, P.J., Tanner, E.V.J., & Healey, J.R. (2005). Hurricane disturbance accelerates invasion by the alien tree species *Pittosporum unguiculatum* in Jamaican montane rain forests. *Journal of Vegetation Science*, **16**, 675–684.
- Benko, B. & Stead, D. (1998). The Frank Slide: a reexamination of the failure mechanism. *Canadian Geotechnical Journal*, **35**, 299–311.
- Bergman, B., Johansson, C., & Soderback, E. (1992). The *Nostoc*–*Gunnera* symbiosis. *New Phytologist*, **122**, 379–400.
- Bhatt, B.P. & Sachan, W.S. (2004). Firewood consumption along an altitudinal gradient in mountain villages in India. *Biomass & Bioenergy*, **27**, 69–75.
- Bird, G., Brewer, P.A., Macklin, M.G., *et al.* (2008) River system recovery following the Novat-Rosu tailings dam failure, Maramures County, Romania. *Applied Geochemistry*, **23**, 3498–3518.
- Boadu, F.K. & Owusu-Nimo, F. (2011). Exploring the linkages between geotechnical properties and electrical responses of sand-clay mixtures under varying effective stress levels. *Journal of Environmental and Engineering Geophysics*, **16**, 73–83.
- Bonikowsky, L.N. (ed.) (2012). *The Canadian Encyclopedia*. <http://www.thecanadianencyclopedia.com>. Accessed 15 February 2012.
- Bonuccelli, T., Luzia de Souza, M., & Zuquette, L.V. (1996). Landslides in urban areas: the triggering factors in the historical city, Ouro Preto, Brazil. In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández. pp. 117–124. Rotterdam: Balkema.
- Borgatti, L. & Soldati, M. (2010). Landslides and climate change. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A. Goudie, pp. 87–95. Cambridge: Cambridge University Press.
- Bovis, M.J. & Jones, P. (1992). Holocene history of earthflow mass movements in south-central British Columbia: the influence of hydroclimatic changes. *Canadian Journal of Earth Sciences*, **29**, 1746–1754.
- Brabb, E.E. (1991). The world landslide problem. *Episodes*, **14**, 52–61.
- Bradshaw, A.D. (1987). Restoration: an acid test for ecology. In *Restoration Ecology: A Synthetic Approach to Ecological Research*, eds. W.R. Jordan III, M.E. Gilpin, & J.D. Aber, pp. 23–29. Cambridge: Cambridge University Press.
- Brenning, A. (2005). Spatial prediction models for landslide hazards: review, comparison and evaluation. *Natural Hazards and Earth System Sciences*, **5**, 853–862.
- Brokaw, N.V.L. (1998). *Cecropia schreberiana* in the Luquillo Mountains of Puerto Rico. *The Botanical Review*, **64**, 91–120.
- Bromhead, E.N. & Ibsen, M.L. (1997). Land-use and climate-change impacts on landslide hazards in SE Britain. In *Landslide Risk Assessment*, eds. D. Cruden & R. Fell. pp. 165–175. Rotterdam: Balkema.
- Brown, V.K. & Gange, A.C. (1992). Secondary plant succession: how is it modified by insect herbivory? *Vegetatio*, **101**, 3–13.
- Bründl, M., Bartelt, P., Schweizer, J., Keiler, M., & Glade, T. (2010). Review and future challenges in snow avalanche risk analysis. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A. Goudie, pp. 49–61. Cambridge: Cambridge University Press.
- Brunsdon, D. (1984). Mudslides. In *Slope Instability*, eds. D. Brunsdon & D.B. Prior, pp. 363–418. New York: Wiley.

- Brunsdon, D. (2002). Geomorphological roulette for engineers and planners: some insights into an old game. *Quarterly Journal of Engineering Geology and Hydrogeology*, **35**, 101–142.
- Brunsdon, D. & Jones, D.K.C. (1980). Relative time-scales and formative events in coastal landslide systems. *Zeitschrift für Geomorphologie Supplement*, **34**, 1–19.
- Bryant, J.P. & Chapin, F.S. III. (1986). Browsing-woody plant interactions during a boreal forest plant succession. In *Forest Ecosystems in the Alaska Taiga, a Synthesis of Structure and Function*, eds. K. Van Cleve, F.S. Chapin III, P.W. Flanagan, L.A. Viereck, & C.T. Dyrness, pp. 213–215. New York: Springer.
- Bryne, M.M. & Levey, D.J. (1993). Removal of seeds from frugivore defecations by ants in a Costa Rican rain forest. *Vegetatio*, **107/108**, 363–374.
- Budetta, P. (2004). Assessment of rockfall risk along roads. *Natural Hazards and Earth System Sciences*, **4**, 71–81.
- Bull, W.B. (2010). Regional seismic shaking hazards in mountains. In *Geomorphological Hazards and Disaster Prevention*, eds I. Alcántara-Ayala & A.S. Goudie, pp. 5–12. Cambridge: Cambridge University Press.
- Bull, W.B. & Brandon, M.T. (1998). Lichen dating of earthquake-generated regional rockfall events, Southern Alps, New Zealand. *Geological Society of America Bulletin*, **110**, 60–84.
- Bulmer, M.H., Petley, D.N., Murphy, W., & Mantovani, F. (2006). Detecting slope deformation using two-pass differential interferometry: implications for landslide studies on Earth and other planetary bodies. *Journal of Geophysical Research*, **111**, E06S16 (10 pp.).
- Bunce, M., Szulkin, M., Lerner, H.R.L., *et al.* (2005). Ancient DNA provides new insights into evolutionary history of New Zealand's extinct giant eagle. *PLOS Biology*, **3**, 1–3.
- Bush, D.M., Neal, W.J., & Jackson, C.W. (2009). Summary of Puerto Rico's vulnerability to coastal hazards: risk, mitigation, and management with examples. *Geological Society of America Special Papers*, **460**, 149–165.
- Butler, D.R. (2001). Geomorphic process-disturbance corridors: a variation on a principle of landscape ecology. *Progress in Physical Geography*, **25**, 237–248.
- By, T., Forsberg, C.F., & Norem, H. (1990). Submarine slides: full scale experiment at Storglomvatn, Norway. *Norwegian Geotechnical Institute*, Report 522090–4. Cited in Locat & Lee (2002).
- Caine, N. (1980). The rainfall intensity-duration control of shallow landslides and debris flows. *Geographical Annals Series A*, **62**, 23–27.
- Callaway, R.M. (2007). *Positive Interactions and Interdependence of Plant Communities*. Springer: New York.
- Callaway, R.M. & Walker, L.R. (1997). Competition and facilitation: a synthetic approach to interactions in plant communities. *Ecology*, **78**, 1958–1965.
- Cammeraat, E., van Beek, R., & Kooijman, A. (2005). Vegetation succession and its consequences for slope stability in SE Spain. *Plant and Soil*, **278**, 135–147.
- Camp, R.J. & Knight, R.L. (1998). Effects of rock climbing on cliff plant communities at Joshua Tree National Park, California. *Conservation Biology*, **12**, 1302–1306.

- Campanello, P.I., Gatti, M.G., Ares, A., Montti, L., & Goldstein, G. (2007). Tree regeneration and microclimate in a liana and bamboo-dominated semideciduous Atlantic Forest. *Forest Ecology and Management*, **252**, 108–117.
- Cannon, S.H. (2001). Debris-flow generation from recently burned watersheds. *Environmental and Engineering Geoscience*, **7**, 321–341.
- Cannon, S.H., Kirkham, R.M., & Parise, M. (2001). Wildfire-related debris-flow initiation processes, Storm King Mountain, Colorado. *Geomorphology*, **29**, 171–188.
- Cannone, N., Lewkowicz, A.G., & Guglielmin, M. (2010). Vegetation colonization of permafrost-related landslides, Ellesmere Island, Canadian High Arctic. *Journal of Geophysical Research – Biogeosciences*, **115**, article number G04020. doi:10.1029/2010JG001384
- Carlton, G.C. & Bazzaz, F.A. (1998). Regeneration of three sympatric birch species on experimental hurricane blowdown microsites. *Ecological Monographs*, **68**, 99–120.
- Carnevale, N.J. & Montagnini, F. (2002). Facilitating regeneration of secondary forests with the use of mixed and pure plantations of indigenous tree species. *Forest Ecology and Management*, **163**, 217–227.
- Carpenter, F.L. (1976). Plant-pollinator interactions in Hawaii: pollination energetic of *Metrosideros collina* (Myrtaceae). *Ecology*, **57**, 1125–1144.
- Carrara, A., Cardinali, M., Detti, R., et al. (1991). GIS techniques and statistical models in evaluating landslide hazard. *Earth Surface Processes and Landforms*, **16**, 427–445.
- Carreiro, M.M. & Zipperer, W.C. (2011). Co-adapting society and ecological interactions following large disturbances in urban park woodlands. *Austral Ecology*, **36**, 904–915.
- Casadei, M., Dietrich, W.E., & Miller, N.L. (2003). Testing a model for predicting the timing and location of shallow landslide initiation in soil-mantled landscapes. *Earth Surface Processes and Landforms*, **28**, 925–950.
- Cavallo, A. & Giannoni, F. (2006). Natural risk warning: comparison of two methodologies. *Advances in Geosciences*, **2**, 335–338.
- Cázares, E. & Trappe, J.M. (1994). Spore dispersal of ectomycorrhizal fungi on a glacier forefront by mammal mycophagy. *Mycologia*, **86**, 507–510.
- Cazzuffi, D., Corneo, A., & Crippa, E. (2007). Slope stabilisation by perennial ‘gramineae’ in Southern Italy: plant growth and temporal performance. In *Eco- and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability*, eds. A. Stokes, I. Spanos, & J.E. Norris, pp. 111–126. *Proceedings of the First International Conference on Eco-Engineering*, 13–17 September 2004. Dordrecht: Springer.
- Chadwick, J., Dorsch, S., Glenn, N., Thackray, G., & Shilling, K. (2005). Application of multi-temporal high-resolution imagery and GPS in a study of the motion of a canyon rim landslide. *Journal of Photogrammetry & Remote Sensing*, **59**, 212–221.
- Chapin, F.S. III, Matson, P.A., & Mooney, H.A. (2003) *Principles of Terrestrial Ecosystem Ecology*. New York: Springer.
- Chau, K.T. & Lo, K.H. (2004). Hazard assessment of debris flows for Leung King Estate of Hong Kong by incorporating GIS with numerical simulations. *Natural Hazards and Earth System Sciences*, **4**, 103–116.

- Chau, M.M., Walker, L.R., & Mehlreter, K. (In press). An invasive tree fern alters soil and plant nutrient dynamics in Hawaii. *Biological Invasions*, doi: 10.1007/s10530-012-0291-0.
- Chaudhry, S., Singh, S.P., & Singh, J.S. (1996). Performance of seedlings of various life forms on landslide-damaged forest sites in Central Himalaya. *Journal of Applied Ecology*, **33**, 109–117.
- Chaytor, J.D., ten Brink, U.S., Solow, A.R., & Andrews, B.D. (2009). Size distribution of submarine landslides along the US Atlantic margin. *Marine Geology*, **264**, 16–27.
- Chazdon, R.L. & Fetcher, N. (1984). Photosynthetic light environments in a lowland tropical rain forest in Costa Rica. *Journal of Ecology*, **72**, 553–564.
- Chen, H. (2006). Controlling factors of hazardous debris flow in Taiwan. *Quaternary International*, **147**, 3–15.
- Chen, H., Chen, R.H., & Lin, M.L. (1999). Initiation of the Tungmen debris flow, eastern Taiwan. *Environmental & Engineering Geoscience*, **4**, 459–473.
- Chester, D.K., Duncan, A.M., & James, P.A. (2010). Mount Etna, Sicily: landscape evolution and hazard responses in the pre-industrial era. In *Landscapes and Societies*, eds. I.P. Martini & W. Chesworth, pp.235–253. New York: Springer.
- Chien, H-C. (2007). Landslide alter oribatid mite communities in litter layers of a monsoon forest in southern Taiwan. MS Thesis, Institute of Life Sciences, National Cheng Kung University, Taiwan.
- Chigira, M. & Oyama, T. (1999). Mechanism and effect of chemical weathering on sedimentary rock. *Engineering Geology*, **55**, 3–14.
- Chigira, M. & Yokoyama, O. (2005). Weathering profile of non-welded ignimbrite and the water infiltration behavior within it in relation to the generation of shallow landslides. *Engineering Geology*, **78**, 187–207.
- Chou, W.C., Lin, W.T., & Lin, C.Y. (2007). Application of fuzzy set theory and PROMETHEE technique to evaluate suitable ecotechnology method: a case study in Shihmen Reservoir Watershed, Taiwan. *Ecological Engineering*, **31**, 269–280.
- Claessens, L., Verburg, P.H., Schoorl, J.M., & Veldkamp, A. (2006). Contribution of topographically based landslide hazard modeling to the analysis of the spatial distribution and ecology of kauri (*Agathis australis*). *Landscape Ecology*, **21**, 63–76.
- Claessens, L., Schoorl, J.M., & Veldkamp, A. (2007). Modelling the location of shallow landslides and their effects on landscape dynamics in large watersheds: an application for Northern New Zealand. *Geomorphology*, **87**, 16–27.
- Clarke, M.A. & Walsh, R.P.D. (2006). Long-term erosion and surface roughness change of rain-forest terrain following selective logging, Danum Valley, Sabah, Malaysia. *Catena*, **68**, 109–123.
- Clarkson, B.R. & Clarkson, B.D. (1995). Recent vegetation changes on Mount Tarawera, Rotorua, New Zealand. *New Zealand Journal of Botany*, **33**, 339–354.
- Clements, F.E. (1916). *Plant Succession: An Analysis of the Development of Vegetation*. Publication 242, Washington, D.C.: Carnegie Institution of Washington.

- Clements, F.E. (1928). *Plant Succession and Indicators*. New York: H.W. Wilson.
- Close, U. & McCormick, E. (1922). Where the mountains walked. *National Geographic Magazine*, **41**, 445–464.
- Coates, D.R. (1977). Landslide perspectives. In *Landslides*, ed. D.R. Coates, pp. 3–28. Washington, DC: Geological Society of America.
- Coelho, C.O.A. (2006). Portugal. In *Soil Erosion in Europe*, eds. J. Boardman & J. Poesen, pp. 359–367. Chichester: Wiley.
- Coleman, D.C., Crossley Jr., D.A., & Hendrix, P.F. (2004). *Fundamentals of Soil Ecology*, 2nd Edition. San Diego, California, CA, U.S.: Elsevier.
- Colesant, C. & Wasowski, J. (2006). Investigating landslides with space-borne Synthetic Aperture Radar (SAR) interferometry. *Engineering Geology*, **88**, 173–199.
- Compton, S.G., Ross, S.J., & Thornton, I.W. B. (1994). Pollinator limitation of fig tree reproduction on the island of Anak Krakatau (Indonesia). *Biotropica*, **26**, 180–186.
- Conant, D.S. (1976). Ecogeographic and systematic studies in American Cyatheaceae. PhD Dissertation, Harvard University, Boston, Massachusetts, U.S.
- Connell, J.H. & Slatyer, R.O. (1977). Mechanisms of succession in natural communities and their roles in community stability and organization. *The American Naturalist*, **111**, 1119–1144.
- Cooper, M.R., Bromhead, E.N., Petley, D.J., & Grant, D.I. (1998). The Selborne cutting stability experiment. *Géotechnique*, **48**, 83–101.
- Costa, J.E. & Schuster, R.L. (1991). Documented historical landslide dams from around the world. *U.S. Geological Survey Open-File Report*, 91–239.
- Coulter, H.W. & Migliaccio, R.R. (1966). Effects of the earthquake of March 17, 1964, at Valdez, Alaska. *U.S. Geological Survey Professional Paper*, 542-C, 1–36.
- Courchamp, F. & Caut, S. (2005). Use of biological invasions and their control to study the dynamics of interacting populations. In *Conceptual Ecology and Invasions Biology*, eds. M.W. Cadotte, S.M. McMahon, & T. Fukami, pp. 253–279. New York: Springer.
- Courtney, R. & Mullen, G. (2009). Use of germination and seedling performance bioassays for assessing revegetation strategies on bauxite residue. *Water, Air and Soil Pollution*, **197**, 15–22.
- Couture, R., Konrad, J.-M., & Locat, J. (1995). Analyse de la liquéfaction et du comportement non drainé des sables du delta de Kenamu (Project ADFEX). *Canadian Geotechnical Journal*, **32**, 137–155.
- Cover, M.R., de la Fuente, J.A., & Resh, V.H. (2010). Catastrophic disturbances in headwater streams: the long-term ecological effects of debris flows and debris floods in the Klamath Mountains, northern California. *Canadian Journal of Fisheries and Aquatic Sciences*, **67**, 1596–1610.
- Cowles, H.C. (1901). The physiographic ecology of Chicago and vicinity: A study of the origin, development, and classification of plant societies. *Botanical Gazette*, **31**, 73–108, 145–182.
- Cox, P.A. & Elmquist, T. (2000). Pollinator extinction in the Pacific Islands. *Conservation Biology*, **14**, 1237–1239.
- Crisafulli, C.M., Swanson, F.J., & Dale, V.H. (2005). Overview of ecological responses to the eruption of Mount St. Helens: 1980–2005. In *Ecological*

- Responses to the 1980 Eruption of Mount St. Helens*, eds. V.H. Dale, F.J. Swanson, & C.M. Crisafulli, pp. 287–299. New York: Springer.
- Cronin, V.S. (1992). Compound landslides: nature and hazard potential of secondary landslides within host landslides. *Reviews in Engineering Geology*, **9**, 1–9.
- Crozier, M.J. (1984). Field assessment of slope instability. In *Slope Instability*, eds. D. Brunsden & D.B. Prior, pp. 103–142. Chichester: John Wiley.
- Crozier, M.J. (1986). *Landslides: Causes, Consequences and Environment*. London: Croom-Helm.
- Crozier, M.J., Howorth, R., & Grant, I.J. (1981). Landslide activity during Cyclone Wally, Fiji: A case study of Wainitubatalu catchment. *Pacific Viewpoint*, **22**, 69–88.
- Cruden, D.M. (1991). A simple definition of a landslide. *Bulletin of the International Association of Engineering Geology*, **43**, 27–29.
- Cruden, D.M. & Fell, R. (1997). *Landslide Risk Assessment*. Rotterdam: Balkema.
- Cruden, D.M. & Varnes, D.J. (1996). Landslide types and processes. In *Landslides: Investigation and Mitigation*, eds. A.K. Turner & R.L. Schuster, pp. 36–75. Special Report 247, Transportation Research Board, National Research Council. Washington, DC: National Academy Press.
- Cruden, D.M., Keegan, T.R., & Thomson, S. (1993). The landslide dam on the Saddle River near Rycroft, Alberta. *Canadian Geotechnical Journal*, **30**, 1003–1015.
- Crutchley, G.J., Gorman, A.R., & Fohrmann, M. (2007). Investigation of the role of gas hydrates in continental slope stability west of Fiordland, New Zealand. *New Zealand Journal of Geology and Geophysics*, **50**, 357–364.
- Cumberland, K.B. (1944). *Soil Erosion in New Zealand: A Geographic Reconnaissance*. Wellington: Soil Conservation and Rivers Control Council.
- Cumberland, K.B. & Cumberland, G. (2008). Poor land management. A letter to *The Press*, 24 September 2008, Christchurch, New Zealand.
- Dadson, S.J., Hovius, N., Chen, H., *et al.* (2003). Links between erosion, runoff variability and seismicity in the Taiwan orogen. *Nature*, **426**, 648–651.
- Dai, E.C. & Lee, C.F. (2002). Landslide characteristics and slope instability modeling using GIS, Lantau Island, Hong Kong. *Geomorphology*, **42**, 213–228.
- Dai, E.C., Lee, C.F., & Nagi, Y.Y. (2002). Landslide risk assessment and management: an overview. *Engineering Geology*, **64**, 65–87.
- Dale, V.H. (1986). Plant recovery on the debris avalanche at Mount St. Helens. In *Mount St. Helens: Five Years Later*, ed. S.A.C. Keller, pp. 208–214. Cheney, Washington, U.S.: Eastern Washington Press.
- Dale, V.H., Joyce, L.A., McNultry, S., *et al.* (2001). Climate change and forest disturbance. *BioScience*, **51**, 723–734.
- Dale, V.H., Swanson, F.J., & Crisafulli, C.M. (eds.) (2005). *Ecological Responses to the 1980 Eruption of Mount St. Helens*. New York: Springer.
- Dalling, J.W. (1994). Vegetation colonization of landslides in the Blue Mountains, Jamaica. *Biotropica*, **26**, 392–399.
- Dalling, J.W. & Iremonger, S. (1994). Preliminary estimate of landslide disturbance in the Blue Mountains, Jamaica. *Caribbean Journal of Science*, **30**, 290–292.
- Dalling, J.W. & Tanner, E.V.J. (1995). An experimental study of regeneration on landslides in montane rain forest in Jamaica. *Journal of Ecology*, **83**, 55–64.

- D'Antonio, C.M. & Vitousek, P.M. (1992). Biological invasions by exotic grasses, the grass/fire cycle, and global change. *Annual Review of Ecology and Systematics*, **23**, 63–87.
- Davis, T.J., Klinkenberg, B., & Keller, C.P. (2004). Evaluating restoration success on Lyell Island, British Columbia using oblique videogrammetry. *Restoration Ecology*, **12**, 447–455.
- Davis, W.M. (1909). The geographical cycle. In *Geographical Essays*, ed. D.W. Johnson, pp. 254–256. Oxford: Ginn & Co.
- Dawson, B. (1995). *Crowsnest: An Illustrated History and Guide to the Crowsnest Pass*. Canmore, Alberta, Canada: Altitude Publishing.
- DeBano, L.F. (2000). The role of fire and soil heating on water repellency in wildland environments: a review. *Journal of Hydrology*, **231**, 195–206.
- DeBiase, R.A., Whipple, K.X., Heimsath, A.M., & Ouimet, W.B. (2010). Landscape form and millennial erosion rates in the San Gabriel Mountains, CA. *Earth and Planetary Science Letters*, **289**, 134–144.
- de Boer, D.H. (1992). Hierarchies and spatial scale in process geomorphology: a review. *Geomorphology*, **4**, 303–318.
- de la Cruz, M. & Dirzo, R. (1987). A survey of the standing levels of herbivory in seedlings from a Mexican rain forest. *Biotropica*, **19**, 98–106.
- del Moral, R. (1993). Mechanisms of primary succession on volcanoes: a view from Mount St. Helens. In *Primary Succession on Land*, eds. J. Miles & D.H. Walton, pp. 79–100. Oxford: Blackwell.
- del Moral, R. (2011). The importance of long-term studies of ecosystem reassembly after the eruption of the Kasatochi Island Volcano. *Arctic, Antarctic, and Alpine Research*, **42**, 335–341.
- del Moral, R. & Walker, L.R. (2007). *Environmental Disasters, Natural Recovery and Human Responses*. Cambridge: Cambridge University Press.
- del Moral, R. & Wood, D.M. (1993). Early primary succession on a barren volcanic plain at Mount St. Helens, Washington. *American Journal of Botany*, **80**, 981–992.
- del Moral, R., Walker, L.R., & Bakker, J.P. (2007). Insights gained from succession for the restoration of landscape structure and function. In *Linking Restoration and Ecological Succession*, eds. L.R. Walker, J. Walker, & R.J. Hobbs, pp. 19–55. New York: Springer.
- DeLong, H.B., Lieffers, V.J., & Blenis, P.V. (1997). Microsite effects on first-year establishment and overwinter survival of white spruce in aspen-dominated boreal mixedwoods. *Canadian Journal of Forest Research*, **27**, 1452–1457.
- Dengler, N.G., Dengler, R.E., Donnelley, P.M., & Hattersley, P.W. (1994). Quantitative leaf anatomy of C₃ and C₄ grasses (Poaceae): Bundle sheath and mesophyll surface area relationships. *Annals of Botany*, **73**, 241–255.
- Denslow, J.S. (1980). Gap partitioning among tropical rainforest trees. *Biotropica*, **12**, 47–55.
- Denslow, J.S., Schultz, J.C., Vitousek, P.M., & Strain, B.R. (1990). Growth responses of tropical shrubs to treefall gap environments. *Ecology*, **71**, 165–179.
- Denslow, J.S., Space, J.C., & Thomas, P.A. (2009). Invasive exotic plants in the tropical Pacific Islands: patterns of diversity. *Biotropica*, **41**, 162–170.

- Derose, R.C., Gomez, B., Marden, M., & Trustrum, N.A. (1998). Gully erosion in Mangatu Forest, New Zealand, estimated from digital elevation models. *Earth Surface Processes and Landforms*, **23**, 1045–1053.
- Devkota, B.D., Omura, H., Kubota, T., Paudel, P., & Acharya, K.P. (2006a). Vegetation restoration and root morphological features of colonized plants observed at a landslide scar, Matatirtha, Kathmandu, Nepal. *Banko Janakari*, **16**, 71–78.
- Devkota, B.D., Paudel, P., Omura, H., Kubota, T., & Morita, K. (2006b). Uses of vegetative measures for erosion mitigation in mid hill areas of Nepal. *Kyushu Journal of Forest Research*, **59**, 265–268.
- Devoe, N.N. (1989). Differential seeding and regeneration in openings and beneath closed canopy in sub-tropical wet forest. PhD Dissertation, School of Forestry and Environmental Studies, Yale University, New Haven, Connecticut, U.S.
- Dhakal, A.S. & Sidle, R.C. (2003). Long-term modeling of landslides for different forest management practices. *Earth Surface Processes and Landforms*, **28**, 853–868.
- Dhakal, A.S. & Sidle, R.C. (2004). Distributed simulations of landslides for different rainfall conditions. *Hydrological Processes*, **18**, 757–776.
- Diaz, R.J., Cutter, G.R., & Rhoads, D.C. (1994). The importance of bioturbation to continental slope sediment structure and benthic processes off Cape Hatteras, North Carolina. *Deep-Sea Research II*, **41**, 719–734.
- Diamond, J., Bishop, K.D., & Gilardi, J.D. (1999). Geophagy in New Guinea birds. *Ibis*, **141**, 181–193.
- Dominik, T. (1956). Mycotrophy of poplars in their natural associations in Poland. *Roczniki Nauk Lesnych*, **14**, 247–266 (in English Translation, U.S. Dept. of Commerce Office of Technical Services Translation OTS 60–21382, 1961).
- Douglas, I., Bidin, K., Balamurugan, G., *et al.* (1999). The role of extreme events in the impacts of selective tropical forestry on erosion during harvesting and recovery phases at Danum Valley, Sabah. *Philosophical Transactions of the Royal Society London*, **354**, 1749–1761.
- D'Souza, L.E., Reiter, M., Six, L.J., & Bilby, R.E. (2011). Response of vegetation, shade and stream temperature to debris torrents in two western Oregon watersheds. *Forest Ecology and Management*, **261**, 2157–2167.
- Dung, B.X., Miyata, S., & Gomi, T. (2011). Effect of forest thinning on overland flow generation on hillslopes covered by Japanese cypress. *Ecohydrology and Hydrobiology*, **4**, 367–378.
- Durand, L.Z. & Goldstein, G. (2001a). Growth, leaf characteristics, and spore production in native and invasive tree ferns in Hawaii. *American Fern Journal*, **91**, 25–35.
- Durand, L.Z. & Goldstein, G. (2001b). Photosynthesis, photoinhibition, and nitrogen use efficiency in native and invasive tree ferns in Hawaii. *Oecologia*, **126**, 345–354.
- Edwards, E.J. & Still, C.J. (2008). Climate, phylogeny and the ecological distribution of C₄ grasses. *Ecology Letters*, **11**, 266–276.
- Egler, F.E. (1954). Vegetation science concepts I. Initial floristics composition, a factor in old-field vegetation development. *Vegetatio*, **4**, 412–417.
- Ehley, P.L. (1986). The Portuguese Bend landslide: its mechanics and a plan for its stabilization. In *Landslides and Landslide Mitigation in Southern California*,

- ed. P.L. Ehley, pp. 181–190. Guidebook for field trip, Los Angeles, California: Cordilleran Section of the Geological Society of America.
- Elias, R.B. & Dias, E. (2004). Primary succession on lava domes on Terceira (Azores). *Journal of Vegetation Science*, **15**, 331–338.
- Elias, R.B. & Dias, E. (2009). Effects of landslides on the mountain vegetation of Flores Island, Azores. *Journal of Vegetation Science*, **20**, 706–717.
- Elverhoi, A., Breien, H., De Blasio, F.V., Harbitz, C.B., & Pagliardi, M. (2010). Submarine landslides and the importance of the initial sediment composition for run-out length and final deposit. *Ocean Dynamics*, **60**, 1027–1046.
- Enright, N.J., Ogden, J., & Rigg, L.S. (1999). Dynamics of forests with Araucariaceae in the western Pacific. *Journal of Vegetation Science*, **10**, 793–804.
- Evans, S.G. & Bent, A.L. (2004). The Las Colinas landslide, Santa Tecla: a highly destructive flowside triggered by the January 13, 2001, El Salvador earthquake. *Geological Society of America Special Paper*, **375**, 25–38.
- Evans, S.G., Couture, R., & Raymond, E.L. (2002). *Catastrophic landslides and related processes in the southeastern Cordillera: analysis of impact on lifelines and communities*. Geological Survey Canada, Natural Resources Canada.
- Evans, S.G., Guthrie, R.H., Roberts, N.J., & Bishop, N.F. (2007). The disastrous 17 February 2006 rockslide–debris avalanche on Leyte Island, Philippines: a catastrophic landslide in tropical mountain terrain. *Natural Hazards and Earth System Sciences*, **7**, 89–101.
- Fabbri, A.G., Chung, C.-J.F., Cendrero, A., & Remondo, J. (2003). Is prediction of future landslides possible with a GIS? *Natural Hazards*, **30**, 487–499.
- Fagan, W.F. & Bishop, J.G. (2000). Trophic interactions during primary succession: herbivores slow a plant reinvasion at Mount St. Helens. *The American Naturalist*, **155**, 238–251.
- Farris, M.A. (1998). The effects of rock climbing on the vegetation of three Minnesota cliff systems. *Canadian Journal of Botany*, **76**, 1982–1990.
- Fastie, C.L. (1995). Causes and ecosystem consequences of multiple pathways on primary succession at Glacier Bay, Alaska. *Ecology*, **76**, 1899–1916.
- Fenner, M. & Thompson, K. (2005). *The Ecology of Seeds*. Cambridge: Cambridge University Press.
- Fernandes, N.F., Guimarães, R.F., Gomes, R.A.T., *et al.* (2004). Topographic controls of landslides in Rio de Janeiro: field evidence and modeling. *Catena*, **55**, 163–181.
- Fernández, D.S. & Fetcher, N. (1991). Changes in light availability following Hurricane Hugo in a subtropical montane forest in Puerto Rico. *Biotropica*, **23**, 393–399.
- Fernández, D.S. & Myster, R.W. (1995). Temporal variation and frequency distribution of photosynthetic photon flux densities on landslides in Puerto Rico. *Tropical Ecology*, **36**, 73–87.
- Ferreira, A.B., Zêzere, J.L., & Rodrigues, M.L. (1996). The Calhandriz landslide (Metropolitan area of Lisbon). In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández, pp. 31–38. Rotterdam: Balkema.
- Ferrer, M. & Ayala, F. (1996). Landslides climatic susceptibility map of Spain. In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández, pp. 323–333. Rotterdam: Balkema.

- Fetcher, N., Haines, B.L., Cordero, R.A., *et al.* (1996). Responses of tropical plants to nutrients and light on a landslide in Puerto Rico. *Journal of Ecology*, **84**, 331–341.
- Fine, I.V., Rabinovich, A.B., Bornhold, B.D., Thomson, R.E., & Kulikov, E.A. (2005). The Grand Banks landslide-generated tsunami of November 18, 1929: preliminary analysis and numerical modeling. *Marine Geology*, **215**, 45–57.
- Fischer, L., Kääb, A., Huggel, C., & Noetzli, J. (2006). Geology, glacier retreat and permafrost degradation as controlling factors of slope instabilities in a high-mountain rock wall: the Monte Rosa east face. *Natural Hazards and Earth System Sciences*, **6**, 761–772.
- Flaccus, E. (1959). Revegetation of landslides in the White Mountains of New Hampshire. *Ecology*, **40**, 692–703.
- Forman, R.T.T., Sperling, D., Bissonette, J.A., *et al.* (2003). *Road Ecology: Science and Solutions*. Washington, D.C.: Island Press.
- Fort, M., Cossart, E., & Arnaud-Fassetta, G. (2010). Catastrophic landslides and sedimentary budgets. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A. Goudie, pp. 75–85. Cambridge: Cambridge University Press.
- Fosberg, F.R. (1942). Uses of Hawaiian ferns. *American Fern Journal*, **32**, 15–23.
- Foster, D.R., Knight, D.H., & Franklin, J.F. (1998). Landscape patterns and legacies resulting from large, infrequent forest disturbances. *Ecosystems*, **1**, 497–510.
- Francescato, V. & Scotton, M. (1999). Analisi di vegetazioni colonizzatrici di frane su flysch e morena calcarea del bellunese. *L'Italia Forestale e Montana*, **6**, 324–349.
- Francescato, V., Scotton, M., Zarin, D.J., Innes, J.C., & Bryant, D.M. (2001). Fifty years of natural revegetation on a landslide in Franconia Notch, New Hampshire, U.S. *Canadian Journal of Botany*, **79**, 1477–1485.
- García-Fayos, P., García-Ventoso, B., & Cerdà, A. (2000). Limitations to plant establishment on eroded slopes in southeastern Spain. *Journal of Vegetation Science*, **11**, 77–86.
- Garwood, N.C. (1985). Earthquake caused landslides in Panama: recovery of vegetation. *National Geographic Society Research Reports*, **21**, 181–183.
- Garwood, N.C., Janos, D.J., & Brokaw, N. (1979). Earthquake-caused landslides: a major disturbance to tropical forests. *Science*, **205**, 997–999.
- Gasiev, E. (1984). Study of the Usoy landslide in Pamir. *Proceedings of the Fourth International Symposium on Landslides*, **1**, 511–515.
- Geertsema, M. (1998). Flowslides in waterlain muds of northwestern British Columbia, Canada. *Proceedings of the 8th Congress of the International Association of Engineering Geology and the Environment*, **3**, 1913–1921.
- Geertsema, M. & Pojar, J.J. (2007). Influence of landslides on biophysical diversity—a perspective from British Columbia. *Geomorphology*, **89**, 55–69.
- Geertsema, M. & Schwab, J.W. (1995). The Mink Creek earthflow, Terrace, British Columbia. *Proceedings of the 48th Canadian Geotechnical Conference*, Vancouver, B.C., **2**, 625–634.
- Geist, H.J. & Lambin, E.F. (2002). Proximate causes and underlying driving forces of tropical deforestation. *BioScience*, **52**, 143–150.
- Geist, V. (1971). *Mountain Sheep*. Chicago: Chicago University Press.

- Gers, E., Florin, N., Gartner, H., *et al.* (2001). Application of shrubs for dendrogeomorphological analysis to reconstruct spatial and temporal landslide movement patterns. A preliminary study. *Zeitschrift für Geomorphologie N.F.*, **125**, 163–175.
- Ghahramani, A., Ishikawa, Y., Gomi, T., & Miyata, S. (2011). Downslope soil detachment-transport on steep slopes via rain splash. *Hydrological Processes*, **25**, 2471–2480.
- Ghestem, M., Sidle, R.C., & Stokes, A. (2011). The influence of plant root systems on subsurface flow: implications for slope stability. *BioScience*, **61**, 869–879.
- Giampietro, M. (1999). Economic growth, human disturbance to ecological systems, and sustainability. In *Ecosystems of Disturbed Ground, Ecosystems of the World 16*, ed. L.R. Walker, pp. 723–746. Amsterdam: Elsevier.
- Giannecchini, R. (2005). Rainfall triggering soil slips in the southern Apuan Alps (Tuscany, Italy). *Advances in Geosciences*, **2**, 21–24.
- Glade, T. (2003). Landslide occurrence as a response to land use change: a review of evidence from New Zealand. *Catena*, **51**, 297–314.
- Glenn-Lewin, D.C., Peet, R.K., & Veblen, T.T., eds. (1992). *Plant Succession: Theory and Prediction*. London: Chapman and Hall.
- Glynn, P.W. (1997). Bioerosion and coral reef growth: a dynamic balance. In *Life and Death of Coral Reefs*, ed. C. Birkeland, pp. 68–95. London: Chapman and Hall.
- Goetz, J.N., Guthrie, R.H., & Brenning, A. (2011). Integrating physical and empirical landslide susceptibility models using generalized additive models. *Geomorphology*, **129**, 376–386.
- Goh, C.J., Avadhani, P.N., Loh, C.S., Hanegraaf, C., & Arditti, J. (1977). Diurnal stomata and acidity rhythms in orchid leaves. *New Phytologist*, **78**, 365–372.
- Gómez-Aparicio, L. (2009). The role of plant interactions in the restoration of degraded ecosystems: a meta-analysis across life-forms and ecosystems. *Journal of Ecology*, **97**, 1202–1214.
- Gomi, T., Sidle, R.C., & Richardson, J.S. (2002). Understanding processes and downstream linkages of headwater systems. *BioScience*, **52**, 905–916.
- González-Diez, A.G., Salas, L., de Teran, J.R.D., & Cendreno, A. (1996). Late Quaternary climate changes and mass movement frequency and magnitude in the Cantabrian region, Spain. *Geomorphology*, **15**, 291–309.
- Gori, P.L., Jeer, S.P., & Highland, L.M. (2003). Enlisting the support of land-use planners to reduce debris-flow hazards in the United States. In *Debris-flow Hazards Mitigation: Mechanics, Prediction and Assessment*, eds. D. Rickenmann & C. Chen, pp. 1119–1127. Rotterdam: Millpress.
- Goudelis, G., Ganatas, P.P., Spanos, I., & Karpi, A. (2007). Effect of repeated fire on plant community recovery in Penteli, central Greece. In *Eco- and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability*, eds. A. Stokes, I. Spanos, & J.E. Norris, pp. 337–344. *Proceedings of the First International Conference on Eco-Engineering*, 13–17 September 2004. Dordrecht: Springer.
- Goudie, A.S. (2010). Geomorphological hazards and global climate change. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A. Goudie, pp. 245–255. Cambridge: Cambridge University Press.

- Goudie, A.S. & Boardman, J. (2010). Soil erosion. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A. Goudie, pp. 177–188. Cambridge: Cambridge University Press.
- Graettinger, A.H., Manville, V., & Briggs, R.M. (2010). Deposition record of historic lahars in the upper Whangaehu Valley, Mt. Ruapehu, New Zealand: implications for trigger mechanisms, flow dynamics and lahar hazards. *Bulletin of Volcanology*, **72**, 279–296.
- Grant, F. (2012). http://www.nzherald.co.nz/tangiwhai-rail-disaster/news/article.cfm?c_id=1500933&objectid=1592575. Accessed 25 February 2012.
- Grau, H.R., Aide, T.M., Zimmerman, J.K., *et al.* (2003). The ecological consequences of socioeconomic land-use changes in postagriculture Puerto Rico. *BioScience*, **53**, 1159–1168.
- Greene, H.G., Murai, L.Y., Watts, P., *et al.* (2006). Submarine landslides in the Santa Barbara Channel as potential tsunami sources. *Natural Hazards and Earth System Sciences*, **6**, 63–88.
- Gryta, J.J. & Bartolomew, M.J. (1989). Factors influencing the distribution of debris avalanches associated with the 1969 Hurricane Camille in Nelson County, Virginia. *Geological Society of America Special Paper*, **236**, 15–27.
- Guariguata, M.R. (1990). Landslide disturbance and forest regeneration in the Upper Luquillo Mountains of Puerto Rico. *Journal of Ecology*, **78**, 814–832.
- Guariguata, M.R. & Larsen, M.C. (1990). Preliminary map showing location of landslides in El Yunque Quadrangle, Puerto Rico. *U.S. Geological Survey Open File Report* 89–257.
- Günther, A., Carstensen, A., & Pohl, W. (2004). Automated sliding susceptibility mapping of rock slopes. *Natural Hazards and Earth System Sciences*, **4**, 95–102.
- Gupta, R.P. & Joshi, B.C. (1990). Landslide hazard zoning using the GIS approach—a case study from the Ramganga Catchment, Himalayas. *Engineering Geology*, **28**, 119–131.
- Guzmán-Grajales, S.M., & Walker, L.R. (1991). Differential seedling responses to litter after Hurricane Hugo in the Luquillo Experimental Forest, Puerto Rico. *Biotropica*, **23**, 407–413.
- Guzzetti, F. (2000). Landslide fatalities and the evaluation of landslide risk in Italy. *Engineering Geology*, **58**, 89–107.
- Guzzetti, F., Carrara, A., Cardinali, M., & Reichenbach, P. (1999). Landslide hazard evaluation: a review of current techniques and their application in a multi-scale study, Central Italy. *Geomorphology*, **31**, 181–216.
- Habu, J. (2004). *Ancient Jomon of Japan*. Cambridge: Cambridge University Press.
- Haeussler, S., Tappeiner, J.C., II, & Greber, B.J. (1995). Germination, survival, and early growth of red alder seedlings in the central Coast Range of Oregon. *Canadian Journal of Forest Research*, **25**, 1639–1651.
- Hafidason, H., Sejrup, H.P., Nygård, A., *et al.* (2004). The Storegga Slide: architecture, geometry and slide development. *Marine Geology*, **213**, 201–234.
- Hafner, D.J. (1993). North American Pika (*Ochotona princeps*) as a Late Quaternary biogeographic indicator species. *Quaternary Research*, **39**, 373–380.
- Haigh, M.J., Rawat, J.S., & Baraya, S.K. (1988). Environmental correlations of landslide frequency along new highways in the Himalaya – preliminary results. *Catena*, **15**, 539–553.

- Haigh, M.J., Rawat, J.S., Bartarya, S.K., & Rawat, M.S. (1993). Environmental influences on landslide activity: Almora Bypass, Kumaun Lesser Himalaya. *Natural Hazards*, **8**, 153–170.
- Halvorson, J.J., Smith, J.L., & Kennedy, A.C. (2005). Lupine effects on soil development and function during early primary succession at Mount St. Helens. In *Ecological Responses to the 1980 Eruption of Mount St. Helens*, eds. V.H. Dale, F.J. Swanson, & C.M. Crisafulli, pp. 243–254. New York: Rotterdam.
- Hamdouni, R.El, Irigaray, C., & Chacón, J. (1996). Landslides inventory and determining factors in the Albuñuelas river basin (Granada, Spain). In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández, pp. 21–30. Rotterdam: Balkema.
- Hampton, M.A., Lee, H.J., & Locat, J. (1996). Submarine landslides. *Reviews of Geophysics*, **34**, 33–59.
- Hancox, G.T., Perrin, N.D., & Dellow, G.D. (2002). Recent studies of historical earthquake-induced landsliding, ground damage and MM intensity in New Zealand. *Bulletin of New Zealand Society of Earthquake Engineering*, **35**, 59–94.
- Hansen, A. (1984a). Landslide hazard analysis. In *Slope Instability*, eds. D. Brunsten & D.B. Prior, pp. 523–602. New York: Wiley.
- Hansen, M.J. (1984b). Strategies for classification of landslides. In *Slope Instability*, eds. D. Brunsten & D.B. Prior, pp. 1–25. New York: Wiley.
- Havlick, D.G. (2002). *No Place Distant*. Washington, D.C.: Island Press.
- Heezen, B.C., Ewing, M., & Ericson, D.B. (1955a). Reconnaissance survey of the abyssal plain south of Newfoundland. *Deep-Sea Research*, **2**, 122–133.
- Heezen, B.C., Ewing, M., & Menzies, R.J. (1955b). The influence of submarine turbidity currents on abyssal productivity. *Oikos*, **6**, 170–182.
- Henkel, D.J. (1970). The role of waves in causing submarine landslides. *Geotechnique*, **20**, 75–80.
- Herrington, R.E. (1988). Talus use by amphibians and reptiles in the Pacific Northwest. In *Management of Amphibians, Reptiles and Small Mammals in North America*, USDA Forest Service General Technical Report RM-166, eds. R.C. Szaro, K.E. Severson, & D.R. Patton, pp. 216–221. Flagstaff, Arizona: USDA Forest Service.
- Heshmati, M., Arifin, A., Shamshuddin, J., Majid, N.M., & Ghaituri, M. (2011). Factors affecting landslides occurrence in agro-ecological zones in the Merek catchment, Iran. *Journal of Arid Environments*, **75**, 1072–1082.
- Hewitt, K. (1997). *Regions of Risk: A Geographical Introduction to Disasters*. Harlow, U.K.: Addison-Wesley Longman.
- Hewitt, K. (2006). Disturbance regime landscapes: mountain drainage systems interrupted by large rockslides. *Progress in Physical Geography*, **30**, 365–393.
- Hewitt, K. (2009). Rock avalanches that travel onto glaciers and related developments, Karakoram Himalaya, Inner Asia. *Geomorphology*, **103**, 66–79.
- Highland, L.M. (1997). Landslide hazard and risk: current and future directions for the United States Geological Survey's landslide program. In *Landslide Risk Assessment*, eds. D. Cruden & R. Fell, pp. 207–213. Rotterdam: Balkema.
- Hilton, R.G., Galy, A., Hovius, N., Horng, M.-J., & Chen, H. (2011). Efficient transport of fossil organic carbon to the ocean by steep mountain rivers: an orogenic carbon sequestration mechanism. *Geology*, **39**, 71–74.

- Hobbs, R.J., Jentsch, A., & Temperton, V.M. (2007a). Restoration as a process of assembly and succession mediated by disturbance. In *Linking Restoration and Ecological Succession*, eds. L.R. Walker, J. Walker, & R.J. Hobbs, pp. 150–167. New York: Springer.
- Hobbs, R.J., Walker, L.R., & Walker, J. (2007b). Integrating restoration and succession. In *Linking Restoration and Ecological Succession*, eds. L.R. Walker, J. Walker, & R.J. Hobbs, pp. 168–179. New York: Springer.
- Hobbs, R.J., Higgs, E., & Harris, J.A. (2009). Novel ecosystems: implications for conservation and restoration. *Trends in Ecology and Evolution*, **24**, 599–605.
- Hodge, A., Robinson, D., & Fitter, A. (2000). Are microorganisms more effective than plants at competing for nitrogen? *Trends in Plant Science*, **5**, 304–308.
- Hodkinson, I.D., Webb, N.R., & Coulson, S.J. (2002). Primary community assembly on land – the missing stages: why are the heterotrophic organisms always there first? *Journal of Ecology*, **90**, 569–577.
- Holl, K.D. (1998). Do perching structures elevate seed rain and seedling establishment in abandoned tropical pasture? *Restoration Ecology*, **6**, 253–261.
- Holm, H., Bovis, M., & Jakob, M. (2004). The landslide response of alpine basins to post-Little Ice Age glacial thinning and retreat in southwestern British Columbia. *Geomorphology*, **57**, 201–216.
- Holtz, R.D. & Schuster, R.L. (1996). Stabilization of soil slopes. In *Landslides: Investigation and Mitigation*, eds. A.K. Turner & R.S. Schuster, pp. 439–473. Special Report 247, Transport Research Board, Washington, D.C.: National Academic Press.
- Hong, Y., Adler, R.F., & Huffman, G.J. (2007). Satellite remote sensing for global landslide monitoring. *EOS, Transactions of the American Geophysical Union*, **88**, 357–358.
- Hou, J.-J., Han, M.-K., Chai, B.-L., & Han, H.-Y. (1998). Geomorphological observations of active faults in the epicentral region of the Huaxian large earthquake in 1556 in Shaanxi Province, China. *Journal of Structural Geology*, **20**, 549–557.
- Hou, P.-C.L., Zou, X., Huang, C.-Y., & Chien, H.-J. (2005). Plant litter decomposition influenced by soil animals and disturbance in a subtropical rainforest of Taiwan. *Pedobiology*, **49**, 539–547.
- Huggett, R.J. (1998). Soil chronosequences, soil development, and soil evolution. *Catena*, **32**, 155–172.
- Hughes, F., Vitousek, P.M., & Tunison, T. (1991). Alien grass invasion and fire in the seasonal submontane zone of Hawaii. *Ecology*, **72**, 743–746.
- Hühnerbach, V. & Masson, D.G. (2004). Landslides in the North Atlantic and its adjacent seas: an analysis of their morphology, setting and behavior. *Marine Geology*, **213**, 343–362.
- Hull, J.C. & Scott, R.C. (1982). Plant succession on debris avalanches of Nelson County, Virginia. *Castanea*, **47**, 158–176.
- Hupp, C.R. (1983). Seedling establishment on a landslide site. *Castanea*, **48**, 89–98.
- IAEG Commission on Landslides (1990). Suggested nomenclature for landslides. *Bulletin of the International Association of Engineering Geology*, **41**, 13–16.

- Ibetsberger, H.J. (1996). The Tsergo Ri landslide: an uncommon area of high morphological activity in the Langthang valley, Nepal. *Tectonophysics*, **260**, 85–93.
- Ikeya, H. (1989). Debris flow and its countermeasures in Japan. *Bulletin of The International Association of Engineering Geology*, **40**, 15–33.
- Imaizumi, F., Sidle, R.C., & Kamei, R. (2008). Effects of forest harvesting on the occurrence of landslides and debris flows in steep terrain of central Japan. *Earth Surface Processes and Landforms*, **33**, 827–840.
- Innes, J.L. (1985). Lichenometric dating of debris-flow deposits on alpine colluvial fans in southwest Norway. *Earth Surface Processes*, **19**, 519–524.
- IPCC (2007). *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, eds. Solomon, S., Qin, D., Manning, M., *et al.* Cambridge: Cambridge University Press.
- Iverson, R.M. (2005). Regulation of landslide motion by dilatancy and pore pressure feedback. *Journal of Geophysics Research*, **110**, F02015, doi:10.1029/2004JF000268.
- James, I.L. (1973). Mass movements in the upper Pohangina Catchment, Ruahine Range. *Journal of Hydrology (New Zealand)*, **12**, 92–102.
- Jane, G.T. & Green, T.G.A. (1983). Morphology and incidence of landslides in the Kaimai Range, North Island, New Zealand. *New Zealand Journal of Geology and Geophysics*, **26**, 71–84.
- Janos, D.P., Sahley, C.T., & Emmons, L.H. (1995). Rodent dispersal of vesicular-arbuscular mycorrhizal fungi in Amazonian Peru. *Ecology*, **76**, 1852–1858.
- Janzen, D.H. (1973). Sweep samples of tropical foliar insects: effects of season, vegetation types, elevation, time of day and insularity. *Ecology*, **54**, 687–701.
- Jenny, H. (1941). *Factors of Soil Formation*. New York: McGraw-Hill.
- Jenny, H. (1980). *The Soil Resource: Origin and Behavior*. New York: Springer.
- Jibson, R.W. (1989). Debris flows in southern Puerto Rico. *Geological Society of America Special Paper* 236, 29–55.
- Jibson, R.W. & Keefer, D.K. (1989). Statistical analysis of factors affecting landslide distribution in the New Madrid seismic zone, Tennessee and Kentucky. *Engineering Geology*, **27**, 509–542.
- Johnson, A.M. & Rodine, J.R. (1984). Debris flow. In *Slope Instability*, eds. D. Brunsten & D.B. Prior, pp. 257–361. Chichester: Wiley.
- Johnson, E.A. & Miyanishi, K. (2008). Testing the assumptions of chronosequences in succession. *Ecology Letters*, **11**, 419–431.
- Johnson, P.N. (1976). Changes in landslide vegetation at Lake Thomson, Fiordland, New Zealand. *New Zealand Journal of Botany*, **14**, 197–198.
- Jones, F.O. (1973). Landslides of Rio de Janeiro and the Sierra das Araras Escarpment, Brazil. *U.S. Geological Survey Professional Paper* 697.
- Kamai, T. Shuzui, H., Kasahara, R., & Kobayashi, Y. (2004). Earthquake risk assessments of large residential fill-slope in urban areas. *Journal of Japanese Landslide Society*, **40**, 389–399.
- Kaplan, B.A. & Moermond, T.C. (2000). Foraging ecology of the mountain monkey (*Cercopithecus lhoesti*): implications for its evolutionary history and use of disturbed forest. *American Journal of Primatology*, **50**, 227–246.

- Kappelle, M., Avertin, G., Juárez, M.E., & Zamora, N. (2000). Useful plants within a campesino community in a Costa Rican montane cloud forest. *Mountain Research and Development*, **20**, 162–171.
- Kay, E.A. (ed.) (1994). *A Natural History of the Hawaiian Islands*. Honolulu: University of Hawaii Press.
- Kayen, R.E. & Lee, H.J. (1991). Pleistocene slope instability of gas hydrate-laden sediment on the Beaufort Sea margin. *Marine Geotechnology*, **10**, 125–142.
- Keefer, D.K. (1984). Landslides caused by earthquakes. *Geological Society of America Bulletin*, **95**, 406–421.
- Keefer, D.K. (1994). The importance of earthquake-induced landslides to long-term slope erosion and slope-failure hazards in seismically active regions. *Geomorphology*, **10**, 265–284.
- Keefer, D.K. (2000). Statistical analysis of an earthquake-induced landslide distribution – the 1989 Loma Prieta, California event. *Engineering Geology*, **58**, 231–249.
- Keefer, D.K. & Larsen, M.C. (2007). Assessing landslide hazards. *Science*, **316**, 1136–1139.
- Keefer, D.K. & Wilson, R.C. (1989). Predicting earthquake-induced landslides, with emphasis on arid and semi-arid environments, In: *Landslides in Arid and Semi-arid Environments*, eds. P.M. Sadler & D.M. Morton, Vol. 2, Part 1, pp. 118–149. Riverside, California, U.S.: Inland Geological Society Southern California Publishing.
- Keefer, D.K., Wilson, R.C., Mark, R.K., *et al.* (1987). Realtime landslide warning during heavy rainfall. *Science*, **238**, 921–925.
- Keim, R.F. & Skaugset, A.E. (2003). Modelling effects of forest canopies on slope stability. *Hydrological Processes*, **17**, 1457–1467.
- Keller, E.A. (1996). *Environmental Geology*, 7th Edition. Upper Saddle River, New Jersey: Prentice Hall.
- Kelsey, H.M. (1978). Earthflows in Franciscan melange, Van Duzen River basin, California. *Geology*, **6**, 361–364.
- Kerr, G.H. (2000). *Okinawa: The History of an Island People*. Tokyo: Tuttle Publishing.
- Kessler, M. (1999). Plant species richness and endemism during natural landslide succession in a perhumid montane forest in the Bolivian Andes. *Ecotropica*, **4**, 123–136.
- Kessler, M. (2010). Biogeography of ferns. In *Fern Ecology*, eds. K. Mehltreter, L.R. Walker, & J.M. Sharpe, pp. 22–60. Cambridge: Cambridge University Press.
- Keys, D. (2000). *Catastrophe: An Investigation into the Origins of the Modern World*. New York: Ballantine Books.
- Khan, B., Abdukadiri, A., Qureshi, R., & Mustaf, G. (2011). Medicinal uses of plants by the inhabitants of Khunjerab National Park, Gilgit, Pakistan. *Pakistan Journal of Botany*, **43**, 2301–2310.
- Khazai, B. & Sitar, N. (2003). Evaluation of factors controlling earthquake-induced landslides caused by Chi-Chi earthquake and comparison with the Northridge and Loma Prieta events. *Engineering Geology*, **71**, 79–95.
- Klink, C.A. & Joly, C.A. (1989). Identification and distribution of C₃ and C₄ grasses in open and shaded habitats in Sao Paulo State, Brazil. *Biotropica*, **21**, 30–34.

- Kobayashi, S., Gomi, T., Sidle, R.C., & Takemon, Y. (2010). Disturbances structuring macroinvertebrate communities in steep headwater streams: relative importance of forest clearcutting and debris flow occurrence. *Canadian Journal of Fisheries and Aquatic Sciences*, **67**, 427–444.
- Kojan, E. & Hutchinson, J.N. (1978). Mayunmarca rockslide and debris flow, Peru. In *Rockslides and Avalanches, 1, Natural Phenomena*, ed. B. Voight, pp. 316–361. Amsterdam: Elsevier.
- Kondratyev, K.Y., Grigoryev, A.A., & Varotsos, C.A. (2002). *Environmental Disasters: Anthropogenic and Natural*. New York: Springer.
- Koner, R. & Chakravarty, D. (2011). Earthquake response of external mine overburden dumps: a micromechanical approach. *Natural Hazards*, **56**, 941–959.
- Korup, O., McSaveney, M.J., & Davies, T.R.H. (2004). Sediment generation and delivery from large historic landslides in the Southern Alps, New Zealand. *Geomorphology*, **61**, 189–207.
- Krajick, K. (1999). Scientists and climbers discover cliff ecosystems. *Science*, **283**, 1623–1625.
- Kristiansen, J. (1986). Blast-induced liquefaction of soils, a reference search. Norwegian Geotechnical Institute, Report 52209–1. Cited in Locat & Lee (2002).
- Krohn, J.P. (1992). Landslide mitigation using horizontal drains, Pacific Palisades area, Los Angeles, California. *Reviews in Engineering Geology*, **9**, 63–68.
- Kronfeld-Schor, N. & Dayan, T. (2003). Partitioning of time as an ecological resource. *Annual Review of Ecology, Evolution & Systematics*, **34**, 153–181.
- Krümmelbein, J., Peth, S., Zhao, Y., & Horn, R. (2009). Grazing-induced alterations of soil hydraulic properties and functions in Inner Mongolia, PR China. *Journal of Plant Nutrition and Soil Science*, **172**, 769–776.
- Kubešová, S. & Chytrý, M. (2005). Diversity of bryophytes on treeless cliffs and talus slopes in a forested central European landscape. *Journal of Bryology*, **27**, 35–46.
- Kull, C.A. & Magilligan, F.J. (1994). Controls over landslide distribution in the White Mountains, New Hampshire. *Physical Geography*, **14**, 325–341.
- Kurtaslan, B.O. & Demirel, Ö. (2011). Pollution caused by people's use for socio-economic purposes (agricultural, recreation and tourism) in the Gölcük Plain Settlement at Bozdağ Plateau (Ödemiş-Izmir/Turkey): a case study. *Environmental Monitoring and Assessment*, **175**, 419–430.
- Lajczak, A. (2002). Slope remodelling in areas exploited by skiers: case study of the northern flysch slope of Pilsko Mountain, Polish Carpathian Mountains. In *Applied Geomorphology: Theory and Practice*, ed. R.J. Allison, pp. 92–100. Chichester: Wiley.
- Lambers, H., Chapin, F.S., III, & Pons, T.L. (1998). *Plant Physiological Ecology*. New York: Springer.
- Lambert, J.D.H. (1972). Plant succession on tundra mudflows: preliminary observations. *Arctic*, **25**, 99–106.
- Langenheim, J.H. (1956). Plant succession on a sub-alpine earthflow in Colorado. *Ecology*, **37**, 301–317.
- Large, M.F. & Braggins, J.E. (2004). *Tree Ferns*. Portland: Timber Press.

- Larsen, M.C. (2008). Rainfall-triggered landslides, anthropogenic hazards, and mitigation strategies. *Advances in Geosciences*, **14**, 147–153.
- Larsen, M.C. & Parks, J.E. (1997). How wide is a road? The association of roads and mass-wasting in a forested montane environment. *Earth Surface Processes and Landforms*, **22**, 835–848.
- Larsen, M.C. & Santiago Román, A. (2001). Mass wasting and sediment storage in a small montane watershed: an extreme case of anthropogenic disturbance in the humid tropics. In *Geomorphic Processes and Riverine Habitat, Water Science and Application*, Volume 4, eds. J.M. Dorava, F. Fitzpatrick, B.B. Palcsak, & D.R. Montgomery, pp. 119–138. Washington, D.C.: American Geophysical Union Monograph.
- Larsen, M.C. & Simon, A. (1993). A rainfall intensity-duration threshold for landslides in a humid-tropical environment, Puerto Rico. *Geografiska Annaler*, **75A**, 13–23.
- Larsen, M.C. & Torres-Sánchez, A.J. (1990). Rainfall–soil moisture relations in landslide-prone areas of a tropical rain forest, Puerto Rico. *International Symposium on Tropical Hydrology*, 4th Caribbean Island Water Resources Congress, San Juan, Puerto Rico.
- Larsen, M.C. & Torres-Sánchez, A.J. (1992). Landslides triggered by Hurricane Hugo in eastern Puerto Rico, September 1989. *Caribbean Journal of Science*, **28**, 113–125.
- Larsen, M.C. & Torres-Sánchez, A.J. (1996). Geographic relations of landslide distributions and assessment of landslide hazards in the Blanco, Cibuco, and Coamo Basins, Puerto Rico. *U.S. Geological Survey Water Resources Investigations Report* 95–4029. San Juan, Puerto Rico.
- Larsen, M.C. & Torres-Sánchez, A.J. (1998). The frequency and distribution of recent landslides in three montane tropical regions of Puerto Rico. *Geomorphology*, **24**, 309–331.
- Larsen, M.C. & Wieczorek, G.F. (2006). Geomorphic effects of large debris flows and flash floods, northern Venezuela, 1999. *Zeitschrift für Geomorphologie*, **145**, 147–175.
- Larsen, M.C., Torres-Sánchez, A.J., & Concepción, I.M. (1999). Slopewash, surface runoff, and fine-litter transport in forest and landslide scars in humid-tropical steeplands, Luquillo Experimental Forest, Puerto Rico. *Earth Surface Processes and Landforms*, **24**, 481–502.
- Larson, D.W., Matthes, U., & Kelly, P.E. (2000). *Cliff Ecology: Pattern and Process in Cliff Ecosystems*. Cambridge: Cambridge University Press.
- Lateltin, O., Beer, C., Raetzo, H., & Caron, C. (1997). Landslides in flysch terranes of Switzerland: causal factors and climate change. *Ecologiae Geologicae Helvetiae*, **90**, 401–406.
- Lavelle, P. & Spain, A.V. (2001). *Soil Ecology*. Dordrecht: Kluwer Academic Publishers.
- Lawrey, J.D. (1980). Correlations between lichen secondary chemistry and grazing activity by *Pallifera varia*. *Bryologist*, **83**, 328–334.
- Lecointre, J., Hodgson, K., Neall, V., & Cronin, S. (2004). Lahar-triggering mechanisms and hazard at Ruapehu Volcano, New Zealand. *Natural Hazards*, **31**, 85–109.

- Lee, H., Ryan, H., Kayen, R.E., *et al.* (2006). Varieties of submarine failure morphologies of seismically-induced landslides in Alaskan fjords. *Norwegian Journal of Geology*, **86**, 221–230.
- Lerol, E., Rouzeal, O., Scanyic, J.-Y., Weber, C.C., & Vargas, C.G. (1992). Remote sensing and GIS technology in landslide hazard mapping in the Colombian Andes. *Episodes*, **15**, 32–35.
- Levey, D. J. (1988). Tropical wet forest treefall gaps and distributions of understory birds and plants. *Ecology*, **69**, 1076–1089.
- Lewis, N.K. (1998). Landslide-driven distribution of aspen and steppe on Kathul Mountain, Alaska. *Journal of Arid Environments*, **38**, 421–435.
- Li, T. (1989). Landslides: extent and economic significance in China. In *Landslides: Extent and Economic Significance*, eds. E.E. Brabb & B.L. Harrod, pp. 271–287. Washington, DC: *Proceedings of the 28th International Geological Congress, Symposium on Landslides*.
- Li, Y., Ruan, H., Zou, X., & Myster, R.W. (2005). Response of major soil decomposers to landslide disturbance in a Puerto Rican rainforest. *Soil Science*, **170**, 202–211.
- Liddle, M. (1997). *Recreation Ecology: The Ecological Impact of Outdoor Recreation and Ecotourism*. New York: Chapman and Hall.
- Ließ, M., Glaser, B., & Huwe, B. (2011). Functional soil-landscape modeling to estimate slope stability in a steep Andean mountain forest region. *Geomorphology*, **299**, 287–299.
- Lin, W.-T., Lin, C.-Y., & Chou, W.-C. (2006). Assessment of vegetation recovery and soil erosion at landslides caused by a catastrophic earthquake: a case study in central Taiwan. *Ecological Engineering*, **28**, 79–89.
- Lipman, P.W., Lockwood, J.P., Okamura, R.T., Swanson, D.A., & Yamashita, K.M. (1985). Ground deformation associated with the 1975 magnitude-7.2 earthquake and resulting changes in activity of Kilauea Volcano, Hawaii. *U.S. Geological Survey, Professional Paper 1276*.
- Lipman, P.W., Normark, W.R., Moore, J.G., Wilson, J.B., & Gutmacher, C.E. (1988). The giant submarine Alika debris slide, Mauna Loa, Hawaii. *Journal of Geophysical Research*, **93**, 4279–4299.
- Locat, J. & Lee, H.J. (2002). Submarine landslides: advances and challenges. *Canadian Geotechnical Journal*, **39**, 193–212.
- Long, C.A. (2008). *The Wild Mammals of Wisconsin*. Sophia, Bulgaria: Pensoft Publishers.
- Long, D., Smith, D.E., & Dawson, A.G. (1989). A Holocene tsunami deposit in eastern Scotland. *Journal of Quaternary Science*, **4**, 61–66.
- López-Pamo, E., Baretino, D., Antón-Pacheco, G., *et al.* (1999). The extent of the Aznalcóllar pyritic sludge spill and its effects on soils. *Science of the Total Environment*, **242**, 57–88.
- López-Rodríguez, S.R. & Blanco-Libreros, J.F. (2008). Illicit crops in tropical America: deforestation, landslides, and the terrestrial carbon stocks. *Ambio*, **37**, 1–3.
- Lourens, S. & Nel, J.A.J. (1990). Winter activity of bat-eared foxes *Otocyon megalotis* in the Cape West Coast. *South African Journal of Zoology*, **25**, 124–132.
- Lowe, S., Brown, M., Boudjelas, S., & De Poorter, M. (2000). *100 of the world's worst invasive alien species: a selection from the global invasive species database*. The Invasive

- Species Specialist Group of the Species Survival Commission of the World Conservation Union. First published in *Aliens* 12, December 2000. Reprinted Nov. 2004. Auckland, New Zealand: Hollands Printing.
- Lucchitta, B.K. (1978). A large landslide on Mars. *Geological Society of America Bulletin*, **89**, 1601–1609.
- Lundgren, L. (1978). Studies of soil and vegetation development on fresh landslide scars in the Mgeta Valley, Western Ulugura Mountains, Tanzania. *Geografiska Annaler*, **60A**, 91–127.
- Lundgren, L. (1980). Comparison of surface runoff and soil loss from runoff plots in forest and small-scale agriculture in the Usambara Mts., Tanzania. *Geografiska Annaler*, **62A**, 113–148.
- Mackey, B.H., Roering, J.J., & Lamb, M.P. (2011). Landslide-dammed paleo-lake perturbs marine sedimentation and drives genetic change in anadromous fish. *Proceedings of the National Academy of Sciences (U.S.)*, **108**, 18905–18909.
- Madej, M.A. (2001). Erosion and sediment delivery following removal of forest roads. *Earth Surface Processes and Landforms*, **26**, 175–190.
- Magnússon, B., Magnússon, S.H., & Fridriksson, S. (2009). Developments in plant colonization and succession on Surtsey during 1999–2008. *Surtsey Research*, **12**, 57–76.
- Maheswaran, J. & Gunatilleke, I.A.U.N. (1988). Litter decomposition in a lowland rain forest and a deforested area in Sri Lanka. *Biotropica*, **20**, 90–99.
- Malanson, G.P. & Butler, D.R. (1984). Transverse pattern of vegetation on avalanche paths in the northern Rocky Mountains, Montana. *Great Basin Naturalist*, **44**, 453–458.
- Malanson, G.P. & Cairnes, D.M. (1997). Effects of dispersal, population delays, and forest fragmentation on tree migration rates. *Plant Ecology*, **131**, 67–79.
- Malouta, D.N., Gorsline, D.S., & Thornton, S.E. (1981). Processes and rates of recent (Holocene) basin filling in an active transform margin: Santa Monica Basin, California continental borderland. *Journal of Sedimentary Petrology*, **51**, 1077–1095.
- Mangan, S.A. & Adler, G.H. (1999). Consumption of arbuscular mycorrhizal fungi by spiny rats (*Proechimys semispinosus*) in eight isolated populations. *Journal of Tropical Ecology*, **15**, 779–790.
- Mark, A.F. & Dickinson, K.J.M. (2001). *Deschampsia cespitosa* subalpine tussockland on the Green Lake landslide, Hunter Mountains, Fiord Ecological Region, New Zealand. *New Zealand Journal of Botany*, **39**, 577–585.
- Mark, A.F., Scott, G.A.M., Sanderson, F.R., & James, P.W. (1964). Forest succession on landslides above Lake Thomson, Fiordland. *New Zealand Journal of Botany*, **2**, 60–89.
- Mark, A.F., Dickinson, K.J.M., & Fife, A.J. (1989). Forest succession on landslides in the Fiord Ecological Region, southwestern New Zealand. *New Zealand Journal of Botany*, **27**, 369–390.
- Maser, C., Rodiek, J.E., & Thomas, J.W. (1979). Cliffs, talus, and caves. In *Wildlife Habitats in Managed Forests of the Blue Mountains of Oregon and Washington*, USDA Handbook 553, ed. J.W. Thomas, pp. 96–103. Washington, D.C: United States Department of Agriculture.

- Masson, D.G., Harbitz, C.B., Wynn, R.B., Pedersen, G., & Løvholt, F. (2006). Submarine landslides: processes, triggers and hazard prediction. *Philosophical Transactions of the Royal Society A*, **364**, 2009–2039.
- Matheson, J. (1995). Organization of forest bird and small mammal communities of the Niagara Escarpment, Canada. MS Thesis, University of Guelph, Canada.
- Matsuoka, N. (2001). Solifluction rates, processes and landforms: a global review. *Earth-Science Reviews*, **55**, 107–134.
- Matt, F., Almeida, K., Arguero, A., & Reudenbach, C. (2008). Seed dispersal by birds, bats and wind. In *Gradients in a Tropical Mountain Ecosystem of Ecuador: Ecological Studies*, eds. E. Beck, J. Bendix, I. Kottke, F. Makeschin, & R. Mon-sandl. Ecological Studies volume 198, pp. 157–165, The Netherlands: Springer Press.
- Matthews, J.A. (1992). *The Ecology of Recently-Deglaciated Terrain: A Geoecological Approach to Glacier Forelands and Primary Succession*. Cambridge: Cambridge University Press.
- May, C.L. & Gresswell, R.E. (2004). Spatial and temporal patterns of debris-flow deposition in the Oregon Coast Range, U.S. *Geomorphology*, **57**, 135–149.
- McClanahan, T.R. & Wolfe, R.W. (1993). Accelerating forest succession in fragmented landscapes: the role of birds and perches. *Conservation Biology*, **7**, 279–288.
- McDonnell, M.J. & Stiles, E.W. (1983). The structural complexity of old field vegetation and the recruitment of bird-dispersed plant species. *Oecologia*, **56**, 109–116.
- McDowell, W.M. & Asbury, C.E. (1994). Export of carbon, nitrogen and major cations from three tropical montane watersheds. *Limnology and Oceanography*, **39**, 111–125.
- McDowell, W.M., Sánchez, C.G., Asbury, C.E., & Ramos Pérez, C.R. (1990). Influence of sea salt aerosols and long range transport on precipitation chemistry at El Verde, Puerto Rico. *Atmospheric Environment*, **24A**, 2813–2821.
- McIlveen, W.D. & Cole, Jr., H. (1976). Spore dispersal of Endogonaceae by worms, ants, wasps, and birds. *Canadian Journal of Botany*, **54**, 1486–1489.
- McIntosh, R.P. (1985). *The Background of Ecology*. Cambridge: Cambridge University Press.
- McKean, J. & Roering, J. (2004). Objective landslide detection and surface morphology mapping using high-resolution airborne laser altimetry. *Geomorphology*, **57**, 331–351.
- McMillian, M.A. & Larson, D.W. (2002). Effects of rock climbing on the vegetation of the Niagara Escarpment in southern Ontario, Canada. *Conservation Biology*, **16**, 389–398.
- Meadows, A., Meadows, P.S., Wood, D.M., & Murray, J.M.H. (1994). Microbiological effects on slope stability: an experimental analysis. *Sedimentology*, **41**, 423–435.
- Medellin, R.A. (1994). Seed dispersal of *Cecropia obtusifolia* by two species of opossums in the Selva Lacandona, Chiapas, Mexico. *Biotropica*, **26**, 400–407.
- Mehlreter, K. (2010). Fern conservation. In *Fern Ecology*, eds. K. Mehlreter, L.R. Walker, & J.M. Sharpe, pp. 323–359. Cambridge: Cambridge University Press.

- Mehltreter, K., Walker, L.R., & Sharpe, J.M. (eds.) (2010). *Fern Ecology*. Cambridge: Cambridge University Press.
- Meiners, S.J., Rye, T.A., & Klass, J.R. (2007). On a level field: the utility of studying native and non-native species in successional systems. *Applied Vegetation Science*, **12**, 45–53.
- Melick, D.R. & Ashton, D.H. (1991). The effects of natural disturbances on warm temperate rainforests in south-eastern Australia. *Australian Journal of Botany*, **39**, 1–30.
- Menéndez-Duarte, R., Marquínez, J., & Devolli, G. (2003). Slope instability in Nicaragua triggered by Hurricane Mitch: distribution of shallow mass movements. *Environmental Geology*, **44**, 290–300.
- Metcalfe, D.J., Grubb, P.J., & Turner, I.M. (1998). The ecology of very small-seeded shade-tolerant trees and shrubs in lowland rain forest in Singapore. *Plant Ecology*, **134**, 131–149.
- Metternich, G., Hurni, L., & Gogu, R. (2005). Remote sensing of landslides: an analysis of the potential contribution to geo-spatial systems for hazard assessment in mountainous environments. *Remote Sensing of Environment*, **98**, 284–303.
- Meyer, D.F. & Martinson, H.A. (1989). Rates and processes of channel development and recovery following the 1980 eruption of Mount St. Helens, Washington. *Hydrological Sciences Journal*, **34**, 115–127.
- Meyer, J.-Y. (1996). Status of *Miconia calvenscens* (Melastomataceae), a dominant invasive tree in the Society Islands (French Polynesia). *Pacific Science*, **50**, 66–76.
- Meyer, J.-Y. & Florence, J. (1996). Tahiti's native flora endangered by the invasion of *Miconia calvenscens* DC. (Melastomataceae). *Journal of Biogeography*, **23**, 775–781.
- Miles, D.W.R. & Swanson, F.J. (1986). Vegetation composition on recent landslides in the Cascade Mountains of western Oregon. *Canadian Journal of Forest Research*, **16**, 739–744.
- Miles, D.W.R., Swanson, F.J., & Youngberg, C.T. (1984). Effect of landslide erosion on subsequent Douglas-fir growth and stocking levels in the Western Cascades, Oregon. *Soil Science Society of American Journal*, **48**, 667–671.
- Millar, C.I. & Westfall, R.D. (2010). Distribution and climatic relationships of the American pika (*Ochotona princeps*) in the Sierra Nevada and western Great Basin; periglacial landforms as refugia in warming climates. *Arctic, Antarctic, and Alpine Research*, **42**, 76–88.
- Millard, T. (2000). Channel disturbances and logging slash in S5 and S6 streams: an examination of streams in the Nitinat Lake area, southwest Vancouver Island. *Forest Research Technical Report TR-005*, Nanaimo, Canada: British Columbia Forest Service.
- Mitton, J.B. & Grant, M.C. (1980). Observations on the ecology and evolution of quaking aspen, *Populus tremuloides*, in the Colorado Front Range. *American Journal of Botany*, **67**, 202–209.
- Moles, A.T., Flores-Moreno, H., Bonser, S.P., et al. (2012). Invasions: the trail behind, the path ahead, and a test of a disturbing idea. *Journal of Ecology*, **100**, 116–127.
- Monroe, W.H. (1964). Large retrogressive landslides in North-Central Puerto Rico. *U.S. Geological Survey Professional Paper 501-B*, pp. B123–125.

- Montagnini, F. (2001). Strategies for the recovery of degraded ecosystems: experiences from Latin America. *Interciencia*, **26**, 498–503.
- Montgomery, D.R. (1994). Road surface drainage, channel initiation, and slope stability. *Water Resources Research*, **30**, 1925–1932.
- Moore, I.D., Norton, T.W., & Williams, J.E. (1993). Modeling environmental heterogeneity in forested landscapes. *Journal of Hydrology*, **150**, 717–747.
- Moore, J.G. & Moore, G.W. (1984). Deposit from a giant wave on the Island of Lanai, Hawaii. *Science*, **226**, 1312–1315.
- Moore, J.G., Clague, D.A., Holcomb, R.T., *et al.* (1989). Prodigious submarine landslides on the Hawaiian Ridge. *Journal of Geophysical Research*, **94**, 17645–17684.
- Mora, S., Madrigal, C., Estrada, J., & Schuster, R.L. (1993). The 1992 Rio Toro landslide dam, Costa Rica. *Landslide News, Japan Landslide Society*, **7**, 19–22.
- Moreiras, S.M. (2004). Landslide susceptibility zonation in the Rio Mendoza Valley, Argentina. *Geomorphology*, **66**, 345–357.
- Morgan, R.P.C. (2007). Vegetative-based technologies for erosion control. In *Eco-and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability*, eds. A. Stokes, I. Spanos, & J.E. Norris, pp. 265–272. Dordrecht: Springer.
- Mortality Statistics (2011). http://www.nationmaster.com/graph/mor_vic_of_avalan_and_oth_ear_mov-avalanche-landslide-other-earth-movements. Accessed 17 January 2011.
- Morton, D.M. & Streitz, R. (1975). Mass movement. In *Man and His Physical Environment*, eds. G.D. McKenzie & R.O. Utgard, pp. 61–70. Minneapolis, MN, U.S.: Burgess.
- Moss, M.R. & Rosenfeld, C.L. (1978). Morphology, mass wasting and forest ecology of a post-glacial re-entrant valley in the Niagara Escarpment. *Geografiska Annaler*, **60A**, 161–174.
- Murphy, H.T., Metcalfe, D.J., Bradford, M.G., *et al.* (2008). Recruitment dynamics of invasive species in rainforest habitats following Cyclone Larry. *Austral Ecology*, **33**, 495–502.
- Myster, R.W. (1993). Spatial heterogeneity of seed rain, seed pool, and vegetative cover on two Monteverde landslides, Costa Rica. *Brenesia*, **39–40**, 137–145.
- Myster, R.W. (1994). Landslide insects show small differences between an island (Puerto Rico) and the mainland (Costa Rica). *Acta Cientifica*, **8**, 105–113.
- Myster, R.W. (1997). Seed predation, disease and germination on landslides in Neotropical lower montane wet forest. *Journal of Vegetation Science*, **8**, 55–64.
- Myster, R.W. (2002). Foliar pathogen and insect herbivore effects on two landslide tree species in Puerto Rico. *Forest Ecology and Management*, **169**, 231–242.
- Myster, R.W. & Fernández, D.S. (1995). Spatial gradients and patch structure on two Puerto Rican landslides. *Biotropica*, **27**, 149–159.
- Myster, R.W. & Sarmiento, F.O. (1998). Seed inputs to microsite patch recovery on two tropandean landslides in Ecuador. *Restoration Ecology*, **6**, 35–43.
- Myster, R.W. & Schaefer, D.A. (2003). Species and microsite effects on litter decomposition in a Puerto Rican landslide. *Community Ecology*, **4**, 157–162.
- Myster, R.W. & Walker, L.R. (1997). Plant successional pathways on Puerto Rican landslides. *Journal of Tropical Ecology*, **13**, 165–173.

- Myster, R.W., Thomlinson, J.R., & Larsen, M.C. (1997). Predicting landslide vegetation in patches on landscape gradients in Puerto Rico. *Landscape Ecology*, **12**, 299–307.
- Naiman, R.J., Melillo, J.M., & Hobbie, J.H. (1986). Ecosystem alteration of boreal forest streams by beaver (*Castor canadensis*). *Ecology*, **67**, 1254–1269.
- Nakamura, T. (1984). Vegetational recovery of landslide scars in the upper reaches of the Oi River, Central Japan. *Journal of the Japanese Forestry Society*, **66**, 328–332.
- Nakashizuka, T., Iida, S., Suzuki, W., & Tanimoto, T. (1993). Seed dispersal and vegetation development on a debris avalanche on the Ontake volcano, Central Japan. *Journal of Vegetation Science*, **4**, 537–542.
- Negishi, J.N., Sidle, R.C., Noguchi, S., Nik, A.R., & Stanforth, R. (2006). Ecological roles of roadside fern (*Dicranopteris curranii*) on logging road recovery in Peninsular Malaysia: Preliminary results. *Forest Ecology and Management*, **224**, 176–186.
- Newton, A.C. & Healey, J.R. (1989). Establishment of *Clethra occidentalis* on stems of the tree-fern *Cyathea pubescens* in a Jamaican montane rain forest. *Journal of Tropical Ecology*, **5**, 441–445.
- Nieto, A.S. & Schuster, R.L. (1991). Mass wasting and flooding induced by the 5 March 1987 Ecuador earthquakes. In *Landslides of the World*, ed. K. Sassa, pp. 220–223. Kyoto: Kyoto University Press.
- Nieto, A.S., Schuster, R.L., & Plaza-Nieto, G. (1991). Mass wasting and flooding. *Natural Disaster Studies*, **5**, 51–82.
- Nisbet, E.G. & Piper, D.J.W. (1998). Giant submarine landslides. *Nature*, **392**, 329–330.
- Noguchi, S., Abdul Rahim, N., Baharuddin, K., *et al.* (1997). Soil physical properties and preferential flow pathways in a tropical rain forest, Bukit Tarek, Peninsular Malaysia. *Journal of Forest Research*, **2**, 115–120.
- Norkko, A., Thrush, S.F., Hewitt, J.E., *et al.* (2002). Smothering of estuarine sandflats by terrigenous clay: the role of wind-wave disturbance and bioturbation in site-dependent macrofaunal recovery. *Marine Ecology Progress Series*, **234**, 23–41.
- Nott, J. (2006). *Extreme Events: A Physical Reconstruction and Risk Assessment*. Cambridge: Cambridge University Press.
- Oaks, S.D. & Dexter, L. (1987). Avalanche hazard zoning in Vail, Colorado: the use of scientific information in the implementation of hazard reduction strategies. *Mountain Research and Development*, **7**, 157–168.
- Odum, E.P. (1959). *Fundamentals of Ecology*, 2nd Edition. Philadelphia, PA, U.S.: Saunders.
- Oh, H.-J., Ahn, S.-C., Choi, J.-K., & Lee, S. (2011). Sensitivity analysis for the GIS-based mapping of the ground subsidence hazard near abandoned underground coal mines. *Environmental Earth Sciences*, **64**, 347–358.
- Ohl, C. & Bussman, R. (2004). Recolonisation of natural landslides in tropical mountain forests of Southern Ecuador. *Feddes Repertorium*, **115**, 248–264.
- Oliver, C.D., Adams, A.B., & Zasoki, R.J. (1985). Disturbance patterns and forest development in a recently deglaciated valley in the northwestern Cascade Range of Washington, U.S. *Canadian Journal of Forest Research*, **15**, 221–232.

- Oliver-Smith, A. & Hoffman, S.M. (eds.) (1999). *The Angry Earth*. New York: Routledge.
- O'Loughlin, C.L. & Pearce, A.J. (1976). Influence of Cenozoic geology on mass movement and sediment yield response to forest removal, North Westland, New Zealand. *Bulletin of the International Association of Engineering Geology*, **14**, 41–46.
- O'Neill, R.V., DeAngelis, D.L., Waide, J.B., & Allen, T.F.H. (1986). *A Hierarchical Concept of Ecosystems*. Princeton, New Jersey: Princeton University Press.
- Oyagi, N., Makino, H., & Mori, S. (1996). Landslide structure and control works at Nishitani landslide, Wakayama Prefecture, Japan. In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández, pp. 247–254. Rotterdam: Balkema.
- Pabst, R.J. & Spies, T.A. (2001). Ten years of vegetation succession on a debris-flow deposit in Oregon. *Journal of the American Water Resources Association*, **37**, 1693–1708.
- Pain, C.F. & Bowler, J.M. (1973). Denudation following the November 1970 earthquake at Madang, Papua New Guinea. *Zeitschrift für Geomorphologie*, Supplement Bd 18, 91–104. Cited in Pearce & Watson (1986) and Restrepo *et al.* (2009).
- Pakeman, R.J., Attwood, J.P., & Engelen, J. (1998). Sources of plants colonizing experimentally disturbed patches in an acidic grassland, in eastern England. *Journal of Ecology*, **86**, 1032–1041.
- Palkovic, L.A. (1978). A hybrid of *Gunnera* from Costa Rica. *Systematic Botany*, **3**, 226–235.
- Pandey, A.N. & Singh, J.S. (1985). Mechanisms of ecosystem recovery: A case study from Kumaun Himalaya. *Recreation and Revegetation Research*, **3**, 271–292.
- Parendes, L.A. & Jones, J.A. (2000). Role of light availability and dispersal in exotic plant invasion along roads and streams in the H.J. Andrews Experimental Forest, Oregon. *Conservation Biology*, **14**, 64–75.
- Pareschi, M.T., Boschi, E., Mazzarini, F., & Favalli, M. (2006). Large submarine landslides offshore Mt. Etna. *Geophysical Research Letters*, **33**, L13302, doi:10.1029/2006GL026064.
- Parise, M. & Jibson, R.W. (2000). A seismic landslide susceptibility rating of geologic units based on analysis of characteristics of landslides triggered by the 17 January, 1994 Northridge, California earthquake. *Engineering Geology*, **58**, 251–270.
- Paull, C.K., Ussler, W., Greene, H.G., Barry, J., & Keaten, R. (2005). Bioerosion by chemosynthetic biological communities on Holocene submarine slide scars. *Geo-Marine Letters*, **25**, 11–19.
- Pearce, A.J. & O'Loughlin, C.L. (1985). Landsliding during a M 7.7 earthquake: influence of geology and topography. *Geology*, **13**, 855–858.
- Pearce, A.J. & Watson, A. (1983). Medium-term effects of two landsliding episodes on channel storage of sediment. *Earth Surface Processes and Landforms*, **8**, 29–39.
- Pearce, A.J. & Watson, A. (1986). Effects of earthquake-induced landslides on sediment budget and transport over a 50-yr period. *Geology*, **14**, 52–55.
- Pederson, N., Everham, E.M., III, & Sahm, J. (1991). Natural disturbance simulation in the Luquillo Experimental Forest, Puerto Rico. In *Toward Understanding Our Environment*, ed. J. McLeod, pp. 95–100. San Diego: The Society for Computer Simulation.

- Peh, K.S.-H., Soh, M.C.K., Sodhi, N.S., *et al.* (2011). Up in the clouds: is sustainable use of tropical montane cloud forests possible in Malaysia? *BioScience*, **61**, 27–38.
- Peltzer, D.A., Wardle, D.A., Allison, V.J., *et al.* (2010). Understanding ecosystem retrogression. *Ecological Monographs*, **80**, 509–529.
- Perla, R.I. & Martinelli, M., Jr. (1976). *Avalanche Handbook*. U.S. Department of Agriculture, Forest Service, Agriculture Handbook 489, Washington, D.C.
- Perotto-Baldiezo, H.L., Thurow, T.L., Smith, C.T., Fisher, R.F. & Wu, X.B. (2004). GIS-based spatial analysis and modeling for landslide hazard assessment in steep-lands, southern Honduras. *Agriculture, Ecosystems and Environment*, **103**, 165–176.
- Peruvian Times (2009). <http://www.peruviantimes.com/31/yungay-1970-2009-remembering-the-tragedy-of-the-earthquake/3073/> Accessed 23 February 2012.
- Peterson, D.M., Ellen, S.D., & Knifong, D.L. (1993). Distribution of past debris flows and other rapid slope movements from natural hillslopes in the Honolulu District of Oahu, Hawaii. *Open File Report 93-514*, pp. 1–34. U.S. Geological Survey, U.S. Department of the Interior, Honolulu, Hawaii.
- Petley, D. (2010). Landslide hazards. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A. Goudie, pp. 63–73. Cambridge: Cambridge University Press.
- Petley, D., Hearn, G.J., Hart, A., *et al.* (2007). Trends in landslide occurrence in Nepal. *Natural Hazards*, **43**, 23–44.
- Pickett, S.T.A. (1989). Space-for-time substitutions as an alternative to long-term studies. In *Long Term Studies in Ecology*, ed. G.E. Likens, pp. 110–135. New York: Springer.
- Pickett, S.T.A. & Cadenasso, M.L. (1995). Landscape ecology: spatial heterogeneity in ecological systems. *Science*, **269**, 331–334.
- Pickett, S.T.A. & White, P.S. (eds.) (1985). *The Ecology of Natural Disturbance and Patch Dynamics*. New York: Academic Press.
- Pickett, S.T.A., Collins, S.L., & Armesto, J.J. (1987). A hierarchical consideration of causes and mechanisms of succession. *Vegetatio*, **69**, 109–114.
- Piehl, B.T., Beschta, R.L., & Pyles, M.R. (1988). Ditch-relief culverts and low-volume forest roads in the Oregon Coast Range. *Northwest Science*, **62**, 91–98.
- Piper, D.J.W., Farre, J.A., & Shor, A.N. (1985). Late Quaternary slumps and debris flows on the Scotian Slope. *Geological Society of America Bulletin*, **96**, 1508–1517.
- Pizano, C., Mangan, S.A., Herre, E.A., Eom, A.-H., & Dalling, J.W. (2011). Above- and belowground interactions drive segregation between two cryptic species of tropical trees. *Ecology*, **92**, 47–56.
- Pla Sentís, I. (1997). A soil water balance model for monitoring soil erosion processes and effects on steep lands in the tropics. *Soil Technology*, **11**, 17–30.
- Potts, D.F. & Anderson, B.K.M. (1990). Organic debris and the management of small channels. *Western Journal of Applied Forestry*, **5**, 25–28.
- Prach, K. & Walker, L.R. (2011). Four opportunities for studies of ecological succession. *Trends in Ecology and Evolution*, **26**, 119–123.
- Prach, K., Marrs, R., Pyšek, P., & van Diggelen, R. (2007). Manipulation of succession. In *Linking Restoration and Ecological Succession*, eds. L.R. Walker, J. Walker, & R.J. Hobbs, pp. 121–149. New York: Springer.

- Prior, D.B. & Coleman, J.M. (1980). Sonograph mosaics of submarine slope instabilities, Mississippi River delta. *Marine Geology*, **36**, 227–239.
- Prior, D.B. & Coleman, J.M. (1982). Submarine landslides – geometry and nomenclature. *Zeitschrift für Geomorphologie*, **4**, 21–33.
- Prior, D.B. & Coleman, J.M. (1984). Submarine slope instability. In *Slope Instability*, eds. D. Brunsten & D.B. Prior, pp. 419–455. New York: Wiley.
- Prior, D.B., Coleman, J.M., & Bornhold, B.D. (1982). Results of a known sea floor instability event. *Geo-Marine Letters*, **2**, 117–122.
- Prior, D.B., Yang, Z.-S., Bornhold, B.D., *et al.* (1986). Active slope failure, sediment collapse, and silt flows of the modern subaqueous Huanghe (Yellow River) delta. *Geo-Marine Letters*, **6**, 85–95.
- Punetha, N. (1991). Studies on atmospheric fern spores at Pithogarth (northwest Himalaya) with particular reference to distribution of ferns in the Himalayas. *Annual Review of Plant Science*, **13**, 146–161.
- Putz, F.E. & Holbrook, N.M. (1988). Further observations on the dissolution of mutualism between *Cecropia* and its ants: the Malaysian case. *Oikos*, **53**, 121–125.
- Rahman, A.-U., Nawaz Khan, A., Collins, A.E., & Qazi, F. (2011). Causes and extent of environmental impacts of landslide hazard in the Himalayan region: a case study of Murree, Pakistan. *Natural Hazards*, **57**, 413–434.
- Raven, P.H., Evert, R.F., & Eichhorn, S.E. (2005). *Biology of Plants*, 7th Edition. New York: W.H. Freeman.
- Ravikiran, G., Raju, A.B., & Venugopal, Y. (2011). *Phytolacca americana*: A review. *International Journal of Research in Pharmaceutical and Biomedical Sciences*, **2**, 942–946.
- Read, D.J. (1996). The structure and function of the ericoid mycorrhizal root. *Annals of Botany*, **77**, 365–374.
- Reagan, D.P. & Waide, R.B. (eds.) (1996). *The Food Web of a Tropical Rain Forest*. Chicago: The University of Chicago Press.
- Reddy, V.S. & Singh, J.S. (1993). Changes in vegetation and soil during succession following landslide disturbance in the central Himalaya. *Journal of Environmental Management*, **39**, 235–250.
- Reice, S.R. (2001). *The Silver Lining: The Benefits of Natural Disasters*. Princeton, New Jersey: Princeton University Press.
- Reid, L.M. & Dunne, T. (1984). Sediment production from forest road surfaces. *Water Resources Research*, **20**, 1753–1761.
- Restrepo, C. & Alvarez, N. (2006). Landslides and their contribution to land-cover change in the mountains of Mexico and Central America. *Biotropica*, **38**, 446–457.
- Restrepo, C. & Vitousek, P.M. (2001). Landslides, alien species, and the diversity of a Hawaiian montane mesic ecosystem. *Biotropica*, **33**, 409–420.
- Restrepo, C., Vitousek, P., & Neville, P. (2003). Landslides significantly alter land cover and the distribution of biomass: an example from the Ninole ridges of Hawai'i. *Plant Ecology*, **166**, 131–143.
- Restrepo, C., Walker, L.R., Shiels, A.B., *et al.* (2009). Landsliding and its multiscale influence on mountainscapes. *BioScience*, **59**, 685–698.

- Rice, R.M., Corbett, E.S., & Bailey, R.G. (1969). Soil slips related to vegetation, topography, and soil in southern California. *Water Resources Research*, **5**, 647–659.
- Rice, R.M., Ziemer, R.R., & Hankin, S.C. (1982). Slope stability effects of fuel management strategies: inferences from Monte Carlo simulations. *General Technical Report PSW-58*, pp. 365–371. Forest Service. Berkeley, CA: U.S. Department of Agriculture.
- Richards, K. (2006). Sky view and weather controls on nocturnal surface moisture deposition on grass at urban sites. *Physical Geography*, **27**, 70–85.
- Ricklefs, R., Kalin-Arroyo, M.T., Latham, R.E., *et al.* (1995). The distribution of global biodiversity. In *UNEP Global Biodiversity Assessment*, ed. V. Heywood, pp. 139–173. Cambridge: Cambridge University Press for the United Nations Environmental Program.
- Riley, P.B. & Read, S.A.L. (1992). Lake Waikaremoana – present day stability of landslide barrier. In *Proceedings of the Sixth International Symposium on Landslides*, **2**, 1249–1255.
- Robb, J.M. (1984). Spring sapping on the lower continental slope, offshore New Jersey. *Geology*, **12**, 278–282.
- Roberts, B., Ward, B., & Rollerson, T. (2005). A comparison of landslide rates following helicopter and conventional cable-based clear-cut logging operations in the Southwest Coast Mountains of British Columbia. *Geomorphology*, **61**, 337–346.
- Robinson, R.C., Sheffield, E., & Sharpe, J.M. (2010). Problem ferns: their impact and management. In *Fern Ecology*, eds. K. Mehltreter, L.R. Walker, & J.M. Sharpe, pp. 255–322. Cambridge: Cambridge University Press.
- Roering, J.J., Schmidt, K.M., Stock, J.D., Dietrich, W.E., & Montgomery, D.R. (2003). Shallow landsliding, root reinforcement, and the spatial distribution of trees in the Oregon Coast Range. *Canadian Geotechnical Journal*, **40**, 237–253.
- Rogers, H.H., Runion, G.B., & Krupa, S.V. (1994). Plant responses to atmospheric CO₂ enrichment with emphasis on roots and the rhizosphere. *Environmental Pollution*, **83**, 155–189.
- Rollins, K.M. & Rollins, R.L. (1992). Case histories of landslide stabilization using drilled-shaft walls. *Transportation Research Record No. 1343, Rockfall Prediction and Control and Landslide Case Histories*, pp. 114–122. Washington, D.C.: National Academy Press.
- Rose, A.B., Pekelharing, C.J., & Platt, K.H. (1992). Magnitude of canopy dieback and implications for conservation of southern rata-kamahi (*Metrosideros umbellata* – *Weinmannia racemosa*) forests, Central Westland, New Zealand. *New Zealand Journal of Ecology*, **16**, 23–32.
- Rouse, W.C. (1984). Flowslides. In *Slope Instability*, eds. D. Brunsten & D.B. Prior, pp. 491–522. Chichester: Wiley.
- Rozell, N. (1998). Avalanches, landslides, good for some. *Alaska Science Forum*, Fairbanks, Geophysical Institute, University of Alaska, 16 June, 1998.
- Rudel, T.K., Perez-Lugo, M., & Zichal, H. (2000). When fields revert to forest: development and spontaneous reforestation in post-war Puerto Rico. *The Professional Geographer*, **52**, 386–397.

- Russell, A.E., Raich, J.W., & Vitousek, P.M. (1998). The ecology of the climbing fern *Dicranopteris linearis* on windward Mauna Loa, Hawaii. *Journal of Ecology*, **86**, 765–779.
- Russo, R.O. (2005). Nitrogen-fixing trees with actinorrhiza in forestry and agroforestry. In *Nitrogen Fixation in Agriculture, Forestry, Ecology, and the Environment*, eds. D. Werner & W.E. Newton, pp. 143–171. The Netherlands: Springer Press.
- Růžicka, V. & Zacharda, M. (1994). Arthropods of stony debris in the Krkonose Mountains, Czech Republic. *Arctic and Alpine Research*, **26**, 332–338.
- Rydin, H. & Borgegård, S.-O. (1991). Plant characteristics over a century of primary succession on islands, Lake Hjälmaren. *Ecology*, **72**, 1089–1101.
- Sage, R.F., Li, M., & Monson, R.K. (1999). The taxonomic distribution of C₄ photosynthesis. In *C₄ Plant Biology*, eds. R.F. Sage & R.K. Monson. San Diego, CA: Academic Press.
- Sakai, A. & Ohsawa, M. (1993). Vegetation pattern and microtopography on a landslide scar of Mt Kiyosumi, central Japan. *Ecological Research*, **8**, 47–56.
- Sakio, H. (1997). Effects of natural disturbance on the regeneration of riparian forests in Chibichu Mountains, central Japan. *Plant Ecology*, **132**, 181–185.
- Samaniego-Herrera, A. (2003). Deslaves y sus efectos de borde sobre la comunidad de roedores en un bosque mesófilo de montaña. MS Thesis, Instituto de Ecología, A.C., Jalapa, Veracruz, Mexico.
- Sappington, J.M., Longshore, K.M., & Thompson, D.B. (2007). Quantifying landscape ruggedness for animal habitat analysis: A case study using bighorn sheep in the Mojave Desert. *The Journal of Wildlife Management*, **71**, 1419–1426.
- Sassa, K., Fukuoka, H., Wang, F., & Wang, G. (eds.) (2007). *Progress in Landslide Science*. New York: Springer.
- Scatena, F.N. & Larsen, M.C. (1991). Physical aspects of Hurricane Hugo in Puerto Rico. *Biotropica*, **23**, 317–323.
- Schlesinger, W.H. (1991). *Biogeochemistry: An Analysis of Global Change*. New York: Academic Press.
- Schmidt, J. & Dikau, R. (2004). Modelling historical climate variability and slope stability. *Geomorphology*, **60**, 433–447.
- Schmidt, K.M., Roering, J.J., Stock, J.D., *et al.* (2001). The variability of root cohesion as an influence on shallow landslide susceptibility in the Oregon Coast Range. *Canadian Geotechnical Journal*, **38**, 995–1024.
- Schowalter, T.D., Webb, J.W., & Crossley, Jr., D.A. (1981). Community structure and nutrient content of canopy arthropods in a clearcut and uncut forest ecosystem. *Ecology*, **62**, 1010–1019.
- Schubert, K.R. (1986). Products of biological nitrogen fixation in higher plants: synthesis, transport, and metabolism. *Annual Review of Plant Physiology*, **37**, 539–574.
- Schuster, R.L. (1995). Landslides and dams – a worldwide phenomenon. *Journal of the Japanese Landslide Society*, **31**, 38–49.
- Schuster, R.L. (1996a). The 25 most catastrophic landslides of the 20th century. In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández, pp. 53–62. Rotterdam: Balkema.

- Schuster, R.L. (1996b). Socioeconomic significance of landslides. In *Landslides: Investigation and Mitigation*, eds. A.K. Turner & R.L. Schuster, pp. 12–35. Special Report 247, Transportation Research Board, National Research Council. Washington, D.C.: National Academy Press.
- Schuster, R.L. (2000). Outburst debris-flows from failure of natural dams. In *Debris-Flow Hazards Mitigation: Mechanics, Prediction, and Assessment*, eds. G.F. Wic-zorek & N.D. Naeser, pp. 29–42. Rotterdam: Balkema.
- Schuster, R.L. (2001). Landslides: effects on the natural environment. In: *Engineering Geology and the Environment*, eds. P.G. Marinos, G.C. Koukis, G.C. Tsiambaos, & G.C. Stournaras, pp. 3371–3387. Lisse: Swets & Zeitlinger.
- Schuster, R.L. (2002). Usoi landslide dam, southeastern Tajikistan. *International Symposium on Landslide Risk Mitigation and Protection of Cultural and Natural Heritage*, pp. 489–505. Kyoto: Kyoto University Press.
- Schuster, R.L. & Highland, L.M. (2007). Overview of the effects of mass wasting on the natural environment. *Environmental and Engineering Geoscience*, **13**, 25–44.
- Schuster, R.L. & Kockelman, W.J. (1996). Principles of landslide hazard reduction. In *Landslides: Investigation and Mitigation*, eds. A.K. Turner & R.L. Schuster, pp. 91–105. Special Report 247, Transportation Research Board, National Research Council. Washington, D.C.: National Academy Press.
- Schuster, R.L., Nieto, A.S., O'Rourke, E., *et al.* (1996). Mass wasting triggered by the 5 March 1987 Ecuador earthquakes. *Engineering Geology*, **42**, 1–23.
- Schuster, R.L., Salcedo, D.A., & Valenzuela, L. (2002). Overview of catastrophic landslides of South America in the twentieth century. In *Catastrophic Landslides: Effects, Occurrence and Mechanisms*, eds. S.G. Evans & J.V. DeGraff, pp. 1–34. Boulder, CO, U.S.: Geological Society of American Reviews in Engineering Geology Volume **15**.
- Schwab, J.W. (1983). Mass wasting: October–November 1978 Storm, Rennel Sound, Queen Charlotte Islands, British Columbia. *British Columbia Ministry of Forests Research Note*, **91**, 1–23.
- Scott, G.A.J. & Street, J.M. (1976). The role of chemical weathering in the formation of Hawaiian amphitheatre-headed valleys. *Zeitschrift für Geomorphologie*, **20**, 171–189.
- Sedell, J.R., Reeves, G.H., Hauer, F.R., Stanford, J.A., & Hawkins, C.P. (1990). Role of refugia in recovery from disturbances: modern fragmented and disconnected river systems. *Environmental Management*, **14**, 711–724.
- Senneset, K., (ed.) (1996). Landslides. *Proceedings of the Seventh International Symposium on Landslides*, 17–21 June 1996, Trondheim, Norway, Volume 3, pp. 1489–1992. Rotterdam: Balkema.
- Sharma, E. & Ambasht, R.S. (1985). Chemical soil properties under five age series of *Alnus nepalensis* plantations in the Eastern Himalayas. *Plant and Soil*, **84**, 105–113.
- Sharpe, C.F.S. (1960). *Landslides and Related Phenomena: A Study of Mass-movements of Soil and Rock*. New Jersey: Pageant Books.
- Shaw, C.G., III & Sidle, R.C. (1983). Evaluation of planting sites common to a southeast Alaska clearcut II. Available inoculum of the ectomycorrhizal fungus *Cannococcum geophilum*. *Canadian Journal of Forest Research*, **13**, 9–11.

- Sheets, P.D. (1999). The effects of explosive volcanism on ancient egalitarian, ranked, and stratified societies in Middle America. In *The Angry Earth*, ed. A. Oliver-Smith & S.M. Hoffman, pp. 36–58. New York: Routledge.
- Sheffield, L.M., Gall, A.E., Roby, D.D., Irons, D.B., & Dugger, K.M. (2006). Monitoring planktivorous seabird populations: validating surface counts of crevice-nesting auklets using mark-resight techniques. *Canadian Journal of Zoology*, **84**, 846–854.
- Sheridan, R.P. (1991). Nitrogenase activity by *Hapalosiphon flexuosus* associated with *Sphagnum erythrocalyx* in cloud forest on the volcano La Soufrière, French West Indies. *Biotropica*, **23**, 134–140.
- Shiels, A.B. (2002). Bird perches and soil amendments as revegetation techniques for landslides in Puerto Rico. MS Thesis, Department of Biological Sciences, University of Nevada, Las Vegas, Nevada, U.S.
- Shiels, A.B. (2006). Leaf litter decomposition and substrate chemistry of early successional species on landslides in Puerto Rico. *Biotropica*, **38**, 348–353.
- Shiels, A.B. (2011). Frugivory by introduced black rats (*Rattus rattus*) promotes dispersal of invasive plant seeds. *Biological Invasions*, **13**, 781–792.
- Shiels, A.B. & Drake, D.R. (2011). Are introduced rats (*Rattus rattus*) both seed predators and dispersers in Hawaii? *Biological Invasions*, **13**, 883–894.
- Shiels, A.B. & Walker, L.R. (2003). Bird perches increase forest seeds on Puerto Rican landslides. *Restoration Ecology*, **11**, 457–465.
- Shiels, A.B. & Walker, L.R. (In press). Landslides cause spatial and temporal gradients at multiple scales in the Luquillo Mountains, Puerto Rico. In: *Ecological Gradient Analyses in Tropical Ecosystems*, 54, eds. G. González, M. Willig, & R. Waide. Ecological Bulletins.
- Shiels, A.B., Walker, L.R., & Thompson, D.B. (2006). Organic matter inputs create variable resource patches on Puerto Rican landslides. *Plant Ecology*, **184**, 223–236.
- Shiels, A.B., West, C.A., Weiss, L., Klawinski, P.D., & Walker, L.R. (2008). Soil factors predict initial plant colonization on Puerto Rican landslides. *Plant Ecology*, **195**, 165–178.
- Shiels, A.B., Zimmerman J.K., García-Montiel, D.C., *et al.* (2010). Plant responses to simulated hurricane impacts in a subtropical wet forest, Puerto Rico. *Journal of Ecology*, **98**, 659–673.
- Shimokawa, E. (1984). A natural process of recovery of vegetation on landslide scars and landslide periodicity in forested drainage basins. In *Symposium on Effects of Forest Land Use on Erosion and Slope Stability*, eds. C.L. O’Laughlin & A.J. Pierce, pp. 99–107. East-West Center Honolulu: University of Hawaii.
- Shrestha, D.P., Zinck, J.A., & Van Ranst, E. (2004). Modelling land degradation in the Nepalese Himalaya. *Catena*, **57**, 135–156.
- Sidle, R.C. (1984). Relative importance of factors influencing landsliding in coastal Alaska. *Proceedings of the 21st Annual Engineering, Geology, and Soils Engineering Symposium*, pp. 311–325. Moscow, ID, U.S.: University of Idaho.
- Sidle, R.C. (1992). A theoretical model of the effects of timber harvesting on slope stability. *Water Resources Research*, **28**, 1897–1910.
- Sidle, R.C. (2007). Using weather and climate information for landslide prevention and mitigation. In *Climate and Land Degradation*, eds. M.V.K. Sivakumar & N. Ndiang’ui, pp. 285–307. Berlin: Springer.

- Sidle, R.C. (2010). Hydrogeomorphic processes in temperate and tropical forests: effects of land use and scale. *Geography Compass*, **4**, 1115–1132.
- Sidle, R.C. & Ochiai, H. (2006). *Landslides: Processes, Prediction, and Land Use*. Water Resources Monograph Series, volume 18. Washington, D.C.: American Geophysical Union.
- Sidle, R.C. & Sharma, A. (1996). Stream channel changes associated with mining and grazing in the Great Basin. *Journal of Environmental Quality*, **25**, 1111–1121.
- Sidle, R.C. & Swanston, D.N. (1982). Analysis of a small debris flow in coastal Alaska. *Canadian Geotechnical Journal*, **19**, 167–174.
- Sidle, R.C. & Wu, W. (1999). Simulating effects of timber harvesting on the temporal and spatial distribution of shallow landslides. *Zeitschrift für Geomorphologie, N.F.*, **43**, 185–201.
- Sidle, R.C., Pearce, A.J., & O'Loughlin, C.L. (1985). *Hillslope Stability and Land Use*, Water Resources Monograph, volume 11. Washington, D.C.: American Geophysical Union.
- Sidle, R.C., Noguchi, S., Tsuboyama, Y., & Laursen, K. (2001). A conceptual model of preferential flow systems in forested hillslopes: evidence of self-organization. *Hydrological Processes*, **15**, 1675–1692.
- Sidle, R.C., Taylor, D., Lu, X.X., *et al.* (2004). Interactions of natural hazards and humans: evidence in historical and recent records. *Quaternary International*, **118–119**, 181–203.
- Sidle, R.C., Ziegler, A.D., Negishi, J.N., *et al.* (2006). Erosion processes in steep terrain – truths, myths, and uncertainties related to forest management in Southeast Asia. *Forest Ecology and Management*, **224**, 199–225.
- Sikes, D.S. & Slowik, J. (2010). Terrestrial arthropods of pre- and post-eruption Kasatochi Island, Alaska, 2008–2009: a shift from a plant-based to a necromass-based food web. *Arctic, Antarctic, and Alpine Research*, **42**, 297–305.
- Silvera, K., Skillman, J.B., & Dalling, J.W. (2003). Seed germination, seedling growth and habitat partitioning in two morphotypes of the tropical pioneer tree *Trema micrantha* in a seasonal forest in Panama. *Journal of Tropical Ecology*, **19**, 27–34.
- Sims, R.W. & Gerard, B.M. (1985). *Earthworms*. Bath: The Pitman Press.
- Singh, J.S., Rawat, Y.S., & Chaturvedi, O.P. (1984). Replacement of oak forest with pine in the Himalaya affects the nitrogen cycle. *Nature*, **311**, 54–56.
- Singh, R.B. & Pandey, B.W. (1996). Landslide hazard in Indian Himalaya and Canadian Rockies: a comparative analysis. In *Landslides*, eds. J. Chacón, C. Irigaray, & T. Fernández, pp. 63–69. Rotterdam: Balkema.
- Singhroy, V. & Molch, K. (2004). Geological case studies related to RADARSAT-2. *Canadian Journal of Remote Sensing*, **30**, 893–902.
- Slaymaker, O. (2010). Mountain hazards. In *Geomorphological Hazards and Disaster Prevention*, eds. I. Alcantara-Ayala & A.S. Goudie, pp. 33–47. Cambridge: Cambridge University Press.
- Slocum, M.G., Aide, T.M., Zimmerman, J.K., & Navarro, L. (2004). Natural regeneration of subtropical montane forest after clearing fern thickets in the Dominican Republic. *Journal of Tropical Ecology*, **20**, 483–486.
- Slocum, M.G., Aide, T.M., Zimmerman, J.K., & Navarro, L. (2006). A strategy for restoration of montane forest in anthropogenic fern thickets in the Dominican Republic. *Restoration Ecology*, **14**: 526–536.

- Smale, M.C., McLeod, M., & Smale, P.N. (1997). Vegetation and soil recovery on shallow landslide scars in Tertiary hill country, East Cape region, New Zealand. *New Zealand Journal of Ecology*, **21**, 31–41.
- Smith, K. (2001). *Environmental Hazards: Assessing the Risk and Reducing Disaster*, 3rd Edition. London: Routledge.
- Smith, R.B., Commandeur, P.R., & Ryan, M.W. (1986). Soils, vegetation, and forest growth on landslides and surrounding logged and old-growth areas on the Queen Charlotte Islands. British Columbia Ministry of Forests, Land Management Report 41.
- Smith, S.D., Huxman, T.E., Zitzer, S.F., *et al.* (2000). Elevated CO₂ increases productivity and invasive species success in an arid ecosystem. *Nature*, **408**, 79–82.
- Smyth, C.G. & Royle, S.A. (2000). Urban landslide hazards: incidence and causative factors in Niterói, Rio de Janeiro State, Brazil. *Applied Geography*, **20**, 95–117.
- Soltis, D.E., Soltis, P.S., Morgan, D.R., *et al.* (1995). Chloroplast gene sequence data suggests a single origin of the predisposition for symbiotic nitrogen fixation in angiosperms. *Proceedings of the National Academy of Sciences, USA*, **92**, 2647–2651.
- Spanos, I., Raftoyannis, Y., Goudelis, G., *et al.* (2007). Effects of postfire logging on soil and vegetation recovery in a *Pinus halepensis* Mill. forest of Greece. In *Eco- and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability*, eds. A. Stokes, I. Spanos, & J.E. Norris, pp. 345–352. Proceedings of the First International Conference on Eco-Engineering 13–17 September 2004. Dordrecht: Springer.
- Spicer, R.A., Burnham, R.J., Grant, P., & Glick, H. (1985). *Pityrogramma calomelanos*, the primary, post-eruption colonizer of Volcán Chichonal, Chiapas, Mexico. *American Fern Journal*, **75**, 1–5.
- Stark, C.P. & Hovius, N. (2001). The characterization of landslide size distributions. *Geophysical Research Letters*, **28**, 1091–1094.
- Staudacher, K. & Füreder, L. (2007). Habitat complexity and invertebrates in selected alpine springs (Schütt, Carinthia, Austria). *International Review of Hydrobiology*, **92**, 465–479.
- Steiakakis, E., Kavouridis, K., & Monopolis, D. (2009). Large scale failure of the external waste dump at the “South Field” lignite mine, Northern Greece. *Engineering Geology*, **104**, 269–279.
- Stern, M.J. (1995a). Vegetation recovery on earthquake-triggered landslides sites in the Ecuadorian Andes. In *Biodiversity and Conservation of Neotropical Montane Forests*, eds. S.P. Churchill, H. Balslev, E. Forero, & J.L. Luteyn, pp. 207–220. Bronx, New York, U.S.: The New York Botanical Garden.
- Stern, M.J. (1995b). An inter-Andean forest relict: vegetation change on Pasochoa Volcano, Ecuador. *Mountain Research and Development*, **15**, 339–348.
- Stewart, G. (2004). *The Tanguai Disaster: A Christmas Eve Tragedy*. Wellington, New Zealand: Grantham House Publishing.
- Stewart, G.H. (1986). Forest dynamics and disturbance in a beech/hardwood forest, Fiordland, New Zealand. *Végétatio*, **68**, 115–126.
- Stewart, M.M. & Woolbright, L.L. (1996). Amphibians. In *The Food Web of a Tropical Rain Forest*, eds. D.P. Reagan & R.B. Waide, pp. 274–320. Chicago: The University of Chicago Press.

- Stokes, A., Spanos, I., & Norris, J.E. (eds.) (2007a). *Eco- and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability*. Proceedings of the First International Conference on Eco-Engineering 13–17 September 2004. Dordrecht: Springer.
- Stokes, A., Salin, F., Dzifa Kokutse, A., *et al.* (2007b). Mechanical resistance of different tree species to rockfall in the French Alps. In *Eco- and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability*, eds. A. Stokes, I. Spanos, & J.E. Norris, pp. 155–164. Proceedings of the First International Conference on Eco-Engineering, 13–17 September 2004. Dordrecht: Springer.
- Stokes, A., Atger, C., Bengough, A.G., Fourcaud, T., & Sidle, R.C. (2009). Desirable plant root traits for protecting natural and engineered slopes against landslides. *Plant and Soil*, **324**, 1–30.
- Stringer, C. (2006). *Homo Britannicus: The Incredible Story of Human Life in Britain*. London: Penguin Group.
- Suding, K.N. & Hobbs, R.J. (2009a). Threshold models in restoration and conservation: a developing framework. *Trends in Ecology and Evolution*, **24**, 271–279.
- Suding, K.N. & Hobbs, R.J. (2009b). Models of ecosystem dynamics as frameworks for restoration ecology. In *New Models for Ecosystem Dynamics and Restoration*, eds. R.J. Hobbs & K.N. Suding, pp. 3–21. Washington, D.C.: Island Press.
- Sultan, N., Cochonat, P., Foucher, J.-P., & Mienert, J. (2004). Effect of gas hydrate melting on seafloor slope instability. *Marine Geology*, **213**, 379–401.
- Swanson, F.J. (1981). Fire and geomorphic processes. In *Proceedings of the Conference on Fire Regimes and Ecosystems*, ed. H.A. Mooney, pp. 401–420. General Technical Report WO-26. Washington, D.C.: U.S. Department of Agriculture, Forest Service.
- Swanson, F.J. & Dyrness, C.T. (1975). Impact of clear-cutting and road construction on soil erosion by landslides in the Western Cascade Range, Oregon. *Geology*, **7**, 393–396.
- Swanson, F.J. & Franklin, J.F. (1992). New forestry principles from ecosystem analysis of Pacific Northwest forests. *Ecological Applications*, **2**, 262–274.
- Swanson, F.J. & Major, J.J. (2005). Physical events, environments, and geological–ecological interactions at Mount St. Helens: March 1980–2004. In *Ecological Responses to the 1980 Eruption of Mount St. Helens*, eds. V.H. Dale, F.J. Swanson, & C.M. Crisafulli, pp. 27–44. New York: Springer.
- Swanson, F.J., Kratz, T.K., Caine, N., & Woodmansee, R.G. (1988). Landform effects on ecosystem patterns and processes. *BioScience*, **38**, 92–98.
- Swanston, D.N. (1991). Natural processes. In *Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats*, ed. W.R. Meehan. *American Fisheries Society Special Publication*, **19**, 139–179.
- Takahashi, T. (2007). *Debris Flow: Mechanics, Prediction, and Countermeasures*. London: Taylor and Francis.
- Talbot, S.S., Talbot, S.L., & Walker, L.R. (2010). Post-eruption legacy effects and their implications for long-term recovery of the vegetation on Kasatochi Island, Alaska. *Arctic, Antarctic, and Alpine Research*, **42**, 285–296.
- Tanner, E.U.J. (1983). Leaf demography and growth of the tree fern *Cyathea pubescens* Mett. Ex Kuhn in Jamaica. *Botanical Journal of the Linnean Society*, **87**, 213–227.

- Tilman, D. (1985). The resource-ratio hypothesis of plant succession. *The American Naturalist*, **125**, 827–852.
- Ting, I.P., Hann, J., Holbrook, N.M., *et al.* (1987). Photosynthesis in hemiepiphytic species of *Clusia* and *Ficus*. *Oecologia*, **74**, 339–346.
- Tiwari, A.K., Mehta, J.S., Goel, O.P., & Singh, J.S. (1986). Geo-forestry of landslide-affected areas in a part of Central Himalaya. *Environmental Conservation*, **13**, 299–309.
- Towhata, I. (2007). On failure of municipal waste landfill. In *Progress in Landslide Science*, eds. K. Sassa, H. Fukuoka, F. Wang, & G. Wang, pp. 147–149. New York: Springer.
- Towns, D.R., Atkinson, I.A.E., & Daugherty, C.H. (2006). Have the harmful effects of rats on islands been exaggerated? *Biological Invasions*, **8**, 863–891.
- Townsend, C.R., Begon, M., & Harper, J.L. (2008). *Essentials of Ecology*, 3rd Edition. Oxford, UK: Blackwell Publishing.
- Trauth, M.H. & Strecker, M.R. (1999). Formation of landslide-dammed lakes during a wet period between 40,000 and 25,000 yr B.P. in northwestern Argentina. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **153**, 277–287.
- Trauth, M.H., Bookhagen, B., Marwan, N., & Strecker, M.R. (2003). Multiple landslide clusters record Quaternary climate changes in the northwestern Argentine Andes. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **194**, 109–121.
- Tremper, B. (2008). *Staying Alive in Avalanche Terrain*. Seattle, WA: The Mountaineers Club.
- Tryon, R.M. & A.F. Tryon. (1982). *Ferns and Allied Plants with Special Reference to Tropical America*. New York: Springer.
- Tuba, Z., Slack, N., & Stark, L.R. (eds.) (2011). *Bryophyte Ecology and Climate Change*. Cambridge: Cambridge University Press.
- Turner, T.R., Duke, S.D., Fransen, B.R., *et al.* (2010). Landslide densities associated with rainfall, stand age, and topography on forested landscaped, southwestern Washington, U.S. *Forest Ecology and Management*, **259**, 2233–2247.
- Uniyal, S.K. Awasthi, A., & Rawat, G.S. (2000). Current status and distribution of commercially exploited medicinal and aromatic plants in upper Gori Valley, Kumaon Himalaya, Uttaranchal. *Current Science*, **82**, 1246–1252.
- Usher, M.B. (1993). Primary succession on land: community development and wildlife conservation. In *Primary Succession on Land*, eds. J. Miles & D.W.H. Walton, pp. 283–293. Oxford: Blackwell.
- Usher, M.B. & Jefferson, R.G. (1991). Creating new and successional habitats for arthropods. In *Conservation of Insects and their Habitats*, eds. N.M. Collins & J.A. Thomas, pp. 263–291. London: Academic Press.
- Van der Burght, L., Stoffel, M., & Bigler, C. (2012). Analysis and modeling of tree succession on a recent rockslide deposit. *Plant Ecology*, **213**, 35–46.
- Varnes, D.J. (1958). *Special Report 29: Landslides and Engineering Practice*. Washington, D.C.: National Academy of Sciences, Transportation Research Board.
- Varnes, D.J. (1978). Slope movement types and processes. In *Landslides: Analysis and Control*, eds. R.L. Schuster & R.J. Krizek, pp. 11–33. Special Report 176. Washington, D.C.: National Academy of Sciences, Transportation Research Board.

- Vázquez-Yanes, C. (1998). *Trema micrantha* (L.) Blume (Ulmaceae): a promising neotropical tree for site amelioration of deforested land. *Agroforestry Systems*, **40**, 97–104.
- Vázquez-Yanes, C. & Smith, H. (1982). Phytochrome control of seed germination in the tropical rain forest pioneer trees *Cecropia obtusifolia* and *Piper auritum* and its ecological significance. *New Phytologist*, **92**, 477–485.
- Veblen, T.T. & Ashton, D.H. (1978). Catastrophic influences on the vegetation of the Valdivian Andes, Chile. *Vegetatio*, **36**, 149–167.
- Veblen, T.T. & Stewart, G.H. (1982). The effects of introduced wild animals on New Zealand forests. *Annals of the Association of American Geographers*, **72**, 372–397.
- Veblen, T.T., Schlegel, F.M., & Escobar R.B. (1980). Structure and dynamics of old-growth *Nothofagus* forests in the Valdivian Andes, Chile. *Journal of Ecology*, **68**, 1–31.
- Veblen, T.T., Kitzberger, T., & Lara, A. (1992). Disturbance and forest dynamics along a transect from Andean rain forest to Patagonian shrubland. *Journal of Vegetation Science*, **3**, 507–520.
- Veblen, T.T., Hadley, K.S., Nel, E.M., *et al.* (1994). Disturbance regime and disturbance interactions in a Rocky Mountain subalpine forest. *Journal of Ecology*, **82**, 125–135.
- Veblen, T.T., Kitzberger, T., Raffaele, E., & Lorenz, D.C. (2003). Fire history and vegetation changes in northern Patagonia, Argentina. In *Fire and Climatic Change in Temperate Ecosystems of the Western Americas*, eds. T.T. Veblen, W.L. Baker, G. Montenegro, & T.W. Swetnam, pp. 265–295. New York: Springer.
- Velázquez, E. (2007). Sucesión ecológica temprana en un deslizamiento de ladera de grandes dimensiones en ambiente tropical seco, Volcán Casita, Nicaragua. PhD Dissertation, Universidad de Alcalá, Alcalá de Henares, Spain.
- Velázquez, E. & Gómez-Sal, A. (2007). Environmental control of early succession in a landslide on a dry tropical ecosystem (Casita Volcano, Nicaragua). *Biotropica*, **35**, 601–609.
- Velázquez, E. & Gómez-Sal, A. (2008). Landslide early succession in a neotropical dry forest. *Plant Ecology*, **199**, 295–308.
- Velázquez, E. & Gómez-Sal, A. (2009a). Different growth strategies in the tropical pioneer tree *Trema micrantha* during succession on a large landslide on Casita Volcano, Nicaragua. *Journal of Tropical Ecology*, **25**, 249–260.
- Velázquez, E. & Gómez-Sal, A. (2009b). Changes in the herbaceous communities on the landslide of the Casita Volcano, Nicaragua, during early succession. *Folia Geobotanica*, **44**, 1–18.
- Versfeld, D.B. & van Wilgen, B.W. (1986). Impact of woody aliens on ecosystem properties. In *The Ecology and Management of Biological Invasions in Southern Africa*, eds. I.A.W. Macdonald, F.J. Kruger, & A.A. Ferrar, pp. 239–246. Oxford: Oxford University Press.
- Vincent, K.R., Friedman, J.M., & Griffin, E.R. (2009). Erosional consequence of saltcedar control. *Environmental Management*, **44**, 218–227.
- Vitousek, P.M. (1994). Potential nitrogen fixation during primary succession in Hawai'i Volcanoes National Park. *Biotropica*, **26**, 234–240.
- Vitousek, P.M. & Walker, L.R. (1987). Colonization, succession and resource availability: ecosystem-level interactions. In *Colonization, Succession and Stability*, eds.

- A.J. Gray, M.J. Crawley, & P.J. Edwards, pp. 207–224. Symposium of the British Ecological Society, vol. 26. Oxford: Blackwell.
- Vitousek, P.M. & Walker, L.R. (1989). Biological invasion by *Myrica faya* in Hawai'i: plant demography, nitrogen fixation, ecosystem effects. *Ecological Monographs*, **59**, 247–265.
- Vitousek, P.M., Asner, G.P., Chadwick, O.A., & Hotchkiss, S. (2009). Landscape-level variation in forest structure and biogeochemistry across a substrate age gradient in Hawaii. *Ecology*, **90**: 3074–3086.
- Vitousek, P.M., Gerrish, G., Turner, D.R., Walker, L.R., & Mueller-Dombois, D. (1995). Litterfall and nutrient cycling in four Hawaiian montane rainforests. *Journal of Tropical Ecology*, **11**, 189–203.
- Vittoz, J.A. & Hacsakaylo, E. (1974). Endo- and ectomycorrhizal associations in five *Populus* species. *Bulletin of the Torrey Botanical Club*, **101**, 182–186.
- Vittoz, P., Stewart, G.H., & Duncan, R.P. (2001). Earthquake impacts in old-growth *Nothofagus* forest in New Zealand. *Journal of Vegetation Science*, **12**, 417–426.
- Vorpahl, P., Elsenbeer, H., Märker, M., & Schröder, B. (2012). How can statistical models help to determine driving factors of landslides? *Ecological Modelling*, **293**, 27–39.
- Wagner, W.L., Herbst, D.R., & Sohmer, S.H. (1999). *Manual of the Flowering Plants of Hawaii*, Volumes 1 and 2, revised edition. Honolulu, Hawaii, U.S.: University of Hawaii Press.
- Waide, R.B. (1996). Birds. In *The Food Web of a Tropical Rain Forest*, eds. D.P. Reagan & R.B. Waide, pp. 363–398. Chicago: The University of Chicago Press.
- Wakatsuki, T., Tanaka, Y., & Matsukura, Y. (2005). Soil slips on weathering-limited slopes underlain by coarse-grained granite or fine-grained gneiss near Seoul, Republic of Korea. *Catena*, **60**, 181–203.
- Walker, L.R. (1993). Nitrogen fixers and species replacements in primary succession. In *Primary Succession on Land*, eds. J. Miles & D.W.H. Walton, pp. 249–272. Oxford: Blackwell.
- Walker, L.R. (1994). Effects of fern thickets on woodland development on landslides in Puerto Rico. *Journal of Vegetation Science*, **5**, 525–532.
- Walker, L.R. (1999). Patterns and processes in primary succession. In *Ecosystems of Disturbed Ground, Ecosystems of the World 16*, ed. L.R. Walker, pp. 585–610. Amsterdam: Elsevier.
- Walker, L.R. (2000). Seedling and sapling dynamics of treefall pits in Puerto Rico. *Biotropica*, **32**, 262–275.
- Walker, L.R. (2011). Integration of the study of natural and anthropogenic disturbances using severity gradients. *Austral Ecology*, **36**, 916–922.
- Walker, L.R. (2012). *Biology of Disturbed Habitats*. Oxford: Oxford University Press.
- Walker, L.R. & Aplet, G.H. (1994). Growth and fertilization of Hawaiian tree ferns. *Biotropica*, **26**, 378–383.
- Walker, L.R. & Bellingham, P.J. (2011). *Island Environments in a Changing World*. Cambridge: Cambridge University Press.
- Walker, L.R. & Boneta, W. (1995). Plant and soil responses to fire on a fern-covered landslide in Puerto Rico. *Journal of Tropical Ecology*, **11**, 473–479.

- Walker, L.R. & Chapin, F.S. III. (1987). Interactions among processes controlling successional change. *Oikos*, **50**, 131–135.
- Walker, L.R. & del Moral, R. (2003). *Primary Succession and Ecosystem Rehabilitation*. Cambridge: Cambridge University Press.
- Walker, L.R. & del Moral, R. (2008). Transition dynamics in succession: implications for rates, trajectories, and restoration. In *New Models for Ecosystem Dynamics and Restoration*, eds. R.J. Hobbs & K.N. Suding, pp. 33–49. Washington, D.C.: Island Press.
- Walker, L.R. & del Moral, R. (2009). Lessons from primary succession for restoration of severely damaged habitats. *Applied Vegetation Science*, **12**, 55–67.
- Walker, L.R. & Neris, L.E. (1993). Posthurricane seed rain dynamics in Puerto Rico. *Biotropica*, **25**, 408–418.
- Walker, L.R. & Powell, E.A. (1999). Regeneration of the Mauna Kea silversword *Argyroxiphium sandwicense* (Asteraceae) in Hawaii. *Biological Conservation*, **89**, 61–70.
- Walker, L.R. & Sharpe, J.M. (2010). Ferns, disturbance and succession. In *Fern Ecology*, eds. K. Mehltreter, L.R. Walker, & J.M. Sharpe, pp. 177–219. Cambridge: Cambridge University Press.
- Walker, L.R. & Shiels, A.B. (2008). Post-disturbance erosion impacts carbon fluxes and plant succession on recent tropical landslides. *Plant and Soil*, **313**, 205–216.
- Walker, L.R. & Smith, S.D. (1997). Impacts of invasive plants on community and ecosystem properties. In *Assessment and Management of Plant Invasions*, eds. J.O. Luken & J.W. Thieret, pp. 69–86. New York: Springer.
- Walker, L.R. & Willig, M.R. (1999). An introduction to terrestrial disturbances. In *Ecosystems of Disturbed Ground, Ecosystems of the World 16*, ed. L.R. Walker, pp. 1–16. Amsterdam: Elsevier.
- Walker, L.R., Zarin, D.J., Fetcher, N., Myster, R.W., & Johnson, A.H. (1996). Ecosystem development and plant succession on landslides in the Caribbean. *Biotropica*, **28**, 566–576.
- Walker, L.R., Clarkson, B.D., Silvester, W., & Clarkson, B.R. (2003). Facilitation outweighs inhibition in post-volcanic primary succession in New Zealand. *Journal of Vegetation Science*, **14**, 277–290.
- Walker, L.R., Velázquez, E., & Shiels, A.B. (2009). Applying lessons from ecological succession to the restoration of landslides. *Plant and Soil*, **324**, 157–168.
- Walker, L.R., Landau, F.H., Velázquez, E., Shiels, A.B., & Sparrow, A. (2010a). Early successional woody plants facilitate and ferns inhibit forest development on Puerto Rican landslides. *Journal of Ecology*, **98**, 625–635.
- Walker, L.R., Wardle, D.A., Bardgett, R.D., & Clarkson, B.D. (2010b). The use of chronosequences in studies of ecological succession and soil development. *Journal of Ecology*, **98**, 725–736.
- Walker, T.W. & Syers, J.K. (1976). The fate of phosphorus during pedogenesis. *Geoderma*, **15**, 1–19.
- Walkinshaw, J. (1992). Landslide correction costs on U.S. state highway systems. *Transport Research Record*, **1343**, 36–41.
- Wang, D., Cao, L., de Piao, C., Xue, Y.-D., & Wang, M. (2011). Study on high and steep slope stability of surface mine based on RFPA-SRM. *Journal of Coal Science and Engineering (China)*, **17**, 119–123.

- Wang, W.-N., Chigira, M., & Furuya, T. (2003). Geological and geomorphological precursors of the Chiu-fen-erh-shan landslide triggered by the Chi-chi earthquake in central Taiwan. *Engineering Geology*, **69**, 1–13.
- Wardle, D.A., Walker, L.R., & Bardgett, R.D. (2004). Ecosystem properties and forest decline in contrasting long-term chronosequences. *Science*, **305**, 509–513.
- Waythomas, C.F., Scott, W.E., & Nye, C.J. (2010). The geomorphology of an Aleutian volcano following a major eruption: the 7–8 August 2008 eruption of Kasatochi Volcano, Alaska, and its aftermath. *Arctic, Antarctic, and Alpine Research*, **42**, 260–275.
- Web of Science (2011). <http://apps.webofknowledge.com/> Accessed 10 November 2011.
- Webb, R.H., Ragland, H.C., Godwin, W.H., & Jenkins, O. (1978). Environmental effects of soil property changes with off-road vehicle use. *Environmental Management*, **2**, 219–233.
- Weidinger, J.T., Schramm, J.-F., & Romero, E. (1996). On preparatory causal factors, initiating the pre-historic Tsergo Ri landslide (Langthang Himal, Nepal). *Tectonophysics*, **260**, 95–107.
- Weisman, A. (2007). *The World Without Us*. New York: Picador.
- Wells, A., Duncan, R.P., & Stewart, G.H. (2001). Forest dynamics in Westland, New Zealand: the importance of large, infrequent earthquake-induced disturbance. *Journal of Ecology*, **89**, 1006–1018.
- Wemple, B.C., Jones, J.A., & Grant, G.E. (1996). Channel network extension by logging roads in two basins, western Cascades, Oregon. *Water Resources Bulletin*, **32**, 1195–1207.
- Wemple, B.C., Swanson, F.J., & Jones, J.A. (2001). Forest roads and geomorphic process interactions, Cascade Range, Oregon. *Earth Surface Processes and Landforms*, **26**, 191–204.
- Wentworth, C.K. (1943). Soil avalanches on Oahu, Hawaii. *Geologic Society of America Bulletin*, **54**, 53–64.
- Westoby, M. (1984). The self-thinning rule. *Advances in Ecological Research*, **14**, 167–225.
- Whelan, F. & Kelletat, D. (2002). Submarine slides on volcanic islands – a source for mega-tsunamis in the Quaternary. *Progress in Physical Geography*, **27**, 198–216.
- Whitehead, D. (2011). Forests as carbon sinks – benefits and consequences. *Tree Physiology*, **31**, 893–902.
- Whitehouse, I.E. (1982). Numerical assessment of erosion from old and recent photographs: a case study from a section of Highway 73, Canterbury, New Zealand. *Journal of the Royal Society of New Zealand*, **12**, 91–101.
- Whitford, W.G., Depree, D.J., Hamilton, P., & Ettershank, G. (1981). Foraging ecology of seed harvesting ants, *Pheidole* spp, in a Chihuahuan Desert ecosystem. *American Midland Naturalist*, **105**, 159–167.
- Wilcke, W., Valladares, H., Stoyan, et al. (2003). Soil properties on a chronosequence of landslides in montane rain forest, Ecuador. *Catena*, **53**, 79–95.
- Wilcock, P.R., Schmidt, J.C., Wolman, M.G., et al. (2003). When models meet managers: examples from geomorphology. *American Geophysical Union Monograph Series*, **135**, 27–40.

- Wilke, S., McCafferty, G., & Watson, B. (2011). The archaeology of death on the shore of Lake Nicaragua. In *Identity Crisis: Archaeological Perspectives on Social Identity*, eds. L. Amundsen-Meyer, N. Engel, & S. Pickering, pp. 178–188. Calgary, British Columbia: Chacmool Archaeological Association & University of Calgary.
- Willig, M.R. & Gannon, M.R. (1996). Mammals. In *The Food Web of a Tropical Rain Forest*, eds. D.P. Reagan & R.B. Waide, pp. 399–431. Chicago: The University of Chicago Press.
- Willig, M.R. & McGinley, M.A. (1999). The response of animals to disturbance and their roles in patch generation. In *Ecosystems of Disturbed Ground, Ecosystems of the World 16*, ed. L.R. Walker, pp. 633–658. Amsterdam: Elsevier.
- Williams, J.C., Drummond, B.A., & Buxton, R.T. (2010). Initial effects of the August 2008 eruption on breeding birds and marine mammals, at Kasatochi Island, Alaska. *Arctic, Antarctic, and Alpine Research*, **42**, 306–314.
- Willmott, W.F. (1984). Forest clearing and landslides on the basalt plateau of south east Queensland. *Queensland Agricultural Journal*, **110**, 15–20.
- Wilson, D., Patten, R., & Megahan, W.P. (1982). Systematic watershed analysis procedure for Clearwater National Forest. *Transportation Research Record*, National Academy of Sciences, Washington, D.C., 892, 50–56. Cited in Schuster (2001).
- Wolfe, L.M. (1987). Inflorescence size and pollinaria removal in *Asclepias curassavica* and *Epidendrum radicans*. *Biotropica*, **19**, 86–89.
- Wood, J.R., Wilmshurst, J.M., & Rawlence, N.J. (2011). Radiocarbon-dated faunal remains correlate very large rock avalanche deposit with prehistoric Alpine fault rupture. *New Zealand Journal of Geology and Geophysics*, **54**, 431–434.
- Wondzell, S.M. & King, J.B. (2003). Postfire erosional processes in the Pacific Northwest and Rocky Mountain Regions. *Forest Ecology and Management*, **178**, 75–87.
- Wong, H.N., Ho, K.K.S., & Chan, Y.C. (1997). Assessment of consequence of landslides. In *Landslide Risk Assessment*, eds. D. Cruden & R. Fell, pp. 111–149. Rotterdam: Balkema.
- Wu, W. & Sidle, R.C. (1995). A distributed slope stability model for steep forested hillslopes. *Water Resources Research*, **31**, 2097–2110.
- Wunderle, J.M., Jr. (1995). Responses of bird populations in a Puerto Rican forest to Hurricane Hugo: the first 18 months. *Condor*, **97**, 879–896.
- Wunderle, J.M., Jr. (1997). The role of animal seed dispersal in accelerating native forest regeneration on degraded tropical lands. *Forest Ecology and Management*, **99**, 223–235.
- Wunderle, J.M., Jr., Díaz, A., Velásquez, I., & Scharron, R. (1987). Forest openings and the distribution of understory birds in a Puerto Rican rainforest. *Wilson Bulletin*, **99**, 22–37.
- Wyllie, D.C. & Norrish, N.I. (1996). Stabilization of rock slopes. In *Landslides: Investigation and Mitigation*, eds. A.K. Turner & R.L. Schuster, pp. 474–504. Special Report 247, Transportation Research Board, National Research Council. Washington, D.C.: National Academy Press.
- Xu, Q., Fan, X., Huang, R., *et al.* (2009). A catastrophic rockslide-debris flow in Wulong, Chongqing, China in 2009: background, characterization, and causes. *Landslides*, **7**, 75–87.

- Yajima, T., Nakamura, F., Shimuzu, O., & Shibuya, M. (1998). Forest recovery after disturbance by the 1926 mudflow at Mount Tokachi, Hokkaido, Japan. *Research Bulletin of Experimental Forestry Hokkaido University*, **55**, 216–228.
- Yamamoto, S.-I., Nishimura, N., & Matsui, K. (1995). Natural disturbance and tree species coexistence in an old-growth beech – dwarf bamboo forest, southwestern Japan. *Journal of Vegetation Science*, **6**, 875–886.
- Yokota, S. & Iwamatsu, A. (1999). Weathering distribution in a steep slope of soft pyroclastic rocks as an indicator of slope instability. *Engineering Geology*, **55**, 57–68.
- Yoo, K., Amundson, R., Heimsath, A.M., & Dietrich, W.E. (2006). Spatial patterns of soil organic carbon on hillslopes: integrating geomorphic processes and the biological C cycle. *Geoderma*, **130**, 47–65.
- Yurkonis, K.A., Meiners, S.J., & Wachholder, B.E. (2005). Invasion impacts diversity through altered community dynamics. *Journal of Ecology*, **93**, 1053–1061.
- Zarin, D.J. & Johnson, A.H. (1995a). Base saturation, nutrient cation, and organic matter increases during early pedogenesis on landslide scars in the Luquillo Experimental Forest, Puerto Rico. *Geoderma*, **65**, 317–330.
- Zarin, D.J. & Johnson, A.H. (1995b). Nutrient accumulation during primary succession in a montane tropical forest, Puerto Rico. *Soil Science Society of America Journal*, **59**, 1444–1452.
- Zasada, J.C., Sharik, T.L., & Nygren, M. (1992). The reproductive process in boreal forest trees. In *A System Analysis of the Global Boreal Forest*, eds. H.H. Shugart, R. Leemans, & G. Bonan. Cambridge: Cambridge University Press.
- Zêzere, J.L., Reis, E., Garcia, R., *et al.* (2004). Integration of spatial and temporal data for the definition of different landslide hazard scenarios in the area north of Lisbon (Portugal). *Natural Hazards and Earth System Sciences*, **4**, 133–146.
- Zhou, C.H., Lee, C.F., Li, J., & Wu, Z.W. (2002). On the spatial relationship between landslides and causative factors on Lantau Island, Hong Kong. *Geomorphology*, **43**, 197–207.
- Ziegler, A.C. (2002). *Hawaiian Natural History, Ecology, and Evolution*. Honolulu, Hawaii: Hawaii University Press.
- Ziegler, A.D., Giambellucca, T.W., Tran, L.T., *et al.* (2004). Hydrological consequences of landscape fragmentation in mountainous northern Vietnam: evidence of accelerated overland flow generation. *Journal of Hydrology*, **287**, 124–146.
- Ziemer, R.R. (1981). The role of vegetation in the stability of forested slopes. *Proceedings of the 17th International Union of Forest Research Organization World Congress, Japan*: 297–308.
- Zobel, D.B. & Antos, J.A. (1991). 1980 tephra from Mount St. Helens: spatial and temporal variation beneath forest canopies. *Biology and Fertility of Soils*, **123**, 60–66.
- Zogning, A., Ngouaneta, C., & Tiafacka, O. (2007). The catastrophic geographical processes in humid tropical Africa: a case study of the recent landslide disasters in Cameroon. *Sedimentary Geology*, **199**, 15–29.