

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Center for Agricultural Profitability

Agricultural Economics Department

11-17-2022

Value of Gain on Winter Backgrounded Cattle

Elliott James Dennis

University of Nebraska - Lincoln, elliott.dennis@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/cap>



Part of the [Agribusiness Commons](#), and the [Agricultural Economics Commons](#)

Dennis, Elliott James, "Value of Gain on Winter Backgrounded Cattle" (2022). *Center for Agricultural Profitability*. 3.

<https://digitalcommons.unl.edu/cap/3>

This Article is brought to you for free and open access by the Agricultural Economics Department at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Center for Agricultural Profitability by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

In The Cattle Markets

Elliott Dennis, Assistant Professor & Extension Livestock Economist
Department of Agricultural Economics, University of Nebraska – Lincoln

Value of Gain on Winter Backgrounded Cattle

Cumulative national feeder and stocker cattle receipts are slightly lagging both 2021 and the 5-year average (2017-2021) at 12,098,700 head through Oct 21. In 2022, more of the receipts are coming from cattle weighing less than 600 lbs. and heifers – both signals that the drought in various parts of the United States is affecting feeder and stocker cattle being sold.

Cow-calf producers who still have calves are in the process of deciding whether to sell or retain weaned calves. This decision must consider both the cost to put on the additional weight (total amount, quality, cost of feed resources, etc.) and the expected price received when cattle are sold at higher weights (at current and future basis-adjusted prices). The difference between these two is profit but only on the additional weight gained. Positive values indicate that profits could be made by retaining feeder cattle this fall.

Survey work from the University of Nebraska – Lincoln shows that producers can use a combination of price risk management and different lengths in their production system as a hedge against adverse price movements. Putting on weight during the winter and selling in March-April or selling in the late summer are the two common backgrounding production systems in Nebraska. Within these two systems, total weight gain can be influenced by the type of feed given. Table 1 shows group-level trial data for these two types of systems in Nebraska. Gain can either be fast or slow in either the winter stocking 2022-23 and summer grazing 2023 seasons. These decisions impact the total weight gained at each phase and thus the time and weight feeder cattle enter feedlots.

The value-of-gain for the two wintering scenarios (slow vs. fast) is calculated using 66 head of 525 lb. weaned steers bought on Nov 2, 2022, and sold in Lexington, NE on March 9, 2023, using Beef Basis. The value of gain for the slow winter performance using an ADG of 0.80 lb/d is \$198.96/cwt. The value of gain for the fast winter performance using an ADG of 2.05 lb/d is \$137.45/cwt. Within each of these production systems, there is little advantage of speeding up or slowing down the cattle since the value-of-gain does not vary substantially between the two weeks before or after the proposed sell date (see Table 2).

These calculations are specific to cattle sold in Lexington, NE, and producers making decisions about whether to retain cattle should re-calculate the value of gain for their location using tools such as those available at Beef Basis. Similarly, these values are for current prices and historical basis. Under no price risk management, the actual price received will differ. If price risk

management tools are used such as CME futures or options or RMA Livestock Risk Protection, producers some of this risk by “locking in” an output price but are still subject to basis risk. Producers who retain cattle over the winter should re-calculate the value of gain for cattle in the Spring as they come off cornstalks or winter grazing to determine if the market is still willing to pay them to put on yet additional weight.

Table 1. Rate of winter gain and length of grazing

	Slow-Short	Slow-Long	Fast-Short	Fast-Long
<i>Panel (a): Winter Performance</i>				
Gain (lb/d)	0.79	0.79	2.04	2.04
BW	627	627	785	785
<i>Panel (b): Grass Performance</i>				
Gain (lb/d)	2.50	2.01	1.44	1.29
BW	779	866	867	938

Source: Klopfenstein et al. (2020)

Note: Calves are placed at 525 lb.; Winter grazing is 127 days on cornstalks, short summer grazing is 62 days on summer grass, and long summer grazing is 120 days on summer grass; Slow winter grazing is when cattle are fed 2 lb. of distillers grains daily and fast winter grazing is when cattle are fed 5 lb. of distillers grains daily.

Table 2. Value of Gain Under Different Winter Performance Scenarios in Lexington, Nebraska

Sell Date	Sell Price (\$/cwt.)	DOF (d)	ADG (lbs.)	VOG (\$/cwt.)
<i>Panel (a): Slow Winter Performance</i>				
2/25/2023	208.67	115	0.89	198.04
3/3/2023	208.74	121	0.84	198.48
3/9/2023	208.82	127	0.80	198.96
3/16/2023	208.88	134	0.76	199.30
3/23/2023	208.67	141	0.72	198.05
<i>Panel (b): Fast Winter Performance</i>				
2/25/2023	186.76	115	2.26	138.34
3/3/2023	186.61	121	2.15	137.90
3/9/2023	186.46	127	2.05	137.45
3/16/2023	186.31	134	1.94	136.97
3/23/2023	186.30	141	1.84	136.97

Note: Grayed rows are the two base scenarios; Sell prices are based on current CME feeder cattle and corn contracts adjusted for historical basis for feeder cattle sold in Lexington, Nebraska.

